bedrunka+hirth

Workplace up to date – mehr Raum zum Arbeiten

Valid till 31.03.2028



CATALOGUE 2026-28



Drawer cabinets 

MRS® 

CNC storage and transport systems 

Workbenches 

Multi-Board 

workraster - the structured one 

workline - the highest one 

workergo - the versatile one 

NEW

ergoliner - the powerfull one 

Heavy load tables - the strongest ones 

Other workplace systems 

Worktops 

ESD 

Mobile logistics systems 

Hinged and sliding door cabinets 

Chairs and shelving 

Cloakroom cabinets

Innovative, competent and independent

Paul Bedrunka + Otto Hirth

Ludwig Kellner, Managing Director

1969





It all started with a small workshop in Bräunlingen. Initially, the two founders, Paul Bedrunka and Otto Hirth, employed six people.
The modest production area was equipped with a few drilling machines, grinding and welding devices, and a guillotine shear. As there were no cranes or forklifts available at the time, the metal sheets and pipes had to be unloaded by hand. Pipes were lifted one by one through the workshop windows - a process that regularly posed great challenges to employees.
On just a few square meters, the first table frames with crank adjustment were produced. Sheet metal was processed entirely manually, and the painting was applied by hand using wet paint. The finished products were delivered with a single small truck.
While Mr. Hirth was responsible for sales and ensuring a steady flow of orders, Mr. Bedrunka coordinated and supervised production, always with an eye on the highest quality. At that time, the company's customer base was limited to a radius of about 100 kilometers.

The construction of the new building on Gießnaustraße in 1982/83 marked the beginning of a new era for the company. The expansion created larger production and administrative areas, enabling continuous growth of the product range. Over the years, the number of employees, the machinery, and the company's presence in the German market steadily increased.
In 1985, Ludwig Kellner took over as Managing Director and successfully guided the company through a time of technological transformation. Today, Bedrunka+Hirth employs around 120 people on a factory site covering more than 8,800 square meters.

In response to ongoing digitalization, Bedrunka+Hirth adapted early to the demands of Industry 4.0. The groundbreaking ceremony for the most recent expansion took place in spring 2018, just in time for the company's 50th anniversary. The new three-storey administration building and the additional production hall created space for state-of-the-art manufacturing technologies, expanded logistics areas and sustainable workplaces. Today, digitally networked systems, automated processes and intelligent logistics shape everyday operations.

1985





Online distribution channels are becoming increasingly important alongside completely digital internal logistics. For example, customers can configure their cabinet and workstation systems online or have their entire factory floors planned and modeled in 3D. These models can then be displayed realistically on screen through professional digital interfaces.
The production process is highly digitalized: data from online planning flows directly into manufacturing, accompanying each product from sheet cutting and assembly to delivery and installation.

With modern automated bending and production systems, productivity has significantly increased in recent years, processes have been optimized, and efficiency has improved substantially. At the same time, the company is setting a clear example for sustainability: Bedrunka+Hirth records and communicates the CO^2 emissions of its products transparently and strives consistently to further reduce them through energy-efficient processes and resource-saving manufacturing. All Bedrunka+Hirth products are made entirely in Germany, in compliance with the highest quality and environmental standards.

Today, the name Bedrunka+Hirth stands for innovation, precision, and durability and represents a seamless combination of craftsmanship and high technology. The company supplies specialist dealers across Europe with extremely short delivery times, offers a 72-hour delivery program, and develops products that stand out for their ergonomics, functionality, and sustainable value.
With its commitment to digitalization, efficiency, and sustainability, Bedrunka+Hirth remains a reliable partner for modern industrial furnishing - digital, efficient and **Made in Germany**.


1982


2019

Online Configurator

Your perfect solution in just a few clicks
Our online configurators help you design your individual workplace equipment quickly and easily. Whether drawer cabinet, workbench or workplace system – with just a few clicks, you can create your desired product, perfectly tailored to your needs.

All configurators are particularly user-friendly and guide you step by step through the many available options. An intelligent system calculates possibilities in the background, adds helpful explanations, and presents your selection clearly with technical details and illustrations.

Workplace Systems Configurator
Ergonomic workstations individually designed

Design modern, ergonomic, and flexible workplace systems – perfectly tailored to your processes.

How it works:
- Choose the basic system (frame, size, shape)
- Select the worktop and material
- Configure height adjustment and ergonomic option
- Add accessories: multi-board, lighting, monitor holders, power supply, shelves, etc.
- Define the color design as desired

Result: A customized workplace system for maximum efficiency and ergonomics.

NEW



Visit our online configurator
www.bedrunka-hirth.de

Workbench Configurator
Your individual workbench – perfectly planned

Design your personal workbench – perfectly adapted to your workflows and requirements.

How it works:
- Select the basic workbench type (stationary or mobile)
- Define dimensions and worktop material
- Configure drawer units, doors, and shelves
- Choose the frame and component colors
- Add accessories such as socket strips, tool holders, or superstructures

Result: A workbench that fits your workspace exactly.

Drawer Cabinet Configurator
Your dream cabinet in just a few clicks

Our drawer cabinet configurator impresses with its clarity and ease of use. In just a few steps, you can create your individually equipped drawer cabinet.

How it works:
- Select the cabinet type (stationary or mobile)
- Define the grid dimension and usable height
- Configure drawers (front heights, load capacities, quantity)
- Choose the body and drawer color from 17 standard colors
- Add accessories such as small parts boxes, dividers, trays, ribbed rubber or anti-slip mats

Result: Your perfectly equipped drawer cabinet – tailored to your needs..

Corporate principles

QUALITY

- High-quality steel sheets and steel pipes
- Long product service life
- Products are made to order
- Optimisation of your value creation
- Product development to state-of-the-art standards

RETAIL

- Customer focus, personal contact
- Competent advice on site
- Unrestricted identification with the manufacturer
- Stocking of popular promotional models at retailers
- Conveying of market trends

INDEPENDENT BRAND | SHORT LEAD TIMES | INDIVIDUAL SOLUTIONS | COMPETENT STAFF

CUSTOMIZED

- Customer-related solutions
- Customised products for your production and storage area
- 17 standard colours
- Collaboration on all operating facility objects
- Product knowledge leads to solutions to customer problems

PLANNING

- On-site consulting and situation analysis
- Individual solutions for your requirements
- 3D planning programs and extensive library
- Professional solutions, quickly and easily in 3D

HIGH QUALITY | HIGH FLEXIBILITY | COMPREHENSIVE ADVICE | CLOSE TO RETAILERS

We are certified



ZERTIFIKAT

Zertifikat-Registrier-Nr.: 12 100 22688 TMS / Auftrags-Nr.: 70002821

Die Zertifizierungsstelle
der TÜV SÜD Management Service GmbH
bescheinigt, dass die Organisation

bedrunka+hirth

Bedrunka & Hirth Gerätebau GmbH
Gießnaustr. 8
78199 Bräunlingen
Deutschland

für den Geltungsbereich

Entwicklung, Herstellung und Vertrieb von
Lager- und Betriebseinrichtungen sowie
Metallteile für die Büro-, Wohnmöbel-,
Freizeit- und Elektroindustrie

ein Qualitätsmanagementsystem eingeführt hat und anwendet.
Durch ein Audit wurde der Nachweis erbracht,
dass die Forderungen der

DIN EN ISO 9001:2015

erfüllt sind.

Dieses Zertifikat ist gültig vom 18.03.2024 bis 17.03.2027.

Fred Wenke
Leiter der Zertifizierungsstelle
München, 23.02.2024



CHARTA

ZERTIFIKAT

Das Unternehmen

bedrunka+hirth

Bedrunka+Hirth Gerätebau GmbH
Gießnaustr. 8
78199 Bräunlingen
Deutschland

erhält das Zertifikat: „Gesundes Arbeiten".

WIEDERHOLUNGSPRÜFUNG

Das Bewertungsverfahren wurde in der aktuellen Fassung im Laufe des Jahres 2016 von „Charta Gesundes Unternehmen", Dr. Reck-Hog zusammen mit Experten/-innen aus dem Gesundheitsbereich entwickelt und im Jahre 2019 auf Aktualität überprüft.
Die Konzeption orientiert sich an DIN EN ISO 6385, ausgewählten Anforderungen der European Foundation for Quality Management (EFQM) sowie der einschlägigen Fachliteratur.

Dieses Zertifikat ist gültig vom 2019-10-15 bis 2022-10-15
Zertifikat-Registrier-Nr. PBW-102019

Dr. Ursula Reck-Hog | EFQM Assessorin | Mitglied der Initiative Ludwig-Erhard-Preis | Qualitätsauditorin (TÜV)

Edwin Arnold | Leiter des Instituts „Charta Gesundes Unternehmen"

Range of products

PRODUCTS
Take a look at our wide range of products.

We have been making equipment for industry, trade and service sectors for over 50 years in Bräunlingen in the German Black Forest. We develop our products to state-of-the-art standards. We use only high-quality steel sheets and steel pipes to meet the highest of requirements and withstand large loads.

We help our customers optimise their value creation in the areas of production, assembly and service by using our products and services. Apart from drawer cabinets and workbenches as well as mobile logistics systems in a variety of designs, we manufacture ergonomic workplace systems with a wide range of components.

The production programme also includes CNC storage and transport systems with their own CNC inserts, which can be individually and rationally positioned simply by clicking them into place.

When it comes to drawer cabinets, all 736 mm drawers are equipped with 100% full pull-out and ball-bearing drawer guides. Drawers with 50 mm front height have a load capacity of 70 kg; drawers from 75 mm front height have a load capacity of 100-300 kg.

The front opening solution for our electronic drawer cabinets "Tool Server Modular" TSM®, with a complete inventory management, is protected by the European Patent Office. This system of tall cabinets and standard tool cabinets can be used wherever access control is needed. Each drawer, and even each subdivision with cover, is electromagnetically interlocked, on standby around the clock and contains an electronic storage and ordering system.



Market segments

- Industry: Due to their durability, our high-quality products are appreciated in mechanical and plant engineering and in the metalworking industry.
- Industrial/crafts: From simple workbenches to workshop trolleys and packing tables, our products make work easier.
- Training and public facilities: From group workplaces to workbenches and office furniture, we are well placed to meet all requirements.
- Chemical/pharmaceutical industries: Our workplace systems are particularly popular in research and development facilities.
- Automotive/aviation industries: Bedrunka+Hirth is a well-known brand in the aviation and automotive industries, as well as in motor racing.
- Electrical and electronic devices: With our secure ESD work stations and ESD accessories, we are optimally equipped for conductive products.

"The principles of orderliness, safety and ergonomics are crucial for the development of these workplaces. They ensure the proper flow of materials and ease the burden on employees."



Industry 4.0 - We offer innovative systems

INDUSTRY 4.0
Smart networking of machinery and processes.

TSM®

Smart drawer cabinets with electronic inventory management, and with cutting-edge software based on Windows. Each drawer or door is electromechanically locked and is unlocked by the software after entering the item to be taken out. The software is designed for up to 99 modules.

WORKPLACE SYSTEMS


Every day, company's employees grapple with strenuous tasks and heavy physical labour. In order to maintain and improve competitiveness in the long term, your resources should be better utilized. We offer smart workplace systems for this purpose.
For example, heavy-duty tables from the "powerline" series with a load capacity of 600 or 900kg.They can be adjusted individually to the user by means of electrical height adjustment.


HIPERCAB®

The HiPerCab is an intelligent storage cabinet with electronically locked drawers. A modern, Windows-based software controls the withdrawal and return of all materials, ensuring maximum transparency and security. The modular system is designed for up to 99 expansion modules and offers a professional solution for the safe, controlled, and efficient management of tools and operating equipment.



Workstations of the future





TSM® - Tool Server Modular

i4.0

INDUSTRY 4.0
Smart networking of machinery and processes.

Your advantages:

- High user friendliness
- Guaranteed stock levels
- Customised subdivision, including with single covers
- Unlocked drawer and cover is displayed on the LCD display
- Reduction in personnel costs
- Can be used where access control is required
- Diverse variations
- System is operated autonomously with its own processor unit
- Individual access restrictions
- Maximum utilisation through the chaotic storage principle
- Part removal possible
- No unmanaged inventories
- Professional and sorted storage of materials and tools

Tool-Server-Modular (TSM®)

Complete control takes place via storage and administration software. The TSM® meets your requirements with a modular drawer concept. The modules can be combined with each other to suit your needs. The TSM® is compatible with the TSS®. Both systems complement each other with the unrivalled range of variants and combinations across the board. The software is identical and therefore allows retrofits and upgrades.

Software video



. . . the innovative, modular storage system for small parts

Automation in the area of tool management is constantly advancing. The Tool-Server-Modular lets you enjoy much leaner and more efficient tool management. The costs of providing, managing and using tools and small materials are significantly reduced by using our tool storage system.
Increased competition in the manufacturing industry is leading to greater cost pressure and forcing companies to consider optimising their production processes. Only companies with professional resource logistics can ensure a smooth and therefore economic production process.
Our fully automated tool dispensing system supports you on your way to professional tool management.
We meet your requirements with a modular drawer concept. Up to 100 modules can be combined with each other to suit your needs.



THE TSM® PRODUCT FAMILY

- Drawer cabinets (various designs)
- Compartments cabinet

PRODUCT CATALOGUE



Request our catalogue on TSM® "Tool-Server-Modular". Find out more about the innovative systems by Bedrunka+Hirth, and discover the unique quality from the Black Forest!

HiPerCab®

INDUSTRY 4.0
Intelligent networking of machines
and processes

Adaptive cabinet system
The new generation of drawer cabinets

The new HiPerCab® (High Performance Cabinet) are as user-friendly as they are unyielding against unauthorized persons. The intuitive touch-screen guides the user simply and unerringly to the right drawer, where the item they are looking for is safely stored. However, anyone who cannot identify themselves is denied access.

»The centerpiece of the new cabinet system is its software«, Whether it's a multilingual user interface that allows language selection in German, English and French, or user identification by means of a PIN code and RFID chip - the company from the Black Forest equips its high-quality cabinet system with technology that offers real added value. The user data-base records who has been granted access and when, and allows to limit access in time. Furthermore the local administrator can manage user rights centrally, connect additional cabinets or remove them again.

The touchscreen is located on the top edge of the cabinet.
The electromechanically locked drawers can be accessed in three steps. First, the system opens the drawers to which the user has access by just a small gap. Tapping the desired drawer opens it further, while the other drawers remain in provision mode.
In the third step, the desired drawer can be pulled out fully (full pull-out 100%). All others remain locked, „for safety reasons," as the load capacity of the individual drawers is up to 100 kg. After removal, the system ensures that the retracted drawer is slowed down, gently retracted, closed and returned to staging mode.

The HiPerCab® is available as Medium and Premium versions or as extension module, each in widths of 705 and 1.005 mm and heights of 1.019 and 1.219 mm. Bedrunka + Hirth offers the cabinet system with the same divider materials as the classic drawer cabinet. This also applies to other features of the cabinet system „made in Germany", such as the frame-reinforced, very stable housing, the welded sheet steel construction and the configurable front heights. As usual, the front of the cabinets can be individually colored, for example to match the user's corporate design.



HiPerCab

Technical details

- Intuitive touch screen
- Multilingual user interface available in German, English and French
- User identification by PIN code and RFID chip
- Dual use of RFID frequencies at 13.56MHz and 125kHz
- Customer-specific RFID standard can be extended by updates
- Company-wide user database for all cabinet systems used
- Detailed event logging and evaluation options
- Identical divider materials as for the classic drawer cabinets



CE

- Certificated with the following standards and directives
- Norm DIN 5054 | Steel drawer cabinets - construction types, functional and safety requirements, testing, evaluation
- Low voltge directives 2014/35/EU
- EMV directives 2014/30/EU
- Radio Equipment Directives 2014/53/EU
- RoHS directives 2011/65/EU

- EN 55011:2016+A1:2017
- EN 61000-3-2:2014
- EN 61000-3-3:2013
- EN 61000-6-2:2005+AC:2005
- EN 61000-6-4:2007+A1:2011
- EN 300330:2017
- EN 50581:2012 (RoHS2)

CATALOGUE



Order our special brochure HiPerCab®.
Learn more about the innovative systems from Bedrunka+Hirth and let the unique quality from the Black Forest convince you!

Workplace systems

i4.0

INDUSTRY 4.0
Intelligent networking of machines
and processes

Your Benefits with Bedrunka+Hirth Workstation Systems:

- Maximum ergonomics thanks to electrically height-adjustable workstations
- Wide range of variants: 4-leg, C-leg, heavy-duty and special-purpose workbenches
- Fully modular system with freely combinable components
- Extensive expansion options through modular multi-wall systems
- Robust, durable steel constructions – **Made in Germany**
- Broad selection of worktops for assembly, logistics, laboratory and technical applications
- Integrated power supply, lighting and compressed air directly at the workstation
- Perfect organization with modular underbench cabinets and shelving systems
- Maximum order, efficiency and clarity in daily operations
- High load capacities – ideal for demanding industrial environments
- Consistent, professional design with a unified system aesthetic
- Future-proof thanks to comprehensive expandability and retrofit capability

Workplace systems and Industry 4.0 are closely interconnected, as modern production environments are fundamentally transforming the workplace. The following provides a concise overview:

People: qualification, ergonomics, motivation
Technology: machines, tools, IT systems
Organization: workflows, processes, responsibilities
Environment: safety, ergonomics, work equipment

Workstation systems play a central role in modern production and working environments. They create order, improve ergonomic workflows and support a clear structuring of work processes. Bedrunka+Hirth systems stand out thanks to their high quality, modular design and versatile combination options.



...ergonomisch, effizient und durchdacht

At the core is a flexible modular system that can be individually configured and adapted to a wide range of application areas. Different table frames, robust worktops, functional multi-wall elements as well as storage solutions such as underbench cabinets and shelving systems provide maximum design freedom. Each component is designed to organize tools, materials and accessories in a clear, easily accessible and safe manner.

Ergonomics and user-friendliness are key elements of the system: height-adjustable worktops, optimally positioned storage levels and well-structured work areas support healthy, efficient and focused working. At the same time, stable steel constructions and high-quality surfaces ensure long service life and reliability in daily operation.

Thanks to their wide range of variants, Bedrunka+Hirth workstation systems are suitable for assembly workstations, order picking, maintenance and service, incoming and outgoing goods inspection, serial and individual production, manual and semi-automated workplaces, laboratory areas and many other applications. They enable clearly structured workflows, reduce search and setup times and contribute to a professional, well-organized working environment.

Bedrunka+Hirth workstation systems combine functionality, stability and ergonomics into solutions that support productive work and can be flexibly adapted to new requirements – a solid foundation for efficient and future-proof workplaces.



OUR WORKSTATION SYSTEMS AT A GLANCE:

- workraster
- workergo
- workline
- powerline
- hydline
- workalu
- Packaging table
- ergoliner

Showroom „Artwerkstatt“

Experience the products live



Do you require training?
Do not hesitate to make an appointment with us!

Training and seminars for specialist retailers and retail customers

As a customer of Bedrunka+Hirth, you can considerably increase your efficiency by knowing the options available to you. The training courses provide detailed specialist knowledge for retailers and users.

- Business organisation
- Sales seminar with catalogue training
- Technical product knowledge
- 3-D Planung

Our showrooms in Germany:

- **1 |** South: 78199 Bräunlingen
- **2 |** West: 42899 Remscheid
- **3 |** East: 99869 Günthersleben-Wechmar
- **4 |** North: 23881 Breitenfelde

These showrooms showcase the variety of our products.



On the road with products and innovations

With a specially purchased and appropriately designed Crafter, we set out from the Black Forest to present ourselves to selected retailers and business partners regionally and close to the customer.
The Crafter is equipped with a mix of innovative new developments and bestsellers, in order to showcase the whole range and combination variety of the B+H product portfolio. At the same time, the company's claim to intelligent workshop and operational organization, quality „Made in Germany“ and consistent product design in line with the basic principle of „healthy working“ is to be underlined. The aim is to create a real trade show experience with the roadshow.

Trainings for retails and customers

You as a customer of Bedrunka+Hirth can considerably increase your efficiency if you know the variety of products and their possible uses. The trainings provide detailed expertise for dealers and users.

- Operational organization
- Sales seminar with catalog training
- Technical product knowledge
- 3D planing

1 Bräunlingen



Showroom SOUTH in Bräunlingen
Gießnaustraße 8 | 78199 Bräunlingen

2 Remscheid



Showroom WEST in Remscheid
Barmer Str. 62A | 42899 Remscheid

3 Gotha



Showroom EAST near Gotha
Am Oberried 4 | 99869 Günthersleben-Wechmar

4 Hamburg



Showroom NORTH near Hamburg
Dorfstraße 16A | 23881 Breitenfelde



Production

SERVICE
We are always available in case of questions or technical issues.

We develop and produce by making use of state-of-the-art machinery. In addition to punching/nibbling robots, laser cutting systems and a fully automated bending centre, production is optimised by welding robots. A fully automated powder coating system brings colour to your workplace.

Bedrunka+Hirth is committed to protecting the environment. To ensure the thrifty use of resources such as raw materials, energy and water, we encourage and motivate all employees to use them with a sense of responsibility. Bedrunka+Hirth avoids harmful environmental risks, reduces waste and complies with all relevant environmental regulations. Moreover, all employees are involved in improving quality and environment-related aspects within the company. We offer our employees ongoing perspectives for the long term.

- Fully automated bending centre
- Hydraulic press brake with an automatic tool changer
- NC-controlled guillotine shears
- Punching and notching machines
- CNC-controlled bending machines
- CNC turret press
- Laser machine
- Welding robot
- Spot welding equipment
- Fully automated powder coating system with circular conveyor
- Assembly area

Service hotline for industial equipment



After sales service

- On-site consulting and situation analysis
- Additional products
- Additional services
- Complaints management
- On-site installation and training

Are you in need of a consultation?
Make an appointment today with our field service.
You can find the contact persons on our homepage.
www.bedrunka-hirth.de/en/contact/contact-person

☎ +49 (0)771/ 9201-0
✉ info@bedrunka-hirth.de

We need your feedback to improve our services. Should you have any questions about the products, or if you need help with the installation, feel free to contact us.



Assembly

Gain insights
into our production process

We can offer complete installation with delivery, setup and assembly on the spot. Many tables and top parts must be fitted on-site. This task would unnecessarily engage your employees. Our experienced assembly teams can solve minor problems such as uneven floors etc. on the spot.

We offer installation and commissioning, including of electronics cabinets, and employee training.



ON-SITE ASSEMBLY

We provide assembly staff, trained across the EU, for your complete installation:

- We will coordinate the date with you
- We will coordinate delivery with assembly

CHECKS

We attach great importance to quality of our products.

We provide a 10-year manufacturer's warranty for **business customers (B2B)*** in accordance with our warranty terms and conditions. The warranty covers material and manufacturing defects in our own products of the Bedrunka+Hirth brand when used properly. Third-party products, electronic components, software, workbench tops, custom-made products and wear parts are excluded from this warranty.

*Applies exclusively to businesses as defined in Section 14 of the German Civil Code (BGB). For consumers (B2C), statutory rights relating to defective goods apply.

TÜV-Rheinland certificate: "GS" mark for tested safety
Some of our products have been awarded the Technical Inspection Association [TÜV] certificate.

- High-quality steel sheets and steel pipes
- Long product service life
- Optimisation of your value creation
- Product development to state-of-the-art standards
- Safety tested by the TÜV

10 JAHRE GARANTIE

TÜVRheinland ZERTIFIZIERT

geprüfte Sicherheit

www.tuv.com
ID 1111239127

TÜV SÜD ISO 9001

Verband Lagertechnik Betriebseinrichtung

Individual solutions

PLANNING
Using workspaces with individual planning by Bedrunka+Hirth

Individuality

Apart from the standard programme, we can also manufacture customer-specific installations at any time. Object plannings with proposals are provided with 3D drawings already in your corporate colours. Our field sales team and object consultants are available at all times for competent advice.

Specialist retailer loyalty

All products are sold across Europe through specialist retailers only. If required, we will gladly provide you with the details of a specialist retailer near you.

Technical support

- 3D AutoCAD "Inventor"
- 3D planning drawing program: for sales with integrated database
- SketchUp8 Professional for exhibition planning, spatial planning, 3D library
- Simlab Soft - 3D software done right
- pCon planner and pConBox




Professional installations

The planning program we use is the ideal concept and design tool for fast, efficient, three-dimensional modelling and presentation.

Seamless data transfer in the DWG/DXF format is guaranteed by professional import/export interfaces. You can look at 3D data by downloading a viewer free of charge.

Free, flexible designs are mostly automatically produced to implement your requirements, layouts, size and colour choice with creativity and dynamism. By building up an extensive library, we are in a position to visualise your ideas and suggestions quickly and easily in 3D.

We offer a professional solution for which there is no alternative. Can you visualise what that could look like? Let us show you.



Consulting and planning

PLANNING
Using workspaces with individual planning by Bedrunka+Hirth

We offer:

- Object consulting acc. to situation analysis
- Reduction to the essentials
- Implementation according to individual requirements
- Adaptation to spatial circumstances
- Time savings through fast implementation
- Realistic presentation of complex designs and design tasks
- Impressive presentations and slide shows
- A detailed 3D preview

Precise visualisation of your equipment thanks to our planning programs

We have developed a library of all our products for the SketchUp drawing software. This planning program - along with the pCon drawing program - is the ideal design tool for fast, efficient, three-dimensional modelling and presentation.
Seamless data transfer in the DWG/DXF format is guaranteed by professional import/export interfaces. You can look at 3D data by downloading a viewer free of charge.



pCon planning program

pCon PLANNER - the 3D spatial planning program for experts.


- Plan creatively
- Boost your consulting skills
- Create convincing presentations
- Collaborate with architects
- Offer spatial planning as a service
- Seminars



pCon.box - functions

- Interactive product configuration in real time
- Detailed item lists
- Sharing CAD files, images, product and pricing information
- Project setup and management






Individual needs

Implementation according to individual customer requirements

Your individual requirements in terms of work organization and ergonomics will be used as a benchmark. In addition to standard products in various widths and heights and with comprehensive accessories, we also manufacture a number of customer-related solutions - custom-made for your production and/or storage area.



Our standard colours

All our products have an environmentally friendly powder coating.
Standard colours are only the textured and matt colours listed below. Other textures and finishes are available at extra cost.
Licensed colours of well-known brands are not available due to reasons of retrality.



RAL 1023 traffic yellow

RAL 5002 ultramarine blue

RAL 7016 anthracite grey

RAL 3000 - Fire Red

RAL 5005 signal blue

RAL 7035 light grey

RAL 3003 ruby red

RAL 5010 gentian blue

RAL 7040 window grey

RAL 3020 traffic red

RAL 5012 light blue

RAL 9005 jet black

RAL 5013 cobalt blue

RAL 9006 - White aluminium

RAL 6011 reseda green

RAL 9010 pure white

RAL 6018 yellow green

Solutions for your equipment

Are you looking for the right
equipment that is tailored to your needs?
Contact us and learn more today!

Bedrunka+Hirth workplace systems provide ideal conditions for comfortable work and project-related solutions. Module installation is simple and easy thanks to plug-in and mounting devices.

The base modules of the workstation series can be combined with each other or expanded, can be adapted to the work requirements, and can be adjusted to ensure optimal use of space. Assembly lines, U- or cross-formations and linking between workstations can also be implemented. The different module widths, lengths and heights result in a unique variety and maximum flexibility in the design of one-sided or duplex workstations. The systems can be assembled individually in a modular system according to your requirements.

Height adjustment is done steplessly using clamp fixing, crank or motor, or in 38 mm steps, and is therefore ideally suited for standing and sitting activities.

Furthermore, these unique Bedrunka+Hirth products feature a wide range of accessories, and are compatible with many of our multi-board accessories. These products ensure the perfect assembly of the workplace, including excellent illumination of the work surface, in every location. Direct supply of energy and compressed air allows versatile use of the workstation.
B+H workplace systems workraster, workline, workergo, workalu, powerline:

- Capacity with evenly distributed load up to 900 kg
- The modules are available in widths of 750 - 2000 mm
- Depth 550 - 1460 mm
- Height 700 - 2070 mm



Customized branding

Film inscription

We will gladly produce an adhesive film with your company logo or slogan. The slogan will be applied at Bedrunka+Hirth. The film is very durable and a good alternative to screen printing.



Screen printing

Do you require a particularly elegant logo for your new product? In this case, screen printing is the right option. We can produce multi-colour prints with up to 5 colors in one operation.



Laser cutting

Due to its longevity, laser marking has proved its worth for labelling metals. With our CNC-controlled laser systems, we can cut metal sheets to almost every shape.





General information

Technical specifications

VA
100 kg
100%

FULL PULL-OUT
Pull-out 100%, different load capacities with evenly distributed load.

kg
1000

LOAD-BEARING CAPACITY
Total load capacity with evenly distributed load

Designs

1 2 3
4 5 6
7 8 9
0 # *

ELECTRONIC LOCKS
PIN code

ELECTRONIC LOCKS
Card

General information

10 JAHRE
GARANTIE

We provide a 10-year quality guarantee. The guarantee covers material and production of our own products made by "Bedrunka+Hirth", if operated correctly. Merchandise, electronic components, software, workbench tops, custom-made items and wearing parts are not covered.

INFORMATION
Important information and recommendations

i4.0

INDUSTRY 4.0
Smart networking of machinery and processes.

ADVICE
Do you require consultation? Contact us and learn more today!

CNC tool inserts

CNC
E1

TOOL INSERT SIZE 1
Tool insert 49 x 103 x 17 mm

CNC
E2

TOOL INSERT SIZE 2
Tool insert 74 x 103 x 17 mm

CNC
E3

TOOL INSERT SIZE 3
Tool insert 99 x 103 x 17 mm



Workplace systems

workergo - the versatile one



WE C — WORKERGO
C-foot frame in general

WE C1 — WORKERGO
C-foot frame,
Clamp fixing

WE C2 — WORKERGO
C-foot frame, crank adjustment

WE C3 — WORKERGO
C-foot frame, electric,
1 motor, load capacity 180 kg

WE C4 — WORKERGO
C-foot frame, electric,
2 motors, load capacity 300 kg

WE V — WORKERGO
4-foot frame in general

WE V1 — WORKERGO
4-foot frame,
Clamp fixing

WE V2 — WORKERGO
4-foot frame,
Crank adjustment

WE V3 — WORKERGO
4-foot frame, electric,
1 motor, load capacity 180 kg

WE V4 — WORKERGO
4-foot frame, electric,
2 motors, load capacity 300 kg

workline - the highest one



WL 1 — WORKLINE
Clamp fixing

WL 2 — WORKLINE
Crank adjustment

WL 3 — WORKLINE
Electric height adjustment

ergoliner - the powerfull one



EL V — ERGOLINER
4-foot frame

EL C — ERGOLINER
C-foot frame

workraster - the structured one



WR E — WORKRASTER
One-sided module, depth 800 mm

WR D — WORKRASTER
Two-sided module, depth 1460 mm

WR EK — WORKRASTER
One-sided module, short,
depth 550 mm

WR DK — WORKRASTER
Double-sided module, short,
depth 960 mm

powerline - the strongest ones



PL V — POWERLINE 4
4-foot frame, 900 kg load capacity

PL C — POWERLINE C
C-foot frame, 600 kg load capacity

workalu

WA 1 — WORKALU
General

hydline

hL 1 — HYDLINE 1
H-foot frame, crank adjustment
Load capacity 350 kg

hL 2 — HYDLINE 2
H-foot frame, electric
Load capacity 600 kg

hL EH — HYDLINE C
Frame design: H-foot frame

ESD workplaces

ESD — ESD VERSION
All workstations and accessories
approved for ESD

Ergonomics - your benefits

Erg — ERGONOMICS
Efficiency through occupational safety during the activity to be carried out

COMPRESSED AIR
Supply of compressed air for general consumption

PLANNING
Advice and planning checklists ensure an optimal outcome of your project

OPTIMISATION OF THE SPACE WITHIN REACH
Optimal range of movement with short receptacle paths and an unrestricted assembly area

LINKAGE
Optimization of the production flow by means of connecting workstations

LIGHTING
Guarantees optimal illumination and improves field of vision

ENERGY
Direct energy supply at the workstation

MOBILE
Fast, flexible work process thanks to maximum mobility

ESD — ESD
Avoiding defects and malfunctions by protecting electrostatically sensitive components

Advantages of ergonomic workplace design

ERGONOMICS
Efficency through protection and safety in the work to be performed

Workspaces are living spaces - this is where people spend a large part of their day. The modular workstation systems from Bedrunka+Hirth offer ideal conditions for pleasant and efficient work - designed according to ergonomic principles, with regard to people and technology.

When designing workstations, we take into account the latest ergonomic findings to ensure safe and smooth workflows and to optimize employees' daily work environment.

The aim is to create suitable conditions for human work and the use of technical equipment and tools, i.e. to perform work efficiently and without errors and to protect employees from damage to their health. The focus is on occupational safety, health and safety at work, but also on humanity and economic efficiency.

Ergonomics represent the link between people and technology. In the process of designing ergonomic workplaces, the physical performance of the employee must be matched to the performed task (production ergonomics). The movements sequences, physical exortion and environmental influences depend on this.

YOUR ADVANTAGES

- Increased quality by simplifying work processes through optimal ergonomics
- Error prevention
- 20 % increase in output due to efficient work
- Increase in performance and reduction of lead time
- Healthier work and lower costs in the long term due to less health-related absenteeism



The individual workplace



THE OPTIMAL WORKPLACE
Recommendations and assistance

One can speak of health-promoting working conditions if it is possible to organize the majority of the daily working time in a regular alternation of working while sitting, standing and walking. A balanced load should include about 60% sitting, about 30% standing and about 10% walking.

- Avoid continuous standing / standing aids
- Change of task: standing and sitting work
- Mixed work / group work
- Active breaks
- Design of the workplace
- Flooring
- Suitable footwear
- Health conscious behavior

CHECKLISTS
Using checklists

ADVANTAGES OF CHECKLISTS

For workplace optimization we as company have created checklists for our own employees as well as for you as retailers and business partners in order to offer matching solutions. Lack of movement, low-quality workplaces and wrong sitting positions can lead to pathological changes of the musculoskeletal system. Therefore the postures and movements should be adapted to the height of the worker. As there is usually not only one employee, but several employees working at one workplace due to different working time systems (such as night shift, part-time, etc.), ergonomics has a high priority.

- Constant repetition of the design standard
- Safe and fast tool for the designer
- No question is forgotten during execution and planning
- The work task, e.g. „valve assembly“, is specified by the planner in the form of a work plan

INFORMATION BROCHURE



Order our ergonomics brochure or contact our object consultant directly. All brochures and contact details can also be found at:
www.bedrunka-hirth.de

Workplace systemfeatures

workline - the highest one




The **workline** worktable achieves a working height of 1100 mm thanks to its continuous height adjustment and is therefore also an optimal standing workplace. At the same time, its simple and functional design ensures an ergonomic seated workplace.

workergo - the versatile one



The **workergo** is the most versatile workplace system. Six different frame widths, three different frame depths and four different types of height adjustment make the workergo C-foot and 4-foot a versatile worktable.



Our features at a glance	
Modular system	Individual workstations can be quickly expanded to group workstations
Can be retrofitted	Wide range of accessories: Flexible design and conversion of the workplace
Frame widths	1000, 1500 mm
Frame depths	750 mm
Travel speed	6.25 mm/s
Work height without worktop	735-1100 mm | Travel: 365 mm
Height adjustment	Three different types:Clamp fixing, crank adjustment, electric height adjustment
Frame design	A-foot
Load capacity	180-200 kg with uniform load depending on height adjustment

Our features at a glance	
Modular system	Freely selectable combinations from frame to worktop
Can be retrofitted	Multi-board setup and optional accessories
Frame widths	750, 1000, 1250, 1500, 1750, 2000 mm
Frame depths	600, 750, 900 mm
Travel speed	12 mm/s
Work height without worktop	670-1015 mm | Travel: 345 mm
Height adjustment	Four different types: Clamp fixing, crank adjustment, electric height adjustment with 1 motor, electric height adjustment with 2 motors
Frame design	C-foot and 4-foot
Load capacity	180-300 kg with uniform load depending on height adjustment

You can find further information on workline on page 338

You can find further information on workergo on page 360

ergoliner - the powerful one


NEW

No other series of workplace systems combines such robustness and flexibility as the **ergoliner.** Height adjustment make the ergoliner 4-foot and C-foot a powerful and versatile work table. Thanks to its well-thought-out ergonomics, high load capacity and particularly stable steel construction, the ergoliner creates the ideal conditions for efficient, healthy working.



powerline - the strongest ones

Thanks to its electric height adjustment, the **powerline** quietly moves to the required working height in a range of 705-1155 mm with a vertical travel speed of 9 mm/s without load. Thus, the powerline creates a flexible seated/standing workplace without long waiting times. At the same time, the quiet worktable has an extremely high load capacity.







Our features at a glance	
Modular system	Flexible combination options – from the frame to the worktop.
Can be retrofitted	Multi-wall construction with optional accessories
Frame widths	1000, 1500 mm
Frame depths	750 and 900 mm
Work height without worktop	650 – 1300 mm | Lift: 650 mm
Height adjustment	Electric height adjustment
Frame design	C-foot and 4-foot
Load capacity	300-400 kg with uniform load depending on frame design

Features at a glance	
Can be retrofitted	Multi-board setup or stand and optional accessories such as foot switch
Frame widths	1250, 1500, 2000 mm
Frame depth	750, 900 mm
Travel speed	9 mm/s without load
Work height without worktop	705-1155 mm | Travel: 450 mm
Height adjustment	Electric height adjustment
Frame design	C-foot and 4-foot
Load capacity	600-900 kg with uniform load depend-ing on frame design

You can find further information on workraster on page 382

You can find further heavy load tables on page 392

Grid subdivision


	Series	Series	Series	Series	Series
	workline	maxmobile 1	maxmobile 2	T500	T500
					
	Housing W x D	Housing W x D	Housing W x D	Housing W x D	Housing W x D
	365 x 400	630 x 390	630 x 490	380 x 500	530 x 500
Housing height	Usable heights	Usable heights	Usable heights	Usable heights	Usable heights
208	–	–	–	–	–
215	–	–	–	150	–
358	–	–	–	–	–
365	–	–	–	300*	300*
465	–	–	–	400*	400*
469	–	–	–	–	350
500	400	–	–	–	–
519	–	–	–	–	400
619	–	–	–	–	500
719	–	600	600	–	600
819	–	–	–	–	700
919	–	–	–	–	800
1019	–	–	–	–	900
1119					1000
1219	–	–	–	–	1100
1319	–	–	–	–	1200
1419	–	–	–	–	1300
1519	–	–	–	–	1400
					
	Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D
	300 x 350	600 x 300	600 x 400	300 x 400	450 x 400
Front height	Load capacity	Load capacity	Load capacity	Load capacity	Load capacity
50	–	35 kg	35 kg	–	–
75	–	35 kg	35 kg	50 kg	50 kg
100	20 kg	35 kg	35 kg	50 / 75 kg	50 / 75 kg
125	–	–	–	–	–
150	–	35 kg	35 kg	50 / 75 kg	50 / 75 kg
175	–	–	–	–	–
200	20 kg	35 kg	35 kg	50 / 75 kg	50 / 75 kg
250	–	–	–	50 / 75 kg	50 / 75 kg
300	–	–	–	50 / 75 kg	50 / 75 kg
400	20 kg	–	–	–	–
	Series	Series	Series	Series	Serie
	workline	maxmobile 1	maxmobile 2	T500	T500
	T370 12-14	T390 24-12	T490 24-16	T500 12-16	T500 18-16
Grid:	**R 12-14**	**R 24-12**	**R 24-16**	**R 12-16**	**R 18-16**

All dimensions in mm

	Serie	Serie	Serie	Serie	Serie	Serie
	T500	T500	T736	T736	T736	T736
						
	Housing B x T	Housing B x T	Housing B x T	Housing B x T	Housing B x T	Housing B x T
	680 x 500	980 x 500	555 x 736	705 x 736	1005 x 736	1305 x 736
Housing height	Usable heights	Usable heights	Usable heights	Usable heights	Usable heights	Usable heights
208	–	–	150*	–	–	–
215	–	–	150*	–	–	–
358	–	–	300*	300	–	–
365	–	–	300*	–	–	–
465	–	–	400*	–	–	–
469	–	–	–	–	–	–
500	–	–	–	–	–	–
519	400	–	400	400	400	–
619	500	500	500	500	500	–
719	600	600	600	600	600	–
819	700	700	700	700	700	700
919	800	800	800	800	800	800
1019	900	900	900	900	900	900
1219	1000	1000	1000	1000	1000	1000
1119	1100	1100	1100	1100	1100	1100
1319	1200	1200	1200	1200	1200	1200
1419	1300	1300	1300	1300	1300	1300
1519	1400	1400	1400	1400	1400	1400
						
	Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D
	600 x 400	900 x 400	450 x 600	600 x 600	900 x 600	1200 x 600
Front height	Load capacity	Load capacity	Load capacity	Load capacity	Load capacity	Load capacity
50	–	–	70 kg	70 kg	70 kg	–
75	50 kg	50 kg	100 kg	100 kg	100 kg	100 kg
100	50 / 75 kg	50 / 75 kg	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
125	–	–	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
150	50 / 75 kg	50 / 75 kg	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
175	–	–	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
200	50 / 75 kg	50 / 75 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	180 kg
250	50 / 75 kg	50 / 75 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	180 kg
300	50 / 75 kg	50 / 75 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	–
400	–	–	100 / 180 kg	100 / 180 kg	100 / 180 kg	–
	Serie	Serie	Serie	Serie	Serie	Serie
	T500	T500	T736	T736	T736	T736
	T500 24-16	T500 36-16	T736 18-24	T736 24-24	T736 36-24	T736 48-24
Grid:	**R 24-16**	**R 36-16**	**R 18-24**	**R 24-24**	**R 36-24**	**R 48-24**

* Hanging drawer block, bottom open

Contents





Drawer cabinets Page 40




MRS® Page 114



CNC storage and transport systems Page 148



Workbenches Page 176



Multi-Board Page 264



workraster - the structured one Page 320



workline - the highest one Page 338



workergo - the versatile one Page 360

NEW



ergoliner - the powerfull one Page 382

Drawer cabinets







T500 series | Drawer cabinets and divider materials Page 44




T500 series | Individual equipment Page 64

T736 series | Drawer cabinets and divider materials Page 68




T736 series | Individual equipment Page 98




Accessories and spare parts for all series Page 104








Locking systems Page 110

All series offer:


- Secure central locking with "B+H locking system", theft-proof, combination locking systems possible
- Pull-out 100 % with various drawer load capacities of 50 - 300 kg
- Increased security against tipping over through single drawer pull-out, only one drawer can be opened at a time
- Very stable housing with reinforced frame
- Powder coating in 17 standard colours in eco-friendly painting procedure, two-colour paint of standard colours without surcharge
- Production exclusively in Germany




Grid subdivision



Usable drawer dimension



Drawer subdivision



Subdivision & accessories

Space-saving - safe - variable

T500



Features

3 widths:
- **R 18-16:** width 530 mm
- **R 24-16:** width 680 mm
- **R 36-16:** width 980 mm

- **Housing depth 500 mm**
- Internal drawer depth generally 400 mm

Different heights:
- **R 18-16:** height: 469, 519, 619, 719, 819, 919, 1019, 1119, 1219, 1319, 1419 und 1519 mm
- **R 24-16:** height 519, 619, 719, 819, 919, 1019, 1119, 1219, 1319, 1419 und 1519 mm
- **R 36-16:** height 619, 719, 819, 919, 1019, 1119, 1219, 1319, 1419 und 1519 mm

- Integrated aluminium handle bars flush with housing

- Galvanised drawers **with slotted side walls on a 50 mm grid** for dividers – fast, comprehensive, rational subdivision is guaranteed

- Drawers with front heights: 75, 100, 150, 200, 250 and 300 mm

- **Cylinder lock with 180° closure**

- Cabinet housing, maximum load of up to 1.2 t


- Ball bearing guides
- Full pull-out (FP) 100 %
- Load capacity either 50 kg or 75 kg
- **Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm**



		Series	Series	Series	Series
		T500	T500	T500	T500
					
		Housing W x D	Housing W x D	Housing W x D	Housing W x D
		380 x 500	530 x 500	680 x 500	980 x 500
Housing height		Usable heights	Usable heights	Usable heights	Usable heights
215		150	–	–	–
365		300	–	–	–
465		400	–	–	–
469		–	350	–	–
519		–	400	400	–
619		–	500	500	500
719		–	600	600	600
819		–	700	700	700
919		–	800	800	800
1019		–	900	900	900
1219		–	1000	1000	1000
1119			1100	1100	1100
1319		–	1200	1200	1200
1419			1300	1300	1300
1519		–	1400	1400	1400
					
		Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D
		300 x 400	450 x 400	600 x 400	900 x 400
Front height	Shell height	Load capacity	Load capacity	Load capacity	Load capacity
50	–	–	–	–	–
75	59	50 kg	50 kg	50 kg	50 kg
100	85	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
125	–	–	–	–	–
150	135	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
175	–	–	–	–	–
200	185	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
250	185	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
300	185	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
400	–	–	–	–	–
		Series	Series	Series	Series
		T500	T500	T500	T500
		T500 12-16	T500 18-16	T500 24-16	T500 36-16
Grid:		**R 12-16**	**R 18-16**	**R 24-16**	**R 36-16**

All dimensions in mm

From a height of 1119 mm a floor
Floor mounting required



Usable height 350 to 1400 mm
Example:
Usable height 500 mm
Item no.
01.046

Number of drawers (front height) Example:
4 drawers
Usable height 500 mm

Complete order example:
Item no.
01.046 +
3x 60.046.100VA
1x 60.046.200VA

Housing including locking system, cylinder lock and two keys



01.045 01.046 01.047 01.049 01.040


Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.044	530 x 500 x 469	350	243,61
01.045	530 x 500 x 519	400	249,82
01.046	530 x 500 x 619	500	258,53
01.047	530 x 500 x 719	600	265,99
01.048	530 x 500 x 819	700	272,21
01.049	530 x 500 x 919	800	280,90
01.040	530 x 500 x 1019	900	288,36
01.0411	530 x 500 x 1119	1000	299,89
01.0412	530 x 500 x 1219	1100	311,89
01.0413	530 x 500 x 1319	1200	324,36
01.0414	530 x 500 x 1419	1300	337,34
01.0415	530 x 500 x 1519	1400	350,83

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers incl. rails



- Usable drawer dimension: 450 x 400 mm (WxD)
- Drawers with full pull-out 100%

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61

Possible variants as examples

Front height/usable height	350	400	500	500	700	700	700	800	900	900	900	900
75	2x	–	2x	–	–	2x	–	–	4x	2x	–	–
100	2x	4x	–	2x	2x	1x	2x	4x	–	2x	1x	–
150	–	–	1x	2x	–	–	2x	–	2x	2x	2x	2x
200	–	–	1x	–	1x	2x	1x	2x	–	–	1x	–
250	–	–	–	–	–	1x	–	–	–	1x	–	–
300	–	–	–	–	1x	–	–	–	1x	–	1x	2x

530 x 500 x 619 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 450 x 400 mm
- Individual arrangements see page 46/47

Suitable divider material can be found on page 51



- 3x drawer

Item no.	Load capacity	Price in €
46.102	50 kg	472,31
46.102-75	75 kg	550,63



- 3x drawer

Item no.	Load capacity	Price in €
46.021	50 kg	472,31
46.021-75	75 kg	550,63



- 4x drawer

Item no.	Load capacity	Price in €
46.220	50 kg	527,00
46.220-75	75 kg	631,40



- 4x drawer

Item no.	Load capacity	Price in €
46.301	50 kg	527,00
46.301-75	75 kg	631,40



- 5x drawer

Item no.	Load capacity	Price in €
46.2210	50 kg	581,69
46.2210-75	75 kg	660,00



- 5x drawer

Item no.	Load capacity	Price in €
46.500	50 kg	581,69
46.500-75	75 kg	712,19

530 x 500 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 450 x 400 mm
- Individual arrangements see page 46/47



Pin-Code



RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110



- 4x drawer

Item no.	Load capacity	Price in €
48.022	50 kg	560,56
48.022-75	75 kg	664,97



- 5x drawer

Item no.	Load capacity	Price in €
48.21101	50 kg	615,24
48.21101-75	75 kg	693,55



- 5x drawer

Item no.	Load capacity	Price in €
48.140	50 kg	615,24
48.140-75	75 kg	745,76



- 6x drawer

Item no.	Load capacity	Price in €
48.501	50 kg	669,93
48.501-75	75 kg	826,54



- 6x drawer

Item no.	Load capacity	Price in €
48.420	50 kg	669,93
48.420-75	75 kg	826,54




- 7x drawer

Item no.	Load capacity	Price in €
48.700	50 kg	724,62
48.700-75	75 kg	907,34

530 x 500 x 1019 mm (W x D x H)


- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 450 x 400 mm
- Individual arrangements see page 46/47

Suitable divider material can be found on page 51




- 6x drawer

Item no.	Load capacity	Price in €
40.303	50 kg	705,98
40.303-75	75 kg	862,59




- 7x drawer

Item no.	Load capacity	Price in €
40.421	50 kg	760,67
40.421-75	75 kg	943,37




- 7x drawer

Item no.	Load capacity	Price in €
40.340	50 kg	760,67
40.340-75	75 kg	943,37




- 8x drawer

Item no.	Load capacity	Price in €
40.620	50 kg	815,36
40.620-75	75 kg	1.024,17



- 8x drawer

Item no.	Load capacity	Price in €
40.701	50 kg	815,36
40.701-75	75 kg	1.024,17



- 9x drawer

Item no.	Load capacity	Price in €
40.44010	50 kg	870,04
40.44010-75	75 kg	1.000,55

Drawer inserts | ABS



Small parts boxes | 12 parts

- 3x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 4x SPB 75 x 75 mm
- 1x CCR 450 mm

Item no.	Front height in mm	Price in €
146-132-075	75	29,59
146-132	100	33,37



Trough plates | 29 parts

- 4x TP with 4 troughs
- 2x TP with 3 troughs
- 16x SDIV for 4 troughs
- 6x SDIV for 3 troughs
- 1x CCR 450 mm

Item no.	Front height in mm	Price in €
146-130-075	75	46,48
146-130	100	47,35



Ribbed rubber insert | oil-proof

- 450 x 400 mm
- Smooth closing of the drawer also in connection with metal drawer subdivision
- Applies to all front heights

Item no.	Price in €
65.046.530	16,53

Metal divider | galvanised sheet steel



Metal divider | 8 parts

- 2x CCR 400 mm
- 6x DIV 150 mm

Item no.	Front height in mm	Price in €
146-139-75	75	21,00
146-139-100	100	21,69
146-139-150	150	23,37
146-139-200	200/250/300	25,97



Metal divider | 5 parts

- 1x CCR 400 mm
- 2x DIV 200 mm
- 2x DIV 250 mm

Item no.	Front height in mm	Price in €
146-135-75	75	12,43
146-135-100	100	12,98
146-135-150	150	14,24
146-135-200	200/250/300	16,09



Metal divider | 9 parts

- 3x CCR 400 mm
- 5x DIV 100 mm
- 1x DIV 150 mm

Item no.	Front height in mm	Price in €
146-137-75	75	26,23
146-137-100	100	27,59
146-137-150	150	29,95
146-137-200	200/250/300	33,93



Metal divider | 2 parts

- 2x CCR 400 mm

Item no.	Front height in mm	Price in €
146-140-75	75	12,18
146-140-100	100	12,93
146-140-150	150	14,30
146-140-200	200/250/300	16,53



Metal divider | 5 parts

- 1x CCR 400 mm
- 2x DIV 300 mm
- 2x DIV 150 mm

Item no.	Front height in mm	Price in €
146-141-75	75	12,68
146-141-100	100	13,17
146-141-150	150	14,16
146-141-200	200/250/300	16,28



Metal divider | 15 parts

- 3x CCR 400 mm
- 9x DIV 100 mm
- 3x DIV 150 mm

Item no.	Front height in mm	Price in €
146-142-75	75	34,42
146-142-100	100	35,92
146-142-150	150	40,03
146-142-200	200/250/300	45,80

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

From a height of 1319 mm a floor
Floor mounting required




Usable height 400 to 1400 mm
Example:
Usable height 700 mm
Item no.
01.068

Number of drawers (front height)
Example:
4 drawers
Usable height 700 mm

Complete order example:
Item no.
01.068 +
2x 60.068.150VA
2x 60.068.200VA

Housing including locking system, cylinder lock and two keys



01.065 01.067 01.068 01.0613

Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.065	680 x 500 x 519	400	262,25
01.066	680 x 500 x 619	500	270,96
01.067	680 x 500 x 719	600	279,65
01.068	680 x 500 x 819	700	288,36
01.069	680 x 500 x 919	800	307,00
01.060	680 x 500 x 1019	900	326,90
01.0611	680 x 500 x 1119	1000	346,51
01.0612	680 x 500 x 1219	1100	367,30
01.0613	680 x 500 x 1319	1200	384,06
01.0614	680 x 500 x 1419	1300	403,27
01.0615	680 x 500 x 1519	1400	423,43

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers incl. rails



- Usable drawer dimension: 600 x 400 mm (WxD)
- Drawers with full pull-out 100%

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.068.075VA	75	59	60	50 kg	68,35
60.068.100VA	100	85	90	50 kg	70,84
60.068.150VA	150	135	140	50 kg	77,06
60.068.200VA	200	185	190	50 kg	83,28
60.068.250VA	250	185	240	50 kg	89,49
60.068.300VA	300	185	290	50 kg	95,69
60.068.100VA-75	100	85	90	75 kg	96,95
60.068.150VA-75	150	135	140	75 kg	103,15
60.068.200VA-75	200	185	190	75 kg	109,38
60.068.250VA-75	250	185	240	75 kg	115,59
60.068.300VA-75	300	185	290	75 kg	121,81

Possible variants as examples

Front height/usable height	400	500	500	600	700	700	800	900	900	900	1200
75	–	2x	–	–	2x	–	–	4x	2x	–	–
100	4x	–	2x	3x	1x	2x	4x	–	2x	1x	3x
150	–	1x	2x	–	–	2x	–	2x	2x	2x	2x
200	–	1x	–	–	2x	1x	2x	–	–	1x	3x
250	–	–	–	–	1x	–	–	–	1x	–	–
300	–	–	–	1x	–	–	–	1x	–	1x	–

680 x 500 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 600 x 400 mm
- Individual arrangements see page 52/53

Suitable divider material can be found on page 57



- 4x drawer

Item no.	Load capacity	Price in €
68.022	50 kg	609,04
68.022-75	75 kg	713,44



- 5x drawer

Item no.	Load capacity	Price in €
68.140	50 kg	667,45
68.140-75	75 kg	797,96



- 6x drawer

Item no.	Load capacity	Price in €
68.501	50 kg	725,86
68.501-75	75 kg	882,47



- 6x drawer

Item no.	Load capacity	Price in €
68.420	50 kg	725,86
68.420-75	75 kg	882,47



- 7x drawer

Item no.	Load capacity	Price in €
68.700	50 kg	784,29
68.700-75	75 kg	967,00



- 7x drawer

Item no.	Load capacity	Price in €
68.24100	50 kg	785,53
68.24100-75	75 kg	916,03

680 x 500 x 1019 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 600 x 400 mm
- Individual arrangements see page 74/75



Pin-Code



RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110



- 6x drawer

Item no.	Load capacity	Price in €
60.303	50 kg	789,27
60.303-75	75 kg	945,86



- 7x drawer

Item no.	Load capacity	Price in €
60.421	50 kg	847,68
60.421-75	75 kg	1.030,38



- 7x drawer

Item no.	Load capacity	Price in €
60.41011	50 kg	850,16
60.41011-75	75 kg	928,47



- 7x drawer

Item no.	Load capacity	Price in €
60.340	50 kg	847,68
60.340-75	75 kg	1.030,38



- 8x drawer

Item no.	Load capacity	Price in €
60.620	50 kg	906,08
60.620-75	75 kg	1.114,90




- 8x drawer

Item no.	Load capacity	Price in €
60.701	50 kg	906,08
60.701-75	75 kg	1.114,90

680 x 500 x 1319 mm (W x D x H)


- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 600 x 400 mm
- Individual arrangements see page 52/53

Suitable divider material can be found on page 57




- 8x drawer

Item no.	Load capacity	Price in €
613.404	50 kg	1.000,55
613.404-75	75 kg	1.209,36




- 8x drawer

Item no.	Load capacity	Price in €
613.242	50 kg	1.000,55
613.242-75	75 kg	1.209,36




- 9x drawer

Item no.	Load capacity	Price in €
613.441	50 kg	1.058,98
613.441-75	75 kg	1.293,88




- 9x drawer

Item no.	Load capacity	Price in €
613.360	50 kg	1.058,98
613.360-75	75 kg	1.293,88



- 11x drawer

Item no.	Load capacity	Price in €
613.920	50 kg	1.175,80
613.920-75	75 kg	1.462,92



- 12x drawer

Item no.	Load capacity	Price in €
613.63300	50 kg	1.237,95
613.63300-75	75 kg	1.394,56

Drawer inserts | ABS



Trough plates | 37 parts
- 4x TP with 4 troughs
- 2x TP with 3 troughs
- 2x TP with 2 troughs
- 16x SDIV for 4 troughs
- 6x SDIV for 3 troughs
- 4x SDIV for 2 troughs
- 1x CCR 600 mm
- 2x DIV 100 mm

Item no.	Front height in mm	Price in €
168-130-075	75	56,43
168-130	100	56,92



Small parts boxes | 16 parts
- 5x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 4x SPB 75 x 75 mm
- 1x CCR 600 mm
- 2x DIV 100 mm

Item no.	Front height in mm	Price in €
168-132-075	75	39,16
168-132	100	39,89



Ribbed rubber insert | oil-proof
- 600 x 400 mm
- Smooth closing of the drawer also in connection with metal drawer subdivision
- Applies to all front heights

Item no.	Price in €
65.068.530	19,39

Metal divider | galvanised sheet steel



Metal divider | 5 parts
- 1x CCR 400 mm
- 4x DIV 300 mm

Item no.	Front height in mm	Price in €
168-144-75	75	13,54
168-144-100	100	14,04
168-144-150	150	15,16
168-144-200	200/250/300	18,02



39,89Metal divider | 3 parts
- 1x CCR 400 mm
- 2x DIV 300 mm

Item no.	Front height in mm	Price in €
168-146-75	75	9,82
168-146-100	100	10,32
168-146-150	150	11,18
168-146-200	200/250/300	13,17



Metal divider | 6 parts
- 2x CCR 400 mm
- 4x DIV 200 mm

Item no.	Front height in mm	Price in €
168-145-75	75	18,14
168-145-100	100	19,01
168-145-150	150	20,50
168-145-200	200/250/300	23,24



Metal divider | 11 parts
- 3x CCR 400 mm
- 8x DIV 150 mm

Item no.	Front height in mm	Price in €
168-139-75	75	28,84
168-139-100	100	31,07
168-139-150	150	33,56
168-139-200	200/250/300	37,29



Metal divider | 7 parts
- 2x CCR 400 mm
- 5x DIV 200 mm

Item no.	Front height in mm	Price in €
168-136-75	75	19,65
168-136-100	100	20,50
168-136-150	150	22,12
168-136-200	200/250/300	24,86




Metal divider | 7 parts
- 3x CCR 400 mm
- 4x DIV 150 mm

Item no.	Front height in mm	Price in €
168-137-75	75	23,99
168-137-100	100	25,23
168-137-150	150	27,46
168-137-200	200/250/300	31,07

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

From a height of 1319 mm a floor
Floor mounting required



Usable height 500 to 1400 mm
Example:
Usable height 700 mm
Item no.
01.098

Number of drawers (front height)
Example:
4 drawers
Usable height 700 mm

Complete order example:
Item no.
01.098 +
1x 60.098.100VA
4x 60.098.150VA

Housing including locking system, cylinder lock and two keys



01.096 01.099 01.0913

Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.095	980 x 500 x 519	400	315,27
01.096	980 x 500 x 619	500	331,86
01.097	980 x 500 x 719	600	348,02
01.098	980 x 500 x 819	700	364,17
01.099	980 x 500 x 919	800	380,33
01.090	980 x 500 x 1019	900	396,48
01.0911	980 x 500 x 1119	1000	420,28
01.0912	980 x 500 x 1219	1100	445,49
01.0913	980 x 500 x 1319	1200	462,37
01.0914	980 x 500 x 1419	1300	490,12
01.0915	980 x 500 x 1519	1400	519,52

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers incl. rails



- Usable drawer dimension: 900 x 400 mm (WxD)
- Drawers with full pull-out 100%

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.098.075VA	75	59	60	50 kg	82,03
60.098.100VA	100	85	90	50 kg	84,52
60.098.150VA	150	135	140	50 kg	90,73
60.098.200VA	200	185	190	50 kg	96,95
60.098.250VA	250	185	240	50 kg	103,15
60.098.300VA	300	185	290	50 kg	109,38
60.098.100VA-75	100	85	90	75 kg	109,38
60.098.150VA-75	150	135	140	75 kg	115,59
60.098.200VA-75	200	185	190	75 kg	121,81
60.098.250VA-75	250	185	240	75 kg	128,02
60.098.300VA-75	300	185	290	75 kg	134,23

Possible variants as examples

Front height/usable height	500	500	700	700	700	700	800	900	900	1200
75	2x	–	–	–	2x	–	–	2x	–	–
100	–	2x	2x	5x	1x	2x	4x	2x	1x	3x
150	1x	2x	–	–	–	2x	–	2x	2x	2x
200	1x	–	1x	1x	2x	1x	2x	–	1x	3x
250					1x			1x		
300	–	–	1x	–	–	–	–	1x	1x	–

980 x 500 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 900 x 400 mm
- Individual arrangements see page 58/59

Suitable divider material can be found on page 63



- 5x drawer

Item no.	Load capacity	Price in €
98.140	50 kg	811,62
98.140-75	75 kg	935,92



- 5x drawer

Item no.	Load capacity	Price in €
98.221	50 kg	811,62
98.221-75	75 kg	935,92



- 6x drawer

Item no.	Load capacity	Price in €
98.501	50 kg	883,73
98.501-75	75 kg	1.032,88



- 6x drawer

Item no.	Load capacity	Price in €
98.420	50 kg	883,73
98.420-75	75 kg	1.032,88



- 7x drawer

Item no.	Load capacity	Price in €
98.700	50 kg	955,80
98.700-75	75 kg	1.129,82



- 8x drawer

Item no.	Load capacity	Price in €
98.44000	50 kg	1.030,38
98.44000-75	75 kg	1.129,82

980 x 500 x 1019 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 900 x 400 mm
- Individual arrangements see page 58/59




Pin-Code




RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110




- 6x drawer

Item no.	Load capacity	Price in €
90.303	50 kg	940,88
90.303-75	75 kg	1.090,03



- 7x drawer

Item no.	Load capacity	Price in €
90.421	50 kg	1.012,98
90.421-75	75 kg	1.186,99



- 7x drawer

Item no.	Load capacity	Price in €
90.340	50 kg	1.012,98
90.340-75	75 kg	1.186,99




- 8x drawer

Item no.	Load capacity	Price in €
90.620	50 kg	1.085,07
90.620-75	75 kg	1.283,94



- 8x drawer

Item no.	Load capacity	Price in €
90.23300	50 kg	1.086,32
90.23300-75	75 kg	1.235,47




- 8x drawer

Item no.	Load capacity	Price in €
90.701	50 kg	1.085,07
90.701-75	75 kg	1.283,94

980 x 500 x 1319 mm (W x D x H)


- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanised
- Central locking
- Drawers with full pull-out 100%
- Load capacity of drawers either 50 kg or 75 kg
- **Drawers with front height 75 mm only with load capacity 50 kg possible**
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 150, 200, 250, 300 mm
- Usable drawer dimension: 900 x 400 mm
- Individual arrangements see page 58/59

Suitable divider material can be found on page 63




- 8x drawer

Item no.	Load capacity	Price in €
913.41012	50 kg	1.190,72
913.41012-75	75 kg	1.290,16




- 8x drawer

Item no.	Load capacity	Price in €
913.242	50 kg	1.188,24
913.242-75	75 kg	1.387,10




- 8x drawer

Item no.	Load capacity	Price in €
913.404	50 kg	1.188,24
913.404-75	75 kg	1.387,10




- 9x drawer

Item no.	Load capacity	Price in €
913.441	50 kg	1.260,33
913.441-75	75 kg	1.484,05



- 9x drawer

Item no.	Load capacity	Price in €
913.360	50 kg	1.260,33
913.360-75	75 kg	1.484,05



- 11x drawer

Item no.	Load capacity	Price in €
913.920	50 kg	1.404,51
913.920-75	75 kg	1.677,95

Drawer inserts | ABS



Small parts boxes | 20 parts
- 9x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 4x SPB 75 x 75 mm
- 1x CCR 900 mm
- 2x DIV 100 mm

Item no.	Front height in mm	Price in €
198-132-075	75	53,46
198-132	100	54,45



Trough plates | 47 parts
- 6x TP with 4 troughs
- 4x TP with 3 troughs
- 2x TP with 2 troughs
- 16x SDIV for 4 troughs
- 12x SDIV for 3 troughs
- 4x SDIV for 2 troughs
- 1x CCR 900 mm
- 2x DIV 100 mm

Item no.	Front height in mm	Price in €
198-130-075	75	78,06
198-130	100	78,80



Ribbed rubber insert | oil-proof
- 900 x 400 mm
- Smooth closing of the drawer also in connection with metal drawer subdivision
- Applies to all front heights

Item no.	Price in €
65.098.530	23,61

Metal divider | galvanised sheet steel



Metal divider | 9 parts
- 3x CCR 400 mm
- 5x DIV 200 mm
- 1x DIV 300 mm

Item no.	Front height in mm	Price in €
198-136-75	75	27,59
198-136-100	100	28,84
198-136-150	150	31,32
198-136-200	200/250/300	35,68



Metal divider | 7 parts
- 2x CCR 400 mm
- 5x DIV 300 mm

Item no.	Front height in mm	Price in €
198-146-75	75	21,50
198-146-100	100	22,38
198-146-150	150	24,36
198-146-200	200/250/300	29,70



Metal divider | 5 parts
- 2x CCR 400 mm
- 3x DIV 300 mm

Item no.	Front height in mm	Price in €
198-144-75	75	17,78
198-144-100	100	18,64
198-144-150	150	20,26
198-144-200	200/250/300	23,86



Metal divider | 17 parts
- 5x CCR 400 mm
- 12x DIV 150 mm

Item no.	Front height in mm	Price in €
198-141-75	75	47,61
198-141-100	100	49,84
198-141-150	150	53,81
198-141-200	200/250/300	60,16



Metal divider | 11 parts
- 3x CCR 400 mm
- 4x DIV 150 mm
- 4x DIV 300 mm

Item no.	Front height in mm	Price in €
198-142-75	75	31,57
198-142-100	100	32,81
198-142-150	150	35,55
198-142-200	200/250/300	40,89



Metal divider | 14 parts
- 4x CCR 400 mm
- 8x DIV 150 mm
- 2x DIV 300 mm

Item no.	Front height in mm	Price in €
198-139-75	75	39,65
198-139-100	100	41,38
198-139-150	150	44,74
198-139-200	200/250/300	50,46

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

Insertable labelling strip
- Fold up transparent panel and insert label. Press panel down again.
- Labelling strip and transparent cover kit
- Height 20 mm

Item no.	Designation	Price in €
01.053.007-1	R 18-16	2,49
01.068.007-1	R 24-16	2,49
01.098.007-1	R 36-16	2,55



Divider elements

- Metal divider elements made from high-quality thin sheet metal
- Fine subdivision on the grid 50:50



Centre compartment rail
- Front 75 mm

Item no.	Dimensions in mm (W x H)	Price in €
20.400.060	400 x 55	6,84
20.450.060	450 x 55 | Separator rail, rear, crosswise	6,58
20.600.060	600 x 55 | Separator rail, rear, crosswise	9,82
20.900.060	900 x 55 | Separator rail, rear, crosswise	14,42



Centre compartment rail
- Front 100 mm

Item no.	Dimensions in mm (W x H)	Price in €
20.400.085	400 x 80	7,34
20.450.085	450 x 80 | Separator rail, rear, crosswise	7,84
20.600.085	600 x 80 | Separator rail, rear, crosswise	10,44
20.900.085	900 x 80 | Separator rail, rear, crosswise	15,53




Centre compartment rail
- Front 150 mm

Item no.	Dimensions in mm (W x H)	Price in €
20.400.135	400 x 130	8,08



Centre compartment rail
- Front 200 mm

Item no.	Dimensions in mm (W x H)	Price in €
20.400.185	400 x 185	9,32



Metal divider, easily insertable between the drawer side and a central rail or between two central rails



Divider

- Front 75 mm

Item no.	Dimensions in mm (WxH)	Price in €
30.100.060	100 x 55	1,49
30.150.060	150 x 55	1,61
30.200.060	200 x 55	1,67
30.300.060	300 x 55	2,05



Divider

- Front 100 mm


Item no.	Dimensions in mm (WxH)	Price in €
30.100.085	100 x 80	1,55
30.150.085	150 x 80	1,67
30.200.085	200 x 80	1,73
30.300.085	300 x 80	2,17



Divider

- Front 150 mm

Item no.	Dimensions in mm (WxH)	Price in €
30.100.135	100 x 130	1,61
30.150.135	150 x 130	1,73
30.200.135	200 x 130	1,80
30.250.135	250 x 130	2,17
30.300.135	300 x 130	2,30



Divider

- Front 200, 250, 300 mm

Item no.	Dimensions in mm (WxH)	Price in €
30.100.185	100 x 180	1,73
30.150.185	150 x 180	1,80
30.200.185	200 x 180	1,93
30.250.185	250 x 180	2,30
30.300.185	300 x 180	2,80

Individual equipment T500 series



Hinged door for usable height 700 mm

- Hinged doors with twist lock cylinder lock and 2 keys
- With one door, hinges on the right and left are possible

Item no.	Grid	Design	for cabinet width	Price in €
01.053.700E	R 18-16	one door	530 mm	87,00
01.068.700E	R 24-16	one door	680 mm	98,18
01.098.700E	R 36-16	two doors	980 mm	137,97



Hinged door for usable height 900 mm

- Hinged doors with twist lock cylinder lock and 2 keys
- With one door, hinges on the right and left are possible

Item no.	Grid	Design	for cabinet width	Price in €
01.053.900E	R 18-16	one door	530 mm	93,23
01.068.900E	R 24-16	one door	680 mm	116,84
01.098.900E	R 36-16	two doors	980 mm	150,38

Hinged door for usable height 800 mm

- Hinged doors with twist lock cylinder lock and 2 keys
- With one door, hinges on the right and left are possible

Item no.	Grid	Design	for cabinet width	Price in €
01.053.800E	R 18-16	one door	530 mm	90,73
01.068.800E	R 24-16	one door	680 mm	
01.098.800E	R 36-16	two doors	980 mm	

Metal cover upon double doors

- For a cabinet with drawers on top and doors below a metal cover will be fixed upon the doors
- The using height will be reduced by 100 mm

Item no.	Grid	Price in €
01.098.BLFL	R 36-16	28,59



Ribbed rubber mat on cabinet

- Oil-proof


Item no.	Dimensions in mm (WxDxH)	Price in €
65.040.530	530 x 500 x 3	21,88
65.060.530	680 x 500 x 3	25,10
65.090.530	980 x 500 x 3	31,70



Ribbed rubber insert for drawer

- Oil-proof
- Smooth closing of the drawer also in connection with metal drawer subdivision

Item no.	Dimensions in mm (WxDxH)	Price in €
65.046.530	450 x 400 x 3	16,53
65.068.530	600 x 400 x 3	19,39
65.098.530	900 x 400 x 3	23,61



Non-slip mat secures tools

- Insert for drawer
- Smooth closing of the drawer also in connection with metal drawer subdivision

Item no.	Dimensions in mm (WxDxH)	Price in €
65.046.531	450 x 400 x 3	21,38
65.068.531	600 x 400 x 3	23,74
65.098.531	900 x 400 x 3	29,21



Cover plate
- Beech multiplex, oiled

Item no.	Dimensions in mm (WxDxH)	Price in €
67.046.017	530 x 500 x 25	43,51
67.068.017	680 x 500 x 25	54,69
67.098.017	980 x 500 x 25	75,81



Cover plate
- Melamine resin coated chipboard
- RAL 7035
- 16 mm, screwable

Item no.	Dimensions in mm (WxDxH)	Price in €
67.046.016	530 x 500 x 16	41,01
67.068.016	680 x 500 x 16	53,46
67.098.016	980 x 500 x 16	73,33



Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77
04.060.013	625 x 443 x 22	44,74
04.090.013	925 x 443 x 22	54,69



Metal roll-off edge on 3 sides
- 20 mm height

Item no.	Dim. in mm (WxDxH)	Price in €
66.046.025	530 x 500 x 20	49,72
66.068.025	680 x 500 x 20	55,92
66.098.025	980 x 500 x 20	63,39



Pull-out shelf
- Shelf with upstand, pull-out 100%, load capacity 50 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.014	476 x 422 x 70	65,88
04.060.014	626 x 442 x 70	70,22
04.090.014	926 x 442 x 70	80,79



Machine feet for drawer cabinets
- Load capacity 1200 kg
- plate Ø 50 mm
- Base made of polished and chrome-plated sheet steel
- Easy height adjustment with vibration damping

Item no.	Packaging unit	Price in €
01.ASF50-M8	Set with 4 pieces	48,10



Soft PVC workbench covering
- Transparent
- Bluish

Item no.	Dimensions in mm (WxDxH)	Price in €
0153504TRA	530 x 500 x 4	29,76
0168504TRA	680 x 500 x 4	38,24
0198504TRA	980 x 500 x 4	55,06



Lift truck base
- Cover plate front and rear

Item no.	Dimensions in mm (WxDxH)	Price in €
01.046.012	530 x 500 x 112	120,56
01.068.012	680 x 500 x 112	145,41
01.098.012	980 x 500 x 112	154,12



Mobile addition
- Aluminium push handle
- Steel panel with 4 steering casters, thereof 2 with locks and push handle for tool cabinet

* without steel plate, the casters are screwed into the frame of the housing

kg 450

Item no.	Dimensions in mm (WxDxH)	Push handle arrangement	Caster Ø in mm	Price in €
01.046.008*	530 x 500 x 110	front	80	167,67
01.068.008*	680 x 500 x 110	side	80	177,11
01.098.008	980 x 500 x 110	side	80	183,03
01.046.009*	530 x 500 x 150	front	125	176,49
01.068.009*	680 x 500 x 150	side	125	186,44
01.098.009	980 x 500 x 150	side	125	192,66

RAL standard colours, see page 27

T736



Features

4 widths:
- **R 18-24:** width 555 mm
- **R 24-24:** width 705 mm
- **R 36-24:** width 1005 mm
- **R 48-24:** width 1305 mm

- **Housing depth 736 mm**
- Internal drawer depth generally 600 mm

Different heights:
- **R 18-24:** height 519, 619, 719, 819, 919, 1019, 1119 1219, 1319, 1419 und 1519 mm
- **R 24-24:** height 519, 619, 719, 819, 919, 1019, 1119 1219, 1319, 1419 und 1519 mm
- **R 36-24:** height 519, 619, 719, 819, 919, 1019, 1119 1219, 1319, 1419 und 1519 mm
- **R 48-24:** height 519, 619, 719, 819, 919, 1019, 1119 1219, 1319, 1419 und 1519 mm

- Integrated recessed aluminium handle bars flush with housing
- Powder-coated drawers **with slotted side walls on a 25 mm grid** for dividers – fast, comprehensive, rational subdivision is guaranteed

- All drawer cabinets of series T736 with a front height from 75 mm with load capacity 100 kg, can be fitted with **soft close**.
- When placing your order, please indicate the desired number of drawers with soft close.
- Retrofitting on existing drawers is not possible.
- Please note!
  When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

- **Cylinder lock with 180° closure**

- Cabinet housing, maximum load of up to 1.5 t

- TÜV-Rheinland certificate: "GS" mark for tested safety

- **Ball bearing guides**
- **Full pull-out (FP) 100 %, load capacity 70 kg** (with 50 mm front height)
- **Full pull-out (FP) 100 %, load capacity 100 kg** (from 75 mm front height)
- **Full pull-out (FP) 100 %, load capacity 180 kg** (from 100 mm front height)
- **Full pull-out (FP) 100 %, load capacity 300 kg** (for front height 200, 250 and 300 mm)
- Drawers with front heights:
  50, 75, 100, 125, 150, 175, 200, 250, 300 & 400 mm



		Series	Series	Series	Series
		T736	T736	T736	T736
					
		Housing W x D	Housing W x D	Housing W x D	Housing W x D
		555 x 736	705 x 736	1005 x 736	1305 x 736
Housing height		Usable heights	Usable heights	Usable heights	Usable heights
519		400	400	400	400
619		500	500	500	500
719		600	600	600	600
819		700	700	700	700
919		800	800	800	800
1019		900	900	900	900
1119		1000	1000	1000	1000
1219		1100	1100	1100	1100
1319		1200	1200	1200	1200
1419		1300	13000	1300	1300
1519		1400	1400	1400	1400
					
		Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D
		450 x 600	600 x 600	900 x 600	1200 x 600
Front height	Shell height	Load capacity	Load capacity	Load capacity	Load capacity
50	28	70 kg	70 kg	70 kg	–
75	56	100 kg	100 kg	100 kg	100 kg
100	81	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
125	81	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
150	131	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
175	131	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
200	181	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	180 kg
250	181	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	180 kg
300	181	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	–
400	81	100 / 180 kg	100 / 180 kg	100 / 180 kg	–
		Series	Series	Series	Series
		T736	T736	T736	T736
		T736 18-24	T736 24-24	T736 36-24	T736 48-24
Grid:		**R 18-24**	**R 24-24**	**R 36-24**	**R 48-24**

All dimensions in mm



Usable height 400 to 1400 mm
Example:
Usable height 400 mm
Item no.
0550

Number of drawers (front height)
Example:
3 drawers
Usable height 400 mm

Complete order example:
Item no.
0550+
2x 60.50.100V10
1x 60.50.200V10

Housing including locking system, cylinder lock and two keys



0550 0570 0590 0513

Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
0550	555 x 736 x 519	400	299,54
0560	555 x 736 x 619	500	335,59
0570	555 x 736 x 719	600	365,42
0580	555 x 736 x 819	700	392,76
0590	555 x 736 x 919	800	420,11
0500	555 x 736 x 1019	900	446,22
0511	555 x 736 x 1119	1000	472,99
0512	555 x 736 x 1219	1100	499,66
0513	555 x 736 x 1319	1200	527,00
0514	555 x 736 x 1419	1300	560,21
0515	555 x 736 x 1519	1400	582,93

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers R 18-24 incl. rails

VA 100 kg 100%

450 x 600 mm (W x D) with full pull-out 100 % - 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.050V07	50	28	30	70 kg	109,38
60.50.075V10	75	56	58	100 kg	113,11
60.50.100V10	100	81	83	100 kg	116,84
60.50.125V10	125	81	108	100 kg	130,50
60.50.150V10	150	131	133	100 kg	133,00
60.50.175V10	175	131	158	100 kg	135,48
60.50.200V10	200	181	183	100 kg	142,94
60.50.250V10	250	181	233	100 kg	147,92
60.50.300V10	300	181	283	100 kg	151,64

VA 180 kg 100%

450 x 600 mm (W x D) with full pull-out 100 % - 180 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.100V18	100	81	83	180 kg	139,21
60.50.125V18	125	81	108	180 kg	149,15
60.50.150V18	150	131	133	180 kg	152,87
60.50.175V18	175	131	158	180 kg	155,36
60.50.200V18	200	181	183	180 kg	159,10
60.50.250V18	250	181	233	180 kg	164,07
60.50.300V18	300	181	283	180 kg	172,77
60.50.30V18CNC	300	81	283	180 kg	167,80
60.50.40V18CNC	400	81	383	180 kg	183,95

VA 300 kg 100%

450 x 600 mm (W x D) with full pull-out 100 % - 300 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.200V30	200	181	183	300 kg	174,00
60.50.250V30	250	181	233	300 kg	180,22
60.50.300V30	300	181	283	300 kg	188,92

555 x 736 x 519 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 450 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 70/71



Drawer soft close

- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 2x drawer

Item no.	Price in €
550/0002V10	585,43



- 3x drawer

Item no.	Price in €
550/0201V10	676,15



- 4x drawer

Item no.	Price in €
550/1210V10	775,58



- 4x drawer

Item no.	Price in €
550/0400V10	766,88



- 5x drawer

Item no.	Price in €
550/3110V10	877,50



- 5x drawer

Item no.	Price in €
550/12200V10	868,80

555 x 736 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 450 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 70/71



Pin-Code RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110

Suitable divider material can be found on page 75



- 6x drawer

Item no.	Price in €
580/0501V10	1.119,87



- 7x drawer

Item no.	Price in €
580/1222V10	1.228,01




- 7x drawer

Item no.	Price in €
580/22111V10	1.230,49



- 8x drawer

Item no.	Price in €
580/3410V10	1.321,23



- 8x drawer

Item no.	Price in €
580/2600V10	1.312,53



- 8x drawer

Item no.	Price in €
580/32201V10	1.323,71

555 x 736 x 1019 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 450 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity see page 70/71



Drawer soft close

- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 7x drawer

Item no.	Price in €
500/1222V10	1.333,66



- 7x drawer

Item no.	Price in €
500/1231V10	1.331,17




- 8x drawer

Item no.	Price in €
500/3131V10	1.433,09



- 8x drawer

Item no.	Price in €
500/1223V10	1.441,79



- 9x drawer


Item no.	Price in €
500/0900V10	1.497,72



- 9x drawer

Item no.	Price in €
500/4302V10	1.520,09

Drawer inserts | ABS




Trough plates | 46 parts
- 8x TP with 4 troughs
- 4x TP with 3 troughs
- 25x SDIV for 4 troughs
- 9x SDIV for 3 troughs

Item no.	Front height in mm	Price in €
111	50/75	63,64



Small parts boxes | 24 parts
- 6x SPB 150 x 150 mm
- 6x SPB 75 x 150 mm
- 12x SPB 75 x 75 mm

Item no.	Front height in mm	Price in €
112BLH50	50	45,24
112BLH75	75	48,96
112BLH100	100	53,69



Small parts boxes | 15 parts
- 10x SPB 150 x 150 mm
- 3x SPB 75 x 150 mm
- 2x SPB 75 x 75 mm


Item no.	Front height in mm	Price in €
119BLH50	50	32,93
119BLH75	75	34,92
119BLH100	100	38,54

Metal divider | galvanised sheet steel



Metal divider | 25 parts
- 4x CCR 600 mm
- 5x DIV 50 mm
- 16x DIV 100 mm

Item no.	Front height in mm	Price in €
110BLH50	50	63,76
110BLH75	75	68,85
110BLH100	100/125	71,97
110BLH150	150/175	81,65




Metal divider | 8 parts
- 2x CCR 600 mm
- 6x DIV 150 mm

Item no.	Front height in mm	Price in €
113BLH50	50	26,85
113BLH75	75	29,83
113BLH100	100/125	30,95
113BLH150	150/175	34,92
113BLH200	200/250/300	39,89




Metal divider | 13 parts
- 3x CCR 600 mm
- 5x DIV 75 mm
- 5x DIV 150 mm

Item no.	Front height in mm	Price in €
114BLH50	50	39,27
114BLH75	75	44,49
114BLH100	100/125	46,48
114BLH150	150/175	52,58



Metal divider | 12 parts
- 3x CCR 600 mm
- 7x DIV 100 mm
- 2x DIV 150 mm

Item no.	Front height in mm	Price in €
116BLH50	50	38,66
116BLH75	75	42,38
116BLH100	100/125	44,49
116BLH150	150/175	50,83
116BLH200	200/250/300	58,29



Metal divider | 3 parts
- 1x CCR 600 mm
- 1x DIV 150 mm
- 1x DIV 300 mm

Item no.	Front height in mm	Price in €
115BLH75	75	13,92
115BLH100	100/125	14,54
115BLH150	150/175	16,78
115BLH200	200/250/300	22,87



Metal divider | 10 parts
- 2x CCR 600 mm
- 3x DIV 100 mm
- 2x DIV 150 mm
- 3x DIV 200 mm

Item no.	Front height in mm	Price in €
117BLH50	50	31,94
117BLH75	75	34,92
117BLH100	100/125	36,17
117BLH150	150/175	40,65
117BLH200	200/250/300	45,98

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider



Usable height 300 to 1400 mm
Example:
Usable height 600 mm
Item no. 0770

Number of drawers (front height)
Example:
5 drawers
Usable height 600 mm

Complete order example:
Item no.
0770 +
1x 60.70.075V10
1x 60.70.100V10
1x 60.70.125V10
2x 60.70.150V10

Housing including locking system, cylinder lock and two keys



0760 0780 0790 0715

Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
0750	705 x 736 x 519	400	344,28
0760	705 x 736 x 619	500	371,63
0770	705 x 736 x 719	600	387,79
0780	705 x 736 x 819	700	416,37
0790	705 x 736 x 919	800	448,69
0700	705 x 736 x 1019	900	481,01
0711	705 x 736 x 1119	1000	513,33
0712	705 x 736 x 1219	1100	545,65
0713	705 x 736 x 1319	1200	575,47
0714	705 x 736 x 1419	1300	599,09
0715	705 x 736 x 1519	1400	622,70

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers R 24-24 incl. rails

VA 100 kg 100%

600 x 600 mm (W x D) with full pull-out 100 % - 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.050V07	50	28	30	70 kg	119,32
60.70.075V10	75	56	58	100 kg	123,05
60.70.100V10	100	81	83	100 kg	125,53
60.70.125V10	125	81	108	100 kg	134,23
60.70.150V10	150	131	133	100 kg	139,21
60.70.175V10	175	131	158	100 kg	142,94
60.70.200V10	200	181	183	100 kg	145,41
60.70.250V10	250	181	233	100 kg	150,38
60.70.300V10	300	181	283	100 kg	159,10

VA 180 kg 100%

600 x 600 mm (W x D) with full pull-out 100 % - 180 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.100V18	100	81	83	180 kg	145,41
60.70.125V18	125	81	108	180 kg	152,87
60.70.150V18	150	131	133	180 kg	157,84
60.70.175V18	175	131	158	180 kg	161,58
60.70.200V18	200	181	183	180 kg	164,07
60.70.250V18	250	181	233	180 kg	174,00
60.70.300V18	300	181	283	180 kg	182,71
60.70.30V18CNC	300	81	283	180 kg	177,73
60.70.40V18CNC	400	81	383	180 kg	195,13

VA 300 kg 100%

600 x 600 mm (W x D) with full pull-out 100 % - 300 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.200V30	200	181	183	300 kg	178,98
60.70.250V30	250	181	233	300 kg	190,17
60.70.300V30	300	181	283	300 kg	197,64

705 x 736 x 719 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 600 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 76/77



Drawer soft close

- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 4x drawer

Item no.	Price in €
770/0121V10	937,16



- 4x drawer

Item no.	Price in €
770/0040V10	944,62



- 5x drawer

Item no.	Price in €
770/0320V10	1.042,80



- 5x drawer

Item no.	Price in €
770/1112V10	1.049,03



- 6x drawer

Item no.	Price in €
770/2220V10	1.155,92



- 6x drawer

Item no.	Price in €
770/0600V10	1.141,00

705 x 736 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 600 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 76/77



Pin-Code RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110

Suitable divider material can be found on page 83



- 6x drawer

Item no.	Price in €
780/0420V10	1.196,95



- 6x drawer

Item no.	Price in €
780/2121V10	1.204,39



- 6x drawer

Item no.	Price in €
780/1311V10	1.196,95



- 7x drawer

Item no.	Price in €
780/1222V10	1.311,29



- 8x drawer

Item no.	Price in €
780/4220V10	1.423,15



- 8x drawer

Item no.	Price in €
780/3221V10	1.416,94

705 x 736 x 1019 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 600 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 76/77



Drawer soft close


- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 8x drawer

Item no.	Price in €
700/4112V10	1.521,34



- 8x drawer

Item no.	Price in €
700/2321V10	1.520,09




- 9x drawer

Item no.	Price in €
700/3411V10	1.625,74




- 9x drawer

Item no.	Price in €
700/2223V10	1.634,45



- 9x drawer

Item no.	Price in €
700/4302V10	1.625,74



- 10x drawer

Item no.	Price in €
700/4501V10	1.731,39

705 x 736 x 1319 mm (W x D x H)


- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 600 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 76/77



Pin-Code RFID


Equip your drawer cabinet with an E-lock. More information can be found on page 110

Suitable divider material can be found on page 83




- 8x drawer

Item no.	Price in €
713/0323V10	1.666,76




- 9x drawer

Item no.	Price in €
713/1332V10	1.779,87




- 9x drawer

Item no.	Price in €
713/0270V10	1.796,02




- 10x drawer

Item no.	Price in €
713/2422V10	1.885,51



- 11x drawer

Item no.	Price in €
713/4403V10	1.991,17



- 12x drawer

Item no.	Price in €
713/0120V10	2.081,90

705 x 736 x 1519 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 600 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity see page 76/77



Drawer soft close


- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34




- 10x drawer

Item no.	Price in €
715/0100V10	1.971,28




- 10x drawer

Item no.	Price in €
715/1333V10	1.972,53




- 11x drawer

Item no.	Price in €
715/2342V10	2.085,63




- 12x drawer

Item no.	Price in €
715/0120V10	2.203,70



- 13x drawer


Item no.	Price in €
715/0130V10	2.274,55



- 19x drawer

Item no.	Price in €
715/1900V10	2.945,74


Drawer inserts | ABS



Trough plates | 56 parts

- 4x TP with 4 troughs
- 8x TP with 3 troughs
- 4x TP with 2 troughs
- 18x SDIV for 4 troughs
- 17x SDIV for 3 troughs
- 5x SDIV for 2 troughs

Item no.	Front height in mm	Price in €
130	50/75	80,66



Small parts boxes | 32 parts

- 8x SPB 150 x 150 mm
- 8x SPB 75 x 150 mm
- 16x SPB 75 x 75 mm


Item no.	Front height in mm	Price in €
132BLH50	50	60,42
132BLH75	75	65,25
132BLH100	100	71,59



Small parts boxes | 24 parts

- 12x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 8x SPB 75 x 75 mm


Item no.	Front height in mm	Price in €
134BLH50	50	49,34
134BLH75	75	52,70
134BLH100	100	58,16



Metal divider | 7 parts

- 2x CCR 600 mm
- 5x DIV 200 mm


Item no.	Front height in mm	Price in €
135BLH50	50	28,22
135BLH75	75	31,45
135BLH100	100/125	32,56
135BLH150	150/175	36,53
135BLH200	200/250/300	41,01



Metal divider | 13 parts

- 3x CCR 600 mm
- 10x DIV 150 mm


Item no.	Front height in mm	Price in €
138BLH50	50	42,14
138BLH75	75	46,73
138BLH100	100/125	48,35
138BLH150	150/175	54,57
138BLH200	200/250/300	60,90



Metal divider | 11 parts

- 2x CCR 600 mm
- 3x DIV 100 mm
- 3x DIV 200 mm
- 3x DIV 300 mm


Item no.	Front height in mm	Price in €
147BLH75	75	39,65
147BLH100	100/125	41,38
147BLH150	150/175	46,85
147BLH200	200/250/300	59,78



Metal divider | 10 parts

- 2x CCR 600 mm
- 8x DIV 200 mm


Item no.	Front height in mm	Price in €
139BLH50	50	35,92
139BLH75	75	39,53
139BLH100	100/125	40,65
139BLH150	150/175	44,87
139BLH200	200/250/300	49,72



Metal divider | 5 parts

- 1x CCR 600 mm
- 4x DIV 300 mm

Item no.	Front height in mm	Price in €
144BLH75	75	20,63
144BLH100	100/125	21,62
144BLH150	150/175	25,10
144BLH200	200/250/300	32,69



Metal divider | 23 parts

- 5x CCR 600 mm
- 18x DIV 100 mm

Item no.	Front height in mm	Price in €
149BLH50	50	68,73
149BLH75	75	74,46
149BLH100	100/125	78,30
149BLH150	150/175	89,61
149BLH200	200/250/300	101,92

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider




Usable height 400 to 1400 mm
Example:
Usable height 600 mm
Item no.
1070

Number of drawers (front height)
Example:
5 drawers
Usable height 600 mm

Complete order example:
Item no.
1050 +
3x 60.10.100V10
2x 60.10.150V10

Housing including locking system, cylinder lock and two keys



1070 1090 1015

Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
1050	1005 x 736 x 519	400	371,63
1060	1005 x 736 x 619	500	389,03
1070	1005 x 736 x 719	600	406,43
1080	1005 x 736 x 819	700	435,02
1090	1005 x 736 x 919	800	466,09
1000	1005 x 736 x 1019	900	498,40
1011	1005 x 736 x 1119	1000	528,86
1012	1005 x 736 x 1219	1100	559,32
1013	1005 x 736 x 1319	1200	585,43
1014	1005 x 736 x 1419	1300	617,12
1015	1005 x 736 x 1519	1400	648,81

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers R 36-24 incl. rails

VA 100 kg 100%

900 x 600 mm (W x D) with full pull-out 100 % - 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.10.050V07	50	28	30	70 kg	136,72
60.10.075V10	75	56	58	100 kg	139,21
60.10.100V10	100	81	83	100 kg	141,69
60.10.125V10	125	81	108	100 kg	144,18
60.10.150V10	150	131	133	100 kg	146,66
60.10.175V10	175	131	158	100 kg	152,87
60.10.200V10	200	181	183	100 kg	156,61
60.10.250V10	250	181	233	100 kg	160,33
60.10.300 V10	300	181	283	100 kg	165,30

VA 180 kg 100%

900 x 600 mm (W x D) with full pull-out 100 % - 180 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.10.100V18	100	81	83	180 kg	155,36
60.10.125V18	125	81	108	180 kg	157,84
60.10.150V18	150	131	133	180 kg	162,82
60.10.175V18	175	131	158	180 kg	169,04
60.10.200V18	200	181	183	180 kg	174,00
60.10.250V18	250	181	233	180 kg	182,71
60.10.300V18	300	181	283	180 kg	190,17
60.10.30V18CNC	300	81	283	180 kg	188,92
60.10.40V18CNC	400	81	383	180 kg	210,05

VA 300 kg 100%

900 x 600 mm (W x D) with full pull-out 100 % - 300 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.10.200V30	200	181	183	300 kg	188,92
60.10.250V30	250	181	233	300 kg	197,64
60.10.300V30	300	181	283	300 kg	205,07

1005 x 736 x 719 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 900 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity see page 84/85



Drawer soft close

- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 4x drawer

Item no.	Price in €
170/0040V10	993,09



- 5x drawer

Item no.	Price in €
170/0320V10	1.124,84



- 5x drawer

Item no.	Price in €
170/1112V10	1.124,84



- 6x drawer

Item no.	Price in €
170/2220V10	1.256,59



- 6x drawer

Item no.	Price in €
170/0600V10	1.256,59



- 7x drawer

Item no.	Price in €
170/4210V10	1.383,37

1005 x 736 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 900 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity see page 84/85



Pin-Code RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110

Suitable divider material can be found on page 91



- 5x drawer

Item no.	Price in €
180/0221V10	1.168,34



- 6x drawer

Item no.	Price in €
180/2040V10	1.295,13



- 6x drawer

Item no.	Price in €
180/2121V10	1.300,10



- 7x drawer

Item no.	Price in €
180/3211V10	1.431,85



- 7x drawer

Item no.	Price in €
180/22111V10	1.431,85



- 8x drawer

Item no.	Price in €
180/4310V10	1.558,63

1005 x 736 x 1019 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 900 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity see page 84/85



Drawer soft close

- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 6x drawer

Item no.	Price in €
100/0213V10	1.393,31



- 7x drawer

Item no.	Price in €
100/1231V10	1.515,12



- 8x drawer

Item no.	Price in €
100/2141V10	1.646,87



- 9x drawer

Item no.	Price in €
100/4221V10	1.778,63



- 9x drawer

Item no.	Price in €
100/4311V10	1.778,63



- 10x drawer

Item no.	Price in €
100/22510V10	1.905,40

1005 x 736 x 1319 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 900 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 84/85



Pin-Code



RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110

Suitable divider material can be found on page 91



- 8x drawer

Item no.	Price in €
113/0323V10	1.773,66



- 9x drawer

Item no.	Price in €
113/2223V10	1.905,40



- 10x drawer

Item no.	Price in €
113/3331V10	2.025,97



- 11x drawer

Item no.	Price in €
113/22331V10	2.158,96



- 11x drawer

Item no.	Price in €
113/2423V10	2.168,90



- 13x drawer

Item no.	Price in €
113/42511V10	2.422,46

1005 x 736 x 1519 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
- Usable drawer dimension: 900 x 600 mm
- Individual arrangements with 180 and 300 kg load capacity
  see page 84/85



Drawer soft close

- Possible from front height 75 mm
- When placing your order, please indicate the desired number of drawers with soft close.
- The specified price is understood as a surcharge per drawer.
- Retrofitting on existing drawers is not possible.
- **Please note!** When opening the drawer, it must stay open for at least 5 seconds because of the soft close cylinder; otherwise the soft close mechanism will be damaged. Perfect functioning is then no longer guaranteed.

Item no.	Use from FH/load capacity	Price in €
60.100.SC	75 mm - 100 kg	27,34



- 8x drawer

Item no.	Price in €
115/0044V10	1.861,91




- 10x drawer

Item no.	Price in €
115/2224V10	2.125,40



- 12x drawer

Item no.	Price in €
115/0921V10	2.373,98



- 12x drawer

Item no.	Price in €
115/24321V10	2.382,68



- 13x drawer


Item no.	Price in €
115/34231V10	2.504,50



- 14x drawer


Item no.	Price in €
115/42611V10	2.636,23

Drawer inserts | ABS




Trough plates | 71 parts
- 8x TP with 4 troughs
- 8x TP with 3 troughs
- 8x TP with 2 troughs
- 23x SDIV for 4 troughs
- 14x SDIV for 3 troughs
- 10x SDIV for 2 troughs

Item no.	Front height in mm	Price in €
150	50/75	111,24




Small parts boxes | 40 parts
- 16x SPB 150 x 150 mm
- 8x SPB 75 x 150 mm
- 16x SPB 75 x 75 mm

Item no.	Front height in mm	Price in €
159BLH50	50	76,94
159BLH75	75	82,41
159BLH100	100/125	90,61




Metal divider | 20 parts
- 5x CCR 600 mm
- 15x DIV 150 mm

Item no.	Front height in mm	Price in €
153BLH50	50	67,12
153BLH75	75	74,69
153BLH100	100/125	77,43
153BLH150	150/175	87,50
153BLH200	200/300	98,18




Metal divider | 5 parts
- 2x CCR 600 mm
- 3x DIV 300 mm

Item no.	Front height in mm	Price in €
155BLH75	75	26,85
155BLH100	100/125	28,22
155BLH150	150/175	32,93
155BLH200	200/250/300	44,74




Metal divider | 24 parts
- 4x CCR 600 mm
- 16x DIV 150 mm
- 4x DIV 300 mm

Item no.	Front height in mm	Price in €
171BLH75	75	76,19
171BLH100	100/125	81,77
171BLH150	150/175	92,10
171BLH200	200/250/300	122,54




Metal divider | 31 parts
- 7x CCR 600 mm
- 6x DIV 75 mm
- 9x DIV 100 mm
- 9x DIV 150 mm

Item no.	Front height in mm	Price in €
172BLH50	50	94,21
172BLH75	75	104,65
172BLH100	100/125	109,38
172BLH150	150/175	124,30
172BLH200	200/250/300	141,69




Metal divider | 29 parts
- 8x CCR 600 mm
- 21x DIV 100 mm

Item no.	Front height in mm	Price in €
161BLH50	50	96,95
161BLH75	75	106,52
161BLH100	100/125	112,12
161BLH150	150/175	129,15
161BLH200	200/250/300	149,27



Metal divider | 10 parts
- 2x CCR 600 mm
- 8x DIV 300 mm

Item no.	Front height in mm	Price in €
166BLH75	75	41,01
166BLH100	100/125	43,38
166BLH150	150/175	50,34
166BLH200	200/250/300	65,50




Metal divider | 15 parts
- 3x CCR 600 mm
- 9x DIV 200 mm
- 3x DIV 300 mm

Item no.	Front height in mm	Price in €
170BLH75	75	60,04
170BLH100	100/125	62,03
170BLH150	150/175	69,35
170BLH200	200/250/300	87,26

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

Modular system




Usable height 700 to 1400 mm
Example:
Usable height 700 mm
Item no. 1380

Number of drawers (front height)
Example:
5 drawers
Usable height 700 mm

Complete order example:
Item no.
1380 +
2x 60.13.100V18
2x 60.13.150V18
1x 60.13.200V18

Housing including locking system, cylinder lock and two keys



1380 1300 1313

Housing incl. cylinder lock

Total height = usable height + 119 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
1350	1305 x 736 x 519	400	553,12
1360	1305 x 736 x 619	500	571,66
1370	1305 x 736 x 719	600	590,40
1380	1305 x 736 x 819	700	609,04
1390	1305 x 736 x 919	800	627,67
1300	1305 x 736 x 1019	900	645,07
1311	1305 x 736 x 1119	1000	667,46
1312	1305 x 736 x 1219	1100	689,83
1313	1305 x 736 x 1319	1200	734,58
1314	1305 x 736 x 1419	1300	771,86
1315	1305 x 736 x 1519	1400	809,15

Please visit our drawer cabinet configurator www.bedrunka-hirth.de



Drawers R 48-24 incl. rails



Width 1200 x 600 with full pull-out 100 %

VA 180 kg 100%

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.13.075V10	75	56	58	100 kg	176,49
60.13.100V18	100	81	83	180 kg	197,64
60.13.125V18	125	81	108	180 kg	200,10
60.13.150V18	150	131	133	180 kg	206,33
60.13.175V18	175	131	158	180 kg	213,79
60.13.200V18	200	181	183	180 kg	221,25
60.13.250V18	250	181	233	180 kg	232,43

Drawers with load capacity 300 kg on request.

1305 x 736 x 819 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 75 mm front height: load capacity 100 kg; drawers from 100 mm front height: load capacity 180 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 125, 150, 175, 200, 250 mm
- Usable drawer dimension: 1200 x 600 mm
- Individual arrangements with 180 kg load capacity see page 92/93



- 5x drawer

Item no.	Price in €
1380/0221V18	1.638,17



- 6x drawer

Item no.	Price in €
1380/0420V18	1.812,19



- 6x drawer

Item no.	Price in €
1380/2211V18	1.784,84



- 7x drawer

Item no.	Price in €
1380/0700V18	1.992,40

1305 x 736 x 1019 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 75 mm front height, load capacity 100 kg
  Drawers from 100 mm front height, load capacity 180 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 125,
  150, 175, 200, 250 mm
- Usable drawer dimension: 1200 x 600 mm
- Individual arrangements with 180 kg load capacity see page 92/93



Pin-Code



RFID

Equip your drawer cabinet with an E-lock. More information can be found on page 110

Suitable divider material can be found on page 97



- 6x drawer

Item no.	Price in €
1300/0222V18	1.895,45



- 6x drawer

Item no.	Price in €
1300/1122V18	1.876,81



- 7x drawer

Item no.	Price in €
1300/2131V18	2.035,91



- 9x drawer

Item no.	Price in €
1300/0900V18	2.423,70

1305 x 736 x 1319 mm (W x D x H)

- Welded sheet steel construction
- Housing: powder-coated
- Central locking
- Drawers with full pull-out (FP) 100%
- Drawers with 75 mm front height, load capacity 100 kg
  Drawers from 100 mm front height, load capacity 180 kg
- Drawer guides on ball-bearings
- Individual pull-out lock
- Individual locking per drawer possible
- Handle bars with insertable labelling strip
- Drawer front height: 75, 100, 125,
  150, 175, 200, 250 mm
- Usable drawer dimension: 1200 x 600 mm
- Individual arrangements with 180 kg load capacity see page 92/93




- 8 drawers

Item no.	Price in €
1313/0323V18	2.403,82



- 10 drawers

Item no.	Price in €
1313/0640V18	2.745,61



- 10 drawers


Item no.	Price in €
1313/4141V18	2.684,72



- 12 drawers


Item no.	Price in €
1313/0120V18	3.106,08

Drawer inserts | ABS and galvanised sheet steel




Small parts boxes | 48 parts
- 16x SPB 150 x 150 mm
- 32x SPB 75 x 150 mm

Item no.	Front height in mm	Price in €
182BLH75	75	109,12
182BLH100	100/125	118,95




Small parts boxes | 64 parts
- 16x SPB 150 x 150 mm
- 16x SPB 75 x 150 mm
- 32x SPB 75 x 75 mm

Item no.	Front height in mm	Price in €
181BLH75	75	134,23
181BLH100	100/125	146,66




Trough plates | 91 parts
- 8x TP with 4 troughs
- 12x TP with 3 troughs
- 12x TP with 2 troughs
- 23x SDIV for 4 troughs
- 21x SDIV for 3 troughs
- 15x SDIV for 2 troughs

Item no.	Front height in mm	Price in €
180BLH75	75	153,00




Metal divider | 14 parts
- 5x CCR 600 mm
- 9x DIV 200 mm

Item no.	Front height in mm	Price in €
185BLH75	75	70,47
185BLH100	100/125	73,33
185BLH150	150	83,28
185BLH200	200/250	108,88



Metal divider | 27 parts
- 7x CCR 600 mm
- 20x DIV 150 mm

Item no.	Front height in mm	Price in €
184BLH75	75	101,67
184BLH100	100/125	108,63
184BLH150	150	123,05
184BLH200	200/250	167,67



Metal divider | 27 parts
- 8x CCR 600 mm
- 4x DIV 200 mm
- 15x DIV 100 mm

Item no.	Front height in mm	Price in €
183BLH75	75	109,50
183BLH100	100/125	114,73
183BLH150	150	131,99
183BLH200	200/250	174,38

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider



Insertable labelling strip


- Fold up transparent panel and insert label. Press panel down again.
- Labelling strip and transparent cover kit
- Height 20 mm

Item no.	Designation	Price in €
01.050.007-1	R 18-24	2,55
01.070.007-1	R 24-24	2,55
01.100.007-1	R 36-24	2,61
01.130.007-1	R 48-24	2,67

Divider elements, galvanised sheet steel

- Metal divider elements made from galvanised high-quality sheet metal
- Fine subdivision on the grid 25:25 mm

Metal divider, easily insertable between the drawer side and a centrail rail or two central rails





Centre compartment rail

Item no.	Front in mm	WxD in mm	Price in €
20.600.030	50	600 x 30	8,69
20.600.050	75	600 x 50	10,19
20.600.075	100	600 x 75	10,81
20.600.125	150	600 x 125	12,81
20.600.175	200-300	600 x 175	15,53





Divider
- Front 50 mm

Item no.	WxD in mm	Price in €
30.050.30	50 x 30	1,43
30.075.30	75 x 30	1,55
30.100.30	100 x 30	1,93
30.150.30	150 x 30	2,17
30.200.30	200 x 30	2,49
30.225.30	225 x 30	2,64
30.300.30	300 x 30	3,05



Divider
- Front 75 mm

Item no.	WxD in mm	Price in €
30.050.050	50 x 50	1,55
30.075.050	75 x 50	1,73
30.100.050	100 x 50	1,86
30.150.050	150 x 50	2,23
30.200.050	200 x 50	2,74
30.225.050	225 x 50	3,00
30.300.050	300 x 50	3,30



Divider
- Front 100 mm

Item no.	WxD in mm	Price in €
30.050.075	50 x 75	1,55
30.075.075	75 x 75	1,80
30.100.075	100 x 75	1,93
30.150.075	150 x 75	2,30
30.200.075	200 x 75	2,74
30.225.075	225 x 75	2,96
30.300.075	300 x 75	3,42



Divider
- Front 150 mm

Item no.	WxD in mm	Price in €
30.050.125	50 x 125	1,61
30.075.125	75 x 125	1,93
30.100.125	100 x 125	2,11
30.150.125	150 x 125	2,36
30.200.125	200 x 125	2,86
30.225.125	225 x 125	3,12
30.250.125	250 x 125	3,42
30.300.125	300 x 125	3,91



Divider
- Front 200, 250, 300 mm

Item no.	WxD in mm	Price in €
30.075.175	75 x 175	2,11
30.100.175	100 x 175	2,30
30.125.175	125 x 175	2,61
30.150.175	150 x 175	2,92
30.200.175	200 x 175	3,30
30.225.175	225 x 175	3,51
30.250.175	250 x 175	3,97
30.300.175	300 x 175	4,66
30.400.175	400 x 175	5,96

Other sizes on request


MDF tool boards

- With the tool boards, you create order and a clear overview when storage of your tools.
- Quickly to hand and sorted according to size, the MDF tool boards make work easier.
- Ready for use with cabinet widths 555, 705 and 1005 mm.
- Possible for the following drawer front heights 100, 150, 200, 250, 300 mm
- Tool boards available in MDF (medium density fibreboard) In two synthetic resin decor coatings; white and walnut
- Due to the upright storage in the individual tool places, damage to expensive damage to expensive carbide milling tools is avoided
- No unprotected tool cutting edges lying next to each other
- Special solutions, as well as individually manufactured solutions possible
- Examples: Compression and tension collets, holders for eroding machines erosion machines, turning steels, workpiece clamping devices, hand tools, measuring equipment!



Upon submission of an original sample, additional shapes can be produced individually.







Individual equipment T736 series





Hinged doors | cabinet width 555 und 705 mm, hinge left

- Hinged doors with twist lock cylinder lock and 2 keys

Item no.	Grid	Design	for usable height	Price in €
01.050.700EL	R 18-24	one door	700 mm	90,73
01.070.700EL	R 24-24	one door	700 mm	101,92
01.050.800EL	R 18-24	one door	800 mm	95,69
01.070.800EL	R 24-24	one door	800 mm	106,89
01.050.900EL	R 18-24	one door	900 mm	100,67
01.070.900EL	R 24-24	one door	900 mm	111,87

Hinged doors | cabinet width 555 und 705 mm, hinge right

- Hinged doors with twist lock cylinder lock and 2 keys

Item no.	Grid	Design	for usable height	Price in €
01.050.700ER	R 18-24	one door	700 mm	90,73
01.070.700ER	R 24-24	one door	700 mm	101,92
01.050.800ER	R 18-24	one door	800 mm	95,69
01.070.800ER	R 24-24	one door	800 mm	106,89
01.050.900ER	R 18-24	one door	900 mm	100,67
01.070.900ER	R 24-24	one door	900 mm	111,87

Double doors | cabinet width 1005 mm

- Hinged doors with twist lock cylinder lock and 2 keys

Item no.	Grid	Design	for usable height	Price in €
01.100.700E	R 36-24	two doors	700 mm	140,45
01.100.800E	R 36-24	two doors	800 mm	145,41
01.100.900E	R 36-24	two doors	900 mm	150,38

Double doors | cabinet width 1305 mm

- Hinged doors with twist lock cylinder lock and 2 keys

Item no.	Grid	Design	for usable height	Price in €
01.130.700E	R 48-24	two doors	700 mm	160,33
01.130.800E	R 48-24	two doors	800 mm	165,30
01.130.900E	R 48-24	two doors	900 mm	170,27

Metal cover upon double doors vor cabinet width 1005 and 1305 mm

- For a cabinet with drawers on top and doors below a metal cover will be fixed upon the doors.
- The using height is reduced by 100 mm

Item no.	Grid	Price in €
01.100.BLFL	R 36-24	28,59
01.130.BLFL	R 48-24	33,56



Ribbed rubber mat on cabinet

- Oil-proof

Item no.	Dimensions in mm (WxDxH)	Price in €
65.050.730	555 x 736 x 3	30,07
65.070.730	705 x 736 x 3	37,54
65.100.730	1005 x 736 x 3	43,99
65.130.730	1305 x 736 x 3	50,46



Soft PVC workbench coverings

- Transparent
- Bluish

Item no.	Dimensions in mm (WxDxH)	Price in €
015557364TRA	555 x 736 x 4	45,86
017057364TRA	705 x 736 x 4	58,22
011057364TRA	1005 x 736 x 4	82,95
011307364TRA	1305 x 736 x 4	112,12



Cover plate

- Beech multiplex, oiled

Item no.	Dimensions in mm (WxDxH)	Price in €
67.050.017	555 x 736 x 25	69,61
67.070.017	705 x 736 x 25	85,76
67.100.017	1005 x 736 x 25	123,05
67.130.017	1305 x 736 x 25	161,58



Cover plate

- Melamine resin coated chipboard
- RAL 7035
- 19 mm, screwable

Item no.	Dimensions in mm (WxDxH)	Price in €
67.050.016	555 x 736 x 19	62,15
67.070.016	705 x 736 x 19	67,12
67.100.016	1005 x 736 x 19	104,41
67.130.016	1305 x 736 x 19	126,77



Shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
01.050.013	497 x 685 x 40	48,46
01.070.013	647 x 685 x 40	60,90
01.100.013	947 x 685 x 40	80,79
01.130.013	1247 x 685 x 40	100,67



Metal roll-off edge on 3 sides

- 20 mm height


Item no.	Dimensions in mm (WxDxH)	Price in €
66.050.025	555 x 736 x 20	59,66
66.070.025	705 x 736 x 20	65,87
66.100.025	1005 x 736 x 20	90,73
66.130.025	1305 x 736 x 20	116,84



Ribbed rubber insert for drawer

- Oil-proof
- Smooth closing of the drawer also in connection with metal drawer subdivision

Item no.	Dimensions in mm (WxDxH)	Price in €
120	450 x 600 x 3	26,73
140	600 x 600 x 3	32,06
160	900 x 600 x 3	42,76
186	1200 x 600 x 3	48,46



Non-slip mat secures tools

- Insert for drawer
- Smooth closing of the drawer also in connection with metal drawer subdivision

Item no.	Dimensions in mm (WxDxH)	Price in €
65.051.731	450 x 600 x 3	27,46
65.071.731	600 x 600 x 3	31,70
65.101.731	900 x 600 x 3	43,99
65.131.731	1200 x 600 x 3	50,09



Shelf pull-out

- Full pull-out 100 %, load capacity 100 kg

Item no.	Grid	Price in €
60.050.AZ VA	R 18-24	133,00
60.070.AZ VA	R 24-24	139,21
60.100.AZ VA	R 36-24	145,41
60.130.AZ VA	R 48-24	150,98



Machine feet for drawer cabinets

- Load capacity 1200 kg
- plate Ø 50 mm
- Base made of polished and chrome-plated sheet steel
- Easy height adjustment with vibration damping

Item no.	Packaging unit	Price in €
01.ASF50-M8	Set with 4 pieces	48,10



Lift truck base

- Cover plate front and rear

Item no.	Dimensions in mm (WxDxH)	Price in €
01.050.012	555 x 736 x 112	144,18
01.070.012	705 x 736 x 112	152,87
01.100.012	1005 x 736 x 112	162,82
01.130.012	1305 x 736 x 112	175,25




Mobile addition

- 2x plastic push handle
- With 2 fixed and 2 steering casters Ø 125 mm, of which 2 with locks
- Steel plate for 555 mm and 705 mm width
- Steel tub for 1005 mm width

kg 450

Item no.	Dimensions in mm (WxDxH)	Push handle arrangement	Price in €
01.050.009	555 x 736 x 150	front	180,22
01.070.009	705 x 736 x 150	front	195,13
01.100.009	1005 x 736 x 150	front	208,81



For all series

The drawer inserts are made from high-grade plastic and can be inserted into the drawer using the modular principle.
The trough plates and small parts boxes can be inserted lengthwise and widthwise. Basic grid 150 x 150 mm. Material ABS.

Trough plates 150 x 150 x 30 mm



- With 2 troughs 70 mm

Item no.	Packaging unit	Price in €
50.002.070	1	3,42
50002070SE	4	10,93



- With 3 troughs 46 mm


Item no.	Packaging unit	Price in €
50.003.046	1	3,54
50003046SE	4	11,31



- With 4 troughs 34 mm

Item no.	Packaging unit	Price in €
50.004.034	1	3,66
50004034SE	4	11,81

Trough dividers including labelling strip




- For 1x trough
- Wide 68 mm

Item no.	Packaging unit	Price in €
51.002.070	1	0,94
51002070SE	10	7,46



- For 3x trough
- Wide 44 mm

Item no.	Packaging unit	Price in €
51.003.046	1	0,88
51003046SE	20	13,92



- For 4x trough
- Wide 32 mm

Item no.	Packaging unit	Price in €
51.004.034	1	0,82
51004034SE	20	12,93

Spacer bars

Spacer bars are used to secure the plastic subdivision per drawer. Sizes that are not indicated do not require spacer bars.

Spacer bars for trough plates

Item no.	Usable drawer dimension	Price in €
50.500.MP	450 x 600 mm	4,41
50.700.MP	600 x 600 mm	5,03
50.100.MP	900 x 600 mm	6,34



CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider
PU = Packaging unit



Small parts boxes including labelling strip



Front 50 mm
- 150 x 150 x 28 mm

Item no.	Packaging unit	Price in €
53.150.150.30	1	2,74
5315015030SE	4	8,69



Front 75 mm
- 150 x 150 x 52 mm

Item no.	Packaging unit	Price in €
52.150.150	1	2,86
52150150SE	4	9,19



Front 100 mm
- 150 x 150 x 66 mm

Item no.	Packaging unit	Price in €
53.150.150.65	1	3,17
5315015065SE	4	10,07



Front 50 mm
- 150 x 75 x 28 mm

Item no.	Packaging unit	Price in €
53.150.075.30	1	2,17
5315007530SE	8	13,92



Front 75 mm
- 150 x 75 x 52 mm

Item no.	Packaging unit	Price in €
52.150.075	1	2,36
52150075SE	8	15,04



Front 100 mm
- 150 x 75 x 66 mm

Item no.	Packaging unit	Price in €
53.150.075.65	1	2,55
5315007565SE	8	16,28



Front 50 mm
- 75 x 75 x 28 mm

Item no.	Packaging unit	Price in €
53.075.075.30	1	1,86
5307507530SE	16	23,86



Front 75 mm
- 75 x 75 x 52 mm

Item no.	Packaging unit	Price in €
52.075.075	1	2,05
52075075SE	16	26,23



Front 100 mm
- 75 x 75 x 66 mm

Item no.	Packaging unit	Price in €
53.075.075.65	1	2,23
5307507565SE	16	28,59

Spacer bars

Spacer bars are used to secure the plastic subdivision per drawer Sizes that are not indicated do not require spacer bars.

For small parts box front 50

50.700.KTK1	600 x 600 mm	5,03
50.100.KTK1	900 x 600 mm	6,34

For small parts box front 100

50.700.KTK2	600 x 600 mm	5,71
50.100.KTK2	900 x 600 mm	6,96

Accessories and spare parts

Aqurado ABS drawer divider
Create order according to the 5S method and organise your workplace more effectively. Well-structured workplace organisation improves work efficiency, reduces search times and thus increases productivity.

Concept:
- Selecting
- Sorting
- Cleaning
- Standardise
- Self-discipline



Textured mat

Item no.	Dimensions in mm (WxD)	Price in €
03.AQ.555	456 x 600 mm	17,68
03.AQ.705	600 x 600 mm	21,46
03.AQ.3907	624 x 1584 mm	41,16

Score and break to fit textured mat to size.



Item no.	03.AQ-0100	03.AQ-0101	03.AQ-0112	03.AQ-0122	03.AQ-0104	03.AQ-0110
Dimensions in mm (WxDxH)	96 x 48 x 24	96 x 96 x 24	96 x 144 x 24	72 x 192 x 24	96 x 192 x 24	96 x 288 x 24
Internal dimensions in mm (WxDxH)	37 x 85 x 18	85 x 85 x 18	85 x 133 x 18	62 x 181 x 18	85 x 151 x 18	85 x 277 x 18
Price in €	2,53	3,03	4,04	3,91	5,62	6,88



Item no.	03.AQ-0105	03.AQ-0111	03.AQ-0121	03.AQ-0106	03.AQ-0107	03.AQ-0108
Dimensions in mm (WxDxH)	96 x 96 x 48	96 x 144 x 48	72 x 192 x 48	96 x 192 x 48	96 x 240 x 48	96 x 288 x 48
Internal dimensions in mm (WxDxH)	85 x 85 x 42	85 x 133 x 42	62 x 182 x 42	85 x 181 x 42	85 x 229 x 42	85 x 277 x 42
Price in €	4,28	5,18	5,18	6,38	7,45	8,21



Item no.	03.AQ-0109	03.AQ-0116	03.AQ-0117	03.AQ-0114	03.AQ-0115
Dimensions in mm (WxDxH)	96 x 336 x 48	144 x 144 x 48	144 x 192 x 48	144 x 384 x 48	240 x 336 x 48
Internal dimensions in mm (WxDxH)	85 x 325 x 42	133 x 133 x 42	133 x 181 x 42	133 x 373 x 42	229 x 325 x 42
Price in €	9,03	7,76	8,64	11,80	13,13



Item no.	03.AQ-2118	03.AQ-2119	03.AQ-2120	03.AQ-2122
Dimensions in mm (WxDxH)	144 x 144 x 48	288 x 96 x 48	288 x 96 x 48	336 x 96 x 48
Collet module	For 10 x collets ER16	For 16 x collets ER25	For 12 x collets ER32	For 13 x collets ER40
Price in €	18,53	22,16	22,16	23,89



	3 troughs	2 troughs	8 troughs	End piece, 1 trough for length adaptation	End piece, 1 trough for length adaptation	End piece, 1 trough for length adaptation
Item no.	03.AQ-0102	03.AQ-0103	03.AQ-0113	03.AQ-1118	03.AQ-1122	03.AQ-1119
Dimensions in mm (WxDxH)	192 x 96 x 24	96 x 288 x 24	144 x 192 x 24	48 x 73 x 24	72 x 92 x 24	96 x 96 x 24
Internal dimensions/trough	24 x 181 x 18	40 x 277 x 18	132 x 22 x 18	Trough 37	Trough 62	Trough 85
Price in €	5,80	7,19	8,21	3,80	4,42	4,99



	Allen key box 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10	Calliper gauge box, up to measuring range 150	Twist drill box, 1.0 - 6.0 0.1 increasing	Twist drill box, 6.1 - 10 0.1 increasing	Open-ended/ring spanners 12 spanners AF 4 - 24	Double-ended ring spanners 8 spanners AF 6 - 24
Item no.	03.AQ-2112	03.AQ-2113	03.AQ-2115	03.AQ-2116	03.AQ-2110	03.AQ-2111
Dimensions in mm (WxDxH)	96 x 288 x 24	96 x 288 x 24	144 x 144 x 48	144 x 192 x 48	240 x 336 x 48	240 x 336 x 48
Price in €	12,75	12,75	18,36	22,90	30,06	30,48



	Screwdriver box, for 6 screwdrivers	Socket key box ½, for 22 pieces AF 10 - 32	Multimedia box for 11 CDs	Adhesive pads PU 34 pieces not shown	Label plate, vertical	Label plate, horizontal
Item no.	03.AQ-2114	03.AQ-2123	03.AQ-2117	03.AQ-4103	03.AQ-4104	03.AQ-4105
Dimensions in mm (WxDxH)	144 x 384 x 48	144 x 384 x 48	144 x 192 x 48		13 x 45	15 x 48
Price in €	27,51	30,74	16,73	4,73	0,95	0,95

Individual equipment


- Drawer cabinet R 24-24
- Full pull-out 100 %, load capacity 100 kg per drawer





- 7 drawers

Item no.	Dimensions in mm (WxDxH)	Price in €
700/2321V10	705 x 736 x 1019	1.520,09



Inlet, untreated

- 2 colours: blue 5 mm
- Black: 20 mm height

Item no.	LxW in mm	Price in €
08.90.10	600 x 300	36,77
08.90.11	600 x 400	49,02
08.90.45.60	450 x 600	49,81
08.90.60.60	600 x 600	73,53
08.90.90.60	900 x 600	99,62



Cutting tool, narrow, 20 mm

Item no.	Price in €
08.90.02	16,46



Cutting tool, semi-circular, 20 x 20 mm

Item no.	Price in €
08.90.03	54,32




Cutting tool, wide, 50 mm

Item no.	Price in €
08.90.01	32,92


Tool sets 565 x 300 mm

Detailed description from page 483




Key set, 21 pcs

Item no.	Price in €
08.88.204	290,60



Tool set, pipe socket and open-ended double ring spanner set 15 pcs.

Item no.	Price in €
08.88.207	218,99



Set of T-handle screwdrivers, 15 pcs

Item no.	Price in €
08.88.200	217,60



Set of pliers/screwdrivers, 14 pcs

Item no.	Price in €
08.88.206	346,04



Set of hammers, files, chisels and saws, 16 pcs

Item no.	Price in €
08.88.203	246,71



Set of 1/4"-12" socket keys, 71 pcs

Item no.	Price in €
08.88.205	544,31

Locking system





Mechanical locking
- Cylinder lock with 180° locking
- Handle lock for hinged doors with 90° locking
- Central locking
- Individual locking per drawer possible
- User-friendly operation
- Optionally different locking or keyed alike



Electronic locking
Pin code
- Operation via keys
- Management with electronic keys
- Emergency power supply via management key
- Horizontal alignment
- With 90° or 180 °closure



Electronic locking
RFID
- RFID standards: iClass and Mifare
- Management with electronic keys
- Emergency power supply via management key
- Horizontal alignment
- With 90° or 180 °closure

Standard locking with one key
- Opening and closing by turning the key through 180° in the case of Drawers
- Opening and closing by turning the key 90° for hinged doors and hinged doors and single drawers
- Single, different or keyed alike as a locking system

Possibilities:
- Access to any number of locks with one key
- Access to each lock with a different key

Standard version with different locks
Only one specific locker can be opened with each lock

Keyed alike
All locks have the same key

Master key system
With one master key, lockers with different locking systems can be opened. lockings can be opened

Mechanical locking

Item no.	Description	Version		Price in €
01.050.001	Cylinder lock with 2 x keys, 180° locking	different locking		15,78
01.050.002	Cylinder lock with 2 x keys, 180° locking	keyed alike		15,78
01.050.003	Key set of 2			29,83
01.050.005B	Master key for locking system. When reordering, please state the year of purchase.			30,95
03.785.001-1	Cylinder lock with 2 x keys, 90° for single drawer recessed fitted	different locking		15,78
04GSSGS-L-GK	Handle lock left with 2 x key 90° lock	keyed alike		26,56
04GSSGS-R-GK	Handle lock right with 2 x key 90° lock	keyed alike		26,56
04GSSVS-L-GK	Handle lock left with 2 x key 90° lock	different locking		26,56
04GSSVS-R-GK	Handle lock right with 2 x key 90° lock	different locking		26,56
04FLSGS-L-GK	Pin code FLEXO E-lock left 90° lock			180,95
04FLSGS-R-GK	Pin code FLEXO E-lock right 90° lock			180,95
04FLSVS-L-GK	RFID FLEXO E-lock left 90° lock			191,95
04FLSVS-R-GK	RFID FLEXO E-lock right 90° lock			191,95

NEW

Key management for the E-locks „Versa“

For programming the E-locks with PIN code and RFID, a programming key is required for each hall or facility.
With this programming key, 1 to 6 management keys can be registered. Emergency power supply, in case of ignoring the warning signals, is possible with both the programming key and the management key.

The users are taught in with the help of the management key.
With the pin code lock, the user has the option of creating a 4-7-digit individual user code for himself.
With the RFID lock, the user learns his RFID chip or card.

User key
Up to 20 users can be assigned per lock, more on request

Management keys
Up to 6 management keys can be assigned per lock.

Programming key
1 programming key is required per lock system



Application	User key	Management key	Programming key
Operation of the lock	X	X	X
Master key function		X	X
Inspection function		X	X
External power supply		X	X
Assignment of management keys			X
Assign user keys or transponders (for personal use only)		X	
Setting lock function			X

Accessories for E-locks



User key RFID card
- Up to 20 users can be assigned per lock, more on request

Item no.	Price in €
ML32RFIDK	12,43



User key chip
- Up to 20 users can be assigned per lock, more on request

Item no.	Price in €
ML32CHIP	12,43



Management key
- Up to 6 management keys can be assigned per lock

Item no.	Price in €
01ESCHLOSSVS	70,25



Programming key
- 1 programming key is required per lock system

Item no.	Price in €
01ESCHLOSSPS	89,75

Please note!
To set up an E-lock, you need the key management in the form of the management key and the programming key.



Video E-lock

- Lever mechanism
- Administration with management and programming key
- Lock housing made entirely of steel
- Inlet mounting
- Rotation angle 90° or 180°
- Opening and closing by turning the knob
- Surface finish: brushed nickel
- Horizontal alignment
- Vertical orientation for vertical pull-outs (MRS®)
- Protection class IP55
- 2 years guarantee

Pin code VERSA E-lock

The pin code E-lock can be opened with a 4-7 digit numerical code. The programming of the users and their pin codes is done by means of administration and programming keys.

- Key is replaced with numerical code
- Operation via buttons; management with electronic keys
- Power supply via 2 x lithium batteries CR2450

Technical data recessed lock
- Lock can be opened with a 4-7 digit numerical code
- Dimensions (W x D x H): 105.17mm x 2.7mm x 29.57 mm (incl. knob 9.75mm)

Technical data surface-mounted lock (retrofitting)
- Lock can be opened with a 4-7 digit numerical code
- Dimensions (W x D x H): 133 mm x 31.5 mm x 20.4mm (incl. knob depth 7.7mm)

RFID VERSA E-lock

The RFID E-lock can be opened with an RFID card or a chip. The programming of the locks is done by means of management and programming keys.

- Key or numerical code is replaced with RFID
- Operation via RFID
- Housing completely made of metal
- Power supply via 4 x AA batteries

Technical data recessed lock
- Closure with RFID standards: iClass and Mifare (13.56 MHz) ISO 14443A - ISO 14443B - ISO 15693
- Dimensions (W x D x H): 105.17mm x 2.7mm x 29.57 mm (incl. knob 9.75mm)

Technical data surface-mounted lock (retrofitting)
- Closure with RFID standards: iClass and Mifare (13.56 MHz) ISO 14443A - ISO 14443B - ISO 15693
- Dimensions (W x D x H): 133 mm x 31.5 mm x 20.4 mm (incl. knob depth 7.7 mm)





Pin code VERSA E-lock

Item no.	Lock variant	Price in €
01PINSLEIN	Pin code E-lock 180° locking, recessed built-in (cannot be retrofitted)	150,50
01PINSLAUF	Pin code E-lock 180° locking, surface-mounted (retrofittable)	150,50
01PINSLEINZ	Pin code E-lock 90° for single drawer recessed fitted	150,50
01PINFLRE	Pin code E-lock, right-hinged for hinged door	150,50
01PINFLLI	Pin code E-lock, left-hinged for hinged door	150,50
01PINFL2	Pin code E-lock for double wing door	150,50

RFID VERSA E-lock

Item no.	Lock variant	Price in €
01RFIDSLEIN	RFID E-lock 180° locking, recessed built-in (cannot be retrofitted)	173,00
01RFIDSLAUF	RFID E-lock 180° locking, fitted on top (can be retrofitted)	173,00
01RFIDSLEINZ	RFID E-lock 90° for single drawer recessed built-in	173,00
01RFIDFLRE	RFID E-lock, right-hinged for hinged door	173,00
01RFIDFLLI	RFID E-lock, left-hinged for hinged door	173,00
01RFIDFL2	RFID e-lock for double wing door	173,00

NEW

Please note!
To set up an E-lock, you need the key management in the form of the a master cartd.




- Housing made of sturdy zamak with black powder coating
- IP65 – protection against dust and water jets
- Easy retrofit of mechanical locks
- Mechanical emergency opening possible via master key
- Visual and audible battery warning
- Protection class: IP65
- Power supply: 2 × AAA batteries (VARTA recommended)
- Dimensions: **132 × 38 × 31,5 mm**

Pin code NIRO E-lock

The pin code E-lock can be opened with a 4-6 digit numerical code.

Technical data pin code NIRO E-locK

- Lock can be opened with a 4-6 digit numerical code
- Multiuser or private mode (up to 50 codes)
- Mechanical emergency opening possible with master key
- Dimensions (W × D × H): 105.17 × 27 × 29.57 mm (including knob: 9.75 mm)
- Approx. 30,000 locking cycles, standby time up to 2 years



Pin code NIRO E-lock

Item no.	Lock variant	Price in €
01NIPINSLEIN*	Pin code E-lock 180° locking, recessed built-in (cannot be retrofitted)	144,40
01NIPINSLAUF	Pin code E-lock 180° locking, surface-mounted (retrofittable)	134,40
01NIPINSLEINZ*	Pin code E-lock 90° for single drawer recessed fitted	144,40
01NIPINFLRE	Pin code E-lock, right-hinged for hinged door	134,40
01NIPINFLLI	Pin code E-lock, left-hinged for hinged door	134,40
01NIPINFL2	Pin code E-lock for double wing door	134,40

RFID NIRO E-lock

The RFID E-lock can be opened with an RFID card or a chip.

Technical data RFID NIRO E-lock

- Supported standards: MIFARE® Classic (read/write) & MIFARE® DESFire® EV (read)
- Occupancy function (only with MIFARE® Classic)
- ISO/IEC 14443 Typ A (13,56 MHz)
- Multiuser- und Privat-Modus wählbar
- Approx. 50,000 locking cycles, standby time up to 2 years
- Capacity: up to 3 master cards, 2 manager cards, max. 10 (V1.0) / max. 500 user cards (V1.1)



RFID NIRO E-lock

Item no.	Lock variant	Price in €
01NIRFIDSLEIN*	RFID E-lock 180° locking, recessed built-in (cannot be retrofitted)	153,75
01NIRFIDSLAUF	RFID E-lock 180° locking, fitted on top (can be retrofitted)	143,75
01NIRFIDSLEINZ*	RFID E-lock 90° for single drawer recessed built-in	153,75
01NIRFIDFLRE	RFID E-lock, right-hinged for hinged door	143,75
01NIRFIDFLLI	RFID E-lock, left-hinged for hinged door	143,75
01NIRFIDFL2	RFID e-lock for double wing door	143,75

*In the recessed version, whether with RFID NIRO or pin code NIRO, the IP protection is not applicable.



Master card RFID

- For programming the RFID electronic locks, a master card is required

Item no.	Price in €
MKNIRFID	45,00



User key RFID card

- Up to 20 users can be assigned per lock, more on request

Item no.	Price in €
UKNIRFID	12,43

MRS®
Modular Shelving System






The MRS® at a glance Page 116



1. Frames and walls Page 124



2. Shelves and dividers Page 126



3. Drawers Page 130



4. Vertical pull-outs Page 136



5. Accessories for vertical pull-outs Page 138




6. Hinged doors Page 140



Finished modules Page 144

Modulares Regal System **at a glance**



1	Support frame	Page 124	6	Level compensation plate	Page 124
2	Rear wall	Page 125	7	Floor anchoring	Page 124
3	Side end wall	Page 125	8	Universal shelf | 500 kg	Page 127
4	Partition wall	Page 125	9	Shelf | 250 kg	Page 127
5	Diagonal cross-brace	Page 125	10	Divider for shelf	Page 126

MADE IN GERMANY



6 steps to your MRS®

Example illustration. Other variants are possible!

1. Frames and walls
Select the required height and width of your drawer shelving and rear wall or diagonal cross-braces for stabilisation.

2. Shelves and dividers
In the 2nd step, you can select your shelves and dividers.

3. Drawers
Select the desired drawers or CNC drawers and if necessary divider materials. Electrical locking systems are also possible.

4. Vertical pull-outs
In the 4th step, you can select vertical pull-outs. These are ideal for heavy CNC tools.

5. Accessories for vertical pull-outs
Here you can obtain accessories such as shelves or perforated walls for vertical pull-outs. Give your MRS® the finishing touch.

6. Hinged doors
Are you still missing hinged doors? You can find these on/ from page 141

11	Side panel	Page 126	16	CNC half shelf	Page 139
12	Drawers	Page 130	17	CNC suspension	Page 139
13	Vertical pull-outs	Page 137	18	Hinged doors	Page 141
14	Half shelf/vertical pull-out	Page 138	19	Fitted shelf	Page 127
15	Perforated wall	Page 138			

The MRS® - Modular Shelving System - enables flexible interior design at all times. Drawers, shelves, vertical pull-outs, CNC storage systems and closed hinged door cabinets can be ideally integrated into a single product. The system offers three different heights.

The unique feature of the product is its individuality. Configure your drawer shelving as you require. Our extensive range of equipment and accessories offers you a large number of constructive alternatives for implementing highly diverse spatial planning economically. The drawer shelving can be subsequently extended and expanded with additional modules. It combines the advantages of a drawer cabinet with the advantages of shelving, thus creating a product that can be perfectly adapted to your requirements thanks to the optimal use of space. Not only can you use the MRS® as wall cabinet shelving, but also as a room divider.

"We offer our customers complete support, from planning to installation."

Precise visualisation of your draw shelving thanks to our planning programs

With a library containing all our products for the SketchUp drawing program, this planning program - along with the pCon drawing program - is the ideal design tool for fast, efficient, three-dimensional modelling and presentation.
Free, flexible designs are produced in no time at all in order to implement your requirements, layouts, size and colour choice with creativity and dynamism.

By building up our extensive library, we are in a position to visualise your ideas and suggestions quickly and easily in 3D.
Can you visualise what your modular shelving system could look like? Let us show you.



Loads:

kg 500 UNIVERSAL SHELF

kg 300 VERTICAL PULL-OUTS

kg 250 SHELF

VA 100 kg 100% DRAWER FP 100 KG

VA 180 kg 100% DRAWER FP 180 KG



Module height

Height in mm	Usable height in mm
1030	906
2030	1906
2430	2306
2830	2706

Module width

Partition	Usable width in mm	Depth in mm
700	651	733
1000	951	733

Usable drawer dimensions

Partition	Internal dimensions in mm	Grid
700	600 x 600	R 24-24
1000	900 x 600	R 36-24

Locking system




Mechanical locking
- Cylinder lock with 180° locking
- Handle lock for hinged doors with 90° locking
- Central locking
- Individual locking per drawer possible
- User-friendly operation
- Keyed alike or different locking versions possible



Electronic locking
Pin code
- Operation via keys
- Management with electronic keys
- Emergency power supply via management key
- Horizontal alignment
- With 90° or 180 °closure




Electronic locking
RFID
- RFID standards: iClass and Mifare
- Management with electronic keys
- Emergency power supply via management key
- Horizontal alignment
- With 90° or 180 °closure

Lock 180° for drawer cabinet, recessed built-in | not retrofittable

Item no.	Description	Price in €
01.050.001	Cylinder lock	15,78
01PINSLEIN	Pin code VERSA E-lock	150,50
01RFIDSLEIN	RFID VERSA E-lock	173,00
01NIPINSLEIN	Pin code NIRO E-lock	134,40
01NIRFIDSLEIN	RFID NIRO E-lock	143,75

Lock 90° for single drawer, recessed built-in

Item no.	Description	Price in €
03.785.001-1	Cylinder lock	15,78
01PINSLEINZ	Pin code VERSA E-lock	150,50
01RFIDSLEINZ	RFID VERSA E-lock	173,00
01NIPINSLEINZ	Pin code NIRO E-lock	134,40
01NIRFIDSLEINZ	RFID NIRO E-lock	143,75

Lock 180° for drawer cabinet, fitted on top | retrofittable

Item no.	Description	Price in €
01PINSLAUF	Pin code VERSA E-lock	150,50
01RFIDSLAUF	RFID code VERSA E-lock	173,00
01NIPINSLAUF	Pin code NIRO E-lock	134,40
01NIRFIDSLAUF	RFID NIRO E-lock	143,75

Lock 90° for hinged door

Item no.	Description		Price in €
04GSSGS-L-GK	Handle lock left with 2 x key, keyed alike		26,56
04GSSGS-R-GK	Grip lock right with 2 x key, keyed alike		26,56
04GSSVS-L-GK	Handle lock on the left with 2 x key, keyed differently		26,56
04GSSVS-R-GK	Grip lock on the right with 2 x key, different keyings		26,56
04FLSGS-R-GK	Pin code FLEXO E-lock hinged right for hinged door		180,95
04FLSGS-L-GK	Pin code FLEXO E-lock hinged left for hinged door	NEW	180,95
04FLSGS-2-GK	Pin code FLEXO E-lock for double wing door		180,95
04FLSVS-R-GK	RFID FLEXO E-lock hinged right for hinged door		191,95
04FLSVS-L-GK	RFID FLEXO E-lock hinged left for hinged door		191,95
04FLSVS-2-GK	RFID FLEXO E-lock for double wing door		191,95
01PINFLRE	Pin code VERSA E-lock hinged right for hinged door		150,50
01PINFLLI	Pin code VERSA E-lock hinged left for hinged door		150,50
01PINFL2	Pin code VERSA E-lock for double wing door		150,50
01RFIDFLRE	RFID VERSA E-lock hinged right for hinged door		173,00
01RFIDFLLI	RFID VERSA E-lock hinged left for hinged door		173,00
01RFIDFL2	RFID VERSA E-lock for double wing door		173,00
01NIPINFLRE	Pin code NIRO E-lock hinged right for hinged door		134,40
01NIPINFLLI	Pin code NIRO E-lock hinged left for hinged door	NEW	134,40
01NIPINFL2	Pin code NIRO E-lock for double wing door		134,40
01NIRFIDFLRE	RFID NIRO E-lock hinged right for hinged door		143,75
01NIPINFLLI	RFID NIRO E-lock hinged left for hinged door		143,75
01NIRFIDFL2	RFID NIRO E-lock for double wing door		143,75

(In the recessed version, whether with RFID NIRO or pin code NIRO, the IP protection is not applicable.)

Lock 180° for vertical pull-out, recessed built-in

Item no.	Description		Price in €
01.050.001	Cylinder lock		15,78
01PINSLEINV	Pin code VERSA E-lock		150,50
01RFIDSLEINV	RFID VERSA E-lock		173,00
01NIPINSLEINV	Pin code NIRO E-lock NEW		180,95
01NIRFIDSLEINV	RFID NIRO E-lock NEW		191,95

(In the recessed version, whether with RFID NIRO or pin code NIRO, the IP protection is not applicable.)

User key
Up to 20 users can be assigned per lock, more on request

Management keys
Up to 6 management keys can be assigned per lock.

Programming key
1 programming key is required per lock system





Application	User key	Management key	Programming key
Operation of the lock	X	X	X
General key function		X	X
Inspection function		X	X
External power supply		X	X
Allocation of management keys			X
Assign user key or transponder (only for personal use)		X	
Setting lock function			X

Accessories for e-locks



User key RFID card
- Up to 20 users can be assigned per lock, more on request

Item no.	Price in €
ML32RFIDK	12,43



User key chip
- Up to 20 users can be assigned per lock, more on request

Item no.	Price in €
ML32CHIP	12,43



Management key
- Up to 6 management keys can be assigned per lock

Item no.	Price in €
01ESCHLOSSVS	70,25



Programming key
- 1 programming key is required per lock system

Item no.	Price in €
01ESCHLOSSPS	89,75


Individual solutions

MRS® – the modular shelving system is designed in an endless construction.
Expand your furnishing requirements at any time. If they do not fit in exactly, we will offer you our wall endings as an individual solution. Contact us!

Thanks to its excellent workmanship and material quality, the MRS® is a long-term investment for your company.

- Good price-performance ratio
- High flexibility
- High quality
- Order and structure
- Perfect detailed solutions
- Various RAL colours


Dimensioning in mm





Please note:
Only **1** support frame is required between the individual modules

1 Frame
2 Shelving with shelf
3 Hinged doors
4 Vertical pull-out 300 kg
5 Drawers FP 100 kg, FP 180 kg
6 Wall ending

SHELVING LENGTH =	number of frames x 49 mm + usable widths. With side end walls, an additional 25 mm must be added per wall.
WALL ENDING **X** =	Wall length- **SHELVING LENGTH**








Please note:
The usable heights 1400, 1200, 900 and 700 correspond to the total height of fronts.

Example:
Usable height 1400 ⟶ 14 x 100 mm front height = 1400 mm total height of fronts
Usable height 1200 ⟶ 12x 100 mm front height = 1200 mm total height of fronts
Usable height 900 ⟶ 9x 100 mm front height = 900 mm total height of fronts
Usable height 700 ⟶ 7x 100 mm front height = 700 mm total height of fronts





Please note:
The usable widths 900 and 600 correspond to the total width of fronts.

Example:
Usable width 900 ⟶ 2x 150, 1x 250, 1x 350 mm front width = 900 mm total width of fronts
Usable width 600 ⟶ 1x 250, 1x 350 mm front width = 600 mm total width of fronts

1. Frames and walls



Select the required **height** and **width** of the shelf. For the usable width, you can choose between the two widths **651** mm and **951** mm. The support frame with perforations on both sides is used to hang base carriers and drawer rails in position. To achieve a stabilising effect, a divided rear panel made from high-quality steel sheet is bolted into place. Diagonal cross-braces can also be used instead of a rear wall for lengthwise stabilisation. Additionally, you can chose side end walls and partition walls. You can use these in any way you want.



Floor anchoring

- For anchoring the drawer shelving absolutely necessary


Item no.	Dimensions in mm (Ø x H)	Price in €
SRBV	Ø 12 x 110	4,47



Level compensation plate

- Enables precise alignment even on an uneven floor
- Required

Item no.	Dimensions in mm (WxDxH)	Price in €
SRNAP1	60 x 150 x 1	2,55
SRNAP2	60 x 150 x 2	3,11
SRNAP4	60 x 150 x 4	3,23



Support frame

- Made of high-quality sheet steel
- Carrier with subdividing holes on both sides
- 25 mm spacing between holes
- For hanging the base carriers and drawer rails
- Incl. 1 floor anchors

Item no.	Dimensions in mm (WxDxH)	Price in €
SRTR100	49 x 733 x 1030	118,07
SRTR200	49 x 733 x 2030	180,22
SRTR240	49 x 733 x 2430	213,79
SRTR280	49 x 733 x 2830	242,37



Side end wall

- Made of high-quality sheet steel
- For covering the sides of the shelving
- For hanging in the rack frame with base carriers

Item no.	Dimensions in mm (WxDxH)	Price in €
SRSAW100	25 x 733 x 1018	67,12
SRSAW200	25 x 733 x 2018	119,32
SRSAW240	25 x 733 x 2418	137,97
SRSAW280	25 x 733 x 2818	171,53



Partition wall

- Made of high-quality sheet steel
- For hanging in the support frame
- Anti-theft protection
- Can also be used when installing facing doors


Item no.	Dimensions in mm (WxDxH)	Price in €
SRZW100	18 x 591 x 928	47,22
SRZW200	18 x 591 x 1928	115,59
SRZW240	18 x 591 x 2328	155,36
SRZW280	18 x 591 x 2728	183,95



Rear wall

- Made of high-quality sheet steel in two parts
- Rear wall has a stabilising effect
- Prevents reaching through

Item no.	Dimensions in mm (WxH)	Number of parts/height in mm	Price in €
SRRW070/10	725 x 1003	1 x 1007	59,64
SRRW070/20	725 x 2003	2x 1007	103,15
SRRW070/24	725 x 2403	1x 1007, 1x 1407	126,77
SRRW070/28	725 x 2803	1x 1007, 1x 1807	146,66
SRRW100/10	1025 x 1003	1 x 1007	52,19
SRRW100/20	1025 x 2003	2x 1007	120,56
SRRW100/24	1025 x 2403	1x 1007, 1x 1407	142,94
SRRW100/28	1025 x 2803	1x 1007, 1x 1807	188,92



Example arrangements with diagonal cross-braces/rear walls

Diagonal cross-brace

- For lengthwise stabilisation instead of a rear wall from height 2030 mm
- A diagonal cross-brace or a rear wall is required for the 1st and 4th fields
- Standard size for all offered heights and widths

Item no.	Dimensions in mm (WxDxH)	Price in €
SRDK	728 x 4 x 1870	28,59

2. Shelves and dividers



In the 2nd step, you can select your shelves and dividers made of high-quality sheet steel. Universal shelves are used for the top and bottom of the drawer shelving. These are available smooth or slotted and have a load capacity of up to 500 kg. Standard shelves are available with a maximum load capacity of 250 kg. Side panels are used to create the sides of internal spaces. Special dividers are available to subdivide the slotted shelves. In order to use the lower shelf, you require another shelf (universal shelf 500 kg or smooth shelf 250 kg)




Shelf divider for individual subdivision of the slotted shelves.



Shelf connector


Item no.	Dimensions in mm (DxH)	Price in €
SRFBVERB	592 x 80	18,63



Divider for shelf

- For subdividing the slotted shelves

Item no.	Dimensions in mm (DxH)	Price in €
SRFBTB095	700 x 95	11,56
SRFBTB145	700 x 145	14,67
SRFBTB195	700 x 195	17,28



Side panel

- As a side barrier
- Prevents tools/materials from falling off at the sides

Item no.	Dimensions in mm (DxH)	Price in €
SRSB095	614 x 95	15,91
SRSB145	614 x 145	17,89
SRSB195	614 x 195	20,38

2

Floor cover
Is required when the available space above the floor is used as an open compartment.
Example: For hinged doors

1

Fitted shelf
The smooth universal shelf is turned over and placed on the support tray set. A smooth or slotted universal shelf **2** is then placed on top as a floor cover.







Smooth universal shelf
- This shelf is screwed into the support frame as a top and bottom
- Additionally, it can also be used as a heavy load shelf between support frames

kg 500

	Item no.	Dimensions in mm (WxDxH)	Version	Price in €
1	SRUNFBGL070	651 x 731 x 56	Shelf	74,57
1	SRUNFBGL100	951 x 731 x 56	Shelf	91,97
2	SRUNDEGL070	651 x 731 x 56	Ground cover	74,57
2	SRUNDEGL100	951 x 731 x 56	Ground cover	91,97

Universal shelf, slotted
- This shelf is screwed into the support frame as a top and bottom
- Additionally, it can also be used as a heavy load shelf between support frames
- The slots are use to attach dividers

kg 500

	Item no.	Dimensions in mm (WxDxH)	Version	Price in €
	SRUNFBGE070	651 x 731 x 56	Shelf	87,00
	SRUNFBGE100	951 x 731 x 56	Shelf	104,41
2	SRUNDEGE070	651 x 731 x 56	Ground cover	87,00
2	SRUNDEGE100	951 x 731 x 56	Ground cover	104,41





Smooth shelf
- Inserted into the support frame as an intermediate shelf

kg 250

Item no.	Dimensions in mm (WxDxH)	Price in €
SRFBGL070	651 x 731 x 25	70,84
SRFBGL100	951 x 731 x 25	77,06

Slotted shelf
- Inserted into the support frame as an intermediate shelf
- The slots are use to attach dividers

kg 250

Item no.	Dimensions in mm (WxDxH)	Price in €
SRFBGE070	651 x 731 x 25	82,03
SRFBGE100	951 x 731 x 25	99,43

3. Drawers



In the next step, you have the opportunity to adapt the drawer and the drawer divider material to your requirements. Furthermore, you can incorporate various locking systems. You can also select the variants for your CNC area.

Please note:
The usable heights 700, 900, 1200 oder 1400 correspond to the total height of fronts.
EXAMPLE:

Usable height	700 →	7 x 100 mm front height =	700 mm total height of fronts
Usable height	900 →	9 x 100 mm front height =	900 mm total height of fronts
Usable height	1200 →	12 x 100 mm front height =	1200 mm total height of fronts
Usable height	1400 →	14 x 100 mm front height =	1400 mm total height of fronts

Electrical locking systems
please see page 120






Support tray set with cylinder lock for drawer

- Cylinder lock and two keys
- Various locking mechanisms can be incorporated into the top

Item no.	Dimensions in mm (WxDxH)	Usable drawer heights **H**	Grid	Price in €
SRSTS070/080	651 x 731 x 818	700	24-24	196,38
SRSTS070/100	651 x 731 x 1018	900	24-24	201,35
SRSTS070/130	651 x 731 x 1318	1200	24-24	208,81
SRSTS070/150	651 x 731 x 1518	1400	24-24	223,72
SRSTS100/080	951 x 731 x 818	700	36-24	216,27
SRSTS100/100	951 x 731 x 1018	900	36-24	232,43
SRSTS100/130	951 x 731 x 1318	1200	36-24	212,76
SRSTS100/150	951 x 731 x 1518	1400	36-24	232,43

A rear wall is essential when using drawers. Partition walls or side end walls are important due to the locking mechanism so that anti-theft protection is ensured.

Width 600 mm | Depth 600 mm



VA 100 kg 100%

Width 600 x 600 with full pull-out 100 % - 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.050V07	50	28	30	70 kg	119,32
60.70.075V10	75	56	58	100 kg	123,05
60.70.100V10	100	81	83	100 kg	125,53
60.70.125V10	125	81	108	100 kg	134,23
60.70.150V10	150	131	133	100 kg	139,21
60.70.175V10	175	131	158	100 kg	142,94
60.70.200V10	200	181	183	100 kg	145,41
60.70.250V10	250	181	233	100 kg	150,38
60.70.300V10	300	181	283	100 kg	159,10


Drawers with load capacity 300 kg see page 85

VA 180 kg 100%

Width 600 x 600 with full pull-out 100 % - 180 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.100V18	100	81	83	180 kg	145,41
60.70.125V18	125	81	108	180 kg	152,87
60.70.150V18	150	131	133	180 kg	157,84
60.70.175V18	175	131	158	180 kg	161,58
60.70.200V18	200	181	183	180 kg	164,07
60.70.250V18	250	181	233	180 kg	174,00
60.70.300V18	300	181	283	180 kg	182,71


Drawer inserts | ABS



Trough plates | 56 parts

- 4x TP with 4 troughs
- 8x TP with 3 troughs
- 4x TP with 2 troughs
- 18x SDIV for 4 troughs
- 17x SDIV for 3 troughs
- 5x SDIV for 2 troughs


Item no.	Front height in mm	Price in €
130	50/75	80,66



Metal divider | 7 parts

- 2x CCR 600 mm
- 5x DIV 200 mm


Item no.	Front height in mm	Price in €
135BLH50	50	28,22
135BLH75	75	31,45
135BLH100	100/125	32,56
135BLH150	150/175	36,53
135BLH200	200/300	41,01



Metal divider | 10 parts

- 2x CCR 600 mm
- 8x DIV 200 mm


Item no.	Front height in mm	Price in €
139BLH50	50	35,92
139BLH75	75	39,53
139BLH100	100/125	40,65
139BLH150	150/175	44,87
139BLH200	200/300	49,72



Small parts boxes | 32 parts

- 8x SPB 150 x 150 mm
- 8x SPB 75 x 150 mm
- 16x SPB 75 x 75 mm


Item no.	Front height in mm	Price in €
132BLH50	50	60,42
132BLH75	75	65,25
132BLH100	100	71,59



Metal divider | 13 parts

- 3x CCR 600 mm
- 10x DIV 150 mm


Item no.	Front height in mm	Price in €
138BLH50	50	42,14
138BLH75	75	46,73
138BLH100	100/125	48,35
138BLH150	150/175	54,57
138BLH200	200/300	60,90



Metal divider | 5 parts

- 1x CCR 600 mm
- 4x DIV 300 mm


Item no.	Front height in mm	Price in €
144BLH75	75	20,63
144BLH100	100/125	21,62
144BLH150	150/175	25,10
144BLH200	200/300	32,69



Small parts boxes | 24 parts

- 12x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 8x SPB 75 x 75 mm


Item no.	Front height in mm	Price in €
134BLH50	50	49,34
134BLH75	75	52,70
134BLH100	100	58,16



Metal divider | 11 parts

- 2x CCR 600 mm
- 3x DIV 100 mm
- 3x DIV 200 mm
- 3x DIV 300 mm

Item no.	Front height in mm	Price in €
147BLH75	75	39,65
147BLH100	100/125	41,38
147BLH150	150/175	46,85
147BLH200	200/300	59,78




Metal divider | 23 parts

- 5x CCR 600 mm
- 18x DIV 100 mm

Item no.	Front height in mm	Price in €
149BLH50	50	68,73
149BLH75	75	74,46
149BLH100	100/125	78,30
149BLH150	150/175	89,61
149BLH200	200/300	101,92

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

Width 900 mm | Depth 600 mm



VA 100 kg 100%

Width 900 x 600 with full pull-out 100 % - 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.10.050V07	50	28	30	70 kg	136,72
60.10.075V10	75	56	58	100 kg	139,21
60.10.100V10	100	81	83	100 kg	141,69
60.10.125V10	125	81	108	100 kg	144,18
60.10.150V10	150	131	133	100 kg	146,66
60.10.175V10	175	131	158	100 kg	152,87
60.10.200V10	200	181	183	100 kg	156,61
60.10.250V10	250	181	233	100 kg	160,33
60.10.300V10	300	181	283	100 kg	165,30


Drawers with load capacity 300 kg see page 85

VA 180 kg 100%

Width 900 x 600 with full pull-out 100 % - 180 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.10.100V18	100	81	83	180 kg	155,36
60.10.125V18	125	81	108	180 kg	157,84
60.10.150V18	150	131	133	180 kg	162,82
60.10.175V18	175	131	158	180 kg	169,04
60.10.200V18	200	181	183	180 kg	174,00
60.10.250V18	250	181	233	180 kg	182,71
60.10.300V18	300	181	283	180 kg	190,17


Drawer inserts | ABS



Trough plates | 71 parts

- 8x TP with 4 troughs
- 8x TP with 3 troughs
- 8x TP with 2 troughs
- 23x SDIV for 4 troughs
- 14x SDIV for 3 troughs
- 10x SDIV for 2 troughs


Item no.	Front height in mm	Price in €
150	50/75	111,24



Small parts boxes | 40 parts

- 16x SPB 150 x 150 mm
- 8x SPB 75 x 150 mm
- 16x SPB 75 x 75 mm


Item no.	Front height in mm	Price in €
159BLH50	50	76,94
159BLH75	75	82,41
159BLH100	100/125	90,61



Metal divider | 20 parts

- 5x CCR 600 mm
- 15x DIV 150 mm


Item no.	Front height in mm	Price in €
153BLH50	50	67,12
153BLH75	75	74,69
153BLH100	100/125	77,43
153BLH150	150/175	87,50
153BLH200	200/300	98,18



Metal divider | 5 parts

- 2x CCR 600 mm
- 3x DIV 300 mm


Item no.	Front height in mm	Price in €
155BLH75	75	26,85
155BLH100	100/125	28,22
155BLH150	150/175	32,93
155BLH200	200/300	44,74



Metal divider | 24 parts

- 4x CCR 600 mm
- 16x DIV 150 mm
- 4x DIV 300 mm


Item no.	Front height in mm	Price in €
171BLH75	75	76,19
171BLH100	100/125	81,77
171BLH150	150/175	92,10
171BLH200	200/300	122,54



Metal divider | 31 parts

- 7x CCR 600 mm
- 6x DIV 75 mm
- 9x DIV 100 mm
- 9x DIV 150 mm


Item no.	Front height in mm	Price in €
172BLH50	50	94,21
172BLH75	75	104,65
172BLH100	100/125	109,38
172BLH150	150/175	124,30
172BLH200	200/300	141,69



Metal divider | 29 parts

- 8x CCR 600 mm
- 21x DIV 100 mm


Item no.	Front height in mm	Price in €
161BLH50	50	96,95
161BLH75	75	106,52
161BLH100	100/125	112,12
161BLH150	150/175	129,15
161BLH200	200/300	149,27



Metal divider | 10 parts

- 2x CCR 600 mm
- 8x DIV 300 mm

Item no.	Front height in mm	Price in €
166BLH75	75	41,01
166BLH100	100/125	43,38
166BLH150	150/175	50,34
166BLH200	200/300	65,50




Metal divider | 15 parts

- 3x CCR 600 mm
- 9x DIV 200 mm
- 3x DIV 300 mm

Item no.	Front height in mm	Price in €
170BLH75	75	60,04
170BLH100	100/125	62,03
170BLH150	150/175	69,35
170BLH200	200/300	87,26

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

Static and flexible version | Width 600 – Drawer frame and single carrier



CNC drawers
Width 600 x 600 with full pull-out 100 % - 180 kg


VA
180 kg
100%

Item no.	Front height	Shell height	Usable height	Price in €
60.70.30V18CNC	300	81	283	177,73
60.70.40V18CNC	400	81	383	195,13



Suspension rails for CNC for tool holder carrier (WAT)
- For up to 5 CNC tool holder carriers (WAT)
- For all drawers with 600 mm depth
- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
02.33.87.60	600 x 25 x 75	18,64





CNC drawer frame SR 600 for cabinet R 24-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8707.500	600 x 600 x 130	50*	35*	25*	118,07



5 single carriers fit in one drawer




CNC tool holder carrier (WAT) 600 for cabinet R 24-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8707.100	620 x 120 x 180	10*	7*	5*	88,25

*Number of possible inserts for sizes E1, E2, E3

Static and flexible version | Width 900 – Drawer frame and single carrier



CNC drawers
Width 900 x 600 with full pull-out 100 % - 180 kg

VA
180 kg
100%


Item no.	Front height	Shell height	Usable height	Price in €
60.10.30V18CNC	300	81	283	188,92
60.10.40V18CNC	400	81	383	210,05




Suspension rails for CNC for tool holder carrier (WAT)
- For up to 5 CNC tool holder carriers (WAT)
- For all drawers with 600 mm depth
- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
02.33.87.60	600 x 25 x 75	18,64

CNC tool inserts
see page 152/153





5 single carriers fit in one drawer



CNC drawer frame SR 900 for cabinet R 36-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8710.500	900 x 600 x 130	80*	55*	40*	147,92



CNC tool holder carrier (WAT) 900 for cabinet R 36-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8710.100	920 x 120 x 180	16*	11*	8*	98,18

*Number of possible inserts for sizes E1, E2, E3

4. Vertical pull-out



Do you need vertical pull-outs? They can be used in the CNC area and are essential for ensuring order in your workshop. Select the size of the vertical pull-outs here. They are noted for their high-quality powder-coated sheet steel construction with a load capacity of 300 kg per full pull-out. Also note the perforated panels, which can be used on both sides on telescopic pull-outs with ball bearing guides, and the complementary range of hooks. You will find more extras on the following pages.

Please note:
The usable widths 900 and 600 correspond to the total width of fronts.

EXAMPLE:
Usable width 900 ⟶ 3x 300 mm front width = 900 mm total width of fronts
Usable width 600 ⟶ 3x 200 mm front width = 600 mm total width of fronts



Support tray set with cylinder lock for vertical pull-out

- Generally with cylinder lock and 2 keys
- Optionally, electronic locking mechanisms can be incorporated
- Maximum load capacity per drawer shelf 900 kg

kg 900

Item no.	Dimensions in mm (WxDxH)	For vertical pull-out	Usable width **W** in mm	Price in €
SRSTV070/100	651 x 731 x 1018	700/1000	600	213,79
SRSTV070/200	651 x 731 x 2018	700/2000	600	224,96
SRSTV070/240	651 x 731 x 2418	700/2400	600	228,69
SRSTV070/280	651 x 731 x 2818	700/2800	600	234,91
SRSTV100/100	951 x 731 x 1018	1000/1000	900	215,02
SRSTV100/200	951 x 731 x 2018	1000/2000	900	241,13
SRSTV100/240	951 x 731 x 2418	1000/2400	900	253,56
SRSTV100/280	951 x 731 x 2818	1000/2800	900	267,22


Top and bottom shelf as well as locking system included in delivery, support frame must be ordered seperately.





Electronical locking system for vertical pull-out

More information, see page 120



Vertical pull-outs

- Soft pull-in
- Full pull-out
- Load capacity per vertical pull-out 300 kg
- **Assembly/installation by professional installation team is recommended**

kg 300

Item no.	Front width in mm	Dimensions in mm (WxDxH)	Price in €
SRVZ150/100	150	145 x 692 x 905	471,07
SRVZ150/200	150	145 x 692 x 1905	502,14
SRVZ150/240	150	145 x 692 x 2305	531,97
SRVZ150/280	150	145 x 692 x 2705	555,58

Item no.	Front width in mm	Dimensions in mm (WxDxH)	Price in €
SRVZ200/100	200	195 x 692 x 905	483,50
SRVZ200/200	200	195 x 692 x 1905	514,57
SRVZ200/240	200	195 x 692 x 2305	541,91
SRVZ200/280	200	195 x 692 x 2705	558,07

Item no.	Front width in mm	Dimensions in mm (WxDxH)	Price in €
SRVZ250/100	250	245 x 692 x 905	497,17
SRVZ250/200	250	245 x 692 x 1905	529,48
SRVZ250/240	250	245 x 692 x 2305	551,86
SRVZ250/280	250	245 x 692 x 2705	560,56

Item no.	Front width in mm	Dimensions in mm (WxDxH)	Price in €
SRVZ300/100	300	295 x 692 x 905	507,12
SRVZ300/200	300	295 x 692 x 1905	540,67
SRVZ300/240	300	295 x 692 x 2305	564,29
SRVZ300/280	300	295 x 692 x 2705	571,74

Item no.	Front width in mm	Dimensions in mm (WxDxH)	Price in €
SRVZ350/100	350	345 x 692 x 905	518,29
SRVZ350/200	350	345 x 692 x 1905	551,86
SRVZ350/240	350	345 x 692 x 2305	574,23
SRVZ350/280	350	345 x 692 x 2705	582,93

5. Accessories for vertical pull-outs



Perforated wall for vertical pull-out

Item no.	Dimensions in mm (WxDxH)	Price in €
SRVZLW416	590 x 12 x 416	55,92

- Maximum number of perforated walls that fits on one side of the vertical pull-out
- Can also be hung on both sides

Support frame height	Number of perforated walls
1030	2 pieces
2030	4 pieces
2430	5 pieces
2830	5 pieces





Half shelf for vertical pull-out

- Can be hung on both sides, creating a full-length support surface

Item no.	Dimensions in mm (WxDxH)	Usable area in mm	Price in €
SRHFBVZ150	592 x 67 x 91	588 x 61	48,46
SRHFBVZ200	592 x 90 x 91	588 x 86	62,15
SRHFBVZ250	592 x 115 x 91	588 x 111	70,84
SRHFBVZ300	592 x 140 x 91	588 x 136	77,68
SRHFBVZ350	592 x 165 x 91	588 x 161	87,00

For vertical pull-outs with a width from 200, the following perforated wall accessories are possible. Others on request







Tool clamp, single, small base plate

Item no.	Dimensions in mm (Ø)	Price in €
03.87.331	6	4,26
03.87.332	10	4,38
03.87.333	13	4,51
03.87.334	16	4,57
03.87.335	19	4,76

Double tool clamp

Item no.	Dimensions in mm (Ø)	Price in €
03.87.341	6	6,13
03.87.342	10	6,38
03.87.343	13	6,59
03.87.344	16	6,76
03.87.345	19	7,08

Double tool holder with slanted hook ends

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.322	50	5,72
03.87.323	75	5,97
03.87.324	150	6,49



Tool holder with vertical hook end

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.311	35	2,90
03.87.312	75	2,98
03.87.313	125	3,26




Pliers holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.409	35 x 20	5,91
03.87.410	40 x 50	7,77
03.87.411	50 x 75	8,40
03.87.412	55 x 20	6,21
03.87.413	75 x 20	6,62



Round holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.355	25 x 65	7,28



CNC half shelf | Static variant for vertical pull-out from a width of 250 mm

- Usable area: 588 x 61 mm

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
SRVAHFBCN250	592 x 117 x 124	*10	*7	*5	85,76


*Number of possible inserts for sizes E1, E2, E3



Slotted cross-member

- Holds long tools, pipes, etc.

Item no.	Dimensions in mm (WxDxH)	Price in €
SRTRGE	72 x 20 x 630	13,66



Bracket

- Tilt protection for tools, pipes, etc.

Item no.	Dimensions in mm (WxDxH)	Internal dimensions x	Price in €
SRHB025	49 x 33 x 71	17	5,71
SRHB050	49 x 58 x 71	42	6,34
SRHB075	49 x 83 x 71	67	7,64
SRHB100	49 x 108 x 71	92	8,95

CNC tool holder carrier (WAT)
see pages 134/135



CNC suspension | Flexible variant for vertical pull-out from a width of 300 mm

- Hang your tool holder carrier here **02.8707.100** (see page 134)


Item no.	Dimensions in mm (WxDxH)	Price in €
SRVACNWAT300	70 x 49 x 150	39,16



Storage rack

- Lower stop for tools, pipes, etc.
- 2 storage racks are needed in order to utilise the entire depth
- Is hung in the slotted cross-member (SRTRGE)

Item no.	Dimensions in mm (WxDxH)	Price in €
SRAB150	273 x 61 x 60	40,89
SRAB200	273 x 86 x 60	47,23
SRAB250	273 x 111 x 60	49,72
SRAB300	273 x 136 x 60	54,69



6. Hinged doors



To protect against theft, our protruding lockable hinged doors ensure optimal protection for access control. This sheet steel construction is very robust and optimally welded. The MRS® has a resistant powder coating. Hinged doors and a PIN code lock can be retrofitted.





Electronical locking system for hinged doors
More information, see page 120



Hinged door assembly
- With rotary handle - cylinder lock
- A rear wall and two partition walls or end walls are additionally required to ensure anti-theft protection
- * Can only be used at top

Item no.	Dimensions in mm (WxDxH)	Price in €
SRFLE070/080	695 x 23 x 792	215,02
SRFLE070/100	695 x 23 x 992	201,35
SRFLE100/080	995 x 23 x 792	216,27
SRFLE100/100	995 x 23 x 992	234,91
SRFLO070/080	695 x 23 x 767 *	215,02
SRFLO070/100	695 x 23 x 967 *	201,35
SRFLO100/080	995 x 23 x 767 *	216,27
SRFLO100/100	995 x 23 x 967 *	234,91
SRFLE070/200	695 x 23 x 1992	252,32
SRFLE070/240	695 x 23 x 2392	285,87
SRFLE070/280	695 x 23 x 2792	316,95
SRFLE100/200	995 x 23 x 1992	285,87
SRFLE100/240	995 x 23 x 2392	341,81
SRFLE100/280	995 x 23 x 2792	377,85

Shelves for hinged door cabinets can be found on page 127

Combination options with hinged doors



Support frame



Support tray



Hinged door / only be used on top

Column dimension X

Item no.	Dimensions in mm (WxDxH)	Item no.	Dimensions in mm (WxDxH)	Item no.	Dimensions in mm (WxDxH)	Dimensions in mm
SRTR200	49 x 733 x 2030	SRSTS070/080	651 x 731 x 818	SRFLO070/080	695 x 23 x 767	419
				SRFLO070/100	695 x 23 x 967	219
		SRSTS070/100	651 x 731 x 1018	SRFLO070/080	695 x 23 x 767	219
				SRFLO070/100	695 x 23 x 967	0*
		SRSTS070/130	651 x 731 x 1318	SRFLO070/080	695 x 23 x 767	not possible
				SRFLO070/100	695 x 23 x 967	not possible
		SRSTS070/150	651 x 731 x 1518	SRFLO070/080	695 x 23 x 767	not possible
				SRFLO070/100	695 x 23 x 967	not possible
		SRSTS100/080	951 x 731 x 818	SRFLO100/080	995 x 23 x 767	419
				SRFLO100/100	995 x 23 x 967	219
		SRSTS100/100	951 x 731 x 1018	SRFLO100/080	995 x 23 x 767	219
				SRFLO100/100	995 x 23 x 967	0*
		SRSTS100/130	951 x 731 x 1318	SRFLO100/080	995 x 23 x 767	not possible
				SRFLO100/100	995 x 23 x 967	not possible
		SRSTS100/150	951 x 731 x 1518	SRFLO100/080	995 x 23 x 767	not possible
				SRFLO100/100	995 x 23 x 967	not possible
SRTR240	49 x 733 x 2430	SRSTS070/080	651 x 731 x 818	SRFLO070/080	695 x 23 x 767	819
				SRFLO070/100	695 x 23 x 967	619
		SRSTS070/100	651 x 731 x 1018	SRFLO070/080	695 x 23 x 767	619
				SRFLO070/100	695 x 23 x 967	419
		SRSTS070/130	651 x 731 x 1318	SRFLO070/080	695 x 23 x 767	319
				SRFLO070/100	695 x 23 x 967	119
		SRSTS070/150	651 x 731 x 1518	SRFLO070/080	695 x 23 x 767	119
				SRFLO070/100	695 x 23 x 967	not possible
		SRSTS100/080	951 x 731 x 818	SRFLO100/080	995 x 23 x 767	819
				SRFLO100/100	995 x 23 x 967	619
		SRSTS100/100	951 x 731 x 1018	SRFLO100/080	995 x 23 x 767	619
				SRFLO100/100	995 x 23 x 967	419
		SRSTS100/130	951 x 731 x 1318	SRFLO100/080	995 x 23 x 767	319
				SRFLO100/100	995 x 23 x 967	119
		SRSTS100/150	951 x 731 x 1518	SRFLO100/080	995 x 23 x 767	119
				SRFLO100/100	995 x 23 x 967	not possible
SRTR280	49 x 733 x 2830	SRSTS070/080	651 x 731 x 818	SRFLO070/080	695 x 23 x 767	1219
				SRFLO070/100	695 x 23 x 967	1019
		SRSTS070/100	651 x 731 x 1018	SRFLO070/080	695 x 23 x 767	1019
				SRFLO070/100	695 x 23 x 967	819
		SRSTS070/130	651 x 731 x 1318	SRFLO070/080	695 x 23 x 767	719
				SRFLO070/100	695 x 23 x 967	519
		SRSTS070/150	651 x 731 x 1518	SRFLO070/080	695 x 23 x 767	519
				SRFLO070/100	695 x 23 x 967	319
		SRSTS100/080	951 x 731 x 818	SRFLO100/080	995 x 23 x 767	1219
				SRFLO100/100	995 x 23 x 967	1019
		SRSTS100/100	951 x 731 x 1018	SRFLO100/080	995 x 23 x 767	1019
				SRFLO100/100	995 x 23 x 967	819
		SRSTS100/130	951 x 731 x 1318	SRFLO100/080	995 x 23 x 767	719
				SRFLO100/100	995 x 23 x 967	519
		SRSTS100/150	951 x 731 x 1518	SRFLO100/080	995 x 23 x 767	519
				SRFLO100/100	995 x 23 x 967	319

*UNI shelf is inserted on shelf set (not screwed)



Possible variants for hinged doors and vertical pull-outs

Combination options with vertical pull-out



Support frame



Support tray



Vertical pull-out top

Column dimension X

Item no.	Dimensions in mm (WxDxH)	Item no.	Dimensions in mm (WxDxH)	Item no.	Dimensions in mm (WxDxH)	Dimensions in mm
SRTR200	49 x 733 x 2030	SRSTS070/080	651 x 731 x 818	SRTV070/100	651 x 731 x 1018	182
		SRSTS070/100	651 x 731 x 1018	SRTV070/100	651 x 731 x 1018	not possible
		SRSTS070/130	651 x 731 x 1318	SRTV070/100	651 x 731 x 1018	not possible
		SRSTS070/150	651 x 731 x 1518	SRTV070/100	651 x 731 x 1018	not possible
		SRSTS100/080	951 x 731 x 818	SRTV100/100	951 x 731 x 1018	182
		SRSTS100/100	951 x 731 x 1018	SRTV100/100	951 x 731 x 1018	not possible
		SRSTS100/130	951 x 731 x 1318	SRTV100/100	951 x 731 x 1018	not possible
		SRSTS100/150	951 x 731 x 1518	SRTV100/100	951 x 731 x 1018	not possible
SRTR240	49 x 733 x 2430	SRSTS070/080	651 x 731 x 818	SRTV070/100	651 x 731 x 1018	582
		SRSTS070/100	651 x 731 x 1018	SRTV070/100	651 x 731 x 1018	382
		SRSTS070/130	651 x 731 x 1318	SRTV070/100	651 x 731 x 1018	82
		SRSTS070/150	651 x 731 x 1518	SRTV070/100	651 x 731 x 1018	not possible
		SRSTS100/080	951 x 731 x 818	SRTV100/100	951 x 731 x 1018	582
		SRSTS100/100	951 x 731 x 1018	SRTV100/100	951 x 731 x 1018	382
		SRSTS100/130	951 x 731 x 1318	SRTV100/100	951 x 731 x 1018	82
		SRSTS100/150	951 x 731 x 1518	SRTV100/100	951 x 731 x 1018	not possible
SRTR280	49 x 733 x 2830	SRSTS070/080	651 x 731 x 818	SRTV070/100	651 x 731 x 1018	982
		SRSTS070/100	651 x 731 x 1018	SRTV070/100	651 x 731 x 1018	782
		SRSTS070/130	651 x 731 x 1318	SRTV070/100	651 x 731 x 1018	482
		SRSTS070/150	651 x 731 x 1518	SRTV070/100	651 x 731 x 1018	282
		SRSTS100/080	951 x 731 x 818	SRTV100/100	951 x 731 x 1018	982
		SRSTS100/100	951 x 731 x 1018	SRTV100/100	951 x 731 x 1018	782
		SRSTS100/130	951 x 731 x 1318	SRTV100/100	951 x 731 x 1018	482
		SRSTS100/150	951 x 731 x 1518	SRTV100/100	951 x 731 x 1018	282

Finished modules

Module 1 – 2


- Delivery unassembled



Module 1 | 700

- 2x support frame
- 1x diagonal cross-brace
- 3x smooth universal shelf
- 2x slotted shelf
- 8x shelf side panel
- 5x shelf divider
- 1x fitted shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK01	749 x 733 x 2030	993,34




Module 2 | 700

- 2x support frame
- 1x rear wall
- 2x partition wall
- 2x smooth universal shelf
- 1x support tray set with cylinder lock for drawer 700/1300
- 11x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK02	749 x 733 x 2030	2.460,99


POSSIBLE MODULE COMBINATIONS

Module 1 Module 2 Module 3 Module 4



Please note:
Only **1** support frame is required between the individual modules

Module 1 Module 3 Module 2 Module 4



Example for total length:

5x support frame x 49 mm
+ 2x 651 mm (module 700)
+ 2x 951 mm (module 1000)
= 3449 mm *Dimensions excluding side end walls*



Module 3 | 1000

- 2x support frame
- 1x rear wall
- 2x partition wall
- 1x hinged door assembly 1000/2000
- 2x universal shelf with height of 56 mm as top and bottom
- 4x shelf with height of 25 mm as intermediate shelf
- 1x fitted shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK03	1049 x 733 x 2030	1.490,26




Module 4 | 1000

- 2x support frame
- 1x rear wall
- 2x partition wall
- 1x support tray set with cylinder lock for vertical cabinet 1000
- 3x vertical pull-out
- No additional intermediate shelves or perforated walls


Item no.	Dimensions in mm (WxDxH)	Price in €
SRK04	1049 x 733 x 2030	2.575,34

POSSIBLE MODULE COMBINATIONS

Module 2 Module 4 Module 3 Module 1



Module 4 Module 3 Module 2 Module 1




Other combinations are possible

Finished modules

Module 5 – 6

- Delivery unassembled





Module 5 | 1400


- 3x support frame
- 2x rear wall
- 2x side end wall
- 2x partition wall
- 6x smooth universal shelf
- 5x smooth shelf
- 4x shelf side panels
- 1x hinged door assembly 700/2000
- 1x support tray set with cylinder lock for drawer 700/1000
- 7x drawer
- 1x fitted shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK05	1449 x 733 x 2030	3.357,89

Module 6 | 700

- 2x support frame
- 1x rear wall
- 2x side end wall
- 2x smooth universal shelf
- 2x smooth shelf
- 6x shelf side panels
- 1x hinged door assembly 700/1000, top
- 1x support tray set with cylinder lock for drawer 700/1000
- 7x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK06	749 x 733 x 2030	2.265,10





Module 7 | 1000

- 2x support frame
- 1x rear wall
- 2x side end wall
- 4x universal shelf
- 2x shelf
- 2x drawer, not lockable
- 1x hinged door assembly 1000, top
- 1x fitted shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK07	1049 x 733 x 2030	1.832,07


Module 8 | 1000

- 2x support frame
- 1x rear wall
- 2x side end wall
- 1x support tray set with cylinder lock for vertical pull-out
- 3x vertical pull-out
- 1x shelf
- 2x universal shelf
- 1x Universal shelf, slotted
- 1x fitted shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
SRK08	1049 x 733 x 2030	2.912,17

CNC storage and transport systems





CNC modular system Page 150



CNC tool inserts Page 152



CNC table mounted frames Page 154



CNC tool holder carriers Page 156



CNC cabinets and workbenches Page 158



Storage of up to 400 inserts

RotaRex® large cabinet Page 168



CNC workshop and tool trolley Page 174

The modular system








one cassette for all applications
















CNC E1 **Tool insert size 1**
Tool insert 49 x 103 x 17 mm

CNC E2 **Tool insert size 2**
Tool insert 74 x 103 x 17 mm


CNC E3 **Tool insert size 3**
Tool insert 99 x 103 x 17 mm

Erg **Ergonomics**
Efficiency through occupational safety during the activity to be carried out

Optimisation of the space within reach
Optimal range of movement with short receptacle paths and an unrestricted assembly area

Mobile
Fast, flexible work process thanks to maximum mobility

Information
on relevant articles/product groups are shown



CNC tool inserts

The tool inserts are made of oil-resistant, break-proof and impact-resistant ABS plastic and are noted for their tailored inner struts. The tapered tool holder is thus optimally centred.

- The insert is clicked into our grid system with a clip and can be moved in steps of 25 mm without a tool.
- Nubs on the top of the inserts.
  In this way, no adhesion occurs and the tool is prevented from attaching itself by vacuum
- All tool sizes can be combined













CNC E1

Item no.	Type	Price in €
56.01.30	BT | SK 30 / ISO 30	6,46
56.02.25	VDI 25	6,46
56.02.30	VDI 30	6,46
56.03.30	MK 3	6,46
56.03.40	MK 4	6,46



CNC E2

Item no.	Type	Price in €
56.01.40	BT | SK 40 / ISO 40	7,08
56.02.40	VDI 40	7,08
57.01.50	HSK A 50/B 63	9,69
57.01.63	HSK A 63/B 80	10,44
56.03.50	MK 5	7,08



CNC E3

Item no.	Type	Price in €
56.01.50	BT | SK 50 / ISO 50	7,84
56.02.50	VDI 50	7,84
56.02.60	VDI 60	17,40
57.01.80	HSK A 80/B 100	11,18
57.01.100	HSK A 100/B 125	11,81



CNC E3


Item no.	Type	Price in €
57.01.40	HSK A 40/B 50	12,68



CNC E3

Item no.	Type	Price in €
57.01.32	HSK A 32/B 40	15,41







- With special bore on request with surcharge

CNC E3

Item no.	Type	Price in €
57.01.00	Universal	11,18



CNC E3

Item no.	Type	Price in €
57.01.03	Capto C 3	15,41



CNC E1

Item no.	Type	Price in €
57.01.04	Capto C 4	6,46



CNC E2

Item no.	Type	Price in €
57.01.05	Capto C 5	7,71



CNC E3

Item no.	Type	Price in €
57.01.06	Capto C 6	8,69



CNC E3

Item no.	Type	Price in €
57.01.08	Capto C 8	11,18

CNC table mounted frames

CNC table mounted frames (TAG)

- Shelf and handles
- CNC table mounted frames are riveted
- **Supplied without tools and inserts**
- *Number of possible inserts for sizes E1, E2, E3







CNC table mounted frame TAG 2-1

- 2x cassette

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8705.200	425 x 375 x 300	14*	10*	6*	195,13



CNC table mounted frame TAG 2-2

- 2x cassette

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8707.200	575 x 375 x 300	20*	14*	10*	202,61



CNC table mounted frame TAG 4-1

- 4x cassette

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8705.400	425 x 375 x 525	28*	20*	12*	284,63



CNC table mounted frame TAG 4-2

- 4x cassette

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8707.400	575 x 375 x 525	40*	28*	20*	298,30

- Suitable for 450/600/900 x 600 mm drawers
- CNC drawer frames are riveted
- **Supplied without tools and inserts**
- *Number of possible inserts for sizes E1, E2, E3





CNC drawer frame SR 450 for cabinet R 18-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8705.500	450 x 600 x 130	35*	25*	15*	108,14



CNC drawer frame SR 600 for cabinet R 24-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8707.500	600 x 600 x 130	50*	35*	25*	118,07



CNC drawer frame SR 900 for cabinet R 36-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8710.500	900 x 600 x 130	80*	55*	40*	147,92

CNC tool holder carriers

CNC tool holder carrier (WAT)

- Our modular system offers you a great variety of possibilities
- The cassette is riveted and fitted with grab handles/carry handles
- **Supplied without tools and inserts**
- *Number of possible inserts for sizes E1, E2, E3







CNC tool holder carrier (WAT), 450 for cabinet R 18-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8705.100	470 x 120 x 180	7*	5*	3*	83,28

CNC tool holder carrier (WAT), 600 for cabinet R 24-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8707.100	620 x 120 x 180	10*	7*	5*	88,25





CNC tool holder carrier (WAT), 800 for mounting bracke

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8708.100	820 x 120 x 180	14*	9*	7*	94,46

CNC tool holder carrier (WAT), 900 for cabinet R 36-24

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8710.100	920 x 120 x 180	16*	11*	8*	98,18



Suspension rail

- For up to 5 CNC tool holder carriers (WAT)
- For all drawers with 600 mm depth
- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
02.33.87.60	25 x 600 x 75	18,64



Mounting brackets

- For 1 CNC tool holder carrier (WAT)
- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
02.89.WAT.01	70 x 75 x 88	19,14



Aluminium mounting block

- SK 30, SK 40, SK 50
- Other sizes on request

Item no.	Type	Price in €
02.560.31	SK 30	232,61
02.560.41	SK 40	244,23
02.560.51	SK 50	357,18



Steel mounting block

- Swivelling in 5 steps

Item no.	Type	Dimensions in mm (WxDxH)	Price in €
02.705.30	BT | SK30	125 x 64 x 121	300,36
02.705.40	BT | SK40	130 x 64 x 136	300,36
02.705.50	BT | SK50	170 x 72 x 170	359,85
02.709.25	VDI25	100 x 48 x 97	342,30
02.709.30	VDI30	130 x 64 x 121	342,30
02.709.40	VDI40	130 x 64 x 136	342,30
02.709.50	VDI50	170 x 72 x 170	389,10
02.708.32	HSK A 32	100 x 48 x 97	342,30
02.708.40	HSK A 40	100 x 48 x 97	342,30
02.708.50	HSK A 50	125 x 64 x 121	342,30
02.708.63	HSK A 63	130 x 64 x 136	389,10
02.708.80	HSK A 80	170 x 72 x 170	425,19
02.708.100	HSK A 100	170 x 72 x 170	425,19

CNC cabinets and workbenches

CNC combinations from practice R 18-24 | R 24-24

- The CNC drawers of a front height of more than 300 mm are prepared to hold the tool carriers
- 5 tool carriers or 1 drawer frame can be set per drawer
- Tool holder carriers (WAT), drawer frames (SR) and inserts can be found on page 152/153, 155/156
- Lockable with cylinder lock
- Cabinet can be arranged with other drawer front heights
- **Supplied without tools and tool holder frames**



Note:
Suspension rails on page 157

CNC Drawer cabinet R 24-24

- 4x drawer
- Drawers with full pull-out 100 %
- Drawers with 100 mm front height, load capacity 100 kg
  Drawers with 300 and 400 mm front height, load capacity 180 kg
- Usable drawer dimension, internal: 600 x 600 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
02.140V	705 x 736 x 1019	1.104,95



CNC inline workbench

- Beech multiplex top 40 mm (H)
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers with 100, 150, 200 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- **Supplied without tool holder carriers (WAT) and drawer frames (SR)**

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
580.0111V86	555 x 736 x 819	Left: CNC drawer cabinet R 18-24, 3x drawer Usable drawer dimension, internal: 450 x 600 mm	836,49
780.1111V86	705 x 736 x 819	Right: CNC drawer cabinet R 24-24, 4x drawer Usable drawer dimension, internal: 600 x 600 mm	995,57
03.15.40	1500 x 750 x 40	Beech multiplex workbench top	223,72
03.20.40	2000 x 750 x 40	Beech multiplex workbench top	298,30



CNC inline workbench

- Beech multiplex top 1500 x 750 x 40 mm (WxDxH)
- Workbench stand
- Drawer cabinet R 18-24
- 3x drawer
- Drawers with full pull-out 100 %
- Drawers with 100 and 200 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- Usable drawer dimension, internal: 450 x 600 mm
- **Supplied without tools, inserts, table mounted frame and drawer frame**

Item no.	Dimensions in mm (WxDxH)	Price in €
02.580V86	1500 x 750 x 859	1.160,90

Note:
CNC accessories
from page 152/153



CNC box workbench

- Beech multiplex top, 2000 x 750 x 40 mm (WxDxH)
- Drawer cabinets R 24-24
- 7x drawer
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers with 100 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- Usable drawer dimension, internal: 600 x 600 mm
- 2x shelf 500 x 730 x 300 mm (WxDxH)
- incl. levelling feet
- 1000 kg total load capacity
- **Supplied without tools, inserts, drawer frames and tool holder carriers**

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
03.20.34V86	2000 x 750 x 859	Left: 3x drawer, usable drawer dimension, internal: 600 x 600 mm Central: 2x shelf, 500 mm Right: 4x drawer, usable drawer dimension, internal: 600 x 600 mm	1.820,88
03.20.34V96	2000 x 750 x 959	Left: 3x drawer, usable drawer dimension, internal: 600 x 600 mm Central: 2x shelf, 500 mm Right: 4x drawer, usable drawer dimension, internal: 600 x 600 mm	1.845,74

CNC cabinets and workbenches

CNC workstation – We offer you the right solution R 18-24 | R 24-24

- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers with 100, 150, 200 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- **Supplied without tools, inserts and decoration**



Aluminium mounting block
see page 157

Pos.	Item no.	Dimensions in mm (WxDxH)	Description	Price in €
1	580.0111V86	555 x 736 x 819	CNC drawer cabinet R 18-24 Usable drawer dimension, internal: 450 x 600 mm	836,49
2	780.1111V86	705 x 736 x 819	CNC drawer cabinet R 24-24 Usable drawer dimension, internal: 600 x 600 mm	995,57
w/o fig.	02.8707.500	600 x 600 x 130	CNC drawer frame SR 600, 600 x 600 x 130 mm (see page 134)	118,07
3	03.20.40	2000 x 750 x 40	Beech multiplex workbench top 40 mm	298,30
4.1	03.935.125.240	1250	Support column left	91,97
4.2	03.935.125.140	1250	Support column right	91,97
5	03.983.102	1000 x 20 x 302	Perforated wall for hanging between the support columns	60,90
6	02.910.02	942 x 263 x 134	CNC tool holding shelf with 2 x cassettes for hanging between the support columns	114,35
7	02.910.01	942 x 147 x 134	CNC tool holding shelf with 1 x cassettes for hanging between the support columns	63,39
8	02.89.WAT.01	70 x 75 x 88	Bracket for attaching the CNC carriers to the workbench top	19,14
9	02.8707.100	620 x 120 x 180	CNC tool holder carrier for R 24-24	88,25
10	02.8705.400	425 x 375 x 525	CNC table mounted frame TAG 4-1	284,63
11	05.96.01	–	Work chair with casters, seat and backrest of black PU, safety gas spring, plastic cruciform base, seat and backrest inclination, height 465 - 655 mm	337,75



Mobile CNC workbench R 18-24

- Beech multiplex top, 1250 x 750 x 40 mm (WxDxH)
- 7x drawer
- Drawers with full pull-out (FP) 100 %, load capacity 100 kg per drawer
- Drawer with 400 mm front height, load capacity 180 kg per drawer
- Usable drawer dimension, internal: 450 x 600 mm
- Drawer guides on ball-bearings, individual pull-out lock
- Round tube push handle
- 2x fixed and 2x steering caster Ø 200 mm, of which 2 with locks
- *Number of possible inserts for sizes E1, E2, E3

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.26V	1250 x 750 x 995	1.689,15



Mobile CNC workbench R 18-24

- Beech multiplex top, 1250 x 750 x 40 mm (WxDxH)
- 4x drawer, 1x door
- Drawers with full pull-out (FP) 100 %, load capacity 100 kg per drawer
- Drawer with 400 mm front height, load capacity 180 kg per drawer
- Usable drawer dimension, internal: 450 x 600 mm
- Drawer guides on ball-bearings, individual pull-out lock
- Round tube push handle
- 2x fixed and 2x steering caster Ø 200 mm, of which 2 with locks
- Space for 5x CNC tool holder carrier (WAT), 500
- *Number of possible inserts for sizes E1, E2, E3

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.27V	1250 x 750 x 995	1.395,80

kg 600



CNC drawer frame SR 450 for the 400 mm drawer

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8705.500	450 x 600 x 130	35*	25*	15*	108,14



Mounting brackets for 1 CNC tool holder carrier (WAT)

- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
02.89.WAT.01	70 x 75 x 88	19,14



Suspension rail for up to 5 x CNC tool holder carriers (WAT)

- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
02.33.87.60	25 x 600 x 75	18,64



CNC tool holder carrier (WAT), 450

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.8705.100	470 x 120 x 180	7*	5*	3*	83,28

CNC cabinets and workbenches

CNC combination system R 36-24

- With CNC tool holder frames (WAR) and tool holder carriers (WAT)
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers with 100 and 150 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- **Supplied without tools and inserts**
- *Number of possible inserts for sizes E1, E2, E3





CNC roller shutter attachment cabinet (empty)

- Cabinet with plastic roller shutters
- With push cylinder lock

Item no.	Dimensions in mm (WxDxH)	Price in €
02.98.00	1000 x 500 x 1000	708,47

Shelf bracket for roller shutter cabinet and CNC-frame

- 1 piece

Art.-Nr.	Price in €
01-00206	1,86

1

CNC tool holder frame (WAR) for roller shutter cabinet

- Can be installed straight or inclined
- Load capacity 120 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
02.89WARG900	950 x 425 x 85	146,66

	CNC E1	CNC E2	CNC E3
Maximum insert capacity per carrier	48*	33*	24*

2

CNC tool holder frame (WAR) for roller shutter cabinet, pull-out

- For roller shutter cabinet
- Full pull-out 100 %
- Load capacity 50 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
02.095.03VA	950 x 420 x 68	131,75

	CNC E1	CNC E2	CNC E3
Maximum insert capacity per carrier	48*	33*	24*

3

CNC drawer cabinet R 36-24

- With cylinder lock
- Usable drawer area, internal: 900 x 600 mm
- 4x drawer
- Drawer with 400 mm BLH without slotted side panels, therefore the use of metal dividers is not possible

Item no.	Dimensions in mm (WxDxH)	Price in €
02.1080.4V	1005 x 736 x 819	1.085,07



CNC drawer frames or single carriers see page 174/175
CNC inserts see page 153/154

- Housing made of sturdy, welded sheet steel
- The possible number of tool frames is based on the tool height and mounting (straight or inclined)
  Maximum capacity of the **straight** frame: 5
  Maximum capacity of the **inclined** frame: 4
- *Number of possible inserts for sizes E1, E2, E3

CNC roller shutter cabinet with plastic roller shutters (empty)

- Plastic roller shutters with push cylinder lock

Item no.	Dimensions in mm (WxDxH)	Price in €
02.95.01	1000 x 500 x 1950	1.092,52

CNC roller shutter cabinet with aluminium roller shutters (empty)

- High-quality aluminium roller shutters with push cylinder lock

Item no.	Dimensions in mm (WxDxH)	Price in €
02.89.01	1000 x 500 x 1950	1.250,38

kg 500

CNC roller shutter cabinet with plastic roller shutters (as shown)

- 2x CNC tool holder frame (WAR), straight/inclined
- 1x CNC tool holder frame (WAR), pull-out
- 1x shelf
- 1x drawer
- **Supplied without tools and inserts**

Item no.	Dimensions in mm (WxDxH)	Price in €
02.95.01.01	1000 x 500 x 1950	1.680,43

1

CNC tool holder frame (WAR)

- Can be installed straight or inclined
- Load capacity 120 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
02.89WARG900	950 x 425 x 85	146,66

	CNC E1	CNC E2	CNC E3
Maximum insert capacity per carrier	48*	33*	24*

2

CNC tool holder frame (WAR) for roller shutter cabinet, pull-out

- For roller shutter cabinet
- Full pull-out 100 %
- Load capacity 50 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
02.095.03VA	950 x 420 x 68	131,75

	CNC E1	CNC E2	CNC E3
Maximum insert capacity per carrier	48*	33*	24*

3

Shelf for CNC roller shutter cabinet

- Load capacity 100 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
04.122	950 x 420 x 28	65,87

4

Drawer for CNC roller shutter cabinet

- 100 mm front height, full pull-out 100 %
- Load capacity 50 kg
- Usable drawer dimension, internal: 899 x 375 (W x D)

Item no.	Dimensions in mm (WxD)	Price in €
60.095.100VA	950 x 430	96,95



CNC cabinets and workbenches

CNC hinged door cabinet with solid sheet doors R 36-16

- Robust, welded sheet steel construction
- Resistant powder coating
- Drawers with full pull-out 100 %
- Solid sheet doors with moulded recess cylinder lock
- When using drawers and pull-outs, the opening angle must be 130°, therefore these hinged-door wardrobes not be placed directly next to each other.

kg 500



CNC hinged door cabinet R 36-16

- 1x fixed, inclined tool holder frame (WAR)
- 1x pull-out tool holder frame (WAR)
- 1x shelf
- 3x drawer
- **Supplied without tools and inserts**

Item no.	Dimensions in mm (WxDxH)	Product name	Description	Price in €
02.118.05.01	980 x 500 x 1838	Hinged door cabinet R 36-16	1x fixed and 1x pull-out tool holder frame (WAR), 1x shelf, without tools and inserts, 3x drawer (100, 150, 200 mm)	1.144,72
02.89WAR9005	924 x 425 x 87	CNC tool holder frame (WAR), straight/inclined	Suitable for all hinged door cabinets, can be used straight/inclined, load capacity 140 kg	119,32
02.89WARA900	926 x 450 x 60	CNC tool holder frame (WAR), pull-out, for hinged door cabinet	Pull-out 100 %, load capacity 50 kg	120,56
04.090.013	925 x 443 x 22	Shelf for hinged door cabinet	Fixed shelf, height-adjustable, load capacity 80 kg	54,69
60.098.100VA	900 x 400 x 90	Drawer for hinged door cabinet Front height 100 mm, load capacity 50 kg	Drawer suitable for all hinged door cabinets, pull-out 100 %, internal usable dimension: 900 x 400 mm	84,52
60.098.150VA	900 x 400 x 140	Drawer for hinged door cabinet Front height 150 mm, load capacity 50 kg	Drawer suitable for all hinged door cabinets, pull-out 100 %, internal usable dimension: 900 x 400 mm	90,73
60.098.200VA	900 x 400 x 190	Drawer for hinged door cabinet Front height 200 mm, load capacity 50 kg	Drawer suitable for all hinged door cabinets, pull-out 100 %, internal usable dimension: 900 x 400 mm	96,95

- Robust, welded sheet steel construction
- Resistant powder coating
- Glazed doors with moulded recess cylinder lock
- When using drawers and pull-outs, the opening angle must be 130°, therefore these hinged-door wardrobes not be placed directly next to each other.



CNC hinged door cabinet with glazed doors R 36-16

- 2x fixed, inclined tool holder frame (WAR)
- 2x pull-out tool holder frame (WAR)
- **Supplied without tools and inserts**

Item no.	Dimensions in mm (WxDxH)	Product name	Description	Price in €
02.117.04.01	980 x 500 x 1838	CNC hinged door cabinet with glazed doors R 36-16	2x fixed and 2x pull-out CNC tool holder frame (WAR), without tools and inserts	1.170,83
04.090.013	925 x 443 x 22	Shelf	Fixed shelf, height-adjustable, load capacity 80 kg	54,69
02.89WAR9005	924 x 425 x 87	CNC tool holder frame (WAR), straight/inclined	Suitable for all hinged door cabinets, can be used straight/inclined, load capacity 140 kg	119,32
02.89WARA900	926 x 450 x 60	CNC tool holder frame (WAR), pull-out	Suitable for all hinged door cabinets, Pull-out 100 %, load capacity 50 kg	120,56

CNC inserts see page 153/154

CNC cabinets and workbenches

CNC hinged door cabinet R 36-16

- When using drawers and pull-outs, the opening angle must be 130°, therefore these hinge-door wardrobes cannot be placed directly next to each other.







kg 500



CNC hinged door cabinet (empty) R 36-16

- Hinged door cabinet with solid sheet doors
- With moulded recess cylinder lock

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
04.109	980 x 500 x 1019	900	499,66
04.118	980 x 500 x 1838	1719	595,37



CNC hinged door cabinet with glazed doors (empty) R 36-16

- Hinged door cabinet with glazed doors (acrylic glass)
- With moulded recess cylinder lock

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
04.117	980 x 500 x 1838	1719	725,86



100 mm front height



150 mm front height



200 mm front height

Drawers for hinged door cabinet R 36-16

- Full pull-out 100 %
- Includes rails and fastening material
- Usable drawer dimension, internal: 900 x 400 mm
- Max. load capacity 50 kg

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Price in €
60.098.075VA	75	59	60	82,03
60.098.100VA	100	85	90	84,52
60.098.150VA	150	135	140	90,73
60.098.200VA	200	185	190	96,95
60.098.250VA	250	185	240	103,15
60.098.300VA	300	185	290	109,38



Pull-out shelf for hinged door cabinet

- Shelf with upstand, pull-out 100 %
- Includes rails and fastening material

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
04.090.014	926 x 442 x 70	max. 50 kg	80,79
04.090.14-75		max. 75 kg	96,07



Shelf for hinged door cabinet

- Max. load capacity 80 kg
- Includes fastening material

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
04.090.013	925 x 443 x 22	Fixed shelf, height adjustable, bolted	54,69



CNC tool holder frame (WAR) for hinged door cabinet

- Can be used straight/inclined
- Includes fastening material

Item no.	Dimensions in mm (WxDxH)	Load capacity (kg)	Price in €
02.89WAR9005	924 x 425 x 87	140	119,32

	CNC E1	CNC E2	CNC E3
Maximum insert capacity per carrier for 02.89WAR9005	48*	33*	24*



CNC tool holder frame (WAR) for hinged door cabinet

- Pull-out 100 %
- Includes rails and fastening material

Item no.	Dimensions in mm (WxDxH)	Load capacity (kg)	Price in €
02.89WARA900	926 x 450 x 60	50	120,56

	CNC E1	CNC E2	CNC E3
Maximum insert capacity per carrier for 02.89WARA900	48*	33*	24*

Bracket retrofit kit for CNC tool holder frame

- Load capacity 140 kg
- 4-part set



Item no.	Dimensions in mm (WxDxH)	Price in €
02.89W140	76 x 29 x 12	17,40

CNC RotaRex® large cabinet



Your advantages

- Barrier-free access to the cabinet - no impairment by pull-outs
- Space-saving - high quantity of inserts with minimal storage area, up to 400x SK30 or up to 300x SK40 tools fit in 1m²
- Optimised work process as all tools are quickly within reach
- Opening/usable height: 1790 mm
- Forklift base for transport. **Warning!** RotaRex® must not be transported when loaded!

Roller shutters

- The electrically driven roller shutter is operated by remote control
- Alternatively possible with spring-loaded shaft or hinged doors
- Multiple cabinets can be opened simultaneously with one remote control (on request)
- Aluminium-coloured plastic slats
- In case of a power failure or technical defect, emergency unlocking is provided on the rear of the cabinet

Column

- Precision steel tube, Ø 60 mm
- Galvanized
- Total load 1.5 t
- For holding up to 5 CNC rotating frames Individually adjustable on a grid of 25 mm
- Individual readjustment of the column position thanks to a tongue on the bottom

Equipped
CNC rotatingframe
see page 171



CNC rotating frame
- With handles and locking mechanism
- 16 lines for Tool inserts
- Supplied without inserts

Item no.	Dimensions in mm (Ø)	Price in €
02.R01	915	200,10



CNC-RotaRex® with electric roller shutters
- With remote control
- Without CNC rotating frame

Item no.	Dimensions in mm (WxDxH)	Price in €
02.1000.1	1055 x 1035 x 2130	1.926,53



CNC-RotaRex® with manual roller shutters
- Without CNC rotating frame

Item no.	Dimensions in mm (WxDxH)	Price in €
02.1000.2	1055 x 1035 x 2130	1.875,57



CNC-RotaRex® with hinged doors
- Glazed doors with acrylic glass
- Without CNC rotating frame

Item no.	Dimensions in mm (WxDxH)	Price in €
02.1000.3	1055 x 1035 x 1955	1.638,17

Lighting RotaRex®

Bring even more clarity to your RotaRex® cabinet.

The self-adhesive lighting set is attached to the inside of the RotaRex® housing and is circumferential. Each
storage space is thus optimally illuminated.

The lighting time can be set manually between 30 seconds and 10 minutes. As soon as you open, approach or reach into your storage system, the lighting is activated by the sensor.
the lighting is activated by the sensor and gives you a better overview of your tools. Retrofitting is possible.



Lighting set can be flexibly attached



Optimally illuminated tool





Lighting set

- Motion sensor
- LED Stribe warm white, clear coated
- X-adapter for connecting LED Stribes
- Self-adhesive on the back for easy mounting
- Simple plug-in system for easy installation
- Pleasant warm white LED light
- Transparent coating to protect the LED against contact or moisture
- Electrical connection with 230/12V required
- Energy-saving LED technology (saves up to 80 % compared to conventional incandescent lamps)

Item no.	Dimensions in mm (W x D)	Price in €
02.BELROT	6000 x 10,5	229,78

CNC rotating frame only for CNC-RotaRex®

- Dimensions (Ø): 915 mm
- Customer-specific height adjustment thanks to a grid of 25 mm in the column
- Up to 5 x CNC rotating frame fit in the RotaRex®, depending on the tool height
- All frames can be individually rotated 360°
- Maximum load of up to 300 kg per frame
- With handles for optimum access to each tool
- Locking at 90°, 180°, 270°, and 360°
- Smooth rolling with steel ball bearing guides
- **CNC lathe frame only available in combination with a CNC-RotaRex® cabinet available.**





Example: equipped with tool inserts size E2



CNC E1

Tool insert size 1

- Tool insert 49 x 103 x 17 mm
- CNC rotating frame completely equipped with the inserts listed below
- Only suitable for CNC-RotaRex® cabinet

Item no.	Type	Number of inserts	Number of tools	Price in €
02.R560130	SK 30	80	80	473,55
02.R570104	Capto C4	80	80	473,55
02.R560330	MK 3	80	80	473,55
02.R560340	MK 4	80	80	473,55
02.R560225	VDI 25	80	80	473,55
02.R560230	VDI 30	80	80	473,55



CNC E2

Tool insert size 2

- Tool insert 74 x 103 x 17 mm
- CNC rotating frame completely equipped with the inserts listed below
- Only suitable for CNC-RotaRex® cabinet

Item no.	Type	Number of inserts	Number of tools	Price in €
02.R570150	HSK A 50/B 63	60	60	504,63
02.R570163	HSK A 63/B 80	60	60	524,51
02.R560140	SK 40	60	60	432,53
02.R570105	Capto C5	60	60	449,94
02.R560240	VDI 40	60	60	432,53
02.R560350	MK5	60	60	432,53



CNC E3

Tool insert size 3

- Tool insert 99 x 103 x 17 mm
- CNC rotating frame completely equipped with the inserts listed below
- Only suitable for CNC-RotaRex® cabinet

Item no.	Type	Number of inserts	Number of tools	Price in €
02.R570132	HSK A 32/B 40	32	96	462,37
02.R570140	HSK A 40/B 50	32	64	425,08
02.R570180	HSK A 80/B 100	32	32	402,71
02.R5701100	HSK A 100/B 125	32	32	411,41
02.R560150	SK 50	32	32	352,99
02.R570103	Capto C3	32	96	462,37
02.R570106	Capto C6	32	32	366,67
02.R570108	Capto C8	32	32	402,71
02.R560250	VDI 50	32	32	352,99
02.R570100	Universal	32	32	402,71

CNC workshop and transport trolleys

CNC workshop trolley R 18-24 | R 24-24

The optimum storage and safe transport of CNC tools significantly influence economic efficiency.

- Inserts see page 152/153
- **Suspension rails 02.33.87.60 are required when using the single carrier (WAT).**
- **Supplied without tools and inserts**



CNC workshop trolley R18-24

- Raised edges and ribbed rubber mat
- 5x drawer
- Usable drawer dimension, internal: 450 x 600 mm
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers with 100 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- With individual interlocking
- 2 fixed and 2 steering casters, Ø 125 mm with locks
- Max. load capacity 500 kg

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
02.580.05V	555 x 736 x 991	CNC workshop trolley with 5x drawer and raised edges	1.300,36
02.8705.100	470 x 120 x 180	CNC tool holder carrier (WAT), 5x single carrier per drawer possible	83,28
02.33.87.60	600 x 25 x 75	Suspension rail for CNC for tool holder carrier (WAT)	18,64
02.8705.500	450 x 600 x 130	CNC drawer frame SR 450, without tool inserts	108,14



CNC workshop trolley R24-24

- Raised edges and ribbed rubber mat
- 4x drawer
- Usable drawer dimension, internal: 600 x 600 mm
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers with 100 mm front height, load capacity 100 kg
  Drawers with 400 mm front height, load capacity 180 kg
- With individual interlocking
- 2 fixed and 2 steering casters, Ø 125 mm with locks
- Max. load capacity 500 kg

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
02.780.04V	705 x 736 x 991	CNC workshop trolley with 4 drawer and raised edges	1.290,41
02.8707.100	620 x 120 x 180	CNC tool holder carrier (WAT), 5x single carrier per drawer possible	88,25
02.33.87.60	600 x 25 x 75	Suspension rail for CNC for tool holder carrier (WAT)	18,64
02.8707.500	600 x 600 x 130	CNC drawer frame SR 600, without tool inserts	118,07

- Optimum storage and safe transport
- *Number of possible inserts for sizes E1, E2, E3 see page 152/153

kg 500



Housing for CNC trolley 02.85.07, R24-24

Item no.	Dimensions in mm (WxDxH)	Description	CNC E1	CNC E2	CNC E3	Price in €
02.86.07	705 x 736 x 1019	Garage, lockable with cylinder lock				458,63
02.85.07	630 x 560 x 950	CNC trolley with handle, 2x fixed and 2x steering caster, Ø 125 mm with locks, without tool inserts and tool carrier	60*	42*	30*	531,97
02.8707.100	620 x 120 x 180	*CNC tool holder carrier (WAT) 600 for R 24-24, 6x single carrier per trolley possible. Capacity see table below.	10*	7*	5*	88,25
02.85.08	535 x 336 x 36	Bottom tray for CNC trolley				42,26



Housing for CNC trolley 02.85.01, R36-24

Item no.	Dimensions in mm (WxDxH)	Description	CNC E1	CNC E2	CNC E3	Price in €
02.86.01	705 x 1003 x 1019	Garage, lockable with cylinder lock				457,40
02.85.01	930 x 560 x 950	CNC trolley with handle, 2x fixed and 2x steering caster, Ø 125 mm with locks, without tool inserts and tool carrier	96*	66*	48*	536,94
02.8710.100	920 x 120 x 180	*CNC tool holder carrier (WAT) 900 for R36-24, 6x single carrier per trolley possible. Capacity see table below.	16*	11*	8*	98,18
02.85.06	835 x 330 x 36	Bottom tray for CNC trolley				43,51

CNC workshop and transport trolleys

CNC transport trolley

- Optimum storage and safe transport
- **Supplied without tools and inserts**
- *Number of possible inserts for sizes E1, E2, E3 see page 152/153



Item no.	CNC E1	CNC E2	CNC E3	Price in €
02.8707.100	10*	7*	5*	88,25



CNC trolley (empty) for max. 8 CNC carriers 02.8707.100

- 2x fixed and 2x steering caster, Ø 125 mm with locks
- Max. capacity of CNC inserts with 8x carrier (see table)
- Max. load capacity 400 kg

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.88.01	480 x 900 x 860	56*	40*	24*	575,17
02.88.00	630 x 900 x 860	80*	56*	40*	625,19



CNC trolley with 1 level (empty) for CNC tools

- 2x fixed and 2x steering caster, Ø 200 mm with locks
- 1x tool frame, top
- 1x shelf, bottom
- Max. capacity of CNC inserts see table
- Max. load capacity 400 kg

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.092.02	950 x 665 x 950	80*	55*	40*	684,86



CNC trolley with 2 levels (empty) for CNC tools

- 2x fixed and 2x steering caster, Ø 200 mm with locks
- 2x tool frame
- Max. capacity of CNC inserts see table
- Max. load capacity 400 kg

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.092.01	950 x 665 x 950	160*	110*	80*	824,07

- 2x fixed and 2x steering caster, Ø 125 mm with locks
- Ergonomic handle, enabling the multi-trolleys to move extremely smoothly and be used anywhere
- Individual arrangements possible
- Max. load capacity 500 kg
- *Number of possible inserts for sizes E1, E2, E3 see page 152/153

kg 500







Pos.	Item no.	Dimensions in mm (WxDxH)	Description	Price in €
1	07.58.10-1	990 x 610 x 1450	CNC trolley (empty) with bottom shelf	400,22
2	07.58.22	980 x 200 x 30	Top shelf for CNC trolley	43,51
3	02.910.02	942 x 263 x 134	Tool holding shelf, wide, WABg 900 2x cassette with bolted mounting brackets, 0°, 10° & 20° inclinable	114,35
4	02.910.01	942 x 147 x 134	Tool holding shelf, narrow, WABk 900 1x cassette with bolted mounting brackets, 0°, 10° & 20° inclinable	63,39



Tool holding shelf, single-row

- WABk 900

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.910.01	942 x 147 x 134	16*	11*	8*	63,39



Tool holding shelf, double-row

- WABg 900

Item no.	Dimensions in mm (WxDxH)	CNC E1	CNC E2	CNC E3	Price in €
02.910.02	942 x 263 x 134	32*	22*	16*	114,35

Workbenches





NEW

Grid subdivision and locking systems Page 180



Box workbenches T600 Page 184



Box workbenches T750 Page 190



Work tables Page 214



Inline workbenches Page 218



Other workbenches Page 230





Workbench accessories Page 236

Grid subdivision

T500

		Series	Series	Series	Series
		T500	T500	T500	T500
					
		Housing W x D	Housing W x D	Housing W x D	Housing W x D
		380 x 500	530 x 500	680 x 500	980 x 500
Housing height		Usable heights	Usable heights	Usable heights	Usable heights
215		150	–	–	–
365		300*	300*	–	–
465		400*	400*	–	–
469		–	350	–	–
519		–	400	400	–
619		–	500	500	500
719		–	600	600	600
819		–	700	700	700
919		–	800	800	800
1019		–	900	900	900
					
		Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D
		300 x 400	450 x 400	600 x 400	900 x 400
Front height	Shell height	Load capacity	Load capacity	Load capacity	Load capacity
75	59	50 kg	50 kg	50 kg	50 kg
100	85	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
150	135	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
200	185	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
250	185	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
300	185	50 / 75 kg	50 / 75 kg	50 / 75 kg	50 / 75 kg
		Series	Series	Series	Series
		T500	T500	T500	T500
		T500 12-16	T500 18-16	T500 24-16	T500 36-16
Grid:		R 12-16	R 18-16	R 24-16	R 36-16

* Hanging drawer block, bottom open
All dimensions in mm

		Series	Series	Series	Series
		T736	T736	T736	T736
					
		Housing W x D	Housing W x D	Housing W x D	Housing W x D
		555 x 736	705 x 736	1005 x 736	1305 x 736
Housing height		Usable heights	Usable heights	Usable heights	Usable heights
208		150*			
215		150*			
358		300*	300		
365		300*			
465		400*			
519		400	400	400	–
619		500	500	500	–
719		600	600	600	–
819		700	700	700	700
919		800	800	800	800
1019		900	900	900	900
					
		Drawer W x D	Drawer W x D	Drawer W x D	Drawer W x D
		450 x 600	600 x 600	900 x 600	1200 x 600
Front height	Shell height	Load capacity	Load capacity	Load capacity	Load capacity
50	28	70 kg	70 kg	70 kg	–
75	56	100 kg	100 kg	100 kg	100 kg
100	81	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
125	81	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
150	131	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
175	131	100 / 180 kg	100 / 180 kg	100 / 180 kg	180 kg
200	181	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	180 kg
250	181	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	180 kg
300	181	100 / 180 / 300 kg	100 / 180 / 300 kg	100 / 180 / 300 kg	–
400	81	100 / 180 kg	100 / 180 kg	100 / 180 kg	–
		Series	Series	Series	Series
		T736	T736	T736	T736
		T736 18-24	T736 24-24	T736 36-24	T736 48-24
Grid:		R 18-24	R 24-24	R 36-24	R 48-24

* Hanging drawer block, bottom open
All dimensions in mm

Please note!
To set up an E-lock, you need the key management in the form of the management key and the programming key.



Video E-lock

- Lever mechanism
- Administration with management and programming key
- Lock housing made entirely of steel
- Inlet mounting
- Rotation angle 90° or 180°
- Opening and closing by turning the knob
- Surface finish: brushed nickel
- Horizontal alignment
- Vertical orientation for vertical pull-outs (MRS®)
- Protection class IP55
- 2 years guarantee

Pin code VERSA E-lock

The pin code E-lock can be opened with a 4-7 digit numerical code. The programming of the users and their pin codes is done by means of administration and programming keys.

- Key is replaced with numerical code
- Operation via buttons; management with electronic keys
- Power supply via 2 x lithium batteries CR2450

Technical data recessed lock
- Lock can be opened with a 4-7 digit numerical code
- Dimensions (W x D x H): 105.17mm x 2.7mm x 29.57 mm (incl. knob 9.75mm)

Technical data surface-mounted lock (retrofitting)
- Lock can be opened with a 4-7 digit numerical code
- Dimensions (W x D x H): 133 mm x 31.5 mm x 20.4mm (incl. knob depth 7.7mm)

RFID VERSA E-lock

The RFID E-lock can be opened with an RFID card or a chip. The programming of the locks is done by means of management and programming keys.

- Key or numerical code is replaced with RFID
- Operation via RFID
- Housing completely made of metal
- Power supply via 4 x AA batteries

Technical data recessed lock
- Closure with RFID standards: iClass and Mifare (13.56 MHz) ISO 14443A - ISO 14443B - ISO 15693
- Dimensions (W x D x H): 105.17mm x 2.7mm x 29.57 mm (incl. knob 9.75mm)

Technical data surface-mounted lock (retrofitting)
- Closure with RFID standards: iClass and Mifare (13.56 MHz) ISO 14443A - ISO 14443B - ISO 15693
- Dimensions (W x D x H): 133 mm x 31.5 mm x 20.4 mm (incl. knob depth 7.7 mm)





Pin code VERSA E-lock

Item no.	Lock variant	Price in €
01PINSLEIN	Pin code E-lock 180° locking, recessed built-in (cannot be retrofitted)	150,50
01PINSLAUF	Pin code E-lock 180° locking, surface-mounted (retrofittable)	150,50
01PINSLEINZ	Pin code E-lock 90° for single drawer recessed fitted	150,50
01PINFLRE	Pin code E-lock, right-hinged for hinged door	150,50
01PINFLLI	Pin code E-lock, left-hinged for hinged door	150,50
01PINFL2	Pin code E-lock for double wing door	150,50

RFID VERSA E-lock

Item no.	Lock variant	Price in €
01RFIDSLEIN	RFID E-lock 180° locking, recessed built-in (cannot be retrofitted)	173,00
01RFIDSLAUF	RFID E-lock 180° locking, fitted on top (can be retrofitted)	173,00
01RFIDSLEINZ	RFID E-lock 90° for single drawer recessed built-in	173,00
01RFIDFLRE	RFID E-lock, right-hinged for hinged door	173,00
01RFIDFLLI	RFID E-lock, left-hinged for hinged door	173,00
01RFIDFL2	RFID e-lock for double wing door	173,00

NEW

Please note!
To set up an E-lock, you need the key management in the form of the a master cartd.



- Housing made of sturdy zamak with black powder coating
- IP65 – protection against dust and water jets
- Easy retrofit of mechanical locks
- Mechanical emergency opening possible via master key
- Visual and audible battery warning
- Protection class: IP65
- Power supply: 2 × AAA batteries (VARTA recommended)
- Dimensions: **132 × 38 × 31,5 mm**

Pin code NIRO E-lock

The pin code E-lock can be opened with a 4-6 digit numerical code.

Technical data pin code NIRO E-locK
- Lock can be opened with a 4-6 digit numerical code
- Multiuser or private mode (up to 50 codes)
- Mechanical emergency opening possible with master key
- Dimensions (W × D × H): 105.17 × 27 × 29.57 mm (including knob: 9.75 mm)
- Approx. 30,000 locking cycles, standby time up to 2 years



Pin code NIRO E-lock

Item no.	Lock variant	Price in €
01NIPINSLEIN*	Pin code E-lock 180° locking, recessed built-in (cannot be retrofitted)	144,40
01NIPINSLAUF	Pin code E-lock 180° locking, surface-mounted (retrofittable)	134,40
01NIPINSLEINZ*	Pin code E-lock 90° for single drawer recessed fitted	144,40
01NIPINFLRE	Pin code E-lock, right-hinged for hinged door	134,40
01NIPINFLLI	Pin code E-lock, left-hinged for hinged door	134,40
01NIPINFL2	Pin code E-lock for double wing door	134,40

RFID NIRO E-lock

The RFID E-lock can be opened with an RFID card or a chip.

Technical data RFID NIRO E-lock
- Supported standards: MIFARE® Classic (read/write) & MIFARE® DESFire® EV (read)
- Occupancy function (only with MIFARE® Classic)
- ISO/IEC 14443 Typ A (13,56 MHz)
- Multiuser- und Privat-Modus wählbar
- Approx. 50,000 locking cycles, standby time up to 2 years
- Capacity: up to 3 master cards, 2 manager cards, max. 10 (V1.0) / max. 500 user cards (V1.1)



RFID NIRO E-lock

Item no.	Lock variant	Price in €
01NIRFIDSLEIN*	RFID E-lock 180° locking, recessed built-in (cannot be retrofitted)	153,75
01NIRFIDSLAUF	RFID E-lock 180° locking, fitted on top (can be retrofitted)	143,75
01NIRFIDSLEINZ*	RFID E-lock 90° for single drawer recessed built-in	153,75
01NIRFIDFLRE	RFID E-lock, right-hinged for hinged door	143,75
01NIRFIDFLLI	RFID E-lock, left-hinged for hinged door	143,75
01NIRFIDFL2	RFID e-lock for double wing door	143,75

*In the recessed version, whether with RFID NIRO or pin code NIRO, the IP protection is not applicable.



Master card RFID
- For programming the RFID electronic locks, a master card is required

Item no.	Price in €
MKNIRFID	45,00



User key RFID card
- Up to 20 users can be assigned per lock, more on request

Item no.	Price in €
UKNIRFID	12,43

Box workbenches



- No unassembled goods - complete assembly at the factory
- Construction made of 40 x 40 x 2 mm square tube
- Housing made from high-quality thin sheet metal,
- **workbenches with a maximum load of up to 1 t**
- Secure central locking, combination locking systems are possible
- Drawers with ball-bearing guides
- Recessed drawers and doors, therefore no risk of injury due to protruding handle bars
- Worktop made of beech multiplex, glue laminated, oiled, water-repellent
- Levelling glides under the feet

Depth 600 mm

Quick info		
Worktop	Beech multiplex	40 mm
Drawers	Usable height	600 mm
	Full pull-out	100 %
	Single pull-out lock	Yes
	Load capacity	50 / 75 kg
	Ball-bearing guides	Yes
Grid	R 18-16 and R 24-16	
Lock	Cylinder lock with two keys	Yes
	Master key capable	Yes

General dimensions	
Work height	859/959 mm + HA 325 mm possible
Worktop depth	600 mm
Drawer heights	75, 100, 150, 200, 250, 300 mm
Internal drawer height	Front height minus 10 mm
Drawer (W x D)	450 x 400 mm, 600 x 400 mm
Choose from our extensive range of colours. Combinations are possible without extra charge. When placing your order, please indicate the desired colour/colour combination. 1st colour = body colour, 2nd colour = front colour Our standard colours can be found on page 27	

Depth 750 mm

Quick info		
Worktop	Beech multiplex	40 mm
Drawers	Usable height	600 mm
	Full pull-out	100 %
	Single pull-out lock	Yes
	Load capacity	70 – 300 kg
	Ball-bearing guides	Yes
Grid	R 18-24 and R 24-24	
Lock	Cylinder lock with two keys	Yes
	Master key capable	Yes

General dimensions	
Work height	859/959 mm + HA 325 mm possible
Worktop depth	750 mm
Drawer heights	50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
Internal drawer height	Front height minus 17 mm
Drawer (W x D)	450 x 600 mm, 600 x 600 mm
Choose from our extensive range of colours. Combinations are possible without extra charge. When placing your order, please indicate the desired colour/colour combination. 1st colour = body colour, 2nd colour = front colour Our standard colours can be found on page 27	

Box workbenches

Box workbenches 1250| Depth 600 mm

Suitable divider material for the R 18-16 can be found on page 51

kg 1000

- Drawer interior dimension 450 x 400 mm
- Ball bearing guides
- Full pull-out (FP) 100 %
- Load capacity either 50 kg or 75 kg
- **Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm**
- Beech multiplex workbench top, 1250 x 600 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm
- 1000 kg total load capacity
- Frame width 1115 mm



- Left: 3 x Drawer
- Right: 3 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60150	1250 x 600 x 859	50 kg	946,32
03T512H60175		75 kg	1.102,90

Individual arrangement

Workbench with 2x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03T5125H6.00	1250 x 600 x 859	498,90

Hinged doors

Item no.	Usable heights (mm)	Width (mm)	Price in €
01.053.450E	450	495	64,95
01.053.600E	600	495	77,93

Shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



- 450 x 400 mm (W x D) with full pull-out 100%
- Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61



- Left: 4 x Drawer
- Right: 4 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60250	1250 x 600 x 859	50 kg	1.055,72
03T512H60275		75 kg	1.264,50



- Left: 4 x Drawer
- Right: 3 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60350	1250 x 600 x 859	50 kg	1.001,05
03T512H60375		75 kg	1.183,68



- Left: 1 x Drawer, 1 x Hinged door
- Right: 1 x Drawer, 1 x Hinged door

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60450	1250 x 600 x 859	50 kg	768,02
03T512H60475		75 kg	820,19



- Left: 3 x Drawer
- Right: 1 x Hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60550	1250 x 600 x 859	50 kg	840,32
03T512H60575		75 kg	918,61



- Left: 5 x Drawer
- Right: 5 x Drawer
- *Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60650	1250 x 600 x 859	50 kg	1.165,13
03T512H60675		75 kg	1.373,88



- Left: 4 x Drawer
- Right: 4 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T512H60750	1250 x 600 x 859	50 kg	1.055,77
03T512H60775		75 kg	1.264,46

Box workbenches

Box workbenches 1500 | Depth 600 mm

Suitable divider material for the R 24-16 can be found on page 57

kg 1000


- Drawer interior dimension 600 x 400 mm
- Ball bearing guides
- Full pull-out (FP) 100 %
- Load capacity either 50 kg or 75 kg
- **Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm**
- Beech multiplex workbench top, 1500 x 600 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm
- 1000 kg total load capacity#
- Frame width 1415 mm



- Left: 4 x Drawer
- Right: 4 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60150	1500 x 600 x 859	50 kg	1.174,67
03T515H60175		75 kg	1.383,47

Individual arrangement



Workbench with 2x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03T515H6.00	1500 x 600 x 859	558,20

Hinged doors

Item no.	Usable heights (mm)	Width (mm)	Price in €
01.068.450E	450	645	73,20
01.068.600E	600	645	93,28

Shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
04.060.013	625 x 443 x 22	44,74

Height adjustment of 325 mm

Item no.	Raster	Price in €
03.15.95	25 mm	91,97

- 600 x 400 mm (W x D) with full pull-out 100%
- Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.068.075VA	75	59	60	50 kg	68,35
60.068.100VA	100	85	90	50 kg	70,84
60.068.150VA	150	135	140	50 kg	77,06
60.068.200VA	200	185	190	50 kg	83,28
60.068.250VA	250	185	240	50 kg	89,49
60.068.300VA	300	185	290	50 kg	95,69
60.068.100VA-75	100	85	90	75 kg	96,95
60.068.150VA-75	150	135	140	75 kg	103,15
60.068.200VA-75	200	185	190	75 kg	109,38
60.068.250VA-75	250	185	240	75 kg	115,59
60.068.300VA-75	300	185	290	75 kg	121,81



- Left: 4 x Drawer
- Right: 4 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60250	1500 x 600 x 859	50 kg	1.174,69
03T515H60275		75 kg	1.383,51



- Left: 4 x Drawer
- Right: 1 x Drawer, 1 x Hinged door

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60350	1500 x 600 x 859	50 kg	1.016,71
03T515H60375		75 kg	1.147,21



- Left: 1 x Drawer, 1 x Hinged door
- Right: 1 x Drawer, 1 x Hinged door

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60450	1500 x 600 x 859	50 kg	858,72
03T515H60475		75 kg	910,91



- Left: 3 x Drawer
- Right: 3 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60550	1500 x 600 x 859	50 kg	1.057,90
03T515H60575		75 kg	1.214,47



- Left: 4 x Drawer
- Right: 4 x Drawer
- *Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60650	1500 x 600 x 859	50 kg	1.175,91
03T515H60675		75 kg	1.332,53



- Left: 5 x Drawer
- Right: 4 x Drawer
- *Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T515H60750	1500 x 600 x 859	50 kg	1.234,29
03T515H60775		75 kg	1.417,02

Box workbenches

Box workbenches 2000 | Depth 600 mm

kg 1000

- Drawer interior dimension 450/600 x 400 mm
- Ball bearing guides
- Full pull-out (FP) 100 %
- Load capacity either 50 kg or 75 kg
- **Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm**
- Beech multiplex workbench top, 2000 x 600 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm
- 1000 kg total load capacity
- Frame width 1782 mm

Suitable divider material for the R 18-16 can be found on page 51

Individual arrangement

R 18-16 **R 24-16** **R 18-16**



Workbench with 3x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03T520H6.00	2000 x 600 x 859	686,84

Hinged doors R 18-16

Item no.	Usable heights (mm)	Width (mm)	Price in €
01.053.450E	450	495	64,95
01.053.600E	600	495	77,93

Hinged doors R 24-16

Item no.	Usable heights (mm)	Width (mm)	Price in €
01.068.450E	450	645	73,20
01.068.600E	600	645	93,28

Shelf R 18-16

Item no.	Dimensions in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77

Shelf R 24-16

Item no.	Dimensions in mm (WxDxH)	Price in €
04.060.013	625 x 443 x 22	44,74

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97

- 450 x 400 mm (B x T) mit Vollauszug 100%
- Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61

- 600 x 400 mm (W x D) with full pull-out 100%
- Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Price in €
60.068.075VA	68,35
60.068.100VA	70,84
60.068.150VA	77,06
60.068.200VA	83,28
60.068.250VA	89,49
60.068.300VA	95,69
60.068.100VA-75	96,95
60.068.150VA-75	103,15
60.068.200VA-75	109,38
60.068.250VA-75	115,59
60.068.300VA-75	121,81




- Left: 5 x Drawer
- Central: 5 x Drawer
- Right: 1 x Hinged door, 1 x Shelf
- *Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T520H60250	2000 x 600 x 859	50 kg	1.174,69
03T520H60275		75 kg	1.383,51



- Left: 1 x Drawer, 1 x Hinged door
- Central: 4 x Drawer
- Right: 4 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T520H60350	2000 x 600 x 859	50 kg	1.016,71
03T520H60375		75 kg	1.147,21



- Left: 3 x Drawer
- Central: 3 x Drawer
- Right: 3 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T520H60450	2000 x 600 x 859	50 kg	858,72
03T520H60475		75 kg	910,91




- Left: 1 x Drawer, 1 x Hinged door
- Central: 5 x Drawer
- Right: 1 x Drawer, 1 x Hinged door
- *Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T520H60550	2000 x 600 x 859	50 kg	1.057,90
03T520H60575		75 kg	1.214,47



- Left: 3 x Drawer
- Central: 4 x Drawer
- Right: 5 x Drawer
- *Only a load capacity of 50 kg is possible for drawers with a front height of 75 mm

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T520H60650	2000 x 600 x 859	50 kg	1.175,91
03T520H60675		75 kg	1.332,53



- Left: 6 x Drawer
- Central: 4 x Drawer
- Right: 3 x Drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03T520H60750	2000 x 600 x 859	50 kg	1.234,29
03T520H60775		75 kg	1.417,02

Box workbenches

Box workbenches 810 | Depth 750 mm

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 810 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 625 mm



- 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.05V	810 x 750 x 859	814,11
03.055.05V9	810 x 750 x 959	845,19



- 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.01V	810 x 750 x 859	697,27
03.055.01V9	810 x 750 x 959	728,35



- 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.06V	810 x 750 x 859	1.020,44
03.055.06V9	810 x 750 x 959	1.051,52

Individual arrangement

Workbench with empty housing
Usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.001	810 x 750 x 859	402,71
03.055.001-9	810 x 750 x 959	433,78

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- 1x hinged door
- 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.07V	810 x 750 x 859	525,76
03.055.07V9	810 x 750 x 959	556,83



- 2x drawer
- 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.12V	810 x 750 x 859	697,27
03.055.12V9	810 x 750 x 959	728,35



- 3x drawer
- 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.08V	810 x 750 x 859	799,21
03.055.08V9	810 x 750 x 959	830,27



- 6x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.09V	810 x 750 x 859	1.103,72
03.055.09V9	810 x 750 x 959	1.134,79



- 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.10V	810 x 750 x 859	831,51
03.055.10V9	810 x 750 x 959	862,59



- 2x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.11V	810 x 750 x 859	705,98
03.055.11V9	810 x 750 x 959	737,05

Box workbenches

Box workbenches 810 | Depth 750 mm

Suitable divider material for the R 24-24 can be found on page 83

kg 1000

- Drawer interior dimension 600 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 810 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 775 mm



- 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.01V	810 x 750 x 859	553,09
03.075.01V9	810 x 750 x 959	584,17



- 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.03V	810 x 750 x 859	735,81
03.075.03V9	810 x 750 x 959	766,88



- 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.06V	810 x 750 x 859	1.068,91
03.075.06V9	810 x 750 x 959	1.099,98

Individual arrangement

Workbench with empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.001	810 x 750 x 859	412,65
03.075.001-9	810 x 750 x 959	443,71

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.070.450L	left	450	77,06
03.070.450R	right	450	77,06
03.070.600	left+right	600	98,18

Shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-00	705 x 705 x 20	42,26

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 600 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.70.050V07	50	28	30	119,32
60.70.075V10	75	56	58	123,05
60.70.100V10	100	81	83	125,53
60.70.125V10	125	81	108	134,23
60.70.150V10	150	131	133	139,21
60.70.175V10	175	131	158	142,94
60.70.200V10	200	181	183	145,41
60.70.250V10	250	181	233	150,38
60.70.300V10	300	181	283	159,10



- 2x drawer
- 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.12V	810 x 750 x 859	734,58
03.075.12V9	810 x 750 x 959	765,65



- 3x drawer
- 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.08V	810 x 750 x 859	847,68
03.075.08V9	810 x 750 x 959	878,76



- 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.05V	810 x 750 x 859	842,70
03.075.05V9	810 x 750 x 959	873,78



- 6x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.09V	810 x 750 x 859	1.165,87
03.075.09V9	810 x 750 x 959	1.196,95



- 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.10V	810 x 750 x 859	848,93
03.075.10V9	810 x 750 x 959	879,99



- 2x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.075.11V	810 x 750 x 859	730,84
03.075.11V9	810 x 750 x 959	761,91

Box workbenches

Box workbenches 1250 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1250 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1165 mm



- Left: 2x shelf
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.13V	1250 x 750 x 859	1.024,17
03.12.13V9	1250 x 750 x 959	1.055,24



- Left: 1x hinged door, 1x shelf
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.15V	1250 x 750 x 859	1.106,21
03.12.15V9	1250 x 750 x 959	1.137,28

Individual arrangement

Workbench with 2x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.001	1250 x 750 x 859	554,35
03.12.001-9	1250 x 750 x 959	585,43

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA
100 kg
100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 1x hinged door, 1x shelf
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.04V	1250 x 750 x 859	800,44
03.12.04V9	1250 x 750 x 959	831,51



- Left: 2x drawer, 1x hinged door
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.05V	1250 x 750 x 859	1.143,49
03.12.05V9	1250 x 750 x 959	1.174,56



- Left: 1x drawer, 1x hinged door
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.17V	1250 x 750 x 859	969,48
03.12.17V9	1250 x 750 x 959	1.000,55



- Left: 2x drawer, 1x hinged door
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.06V	1250 x 750 x 859	1.150,95
03.12.06V9	1250 x 750 x 959	1.182,02



- Left: 3x drawer
- Right: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.07V	1250 x 750 x 859	1.599,65
03.12.07V9	1250 x 750 x 959	1.630,72



- Left: 4x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.12.08V	1250 x 750 x 859	1.618,28
03.12.08V9	1250 x 750 x 959	1.649,36

Box workbenches

Box workbenches 1500 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1500 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1165 mm



- Left: 1x drawer, 1x hinged door
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.17V	1500 x 750 x 859	1.009,26
03.14.17V9	1500 x 750 x 959	1.040,32



- Left: 1x hinged door, 1x shelf
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.13V	1500 x 750 x 859	1.128,57
03.14.13V9	1500 x 750 x 959	1.159,64

Individual arrangement

Workbench with 2x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.001	1500 x 750 x 859	594,12
03.14.001-9	1500 x 750 x 959	625,19

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 1x hinged door, 1x shelf
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.04V	1500 x 750 x 859	840,22
03.14.04V9	1500 x 750 x 959	871,29



- Left: 2x drawer, 1x hinged door
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.05V	1500 x 750 x 859	1.183,26
03.14.05V9	1500 x 750 x 959	1.214,33



- Left: 3x drawer
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.33V	1500 x 750 x 859	1.451,74
03.14.33V9	1500 x 750 x 959	1.482,81



- Left: 2x drawer, 1x hinged door
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.06V	1500 x 750 x 859	1.190,72
03.14.06V9	1500 x 750 x 959	1.221,80



- Left: 3x drawer
- Right: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.07V	1500 x 750 x 859	1.639,43
03.14.07V9	1500 x 750 x 959	1.670,49



- Left: 4x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.08V	1500 x 750 x 859	1.658,07
03.14.08V9	1500 x 750 x 959	1.689,15

Box workbenches

Box workbenches 1500 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1500 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm and 959 mm
- 1000 kg total load capacity
- Frame width 1465 mm



- Left: 1x half shelf
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.11V	1500 x 750 x 859	841,45
03.14.11V9	1500 x 750 x 959	872,53

Individual arrangement

Workbench with empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40mm

Item no.	Version	hight in mm	Price in €
03.14.002	right	859	546,89
03.14.002-9	right	959	577,96
03.14.002GL	left	859	546,89
03.14.002-9GL	left	959	577,96

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA
100 kg
100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 1x half shelf
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.21V	1500 x 750 x 859	669,93
03.14.21V9	1500 x 750 x 959	701,01



- Left: 1x half shelf
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.22V	1500 x 750 x 859	754,45
03.14.22V9	1500 x 750 x 959	785,53



- Left: 6x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.23-LV	1500 x 750 x 859	1.247,90
03.14.23-LV9	1500 x 750 x 959	1.278,97



- Left: 5x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.24-LV	1500 x 750 x 859	1.163,38
03.14.24-LV9	1500 x 750 x 959	1.194,44



- Left: 6x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.26-LV	1500 x 750 x 859	1.265,30
03.14.26-LV9	1500 x 750 x 959	1.296,36



- Left: 2x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.27-LV	1500 x 750 x 859	850,16
03.14.27-LV9	1500 x 750 x 959	881,23

Box workbenches

Box workbenches 1500 | Depth 750 mm

Suitable divider material for the R 24-24 can be found on page 83

kg 1000

- Drawer interior dimension 600 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1500 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1465 mm



- Left: 5x drawer
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.07V	1500 x 750 x 859	1.492,74
03.15.07V9	1500 x 750 x 959	1.523,82

Individual arrangement

Workbench with 2x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.001	1500 x 750 x 859	620,22
03.15.001-9	1500 x 750 x 959	651,29

Hinged doors

- Usable width 645 mm

Item no.	Version	Usable heights (mm)	Price in €
03.070.450L	left	450	77,06
03.070.450R	right	450	77,06
03.070.600	left+right	600	98,18

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-00	705 x 705 x 20	42,26

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 600 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.70.050V07	50	28	30	119,32
60.70.075V10	75	56	58	123,05
60.70.100V10	100	81	83	125,53
60.70.125V10	125	81	108	134,23
60.70.150V10	150	131	133	139,21
60.70.175V10	175	131	158	142,94
60.70.200V10	200	181	183	145,41
60.70.250V10	250	181	233	150,38
60.70.300V10	300	181	283	159,10



- Left: 4x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.32V	1500 x 750 x 859	1.704,05
03.15.32V9	1500 x 750 x 959	1.735,12



- Left: 4x drawer
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.41V	1500 x 750 x 859	1.302,59
03.15.41V9	1500 x 750 x 959	1.333,66



- Left: 5x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.54V	1500 x 750 x 859	1.824,61
03.15.54V9	1500 x 750 x 959	1.855,68



- Left: 3x drawer
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.31V	1500 x 750 x 859	1.196,95
03.15.31V9	1500 x 750 x 959	1.228,01



- Left: 1x drawer, 1x hinged door
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.21V	1500 x 750 x 859	976,94
03.15.21V9	1500 x 750 x 959	1.008,02



- Left: 1x drawer, 1x hinged door
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.23V	1500 x 750 x 859	1.159,64
03.15.23V9	1500 x 750 x 959	1.190,72

Box workbenches

Box workbenches 1500 | Depth 750 mm

Suitable divider material for the R 24-24 can be found on page 83

kg 1000

- Drawer interior dimension 600 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1500 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1465 mm



- Left: 2x drawer, 1x hinged door
- Right: 1x half shelf with rear wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.022V	1500 x 750 x 859	943,37
03.15.022V9	1500 x 750 x 959	974,45

Individual arrangement

Workbench with 1x empty housing and 1x empty housing with half shelf, with rear wall usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.002	1500 x 750 x 859	620,22
03.15.002-9	1500 x 750 x 959	651,29

Hinged doors

- Usable width 645 mm

Item no.	Version	Usable heights (mm)	Price in €
03.070.450L	left	450	77,06
03.070.450R	right	450	77,06
03.070.600	left+right	600	98,18

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-00	555 x 705 x 20	42,26

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 600 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.70.050V07	50	28	30	119,32
60.70.075V10	75	56	58	123,05
60.70.100V10	100	81	83	125,53
60.70.125V10	125	81	108	134,23
60.70.150V10	150	131	133	139,21
60.70.175V10	175	131	158	142,94
60.70.200V10	200	181	183	145,41
60.70.250V10	250	181	233	150,38
60.70.300V10	300	181	283	159,10



- Left: 1x hinged door, 1x shelf
- Right: 1x half shelf with rear wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.026V	1500 x 750 x 859	760,67
03.15.026V9	1500 x 750 x 959	791,73



- Left: 2x drawer, 1x hinged door
- Right: 1x half shelf with rear wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.027V	1500 x 750 x 859	942,14
03.15.027V9	1500 x 750 x 959	973,22



- Left: 1x drawer, 1x hinged door
- Right: 1x half shelf with rear wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.028V	1500 x 750 x 859	837,73
03.15.028V9	1500 x 750 x 959	868,80



- Left: 2x drawer
- Right: 1x half shelf with rear wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.029V	1500 x 750 x 859	938,41
03.15.029V9	1500 x 750 x 959	969,48



- Left: 1x half shelf with rear wall
- Right: 6x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.030V	1500 x 750 x 859	1.373,43
03.15.030V9	1500 x 750 x 959	1.404,51



- Left: 1x half shelf with rear wall
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.031V	1500 x 750 x 859	1.163,38
03.15.031V9	1500 x 750 x 959	1.194,44

Box workbenches


Box workbenches 2000 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 2000 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1965 mm

Perforated walls see page 311



- Left: 1x half shelf
- Right: 1x drawer, 1x hinged door
- **Supplied without perforated wall**

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.12V	2000 x 750 x 859	830,27
03.19.12V9	2000 x 750 x 959	861,34

Individual arrangement

Workbench with empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm
- 2000 x 750 mm (WxD)

Item no.	Version	heights in mm	Price in €
03.19.003	left	859	628,92
03.19.003-9	left	959	660,00
03.19.003GR	right	859	628,92
03.19.003-9GR	right	959	660,00

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 1x half shelf
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.13V	2000 x 750 x 859	751,96
03.19.13V9	2000 x 750 x 959	783,04



- Left: 1x half shelf
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.17V	2000 x 750 x 859	836,49
03.19.17V9	2000 x 750 x 959	867,57



- Left: 6x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.18V	2000 x 750 x 859	1.329,93
03.19.18V9	2000 x 750 x 959	1.361,01



- Left: 5x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.19V	2000 x 750 x 859	1.245,41
03.19.19V9	2000 x 750 x 959	1.276,49



- Left: 6x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.11V	2000 x 750 x 859	1.347,33
03.19.11V9	2000 x 750 x 959	1.378,40



- Left: 2x drawer
- Right: 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.10V	2000 x 750 x 859	932,19
03.19.10V9	2000 x 750 x 959	963,26

Box workbenches

Box workbenches 2000 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 2000 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1965 mm



- Left: 1x drawer, 1x hinged door
- Central: 1x half shelf with rear wall
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.24V	2000 x 750 x 859	1.339,87
03.19.24V9	2000 x 750 x 959	1.370,94

Individual arrangement

Workbench with 2x empty housing and 1x half shelf with rear wall, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.002	2000 x 750 x 859	709,71
03.19.002-9	2000 x 750 x 959	740,78

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 4x drawer
- Central: 1x half shelf with rear wall
- Right: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.45V	2000 x 750 x 859	1.845,74
03.19.45V9	2000 x 750 x 959	1.876,81



- Left: 3x drawer
- Central: 1x half shelf with rear wall
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.25V	2000 x 750 x 859	1.567,32
03.19.25V9	2000 x 750 x 959	1.598,40



- Left: 4x drawer
- Central: 1x half shelf with rear wall
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.42V	2000 x 750 x 859	1.439,31
03.19.42V9	2000 x 750 x 959	1.470,38



- Left: 1x hinged door, 1x shelf
- Central: 1x half shelf with rear wall
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.27V	2000 x 750 x 859	955,80
03.19.27V9	2000 x 750 x 959	986,88



- Left: 4x drawer
- Central: 1x half shelf with rear wall
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.28V	2000 x 750 x 859	1.731,39
03.19.28V9	2000 x 750 x 959	1.762,47



- Left: 3x drawer
- Central: 1x half shelf with rear wall
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.29V	2000 x 750 x 859	1.670,49
03.19.29V9	2000 x 750 x 959	1.701,56

Box workbenches

Box workbenches 2000 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 2000 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1708 mm



- Left: 1x drawer, 1x hinged door
- Central: 1x drawer, 1x hinged door
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.32V	2000 x 750 x 859	1.367,21
03.19.32V9	2000 x 750 x 959	1.398,28

Individual arrangement

Workbench with 3x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.001	2000 x 750 x 859	763,16
03.19.001-9	2000 x 750 x 959	794,22

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA 100 kg 100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 3x drawer
- Central: 3x drawer
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.33V	2000 x 750 x 859	2.049,58
03.19.33V9	2000 x 750 x 959	2.080,66



- Left: 1x hinged door, 1x shelf
- Central: 3x drawer
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.35V	2000 x 750 x 859	1.438,05
03.19.35V9	2000 x 750 x 959	1.469,13



- Left: 1x drawer, 1x hinged door
- Central: 1x hinged door, 1x shelf
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.34V	2000 x 750 x 859	1.288,90
03.19.34V9	2000 x 750 x 959	1.319,98



- Left: 5x drawer
- Central: 3x drawer
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.36V	2000 x 750 x 859	1.933,99
03.19.36V9	2000 x 750 x 959	1.965,06



- Left: 5x drawer
- Central: 3x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.44V	2000 x 750 x 859	2.319,29
03.19.44V9	2000 x 750 x 959	2.350,37



- Left: 4x drawer
- Central: 4x drawer
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.46V	2000 x 750 x 859	1.950,14
03.19.46V9	2000 x 750 x 959	1.981,22

Box workbenches

Box workbenches 2000 | Depth 750 mm

Suitable divider material for the R 24-24 can be found on page 83

kg 1000

- Drawer interior dimension 600 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 2000 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Frame width 1965 mm



- Left: 4x drawer
- Central: 2x shelf with rear wall
- Right: 2x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.03V	2000 x 750 x 859	1.687,89
03.20.03V9	2000 x 750 x 959	1.718,96

Individual arrangement

Workbench with 2x empty housing, usable height 600 mm
2 shelves in the centre with rear wall

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.001	2000 x 750 x 859	815,36
03.20.001-9	2000 x 750 x 959	846,42

Hinged doors

- Usable width 645 mm

Item no.	Version	Usable heights (mm)	Price in €
03.070.450L	left	450	77,06
03.070.450R	right	450	77,06
03.070.600	left+right	600	98,18

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-00*	705 x 705 x 20	42,26
03.1094.03**	536 x 705 x 20	36,04

* Shelf behind hinged door
** Centre shelf

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA
100 kg
100%

- 600 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.70.050V07	50	28	30	119,32
60.70.075V10	75	56	58	123,05
60.70.100V10	100	81	83	125,53
60.70.125V10	125	81	108	134,23
60.70.150V10	150	131	133	139,21
60.70.175V10	175	131	158	142,94
60.70.200V10	200	181	183	145,41
60.70.250V10	250	181	233	150,38
60.70.300V10	300	181	283	159,10



- Left: 4x drawer
- Central: 2x shelf with rear wall
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.04V	2000 x 750 x 859	1.909,14
03.20.04V9	2000 x 750 x 959	1.940,20



- Left: 5x drawer
- Central: 2x shelf with rear wall
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.11V	2000 x 750 x 859	2.018,51
03.20.11V9	2000 x 750 x 959	2.049,58



- Left: 1x drawer, 1x hinged door
- Central: 2x shelf with rear wall
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.14V	2000 x 750 x 859	1.467,89
03.20.14V9	2000 x 750 x 959	1.498,97



- Left: 3x drawer
- Central: 2x shelf with rear wall
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.18V	2000 x 750 x 859	1.687,89
03.20.18V9	2000 x 750 x 959	1.718,96



- Left: 5x drawer
- Central: 2x shelf with rear wall
- Right: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.15V	2000 x 750 x 859	2.132,86
03.20.15V9	2000 x 750 x 959	2.163,93



- Left: 2x drawer, 1x hinged door
- Central: 2x shelf with rear wall
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.13V	2000 x 750 x 859	1.679,20
03.20.13V9	2000 x 750 x 959	1.710,27

Box workbenches

Box workbenches 2500 | Depth 750 mm

Suitable divider material for the R 18-24 can be found on page 75

kg 1000

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 2500 x 750 x 40 mm
- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Delivered partially assembled, worktop delivered separately
- Frame width 2330 mm



- Far left: 1x drawer, 1x hinged door
- Centre left: 1x drawer, 1x hinged door
- Centre right: 1x drawer, 1x hinged door
- Far right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.2222V	2500 x 750 x 859	1.927,78
03.25.2222V9	2500 x 750 x 959	1.989,91

Individual arrangement

Workbench with 4x empty housing, usable height 600 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.001	2500 x 750 x 859	1.122,37
03.25.001-9	2500 x 750 x 959	1.184,51

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
03.050.450L	left	450	68,35
03.050.450R	right	450	68,35
03.050.600	left+right	600	82,03

Shelf

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Height adjustment of 325 mm

Item no.	Grid	Price in €
03.15.95	25 mm	91,97



VA
100 kg
100%

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Far left: 3x drawer
- Centre left: 1x hinged door, 1x shelf
- Centre right: 3x drawer
- Far right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.3131V	2500 x 750 x 859	2.226,09
03.25.3131V9	2500 x 750 x 959	2.288,22



- Far left: 1x drawer, 1x hinged door
- Centre left: 3x drawer
- Centre right: 4x drawer
- Far right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.2342V	2500 x 750 x 859	2.472,18
03.25.2342V9	2500 x 750 x 959	2.534,33



- Far left: 4x drawer
- Centre left: 4x drawer
- Centre right: 3x drawer
- Far right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.4433V	2500 x 750 x 859	3.014,10
03.25.4433V9	2500 x 750 x 959	3.076,25



- Far left: 1x hinged door, 1x shelf
- Centre left: 5x drawer
- Centre right: 3x drawer
- Far right: 2x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.1532V	2500 x 750 x 859	2.602,69
03.25.1532V9	2500 x 750 x 959	2.664,83



- Far left: 5x drawer
- Centre left: 5x drawer
- Centre right: 4x drawer
- Far right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.5541V	2500 x 750 x 859	3.010,36
03.25.5541V9	2500 x 750 x 959	3.072,51



- Far left: 6x drawer
- Centre left: 4x drawer
- Centre right: 3x drawer
- Far right: 2x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.25.6432V	2500 x 750 x 859	3.087,43
03.25.6432V9	2500 x 750 x 959	3.149,58

Worktables/workbenches

- Stable square tube frame 40 x 40 x 2 mm
- For assembly, workshop and shipping
- Rear stiffening plate connected to worktop and frame
- Half shelf depth 385 mm
- Beech multiplex worktop, 1500/2000 x 750 x 40 mm
- Levelling feet
- Working height 859 mm or 959 mm
- Load Capacity 300 kg





Worktable/bench

- Beech multiplex worktop 40 mm
- 1x half shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.30	1500 x 750 x 859	432,53
03.14.30-9	1500 x 750 x 959	463,60
03.19.30	2000 x 750 x 859	529,48
03.19.30-9	2000 x 750 x 959	560,56

Suitable divider material for the R 18-24 can be found on page 75



Worktable/bench R 18-24

- Beech multiplex worktop 40 mm
- 1x half shelf
- 1x drawer 150 mm, full pull-out, load capacity 100 kg
- Cylinder lock with two keys

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.31V	1500 x 750 x 859	689,83
03.14.31V-9	1500 x 750 x 959	720,90
03.19.31V	2000 x 750 x 859	786,77
03.19.31V-9	2000 x 750 x 959	817,85




Worktable/bench R 18-24

- Beech multiplex worktop 40 mm
- 1x half shelf
- Left: 1x drawer 150 mm, full pull-out, load capacity 100 kg
- Right: 1x drawer 150 mm, full pull-out, load capacity 100 kg
- Cylinder lock with two keys

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.32V	1500 x 750 x 859	947,11
03.14.32V-9	1500 x 750 x 959	978,19
03.19.32.1V	2000 x 750 x 859	1.044,06
03.19.32.1V-9	2000 x 750 x 959	1.075,13

More Worktops from page 434



Worktable/bench frame

- Stable square tube frame 40 x 40 x 2 mm
- For assembly, workshop and shipping
- Levelling feet
- Supplied without worktop and steel shelf

kg 300

Item no.	Dimensions in mm (WxDxH)	Price in €
03.055.00	625 x 736 x 819	122,97
03.055.00-9	625 x 736 x 919	153,54
03.075.00	775 x 736 x 819	125,53
03.075.00-9	775 x 736 x 919	156,61
03.10.00	990 x 736 x 819	130,50
03.10.00-9	990 x 736 x 919	161,58
03.12.00	1165 x 736 x 819	137,97
03.12.00-9	1165 x 736 x 919	169,04
03.14.00	1465 x 736 x 819	166,56
03.14.00-9	1465 x 736 x 919	197,64
03.17.00	1708 x 736 x 819	180,22
03.17.00-9	1708 x 736 x 919	210,79
03.19.00	1965 x 736 x 819	180,22
03.19.00-9	1965 x 736 x 919	211,30
03.25.00	2465 x 736 x 819	193,88
03.25.00-9	2465 x 736 x 919	224,96




Beech multiplex worktop

- Glue laminated, oiled
- Water repellent
- Gluing according to EN 314-2

Item no.	Dimensions in mm (WxDxH)	Price in €
03.7575.40	750 x 750 x 40	111,87
03.81.40	810 x 750 x 40	120,56
03.10.40	1000 x 750 x 40	149,15
03.125.40	1250 x 750 x 40	186,44
03.15.40	1500 x 750 x 40	223,72
03.1775.40	1750 x 750 x 40	261,02
03.20.40	2000 x 750 x 40	298,30
03.25.40	2500 x 750 x 40	372,87

The worktables and workbenches are generally equipped with levelling feet.





Steel shelf, full depth

- Includes an additional brace underneath
- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Table widt in mm	Price in €
03.2018-06D	542 x 735 x 40	625	74,58
03.2018-08D	693 x 735 x 40	775	79,54
03.2018-01D	883 x 735 x 40	965	87,00
03.2018-07D	1083 x 735 x 40	1165	96,95
03.2018-02D	1383 x 735 x 40	1465	104,41
03.2018-09D	1623 x 735 x 40	1708	113,73
03.2018-05D	1883 x 735 x 40	1965	123,05

Steel shelf, half depth

- Load capacity 80 kg

Item no.	Dimensions in mm (WxDxH)	Table width in mm	Price in €
03.2018-06	543 x 385 x 40	625	24,86
03.2018-08	693 x 385 x 40	775	27,34
03.2018-01	883 x 385 x 40	965	29,83
03.2018-07	1083 x 385 x 40	1165	33,56
03.2018-02	1383 x 385 x 40	1465	42,26
03.2018-09	1623 x 385 x 40	1708	44,43
03.2018-05	1883 x 385 x 40	1965	50,95

Worktables/workbenches



Additional front brace

Item no.	Dimensions in mm (WxDxH)	Table width in mm	Price in €
02-00113	545 x 35 x 35	625	26,10
02-00110	695 x 35 x 35	775	27,34
02-00793	885 x 35 x 35	965	29,83
02-00218	1085 x 35 x 35	1165	32,31
02-00109	1385 x 35 x 35	1465	34,80
02-00212	1628 x 35 x 35	1708	37,29
02-00108	1885 x 35 x 35	1965	39,77

With an additional front brace, a pair of adapters is needed for mounting a hanging base cabinet

- Beech multiplex

Item no.	Dimensions in mm (WxDxH)	Price in €
03ADAPAWTSL	650 x 35 x 35	19,89



Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859 mm
- When retrofitting already delivered workbenches, the holes for mounting must be drilled yourself

Item no.	Version	Price in €
03.15.95	Height adjustment of 325 mm	91,97



Floor anchor

- For floor anchoring workbenches
- 4 anchors

Item no.	Version	Price in €
03.00.33	L-bracket for fixed screw connection to the foot	26,35
03.00.34	For sliding in between the floor glides	22,38



Mobile add-on

- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Load capacity 400 kg
- Working height 950 mm
- With handle

Item no.	Price in €
04.KWBM125	128,02



Mobile add-on (not retrofittable)

- Only for box workbenches with 859 mm height
- 2x fixed caster, 2x steering caster with lock, Ø 200 mm
- Load capacity 600 kg
- Working height 990 mm
- With handle

Item no.	Price in €
04.KWBM200	272,21

Mobile workbenches
s. page 486



Example application





Lift/lower chassis retrofittable
- Dynamic load capacity: 450 kg
- Static load capacity: 1000 kg
- 2x steering caster, 2x fixed caster, Ø 80 mm, polyamide
- **Not possible for workbenches with half shelf**
- Only suitable for workbench height 859 mm

Item no.	Width in mm	Weight in kg	Price in €
03.HUB08175	810	20,5	329,37
03.HUB12075	1250	24,4	339,32
03.HUB15075	1500	27,4	349,25
03.HUB17575	1750	29,9	359,20
03.HUB20075	2000	32,4	369,14

Lift/lower chassis retrofittable
- Dynamic load capacity: 450 kg
- Static load capacity: 1000 kg
- 2x steering caster, 2x fixed caster, Ø 80 mm, polyamide
- **Not possible for workbenches with half shelf**
- Only suitable for workbench height 959 mm

Item no.	Width in mm	Weight in kg	Price in €
03.HUB081759	810	24,0	401,47
03.HUB120759	1250	27,8	408,92
03.HUB150759	1500	30,8	426,32
03.HUB175759	1750	33,3	443,72
03.HUB200759	2000	35,8	461,13

Inline workbenches





- Housing made from high-quality thin sheet metal, frame 1.5 mm thick
- Welded base frame made of 50 x 50 x 2 mm square tube
- Maximum load of up to 1 t
- The modular principle enables a variable arrangement of the mobile drawer cabinets or workbench feet
- Usable height of housing 700 mm, doors and drawers flush with the housing
- Recessed, full-length handle bars with labelling strips and transparent cover
- Secure central locking, combination locking systems are possible
- Drawers with ball-bearing guides
- Worktops made of beech multiplex, glue laminated, oiled, water-repellent
- Delivered unassembled, for easy self-assembly

Depth 600 mm

Quick info		
Worktop	Beech multiplex	40 mm or 25 mm
Drawers	Height	819 mm
	Pull-out	100 %
	Single pull-out lock	Yes
	Load capacity	50 – 75 kg
	Ball bearing guides	Yes
Grid	R 24-16 and R 36-16	
Lock	Cylinder lock with two keys	Yes
	Master key	Yes

General dimensions	
Work height	859 mm
Worktop depth	600 mm
Drawer heights	75, 100, 150, 200, 250, 300 mm
Internal drawer height	Front height minus 10 mm
Drawers (W x D)	600 x 400 mm and 900 x 400 mm
Choose from our extensive range of colours. Combinations are possible without extra charge. When placing your order, please indicate the desired colour/colour combination. Our standard colours can be found on page 27	

Depth 750 mm

Quick info		
Worktop	Beech multiplex	40 mm
Drawers	Height	819 mm
	Full pull-out	100 %
	Single pull-out lock	Yes
	Load capacity	70 – 100 kg
	Ball-bearing guides	Yes
Grid	R 18-24 and R 24-24	
Lock	Cylinder lock with two keys	Yes
	Master key	Yes

General dimensions	
Work height	859 mm
Worktop depth	750 mm
Drawer heights	50, 75, 100, 125, 150, 175, 200, 250, 300, 400 mm
Internal drawer height	Front height minus 17 mm
Drawers (W x D)	450 x 600 mm and 600 x 600 mm
Choose from our extensive range of colours. Combinations are possible without extra charge. When placing your order, please indicate the desired colour/colour combination. 1st colour = body colour, 2nd colour = front colour Our standard colours can be found on page 27	

Inline workbenches 1500 | 600 mm

Suitable divider material for the R 24-16 can be found on page 57

kg 1000

R 24-16 drawer series

- Drawer interior dimension 600 x 400 mm
- Load capacity of drawers either 50 kg or 75 kg
- Base frame, fixed height made of 50 x 50 x 2 mm square tube
- HA-foot 719 – 1019 mm, made of 70 x 40 x 2 mm U-profile
- Beech multiplex workbench top, 1500 x 600 mm
- Cylinder lock with two keys
- 1000 kg total load capacity
- Delivered unassembled, for easy self-assembly



- Beech multiplex worktop, 1500 x 600 x 40 mm
- 4x drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03.068.103	1500 x 600 x 844	50 kg	812,88
03.068.103-75	1500 x 600 x 844	75 kg	917,28



- Beech multiplex worktop, 1500 x 600 x 40 mm
- 5x drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03.068.221	1500 x 600 x 859	50 kg	909,82
03.068.221-75	1500 x 600 x 859	75 kg	1.040,32



Beech multiplex worktop

Item no.	Dimensions in mm (WxDxH)	Price in €
03.1560.25	1500 x 600 x 25	140,45
03.1560.40	1500 x 600 x 40	178,98


03.50.01
Base frame, fixed height



Base frame

Item no.	Dimensions in mm (WxDxH)	Price in €
03.50.01	150 x 500 x 819	63,39
03.50.02	150 x 500 x 719 – 1019	75,81

Drawer cabinets R 24-16
680 x 500 x 819 mm




- 4x drawer

Item no.	Load capacity	Price in €
68.022	50 kg	609,04
68.022-75	75 kg	713,44



- 5x drawer

Item no.	Load capacity	Price in €
68.140	50 kg	667,45
68.140-75	75 kg	797,96



- 6x drawer

Item no.	Load capacity	Price in €
68.420	50 kg	725,86
68.420-75	75 kg	882,47

Other base cabinets can be found on/from page 261

Inline workbenches 2000 | 600 mm

Suitable divider material for the R 36-16 can be found on page 63

kg 1000

R 36-16 drawer series

- Drawer interior dimension 900 x 400 mm
- Base frame, fixed height made of 50 x 50 x 2 mm square tube
- HA-foot 719 – 1019 mm, made of 70 x 40 x 2 mm U-profile
- Beech multiplex workbench top, 2000 x 600 mm
- Cylinder lock with two keys
- 1000 kg total load capacity
- Delivered unassembled, for easy self-assembly



- Beech multiplex worktop, 2000 x 600 x 40 mm
- 4x drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03.098.103	2000 x 600 x 844	50 kg	989,37
03.098.103-75	2000 x 600 x 844	75 kg	1.088,80



- Beech multiplex worktop, 2000 x 600 x 40 mm
- 5x drawer

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
03.098.221	2000 x 600 x 859	50 kg	1.113,67
03.098.221-75	2000 x 600 x 859	75 kg	1.237,95



Beech multiplex worktop

Item no.	Dimensions in mm (WxDxH)	Price in €
03.2060.25	2000 x 600 x 25	186,44
03.2060.40	2000 x 600 x 40	238,64

03.50.02
Base frame, height-adjustable



Base frame

Item no.	Dimensions in mm (WxDxH)	Price in €
03.50.01	150 x 500 x 819	63,39
03.50.02	150 x 500 x 719 – 1019	75,81

Drawer cabinets R 36-16
980 x 500 x 819 mm



- 5x drawer

Item no.	Load capacity	Price in €
98.140	50 kg	811,62
98.140-75	75 kg	935,92



- 6x drawer

Item no.	Load capacity	Price in €
98.420	50 kg	883,73
98.420-75	75 kg	1.032,88



- 7x drawer

Item no.	Load capacity	Price in €
98.700	50 kg	955,80
98.700-75	75 kg	1.129,82

Inline workbenches 1500/2000 | Depth 750 mm

Drawer cabinets R 18-24

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1500/2000 x 750 x 40 mm
- Base frame, fixed height made of 50 x 50 x 2 mm square tube
- HA-foot 719 – 1019 mm, made of 70 x 40 x 2 mm U-profile
- Cylinder lock with two keys
- 200 kg total load capacity
- Delivered unassembled, for easy self-assembly



- With shelf


Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.000.2	1500 x 750 x 859	459,88
03.20.000.2	2000 x 750 x 859	539,43



- Feet height-adjustable by 300 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.000.3	1500 x 750 x 759 – 1059	432,53
03.20.000.3	2000 x 750 x 759 – 1059	507,12

Individual arrangement



- Individual configuration in modular system

	Item no.	Designation	Description	Dimensions in mm (WxDxH)	Price in €
1	03.15.40	Beech multiplex worktop	Glue laminated, oiled	1500 x 750 x 40 mm	223,72
2	03.20.40			2000 x 750 x 40 mm	298,30
3	03.90.01	Base frame	Made of 50 x 50 x 2 mm square tube	150 x 650 x 819 mm	95,69
	03.90.04	Base frame	Made of 50 x 50 x 2 mm square tube	150 x 650 x 919 mm	105,37
4	03.90.01HV	Base frame, height adjustable	Made of 70 x 40 x 2 mm square tube	150 x 650 x 719 – 1019 mm	104,41
5	520/1V	Hanging base cabinet R 18-24	1x drawer, 150 mm	541 x 736 x 208 mm	257,29
6	535/111V		1x drawer 50 mm, 1x 100 mm, 1x 150 mm	541 x 736 x 358 mm	534,46
7	03.2018-10	Steel shelf	For table width 1500 mm	1295 x 300 x 40 mm	44,74
8	03.2018-11	Steel shelf	For table width 2000 mm	1795 x 300 x 40 mm	49,72

kg 200



■ Hanging base cabinet: 1x drawer

Item no.	Dimensions in mm (WxDxH)	Base frame	Price in €
03.15.520.1V	1500 x 750 x 859	fixed height	672,42
03.20.520.1V	2000 x 750 x 859	fixed height	746,99
03.15.520.1HVV	1500 x 750 x 759 – 1059	height-adjustable	689,83
03.20.520.1HVV	2000 x 750 x 759 – 1059	height-adjustable	764,40



■ Hanging base cabinet: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Base frame	Price in €
03.15.535.2V	1500 x 750 x 859	fixed height	949,60
03.20.535.2V	2000 x 750 x 859	fixed height	1.024,17
03.15.535.2HVV	1500 x 750 x 759 – 1059	height-adjustable	967,00
03.20.535.2HVV	2000 x 750 x 759 – 1059	height-adjustable	1.041,57



■ 2x hanging base cabinet:
Left: 1x drawer Right: 1x drawer

Item no.	Dimensions in mm (WxDxH)	Base frame	Price in €
03.15.520.2V	1500 x 750 x 859	fixed height	929,71
03.20.520.2V	2000 x 750 x 859	fixed height	1.004,29
03.15.520HVV	1500 x 750 x 759 – 1059	height-adjustable	947,11
03.20.520HVV	2000 x 750 x 759 – 1059	height-adjustable	1.021,68

You can find further hanging base cabinets on page 261



Inline workbenches 1500/2000 | Depth 750 mm

Drawer cabinets R 18-24

- Drawer interior dimension 450 x 600 mm
- 1x drawer cabinet
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Base frame made of 50 x 50 x 2 mm square tube
- Beech multiplex workbench top, 1500/2000 x 750 x 40 mm
- Cylinder lock with two keys
- 1000 kg total load capacity
- Delivered unassembled, for easy self-assembly



- Drawer cabinet: 6x drawer


Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.7V	1500 x 750 x 859	1.462,92
03.20.580.7V	2000 x 750 x 859	1.537,49



- Drawer cabinet: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.5V	1500 x 750 x 859	1.339,87
03.20.580.5V	2000 x 750 x 859	1.414,45


Individual arrangement



Workbench with 1x empty housing, usable height 700 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.001	1500 x 750 x 859	712,19



Workbench with 1x empty housing, usable height 700 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.580.001	2000 x 750 x 859	786,77

Divider material see page 75

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
01.050.700EL	left	700	90,73
01.050.700ER	right	700	90,73
01.050.550EL	left	550	78,30
01.050.550ER	right	550	78,30

Shelf

- When using one or no drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
01.050.013	497 x 685 x 40	48,46

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

VA 100 kg 100%

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



■ 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.6V	1500 x 750 x 859	1.359,76
03.20.580.6V	2000 x 750 x 859	1.434,33



■ 7x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.6-1V	1500 x 750 x 859	1.530,04
03.20.580.6-1V	2000 x 750 x 859	1.604,62



■ 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.5-1V	1500 x 750 x 859	1.348,56
03.20.580.5-1V	2000 x 750 x 859	1.423,15



■ 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.2V	1500 x 750 x 859	923,50
03.20.580.2V	2000 x 750 x 859	998,08



■ 6x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.8V	1500 x 750 x 859	1.441,79
03.20.580.8V	2000 x 750 x 859	1.516,37



■ 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.4V	1500 x 750 x 859	1.264,05
03.20.580.4V	2000 x 750 x 859	1.338,62

Inline workbenches with drawer housing 555 x 736 (W x D) | Depth 750 mm

- Drawer interior dimension 450 x 600 mm
- 2x drawer cabinet
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
  Load capacity 180 kg on request
- Beech multiplex workbench top, 1500/2000 x 750 x 40 mm
- Cylinder lock with two keys
- 1000 kg total load capacity
- Delivered unassembled, for easy self-assembly



- Left: 5x drawer
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.7-1V	1500 x 750 x 859	1.865,63
03.20.580.7-1V	2000 x 750 x 859	1.940,20



- Left: 5x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.9V	1500 x 750 x 859	2.203,70
03.20.580.9V	2000 x 750 x 859	2.278,28

Individual arrangement



Workbench with 2x empty housing, usable height 700 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.002	1500 x 750 x 859	1.009,26



Workbench with 2x empty housing, usable height 700 mm

- Incl. beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.580.002	2000 x 750 x 859	1.083,83

Divider material see page 75

VA
100 kg
100%

Hinged doors

- Usable width 495 mm

Item no.	Version	Usable heights (mm)	Price in €
01.050.700EL	left	700	90,73
01.050.700ER	right	700	90,73
01.050.550EL	left	550	78,30
01.050.550ER	right	550	78,30

Shelf

- When using one or no drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
01.050.013	497 x 685 x 40	48,46

- 450 x 600 mm (W x D) with full pull-out 100% - drawers with 50 mm front height: load capacity 70 kg; drawers from 75 mm front height: load capacity 100 kg

Item no.	Front height (mm)	Shell height (mm)	Usable heights (mm)	Price in €
60.50.050V07	50	28	30	109,38
60.50.075V10	75	56	58	113,11
60.50.100V10	100	81	83	116,84
60.50.125V10	125	81	108	130,50
60.50.150V10	150	131	133	133,00
60.50.175V10	175	131	158	135,48
60.50.200V10	200	181	183	142,94
60.50.250V10	250	181	233	147,92
60.50.300V10	300	181	283	151,64



- Left: 5x drawer
- Right: 6x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.112V	1500 x 750 x 859	2.377,71
03.20.580.11V	2000 x 750 x 859	2.452,28



- Left: 4x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.202V	1500 x 750 x 859	2.112,97
03.20.580.20V	2000 x 750 x 859	2.187,55



- Left: 5x drawer
- Right: 7x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.212V	1500 x 750 x 859	2.479,63
03.20.580.21V	2000 x 750 x 859	2.554,22



- Left: 6x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.222V	1500 x 750 x 859	2.288,22
03.20.580.22V	2000 x 750 x 859	2.362,80



- Left: 6x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.232V	1500 x 750 x 859	2.273,31
03.20.580.23V	2000 x 750 x 859	2.347,88



R 18-24 + R 24-24

- 2x beech multiplex worktop 40 mm
- 3x drawer cabinet
- Left: 4x drawer
- Central: 6x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.30.57.14V	3000 x 750 x 859	3.608,22
03.40.57.14V	4000 x 750 x 859	3.682,80

Inline workbenches

Energy block for inline workbench combinations

Removable door so that all components can be easily maintained.





Front side

Back side

Energy block
- Fully assembled with 1x cable reel and 1x hose reel
- 1x socket panel with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connections
- Compressed air supply
- Unwired

Item no.	Dimensions in mm (WxDxH)	Price in €
03.961.2651	200 x 650 x 819	1.006,77

Energy block, empty housing, can be filled from both sides
- Usable height of 750 mm can be used on both sides
- Can be filled with the individual components

Item no.	Dimensions in mm (WxDxH)	Price in €
03.961.265	200 x 650 x 819	270,96

- Reels integrated into the side part offer a total hose/cable length of 6 m
- The door is secured by a cylinder lock and removable so that all components can be easily maintained.

- You can find components to fit for the individual energy supply on/ from page 229
- Delivered unassembled, for easy self-assembly



Inline workbench R 18-24
- Beech multiplex worktop, 1500 x 750 x 40 mm
- Energy block with 1x cable reel and 1x hose reel
- 1x socket panel with 4x earthed sockets
- Base frame made of 50 x 50 x 2 mm square tube
- 1/4" compressed air supply
- Unwired

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.000.E1	1500 x 750 x 859	1.195,20
03.20.000.E1	2000 x 750 x 859	1.269,78



Inline workbench R 18-24
- Beech multiplex worktop, 1500 x 750 x 40 mm
- Drawer cabinet: 5x drawer
- Full pull-out 100 %, load capacity 100 kg
- Energy block with 1x cable reel and 1x hose reel
- 1x socket panel with 3x earthed sockets and on/off switch
- 2x compressed air connection
- 1/4" compressed air supply
- Unwired

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.9E	1500 x 750 x 859	2.265,85
03.20.580.9E	2000 x 750 x 859	2.340,42



Automatic hose reel
- Plastic
- Multi gearlock per rotation
- Incl. 5+1 m PU hose DN 06 and stopper
- Max. pressure 10 bar
- Incl. swivelling mounting plate
- Incl. 1 m connecting hose
- Incl. cover plate

Item no.	Price in €
03.1.06.06SA	201,01



Automatic cable reel
- Plastic
- Protection class IP 24
- Fully insulated, protection against overheating
- With release spring and slip ring
- Incl. 5+1 m cable H05VV-F3G 1.5, earthed plug and coupling, 230 V
- Incl. swivelling mounting bracket
- Incl. cover plate

Item no.	Price in €
03.0.06.05KA	241,22




Cover plate and socket panel
- Cover plate incl. socket panel with 2x earthed sockets

Item no.	Dimensions in mm (W x H)	Price in €
07.861.14	375 x 125	58,42



Cover plate and socket panel
- Cover plate incl. socket panel with 3x earthed sockets with on/off switch

Item no.	Dimensions in mm (W x H)	Price in €
07.861.15	375 x 125	105,14



Cover plate

Item no.	Dimensions in mm (W x H)	Price in €
07.861.04	125 x 125	8,45
07.861.05	250 x 125	9,45
07.861.06	375 x 125	10,44



Cover plate and compressed air
- Cover plate incl. compressed air connection

Item no.	Dimensions in mm (W x H)	Price in €
07.861.07	1/4" - 125 x 125	53,46
07.861.08	1/2" - 125 x 125	53,46



Cover plate and socket panel
- Cover plate incl. socket panel with 4x earthed sockets

Item no.	Dimensions in mm (W x H)	Price in €
07.861.16	375 x 125	84,52



Cover plate and emergency stop
- Cover plate incl. emergency stop button
- Lockable emergency stop button*

Item no.	Dimensions in mm (WxH)	Price in €
07.861.09	125 x 125	80,54
07.861.09-1*	125 x 125	128,86



Cover plate and earthed socket
- Cover plate incl. earthed socket

Item no.	Dimensions in mm (W x H)	Price in €
07.861.11	125 x 125	38,54




Cover plate and CEE socket
- Cover plate incl. CEE socket

Item no.	Dimensions in mm (W x H)	Price in €
07.861.12	16 A - 250 x 125	59,66
07.861.32	32 A - 250 x 125	108,31

Other workbenches

Tool dispensing systems





Corner cabinet

- Used for a right-angled arrangement of drawer cabinets
- Stable version made from high-quality sheet metal, with 2x hinged doors 900 mm
- 2x adjustable shelves and cylinder lock with two keys

Item no.	Dimensions in mm (WxDxH)	Price in €
04.250.20	1050 x 736 x 1019	968,23



- Delivered unassembled, for easy self-assembly

Hinged flap

- Beech multiplex 25 mm, incl. hinges

Pos.	Item no.	Dimensions in mm (WxD)	Price in €
1	04.250.35	705 x 736	157,84

Swing door

- Single-leaf (double-leaf on request)
- Beech multiplex 25 mm, incl. door hinges

Pos.	Item no.	Dimensions in mm (WxH)	Price in €
2	04.250.30	705 x 1019	523,27



Drawer cabinets R 18-24 for 6-corner and 8-corner benches
Dimensions in mm (W x D x H) 555 x 736 x 819 mm
Drawers with full pull-out (FP) 100%
Drawers with 50 mm front height, load capacity 70 kg
Drawers from 75 mm front height, load capacity 100 kg



- 1x drawer
- 1x hinged door

Item no.	Price in €
580/0010.550V	604,06



- 3x drawer
- 1x hinged door

Item no.	Price in €
580/0300.400V	811,62



- Drawer cabinet, divided, 2x drawer each

Item no.	Price in €
580/2.0040V	1.006,77



- Drawer cabinet, divided, 3x drawer each

Item no.	Price in €
580/2.0600V	1.175,80



- Drawer cabinet, divided, 3x drawer each

Item no.	Price in €
580/2.1110V	1.193,21



- 1x hinged door
- 1x Shelf

Item no.	Price in €
580/0001FL	531,97



- 2x drawer
- 1x hinged door

Item no.	Price in €
580/0110/450V	704,73



- 5x drawer

Item no.	Price in €
580/0140V	1.041,57



- Drawer cabinet, divided, 1x drawer each

Item no.	Price in €
580/2.0002V	778,07




- Drawer cabinet, divided, 2x drawer each

Item no.	Price in €
580/2.0202V	994,34

Other workbenches

6-corner group workplaces

Delivered unassembled, for easy self-assembly



6-corner-worktop
- Beech multiplex 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.66	2500 x 2165 x 40	1.584,74

Intermediate plate
- Mounting between two drawer cabinets

Item no.	Dimensions in mm (WxDxH)	Price in €
03.58.20	101 x 30 x 815	37,66

Drawer cabinets
- Dimensions in mm (W x D x H) 555 x 736 x 819 mm
- Drawers with full pull-out 100 %
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm an more - load capacity 100 kg



6-corner-workbench
- 6 x drawer cabinet R18-24, each 2 x drawer 100 mm, 2 x 150 mm, 1 x 200 mm
- 6 x Intermediate plate, between two drawer cabinets
- 1 x 6-corner workbench top, beech multiplex worktop 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.66.05V	2500 x 2165 x 859	8.022,33



6-corner-workbench
- 6 x drawer cabinet R18-24,
  each 3 x drawer 100 mm, (above and below)
- 6 x Intermediate plate
- 1 x 6-corner workbench top, beech multiplex 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.66.2.111V	2500 x 2165 x 859	8.865,53



6-corner-workbench
- 6 x drawer cabinet R18-24,
  each 1 x drawer 100 mm, 1 x 150 mm 1 x hinged door 500 mm
- 6 x Intermediate plate
- 1 x 6-corner workbench top, beech multiplex 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.66.11/450V	2500 x 2165 x 859	6.039,09

Additional components s. page 238





03.66.73-3




6-corner energy ramp

Item no.	Description	Price in €
03.66.73-1	6-corner energy ramp, 6 x socket panel with 2 x earthed socket, 6x 1/4" compressd air connection, unwired, 825 x 715 x 165 mm (W x D x H)	1.234,48
03.66.73-3	6-corner energy ramp, 6 x socket panel with 2 x earthed socket, unwired, 825 x 715 x 165 mm (W x D x H)	913,41
03.66.73/BL	6-corner energy ramp, empty, unequipped and unwired, 6x 375 mm wide	580,44
03.66.73/BL2	6-corner energy ramp two-story, empty, unequipped and unwired, 12x 375 mm wide	707,23
07.861.12	Cover plate incl. CEE socket 16 A, 250 mm wide	59,66
07.861.19	Cover plate incl. network socket, RJ45 socket, 125 mm wide	79,18
07.861.07	Cover plate incl. compress air, 1/4", 125 mm wide	53,46
07.861.21	Cover plate incl. socket panel, socket panel with 2 x earthed socket, 250 mm wide	55,49
07.861.08	Cover plate incl. compressed air, 1/2", 125 mm wide	53,46
07.861.11	Cover plate incl. socket panel with 1 x earthed socket, 125 mm wide	38,54
07.861.14	Cover plate incl. socket panel with 2 x earthed socket, 375 mm wide	58,42
07.861.15	Cover plate incl. socket panel with 3 x earthed socket and on/off switch, 375 mm wide	105,14
07.861.16	Cover plate incl. socket panel with 4 x earthed socket, 375 mm wide	84,52

Other workbenches

8-corner group workplaces

Delivered unassembled, for easy self-assembly



8-corner-worktop

- Beech multiplex 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.88	3020 x 3020 x 40	2.033,42

Intermediate plate

- Mounting between two drawer cabinets

Item no.	Dimensions in mm (WxDxH)	Price in €
03.58.21	261 x 30 x 815	37,66

Drawer cabinets

- Dimensions in mm (W x D x H): 555 x 736 x 819 mm
- Drawers with full pull-out 100 %, load capacity 100 kg



8-corner-workbench

- 8 x drawer cabinet R18-24, each 7 x drawers 100 mm
- 8 x Intermediate plate
- 1 x 8-corner workbench, top beech multiplex 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.88.07V	3020 x 3020 x 859	12.019,58

Additional components s. page 238



8-corner-workbench

- 8 x drawers R18-24, each 3 x drawers 100 mm, 1 x hinged door 400 mm
- 8 x Intermediate plate
- 1 x 8-corner workbench top, beech multiplex 40 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.88.3/400V	3020 x 3020 x 859	8.827,71





03.88.73-1

8-corner energy ramp

Item no.	Description	Price in €
03.88.73-1	8-corner energy ramp, 8 x 1/4" compressed air connector, 8 x socket panel with 2 x earthed socket, unwired, 1075 x 995 x 165 mm, 8 x 375 mm	1.605,96
03.88.73/BL	8-corner energy ramp, empty, unequipped and unwired, 1075 x 995 x 165 mm, 8 x 375 mm wide	710,96
03.88.73/BLB	8-corner energy ramp, empty, unequipped and unwired, 1570 x 1450 x 165 mm, 8 x 500 mm wide	782,05
07.861.12	Cover plate incl. CEE socket 16 A, 250 mm wide	59,66
07.861.19	Cover plate incl. network socket, RJ45 socket, 125 mm wide	79,18
07.861.07	Cover plate incl. compressed air, 1/4", 125 mm wide	53,46
07.861.08	Cover plate incl. compressed air, 1/2", 125 mm wide	53,46
07.861.11	Cover plate incl. socket panel with 1 x earthed socket, 125 mm wide	38,54
07.861.14	Cover plate incl. socket panel with 2 x earthed socket, 375 mm wide	58,42
07.861.15	Cover plate incl. socket panel with 3 x earthed socket and on/off switch, 375 mm wide	105,14
07.861.16	Cover plate incl. socket panel with 4 x earthed socket, 375 mm wide	84,52

Additional components s. page 238

Workbench accessories



ON THE WORKBENCH



Energy duct Seite 238



Worktop covers Page 240





NEW

Universal "on the workbench" accessories Page 241





NEW

Vices and accessories Page 242





Open fronted storage bins, information boards Page 248



NEW

Open fronted storage bins, info boards Page 252

UNDER THE WORKBENCH



Universal "under the workbench" accessories Page 254



NEW

Workplace mats, wooden grating Page 254



Flex-box and hanging base cabinets Page 255

Energy duct





Energy duct mounting bracket for mounting on the worktop

- Mounting brackets for direct mounting on worktop (pair)

Item no.	Dimensions in mm (WxDxH)	Price in €
03.861.04	60 x 52 x 110	16,41



Energy duct, empty

- Universal applicable
- Fuses s. page 285
- Unwired
- The width of the individual cover plates added together equals the width of the energy duct

Item no.	Dimensions in mm (WxDxH)	Systemmaß in mm	Price in €
07.861.501	375 x 60 x 130	-	68,25
07.861.500	500 x 60 x 130	-	70,94
07.861.701	625 x 60 x 130	750	75,57
07.861.801	875 x 60 x 130	1000	85,76
07.861.1251	1125 x 60 x 130	1250	94,46
07.861.1301	1375 x 60 x 130	1500	104,41
07.861.1751	1625 x 60 x 130	1750	110,62
07.861.1801	1875 x 60 x 130	2000	116,84







Energy duct, empty

- 45° inclination
- For mounting on the worktop
- Fuses s. page 285
- Unwired
- The width of the individual cover plates added together equals the width of the energy duct

Item no.	Dimensions in mm (WxDxH)	Price in €
07.861.100S	1000 x 150 x 150	102,91
07.861.125S	1250 x 150 x 150	113,35
07.861.150S	1500 x 150 x 150	125,29
07.861.200S	2000 x 150 x 150	140,20





Cover plate for the energy duct

Item no.	Dimensions in mm (WxH)	Price in €
07.861.04	125 x 125	8,45
07.861.05	250 x 125	9,45
07.861.06	375 x 125	10,44



Cover plate and socket panel

- Cover plate incl. socket panel with 3x earthed sockets with on/off switch

Item no.	Dimensions in mm (WxH)	Price in €
07.861.15	375 x 125	105,14



Cover plate and socket panel

- Cover plate incl. socket panel with 4x earthed socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.16	375 x 125	84,52



Cover plate and socket panel

- Cover plate incl. socket panel with 3x earthed sockets with network connection

Art.-Nr.	Dimensions in mm (WxH)	Price in €
07.861.170	375 x 125	131,78



Cover plate and socket panel

- Cover plate incl. socket panel with 3x earthed sockets with USB charging socket Type A and Type C

Art.-Nr.	Dimensions in mm (WxH)	Price in €
07.861.180	375 x 125	166,84



Cover plate and socket panel

- Cover plate incl. socket panel with 2x earthed socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.21	250 x 125	55,49



USB port

- Cover plate incl. USB A and USB C port

Item no.	Dimensions in mm (WxH)	Price in €
07.861.33	125 x 125	70,19



USB port

- Cover plate incl. earthed socket, USB A and USB C port

Item no.	Dimensions in mm (WxH)	Price in €
07.861.26	125 x 125	88,04



Cover plate and network socket

- Cover plate incl. RJ45 socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.19	125 x 125	79,18



Cover plate and toggle switch

- Cover plate incl. toggle switch

Item no.	Dimensions in mm (WxH)	Price in €
07.861.10	125 x 125	26,10



Cover plate and CEE socket

- Cover plate incl. CEE socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.12	16 A - 250 x 125	59,66
07.861.32	32 A - 250 x 125	108,31



Cover plate and emergency stop

- Cover plate incl. emergency stop button
- Lockable emergency stop button*

Item no.	Dimensions in mm (WxH)	Price in €
07.861.09	125 x 125	80,54
07.861.09-1*	125 X 125	128,86



Cover plate and earthed socket

- Cover plate incl. earthed socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.11	125 x 125	38,54



Cover plate and compress air

- Cover plate incl. compressed air connection

Item no.	Dimensions in mm (WxH)	Price in €
07.861.07	1 / 4" - 125 x 125	53,46
07.861.08	1 / 2" - 125 x 125	53,46

Worktop covers



High-strength non-slip mat for use as a worktop cover, transport securing device and floor mat, made from highly tear-proof PES base material with PVC soft foam special coating.
The "Panther" anti-slip mat is produced in accordance with the latest EU regulations "Restriction of Hazardous Substances" and is free of azo dyes, formaldehyde, silicon and poisonous heavy metals such as lead and cadmium.

Processing: The non-slip mat can be cut with the cutter, perforated with a punch, nailed, riveted and screwed.

Other dimensions on request.

Safety non-slip mats as workbench coverings

Item no.	Dimensions in mm (WxDxH)	Price in €
0310754ANT	1000 x 750 x 4	79,26
0312754ANT	1200 x 750 x 4	99,04
0315754ANT	1500 x 750 x 4	118,90
0320754ANT	2000 x 750 x 4	158,52
0325754ANT	2500 x 750 x 4	220,00
	Cpl. roll	
0340604ANT	600 x 4000 x 4	180,96
0340804ANT	800 x 4000 x 4	241,28
0340104ANT	1000 x 4000 x 4	301,60
	Adhesive	
0340604SANT	600 x 4000 x 4	331,02
0340804SANT	800 x 4000 x 4	441,36

Advantages:
- Temperature resistance approx. -40 °C to +120 °C
- Closed surface – no absorption of liquids
- Excellent resistance to acids, lyes, oil, petrol and diesel
- Melting temperature approx. 250 °C, auto-ignition temperature approx. 350 °C
- Cleaning: wipe with a damp cloth and a solvent-free cleaning agent. Rinse thoroughly with water and allow to dry.



Processing: soft PVC material can be cut with the cutter, perforated with a punch, nailed, riveted and glued with special adhesive.
Properties: Soft PVC, bluish- transparent, glossy and flexible
Normal quality, Shore harsness A approx 80°
Temperature-resistant from -20 °C to +60 °C
UV-stabilised
DOP-, cadmium and silicone free

Soft PVC workbench coverings
- Transparent
- Bluish

Item no.	Dimensions in mm (WxDxH)	Price in €
0310754TRA	1000 x 750 x 4	93,75
0312754TRA	1200 x 750 x 4	117,19
0315754TRA	1500 x 750 x 4	140,63
0320754TRA	2000 x 750 x 4	187,50
0325754TRA	2500 x 750 x 4	234,38

Advantages:
- Particularly long life
- High wear resistance
- Easy to clean
- Recyclable
- VOC values according to European standard

NEW



Rotary plate

- Without locking mechanism
- With ribbed rubber mat

kg 300

Item no.	Dimensions in mm	Price in €
07.60.38OA	Ø 380	315,43
07.60.37OA	Ø 500	421,97
07.60.36OA	Ø 600	496,80

NEW



Rotary plate with locking mechanism

- With locking mechanism every 45°
- With ribbed rubber mat

kg 300

Item no.	Dimensions in mm	Price in €
07.60.38	Ø 380	484,64
07.60.37	Ø 500	585,96
07.60.36	Ø 600	690,03
07.60.38ESD	Ø 380, ESD-version	608,28
07.60.37ESD	Ø 500, ESD-version	673,84
07.60.36ESD	Ø 600, ESD-version	799,00



Frame attachment

- For screwing onto the workbench top

Item no.	For table width	Dimensions in mm (DxH)	Price in €
03.12.98	1200 mm	300 x 360	175,25
03.15.98	1500 mm	300 x 360	201,35
03.20.98	2000 mm	300 x 360	249,82
03.25.98	2500 mm	300 x 360	299,54



Shelf, 3rd level

- Beech multiplex 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.25.33	1000 x 260 x 300	161,58
07.25.35	1500 x 260 x 300	187,68

Roller shutter attachment cabinet for mounting on the workbench

- Incl. 2x perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.990.01.14	910 x 220 x 820	589,15



Scope of delivery without decoration

Workbench accessories, heavy version



Vice Mondial

- Forged from steel
- Jaws interchangeable
- Induction hardened, knurled jaws
- Ground surfaces
- Burnished threaded wrench
- Induction hardened and ground Anvil
- Induction hardened and ground sliding parts
- With adjusting screws
- Opening to the front.
- Color similar to RAL 5001

Item no.	Jaw width in mm	Price in €
03.M88.100	100	243,67
03.M88.125	125	294,18
03.M88.150	150	437,09
03.M88.175	175	630,51



Rotary plate for vice Mondial

- Swivels 360°
- With 2x locking lever

Item no.	Jaw width in mm	Price in €
03.M88.101	100	77,26
03.M88.121	125	88,34
03.M88.151	150	115,89
03.M88.171	175	143,44



Lift for vice Mondial

- The vice can be effortlessly, quickly and safely adjusted up to a height of 215 mm by means of a gas pressure spring and can be rotated 360°.
- The lift can also be used for other types of vices.

Item no.	Jaw width in mm	Price in €
03.M88.102	100	496,79
03.M88.122	125	496,79
03.M88.152	150	496,79
03.M88.172	175	496,79



Vice MG/10

- Made of special cast iron G22
- Dovetail guide
- Replaceable jaws made of steel, knurled and hardened.
- Opening to the rear

Item no.	Jaw width in mm	Price in €
03.M89.080	80	193,42
03.M89.100	100	260,69
03.M89.120	120	348,75
03.M89.150	150	437,09



Rotary plate forVice MG/10

- Swivels 360°

Item no.	Jaw width in mm	Price in €
03.M89.081	80	82,93
03.M89.101	100	143,44
03.M89.121	120	182,07
03.M89.151	150	242,86



Lift for vice MG/10

- The vice can be effortlessly, quickly and safely adjusted up to a height of 215 mm by means of a gas pressure spring and can be rotated 360°.
- The lift can also be used for other types of vices..

Item no.	Jaw width in mm	Price in €
03.M89.082	80	496,79
03.M89.102	100	496,79
03.M89.122	120	496,79
03.M89.152	150	496,79





Panther vice

- Jaws forged and hardened.
- Induction hardened, knurled jaws. Ground surfaces
- Burnished threaded wrench
- Induction hardened and ground anvil
- Induction hardened and ground sliding parts
- Adjustment screws
- Opening to the front
- Color similar to RAL 5009

Item no.	Jaw width in mm	Price in €
03.88.100	100	306,88
03.88.120	120	403,59
03.88.140	140	546,49
03.88.160	160	760,71



LEINEN - Vice Junior

- Maximum stability due to high-strength solid gray cast iron (G 25)
- Cast-on clamping jaws
- With interchangeable jaws. Jaws have one knurled and one smooth side and can be turned around as required
- Absolutely backlash-free movement of upper and lower part due to precision-machined dovetail guide
- Safe guidance even in wide open condition
- High impact resistance and long service life
- Special jaw locking, thus no jaw position change and loosening under impact load
- Cross slide precisely adjustable due to smooth-running, backlash-free spindle operation
- Parallel jaws in toolmaker quality, even after years of use
- Problem-free conversion from „fixed" to „rotating" design
- Opening to the rear
- Hammer finish according to RAL 6011/ also available in RAL 5007.

Item no.	Jaw width in mm	Price in €
03.89.100	100	445,46
03.89.125	125	517,05
03.89.150	150	840,68



Rotary plate

- Swivels 360°
- Also available in RAL 5007

Item no.	Jaw width in mm	Price in €
03.89.101	100	215,30
03.89.102	125	248,26
03.89.105	150	331,19



LEINEN - Lift

- The vice can be effortlessly, quickly and safely adjusted up to a height of 215 mm by means of a gas pressure spring and can be rotated 360°.
- The LEINEN lift can also be used for other types of vices..
- Also available in RAL 5007

Item no.	Jaw width in mm	Price in €
03.89.111	100	496,79
03.89.122	125	496,79
03.89.155	150	496,79

Workbench accessories, lightweight version

Housing for collapsible vlice lift
Only usable in combination with H BB 120 mm bench vise

- Stand versions for modular workbenches
- Built-in version for cabinet workbenches
- With roll-up shutter or with swing door




NEW



- Lockable housing
- Lock can be mounted left or right
- Front plastic roller shutter

Item no.	Dim. in mm (WxDxH)	Type	Price in €
03.84.04	300 x 500 x 819	Floor-standing	352,99
03.84.05	300 x 600 x 819	Floor-standing	370,64
03.84.06	300 x 736 x 819	Floor-standing	389,17
03.84.08	300 x 736 x 685	Installation in a workbench	370,64



- Lockable housing
- Door can be slid in from the left or right
- Solid steel front door

Item no.	Dim. in mm (WxDxH)	Type	Price in €
03.84.20	300 x 500 x 819	Floor-standing	352,99
03.84.21	300 x 600 x 819	Floor-standing	370,64
03.84.22	300 x 736 x 819	Floor-standing	389,17
03.84.23	300 x 736 x 685	Installation in a workbench	370,64

100 mm base for vice housing
- Base for floor-standing cabinets
- Suitable for roller shutter and swing door cabinets

Item no.	Dim. in mm (WxDxH)	Type	Price in €
03.84.07	300 x 500 x 100	Floor-standing	110,61
03.84.31	300 x 600 x 100	Floor-standing	116,14
03.84.32	300 x 736 x 100	Floor-standing	212,95

Vice H entirely forged from steel

- Galvanized spindle wrench with riveted steel retaining rings
- Drop-forged front jaw, protected precision spindle bearings
- Surface hardened clamping jaws
- Slim but stable guide rail
- Tube clamping jaws forged on as standard
- Drop-forged rear jaw with shape-optimized anvil
- Forged-on strong spindle nut
- Drop-forged guide plates
- Adjustable guide via central screw
- Double, internal prismatic guide, thus no contamination and damage



Item no.	Jaw width in mm	Clamping width in mm	Clamping depth in mm	Clamping jaws for tube outside diameter in mm	Weight in kg	Price in €
03.84.100	100	125	50	16-30	4,5	251,39
03.84.120	120	150	65	16-55	9	334,73
03.84.140	140	200	80	27-70	16	462,39
03.84.160	160	225	100	27-100	27	634,97



Lift for vice H

- Height adjustable by 200 mm

Item no.	For jaw width in mm	Load capacity in kg	Weight in kg	Price in €
03.86.100	100	4-10	8	335,32
03.86.120	120	4-10	8	335,32
03.86.140	140	10-16	9	335,32
03.86.160	160	16-29	9	335,32



Tilting device for vice H

Item no.	For jaw width in mm	Lowest point in mm	Folding depth in mm	Weight in kg	Price in €
03.86.121	120	590	460	11,5	516,76
03.86.141	140	630	495	11,9	516,76



Collapsible lift for vice H

Item no.	For jaw width in mm	Lowest point in mm	Folding depth in mm	Load capacity in kg	Weight in kg	Price in €
03.85.120	120	590	460	4-10	14	892,07
03.85.140	140	630	495	10-16	11,9	892,07

Workbench accessories



MAGNEFIX
The new MAGNEFIX protective jaws provide a firm but gentle grip and are the best choice even for demanding craftsmen.
The MAGNEFIX jaws are right-angled, surface-parallel and suitable for all vices, including machine vices, making them equally suitable for production as assembly work. MAGNEFIX protective jaws are equipped with extremely strong magnetic strips for quick and easy assembly.
The magnetic strip is only magnetic against the vise and therefore does not attract iron filings and dirt. In addition, the workpiece is not magnetized.

Advantages:
- Shockproof extruded polycarbonate
- Extremely powerful neodymium magnetic strip
- Holding force for a 100-mm wide protective jaw is 3.5 kg, corresponding to 34N
- Hardened aluminum 6063, T66F25 with magnesium and silicon as alloy components
- Provides superior corrosion protection with first-class surface finish and is ideally suited for firm clamping in a vise while protecting delicate workpieces

PRISMATIC PROTECTIVE JAWS
The MAGNEFIX prismatic protective jaws are designed for versatile use and offer efficient clamping while protecting the workpiece.
Designed for
- horizontal clamping of flat workpieces
- horizontal clamping of round workpieces
- vertical clamping of round workpieces

For thread cutting, it's recommended using only one protective jaw with prisms to prevent damage to the jaw.
The keyway aligns the workpiece, whilte the fluting of the opposite vise jaw prevents rotation.



90° recess at the top for clamping of flat bars during marking or center punching.



Horizontal 120° V-groove for clamping tubes and other round workpieces.



Three vertical V-grooves with 100°, 120° and 130° for clamping tubes and other round workpieces.



MAGNEFIX N

- Neutral protective jaws made of hardened aluminum
- For the clamping of coarse or medium coarse workpieces

Item no.	Für Backenbreite in mm	Price in €
03.06.0100	100	48,80
03.06.0120	120	50,63
03.06.0125	125	50,63
03.06.0140	140	52,73
03.06.0150	150	52,73
03.06.0160	160	56,67
03.06.0180	180	56,67



MAGNEFIX P

- Prismatic pipe protection jaws made of hardened aluminum
- For easy centering

Item no.	Für Backenbreite in mm	Price in €
03.06.3100	100	58,50
03.06.3120	120	60,60
03.06.3125	125	60,60
03.06.3140	140	64,27
03.06.3150	150	64,27
03.06.3160	160	66,11
03.06.3180	180	66,37



MAGNEFIX F

- Protective jaws made of hardened aluminum with fiber cover
- For highly processed workpieces

Item no.	Für Backenbreite in mm	Price in €
03.06.2100	100	52,99
03.06.2120	120	56,67
03.06.2125	125	56,67
03.06.2140	140	60,60
03.06.2150	150	60,60
03.06.2160	160	60,60
03.06.2180	180	060,600

PROTECTIVE JAWS MADE OF POLYURETHANE

The protective jaws are made of highly flexible polyurethane with a Shore hardness of A82. Polyurethane is known for its unique ability to „bite" into the workpiece without damaging or scratching it. At the same time, it's extremly flexible, so it easily returns to its original shape after deformation.





MAGNEFIX G

- Neutral protective jaws made of hardened aluminum
- For the clamping of coarse or medium coarse workpieces

Item no.	Für Backenbreite in mm	Price in €
03.06.1100	100	52,73
03.06.1120	120	56,67
03.06.1125	125	56,67
03.06.1140	140	60,34
03.06.1150	150	60,60
03.06.1160	160	61,91
03.06.1180	180	60,60



MAGNEFIX RUF

- Fluted protective jaws made of polyurethane
- For clamping flat workpieces with very delicate details
- For a firm grip

Item no.	Für Backenbreite in mm	Price in €
03.06.4100	100	56,67
03.06.4125	125	56,67
03.06.4140	140	58,50
03.06.4150	150	60,60



MAGNEFIX PUP

- Fluted protective jaws made of polyurethane
- For clamping flat workpieces with very delicate details

Item no.	Für Backenbreite in mm	Price in €
03.06.5100	100	52,56
03.06.5125	125	56,67
03.06.5140	140	58,50
03.06.5150	150	60,60

Transport and stacking containers

- Stackable, made of high-quality polypropylene, comply with the provisions of the German Food Law
- Suitable for small roller conveyors
- Container size coordinated to pallet dimensions 1200 x 800 mm
- Material: polypropylene



Euro storage bins
- Polypropylene
- Colour: blue

Item no.	Dimensions in mm (WxDxH)	Price in €
03.55498	300 x 400 x 120	22,99
03.55501	300 x 400 x 170	24,24
03.55504	300 x 400 x 220	30,95



300 x 200 x 75



300 x 200 x 145



400 x 300 x 75



400 x 300 x 120

Closed walls and bottom, made of polypropylene
Transport and stacking containers made of polypropylene, comply with the provisions of the German Food Law

		Dimensions in mm (WxDxH)			
	Exterior	200 x 300 x 75	200 x 300 x 145	400 x 300 x 75	400 x 300 x 120
	Interior	157 x 255 x 65	152 x 252 x 133	356 x 255 x 65	356 x 255 x 110
Red	Item no.	078000201	077000201	075750201	075120201
Blue	Item no.	078000202	077000202	075750202	075120202
Green	Item no.	078000203	077000203	075750203	075120203
Yellow	Item no.	078000204	077000204	075750204	075120204
Grey	Item no.	078000205	077000205	075750205	075120205
Price in €		7,76	11,52	9,42	12,16



400 x 300 x 145



400 x 300 x 175



400 x 300 x 210



400 x 300 x 270

Closed walls and bottom, made of polypropylene
Transport and stacking containers made of polypropylene, comply with the provisions of the German Food Law

		Dimensions in mm (WxDxH)			
	Exterior	300 x 400 x 145	300 x 400 x 175	300 x 400 x 210	300 x 400 x 270
	Interior	255 x 356 x 135	255 x 356 x 165	255 x 356 x 200	255 x 356 x 255
Red	Item no.	075000201	075170201	074210201	074000201
Blue	Item no.	075000202	075170202	074210202	074000202
Green	Item no.	075000203	075170203	074210203	074000203
Yellow	Item no.	075000204	075170204	074210204	074000204
Grey	Item no.	075000205	075170205	074210205	074000205
Price in €		15,78	16,55	16,81	21,11



600 x 400 x 75 | 600 x 400 x 120 | 600 x 400 x 145 | 600 x 400 x 175 | 600 x 400 x 270

Closed walls and bottom, made of polypropylene
Transport and stacking containers made of polypropylene, comply with the provisions of the German Food Law

		Dimensions in mm (WxDxH)					
	Exterior	400 x 600 x 75	400 x 600 x 120	400 x 600 x 145	400 x 600 x 175	400 x 600 x 210	400 x 600 x 270
	Interior	352 x 551 x 65	352 x 551 x 110	352 x 551 x 133	352 x 551 x 165	352 x 551 x 200	352 x 551 x 255
Red	Item no.	072750201	072120201	072000201	072170201	071210201	071000201
Blue	Item no.	072750202	072120202	072000202	072170202	071210202	071000202
Green	Item no.	072750203	072120203	072000203	072170203	071210203	071000203
Yellow	Item no.	072750204	072120204	072000204	072170204	071210204	071000204
Grey	Item no.	072750205	072120205	072000205	072170205	071210205	071000205
Price in €		17,12	19,69	23,00	23,71	26,23	30,53



* | * | *

102 x 90/76 x 50 | 105 x 164/150 x 75 | 150 x 230/205 x 125 | 150 x 290/265 x 125 | 213 x 330/301 x 150

Plastic open fronted storage bins
Stackable, made of high-quality polypropylene, comply with the provisions of the German Food Law.
All containers can be fitted with slide-in labels.

		Dimensions in mm (WxDxH)					
	Exterior	102 x 90/76 x 50	105 x 164/150 x 75	150 x 230/205 x 125	150 x 290/265 x 125	213 x 330/301 x 150	213 x 330/297 x 200
	Interior	87 x 70 x 43	85 x 135 x 62	122 x 194 x 113	122 x 254 x 113	179 x 280 x 137	179 x 280 x 185
Red	Item no.	019500221	018500221	017500221	016500221	015500221	014500221
Blue	Item no.	019500222	018500222	017500222	016500222	015500222	014500222
Green	Item no.	019500223	018500223	017500223	016500223	015500223	014500223
Yellow	Item no.	019500224	018500224	017500224	016500224	015500224	014500224
Grey	Item no.	019500225	018500225	017500225	016500225	015500225	014500225
Packing unit		50	25	25	25	10	10
Price in €		48,22	51,36	107,57	147,66	80,90	95,01

*With suspension for holding rails and slotted panels

Info boards



Info board A5, Wall 10

- Complete set made of powder-coated sheet steel, for wall mounting
- Metal wall bracket with 10 display panels
- A5 format (10 pieces in black)
- Tab with blank insert labels

Item no.	Version	Price in €
5507	Black	70,17



Info board A4, Wall 20

- Complete set made of powder-coated sheet steel, for wall mounting
- Metal wall bracket with 20 display panels
- A4 format (5 pieces in each colour: red, yellow, green and dark blue)
- Tab with blank insert labels

Item no.	Version	Price in €
5512	Assorted colours	133,23



Info board A4, Wall 5

- Complete set made of powder-coated sheet steel, for wall mounting
- Metal wall bracket with 5 display panels
- A4 format
- Tab with blank insert labels

Item no.	Version	Price in €
5551R	Red	47,11
5551B	Blue	47,11
5551O	Orange	47,11



Info board A4, Wall 10

- Complete set made of powder-coated sheet steel, for wall mounting
- Metal wall bracket with 10 display panels
- A4 format (2 pieces in each colour: black, red, yellow, green and dark blue)
- Tab with blank insert labels

Item no.	Version	Price in €
5567	Assorted colours	71,00



Info panel A4

- Polypropylene display panels with all-round, coloured profile frame with 5 display panels
- DIN A4 format (5 pieces in each colour: black, red, yellow, green, dark blue, orange, grey, graphite, blue, violet

Item no.	Version	Price in €
5606	Assorted colours	32,06



Magnetic Info board A4 , Wall 5

- Metal wall bracket with magnetic back with 5 display panels
- A4 format
- Can be quickly and easily attached to metallic substrates such as racks or machines

Item no.	Version	Price in €
5914	Black	52,89

Metal sorting racks for the clear sorting of documents. Available in multiple colour and sizes. Ideal for wall mounting, includes fastening material, also suitable for desktop use
Label window on the side



- Sorting rack with 5 compartments
- For A4/folio format
- Powder-coated steel
- (WxDxH): 360 x 250 x 330 mm


Item no.	Version	Price in €
3360-01	Black	123,62
3360-10	Grey	123,62



- Sorting rack with 8 compartments
- For A4/folio format
  Powder-coated steel
- (WxDxH): 360 x 250 x 540 mm

Item no.	Version	Price in €
3361-01	Black	165,01
3361-10	Grey	165,01

Magnetic frame
For the clear presentation of information
- Material: anti-reflective rigid film, thickness 240 my
- Can be used in profile and landscape format
- Frames adhere to all ferrous surfaces
- Scratch-proof frame print
- Back completely sealed with magnets
- Paper can be changed extremely quickly (lift one corner - change paper - let go of corner - done)
- Example applications: Notices on whiteboards, signs on control cabinets and in lockers





Magnetic label bag
- Bag of 50 pieces
- Made of durable PP with two magnet strips for attachment to metallic surfaces such as storage racks
- Scanner-friendly and waterproof
- Blue

Item no.	Internal dimensions (HxW) in mm	External dimensions	Price in €
1741-07	38 x 100	50 x 110	112,22
1742-07	67 x 150	80 x 160	147,44



- Magnetic frame A3
- Bag of 5 pieces

Item no.	Version	Price in €
4868-01	Black	69,35
4868-03	Red	69,35
4868-07	Dark blue	69,35
4868-23	Silver/grey	69,35



- Security magnetic frame A4
- Bag of 5 pieces

Item no.	Version	Price in €
4945-130	Yellow/black	53,51
4945-131	Green/white	53,51
4945-132	Red/white	53,51



- Magnetic frame A4
- Bag of 5 pieces

Item no.	Version	Price in €
4869-01	Black	49,13
4869-03	Red	49,13
4869-07	Dark blue	49,13
4869-23	Silver/grey	49,13

Wall-mounted hanging tool cabinets

- Stable sheet steel construction
- Rear wall with square perforation
- Square perforation 10x10 mm
- Spacing from hole middle to hole middle 38 mm
- Doors can hinged on the right or left
- Cylinder lock with two keys
- Mounting on the wall with dowels and screws



Single shelf for wall-mounted hanging tool cabinet

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87WFB	490 x 180 x 20	21,12
03.87.WFB1000	990 x 290 x 20	27,34





- 1x hinged door, 700 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87W500	500 x 200 x 750	187,68





- 2x hinged door, 700 mm
- 1x drawer FH 75 mm, full pull-out 100%, load capacity 15 kg
- 1x shelf, 990 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87W1000S	1000 x 310 x 750	438,75





- 2x hinged door, 700 mm
- 1x partition wall
- 3x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87W1000	1000 x 200 x 750	309,48





- 3x hinged door, 700 mm
- 2x partition wall
- 4x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87W1500	1500 x 200 x 750	495,94

Wall hanging cabinets with doors

- Inset hinged doors, flush with housing
- Door opening angle approx. 100°
- 1 shelf made of galvanized sheet steel
- Sheet thickness 1 mm
- Load capacity 35 kg
- **For wall mounting:**
  Delivered without mounting material.
  Select suitable mounting material depending on wall condition.
- **For mounting between two support columns:**
  Delivered incl. 4 suspension brackets

NEW



Additional shelf

Ref. No.	Dimensions mm (W x D x H)	Price in €
HF55520FB	552 x 165 x 20	44,13
HF70520FB	702 x 165 x 20	46,82
HF10520FB	1002 x 165 x 20	52,22



Wall hanging cabinets with door

- 1 x hinged door
- 1 x shelf

Ref. No.	Dimensions mm (WxDxH)	Version	Price in €
HF5552060	555 x 200 x 600	Wall-mounted	256,69
HF6002060MW	600 x 200 x 600	Between columns	302,45



Wall hanging cabinets with double doors

- 2 x hinged door
- 1 x shelf

Ref. No.	Dimensions mm (WxDxH)	Version	Price in €
HF7052060	705 x 200 x 600	Wall-mounted	289,90
HF1052060	1005 x 200 x 600	Wall-mounted	312,01
HF9002060MW	900 x 200 x 600	Between columns	357,12

Wall hanging cabinets with 90° hinged door and gas pressure spring

- Inset flap door, flush with housing
- Door opening angle approx. 90°
- Sheet thickness 1 mm
- Load capacity 35 kg
- For wall mounting:
  Delivered without mounting material.
  Select suitable mounting material depending on wall condition.
- For mounting between two support columns:
  Delivered incl. 4 suspension brackets



Gas pressure spring



Handle lock



Door opening angle 90°



Wall hanging cabinet with flap door


Ref. No.	Dimensions mm (WxDxH)	Version	Price in €
HK5553140	555 x 310 x 400	Wall-mounted	313,36
HK6002040MW	600 x 200 x 400	Between columns	358,45



Wall hanging cabinet with flap door

Ref. No.	Dimensions mm (WxDxH)	Version	Price in €
HK7053140	705 x 310 x 400	Wall-mounted	320,10
HK10513140	1005 x 310 x 400	Wall-mounted	330,90
HK9002040MW	900 x 200 x 400	Between columns	375,78

Workplace mats




Preventive health protection by ensuring that workers stand in a safe and healthy way

- High wear resistance
- Good low-temperature behaviour
- Exceptional ageing resistance
- Durability
- Excellent dimensional stability
- Wear resistance
- Environmental compatibility (free of silicon, CFCs, HCFCs, PVC, propellants and solvents)
- Special dimensions possible

- Standard PU colour: anthracite grey.
  Additional charge for coloured mats (opal green + ultramarine blue)
- Weight: 3 kg
- 600 x 900 mm
- Temperature resistance: -40°C to +80°C
- Electrical resistance: 106 Ω (ESD)

1 STANDARD	2 DREHFIT	3 DUOFIT	4 HYDROFIT

Front view



Rear view



Pos.	Item no.	Dimensions in mm (WxD)	Version	Price in €
1	05.BM.101	600 x 900 mm with 2 cm leading edge* on each side. Total size: 640 x 940 mm	**Standard** classic version, surface with round nubs, smooth underneath. Standard PU version for dry areas	174,62
1	05.BM.101-2		**Standard** comfort version, polyether-based or anti-static (for additional charge)	192,19
2	05.BM.102		**DREHFIT** classic version, flattened nubs on the top, smooth underneath. Standard PU version for dry areas	249,48
2	05.BM.102-2		**DREHFIT** comfort version, polyether-based or anti-static (for additional charge)	209,45
3	05.BM.103		**DUOFIT** comfort version with nubs on the top and bottom for softer standing, polyether-based or anti-static (for additional charge)	204,19
4	05.BM.104		**HYDROFIT** black nitrile mat for wet and/or oily areas - semi-circular nubs on the top Honeycomb structure underneath - therefore only standard dimensions** are possible	174,74

Classic version: PUR integral foam mixture, mainly for dry working areas
Comfort version: Polyether-based polyurethane, water-resistant and fire retardant according to DIN 4102, part 14, B1 – for dry and damp working areas

Gluing individual mats

*The leading edges can be clipped and individual mats can be bonded/glued together.
E.g. dimensions 640 mm x 1840 mm or 640 x 2740 mm or
upright glued 940 x 1840 mm or 940 x 2440 mm additional charge for gluing



600 x 900 mm



600 x 1800 mm

** Standard dimensions are all sizes based on a multiple of 600 or 900 mm (see right)

- The comfortable rubber mat is suitable for dry and damp workstations such as workbenches, assembly lines, assembly tables, counters, and checkout areas
- The durable mat is suitable for multi-shift operation
- The thickness and high-quality material of the workstation mat protect against unhealthy cold floors
- Easy to clean and versatile in use, even on floors with underfloor heating
- Workstation mat with the AGR quality seal



ERGOLASTEC ergonomic mat
- RFLX backside
- Color: black
- Material: SBR rubber, hardness 55 Shore A

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
EBD10000650	1000 x 650 x 16	Single mat, beveled on 3 sides	182,69
EBD13501000	1350 x 1000 x 16	Single mat, beveled on 4 sides	304,20
EBD19451000	1945 x 1000 x 16	Split mat, beveled on 4 sides	548,09
EBD25921000	2592 x 1000 x 16	Split mat, beveled on 4 sides	730,80

- Suitable for oil-resistant work areas such as workbenches, lathes, milling machines, or chemical laboratories
- The mat is resistant to various oils, greases, standard cooling lubricants, fuels, and non-polar solvents
- Ideal for workstations with a high risk of slipping
- Very good slip resistance: average mat weight of 20 kg
- Workstation mat with the AGR quality seal



ERGOLASTEC workstation mat
- Oil-, grease- and fuel-resistant
- Color: black
- Material: NBR, hardness 55 Shore A
- Fire protection class: Bfl-s1

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
EOFD10000650	1000 x 650 x 16	Single mat, beveled on 3 sides	237,60
EOFD13501000	1350 x 1000 x 16	Single mat, beveled on 4 sides	414,00
EOFD19451000	1945 x 1000 x 16	Split mat, beveled on 4 sides	648,00
EOFD25921000	2592 x 1000 x 16	Split mat, beveled on 4 sides	950,40


Wall-mounted hanging tool cabinets



Keyboard tray
- Support surface: 500 x 300 mm (WxD)
- Chipboard coated on both sides, 16 mm with edging

Item no.	Dimensions in mm (WxDxH)	Price in €
07.2036	600 x 440 x 125	126,77





Perforated side wall for box workbench frame
- For one side

Item no.	Dimensions in mm (W x H)	Price in €
03.83.736	731 x 720	63,76



Footrest
- Freestanding, inclined

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.09	600 x 300	96,33



Footrest
- Individually adjustable height and incline

Item no.	Dimensions in mm (WxDxH)	Price in €
07.00.30	470 x 410 x 430	182,71



PC support H
- For attachment under the worktop
- Width adjustable

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.06	250 x 550 x 500	62,15

The flex-box cabinet can be used for both heights of the metal and plastic flex-box. Flex-box cabinet see page 260





Plastic Flex-Box



Metall Flex-Box

Flex-box cabinet

- With four pull-outs
- Empty
- Can be used for both heights of the metal and plastic flex-box

kg 50

Item no.	External dimensions in mm (WxDxH)	Price in €
07.5037	507 x 378 x 446	397,52

Flex-box insert boxes

Individual subdivision for the plastic flex box and metal flex box. The insert boxes can also be used for individual arrangement in drawers, racks and cabinets.



Size 1



Size 2



Size 3



Size 4



Size 5

Insert Boxes height 45 mm

Insert box	Item no..	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Packaging unit	Price in €
Size 1	03.456300.45	54 x 54 x 45	48 x 48 x 42	10 Stk.	11,06
Size 2	03.456301.45	54 x 108 x 45	48 x 101 x 42	10 Stk.	14,75
Size 3	03.456302.45	108 x 108 x 45	101 x 101 x 42	10 Stk.	22,13
Size 4	03.456303.45	108 x 162 x 45	101 x 155 x 42	10 Stk.	28,05
Size 5	03.456304.45	108 x 216 x 45	101 x 209 x 42	12 Stk.	42,61

Insert Boxes height 63 mm

Insert box	Item no..	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Packaging unit	Price in €
Size 1	03.456300.63	54 x 54 x 63	48 x 48 x 60	10 Stk.	12,54
Size 2	03.456301.63	54 x 108 x 63	48 x 101 x 60	10 Stk.	17,00
Size 3	03.456302.63	108 x 108 x 63	101 x 101 x 60	10 Stk.	27,33
Size 4	03.456303.63	108 x 162 x 63	101 x 155 x 60	10 Stk.	36,97
Size 5	03.456304.63	108 x 216 x 63	101 x 209 x 60	10 Stk.	48,02

Individual insert boxes on request

Flex-boxes

Plastic flex-box
The polycarbonate hinged lid on a sturdy double-walled base enables the secure storage of small parts.
These can be stored in insert boxes. TThe ergonomic, fold-down handle and the innovative locking technology make the flex-box an ideal storage space. It is available in two heights and in different fittings.


Connected boxes


Handle



19 compartments
- 9 x size 2
- 3 x size 3
- 4 x separators
- Transparente Einsatzboxen

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454223	440 x 355 x 76	405 x 320 x 60	58,57



12 compartments
- 1 x 283 x 60 x 42; 10 x separators

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454270	440 x 355 x 76	405 x 320 x 60	42,70



7 compartments
- 1 x 283 x 60 x 42; 4 x separators

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454200	440 x 355 x 76	405 x 320 x 60	39,35



15 compartments
- 3x size 2
- 6x size 3
- 1x 283 x 60 x 42; 4 separators

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454220	440 x 355 x 76	405 x 320 x 60	46,03



18 compartments
- 6 x size 1
- 3 x size 2
- 1 x size 3
- 1 x size 4
- 1 x size 5
- 1x 283 x 60 x 42; 4 separators

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454230	440 x 355 x 76	405 x 320 x 60	46,31



23 compartments
- 10x size 1
- 5x size 2
- 1x size 3
- 1x size 4
- 1x 283 x 60 x 42; 4 separators

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454210	440 x 355 x 76	405 x 320 x 60	47,83



21 compartments
- 15 x size 2
- 1 x 283 x 60 x 42; 4 x Trennstege

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454240	440 x 355 x 76	405 x 320 x 60	47,83



36 compartments
- 30x size 1
- 1x 283 x 60 x 42; 4 separators

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454250	440 x 355 x 76	405 x 320 x 60	50,52

Metal flex-box
Sturdy, dark blue flex-box made of powder-coated sheet steel with ergonomic plastic handle for the safe and protected transportation of small parts and accessories. Foam in lid closes tightly with the inserts.



Foam in lid



Additional lid lock





23 inserts
- 12x size 1
- 6x size 2
- 3x size 3
- 2x size 4

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454120	440 x 370 x 70	430 x 325 x 63	83,26



12 inserts
- 12x size 3

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454121	440 x 370 x 70	430 x 325 x 63	80,15



24 inserts
- 24x size 2

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454122	440 x 370 x 70	430 x 325 x 63	85,66



48 inserts
- 48x size 1

Item no.	External dimensions in mm (WxDxH)	Usable dimensions in mm (WxDxH)	Price in €
04.KK454123	440 x 370 x 70	430 x 325 x 63	90,58

Flex-box


1 Mounting on the wall
Simple mounting on the wall with dowels and screws


2 Mounting under a workbench
Easy attachment underneath the worktop with screws

3 Freestanding
Each case cabinet stands safely on a worktop or cabinet



Rear of flex-box cabinet
Dimensions in mm





Usable dimension of pull-outs in mm



Individual drawer interlocking prevents unwanted opening





Flex-box cabinet
- With four pull-outs
- Empty
- Can be used for both heights of the metal and plastic flex-box

kg 50

Item no.	External dimensions in mm (WxDxH)	Price in €
07.5037	507 x 378 x 446	397,52

Worktable with flex-box cabinet
- Beech multiplex worktop 40 mm
- Table frame 40 x 40 x 2 mm, bolted
- 1x rear wall, 1x half shelf
- 1x case cabinet with 4 compartments
- Without small parts case

kg 200

Item no.	External dimensions in mm (WxDxH)	Price in €
03.14.30KS	1500 x 750 x 859	785,39

- Drawers with full pull-out (FP) 100%
- Load capacity 20 kg



- 1x drawer, 100 mm
- Usable dimension 300 x 350 x 80 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.01	365 x 400 x 140	93,84



- 2x drawer, 100 mm
- 1x drawer, 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.03	365 x 400 x 500	476,05



- 4x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.04	365 x 400 x 500	529,48



- 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
07.2021	300 x 600 x 600 left	284,63
07.2022	300 x 600 x 600 right	284,63



- 1x drawer, 120 mm
- 1x hinged door left or right

Item no.	Dimensions in mm (WxDxH)	Price in €
07.2016	300 x 600 x 600 left	370,40
07.2017	300 x 600 x 600 right	370,40



- 4x drawer, 3x 120 mm, 1x 180 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.2018	300 x 600 x 600	484,74



- 1x hinged door
- 1x 4x socket bar
- 1x cable outlet box

Item no.	Dimensions in mm (WxDxH)	Price in €
07.2019	300 x 600 x 600 left	338,07
07.2020	300 x 600 x 600 right	338,07



Hanging drawer

- Load capacity 60 kg
- Lockable
- Mounting on the worktop

Item no.	Dimensions in mm (WxDxH)	FH	Price in €
07.2031	476 x 600 x 130	130	224,96
07.2032	476 x 600 x 108	180	236,15



Keyboard tray

- Support surface: 500 x 300 mm (WxD)

Item no.	Dimensions in mm (WxDxH)	Price in €
07.2036	600 x 440 x 125	126,77

Hanging base cabinets depth 500 for screw mounting directly under tabletop

- Drawers with full pull-out (FP) 100%
- Load capacity 50 kg
- Ball bearing guides

Suitable divider material can be found on page 51





Hanging base cabinet R 12-16/R 18-16

- Empty housing

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.032	381 x 500 x 215	150	247,10
01.033	381 x 500 x 365	300	257,29
01.034	381 x 500 x 465	400	278,41
01.035	381 x 500 x 565	500	299,53
01.052	531 x 500 x 215	150	274,34
01.053	531 x 500 x 365	300	278,41
01.054	531 x 500 x 465	400	297,05
01.055	531 x 500 x 565	500	315,68

Drawer R 12-16/R18-16

- All specifications are usable dimensions

Item no.	Dimensions in mm (WxDxH)	Price in €
60.038.075VA	300 x 400 x 60	56,54
60.038.100VA	300 x 400 x 90	58,42
60.038.150VA	300 x 400 x 140	62,15
60.046.075VA	450 x 400 x 60	62,15
60.046.100VA	450 x 400 x 90	64,64
60.046.150VA	450 x 400 x 140	69,61
60.046.200VA	450 x 400 x 190	74,57



- 1x hinged door, 350 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
44.001	531 x 500 x 465	381,57



- 1x drawer, 150 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.150	381 x 500 x 215	321,91
53.150	531 x 500 x 215	341,81



- 2x drawer, 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.011	381 x 500 x 465	410,17
44.011	531 x 500 x 465	446,22



- 3x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.300	381 x 500 x 365	432,53
53.300	531 x 500 x 365	472,31



- 4x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.020	381 x 500 x 465	512,09
53.020	531 x 500 x 465	555,58



- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
- Drawers from 75 mm front height, load capacity 100 kg
- Ball bearing guides

Suitable divider material can be found on page 75





Hanging base cabinet R 18-24

- Empty housing

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.0520	555 x 736 x 215	150	268,48
01.0530	555 x 736 x 365	300	299,54
01.0540	555 x 736 x 465	400	323,17

Drawer R 18-24

- All specifications are usable dimensions

Item no.	Dimensions in mm (WxDxH)	Price in €
60.50.050V07	450 x 600 x 30	109,38
60.50.100V10	450 x 600 x 83	116,84
60.50.150V10	450 x 600 x 133	133,00
60.50.200V10	450 x 600 x 183	142,94



- 1x drawer, 150 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
520/1VA-1	555 x 736 x 215	401,48



- 3x drawer, 1x 50 mm, 1x 100 mm, 1x 150 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
530.111V	555 x 736 x 365	658,75



- 3x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
535/300V	555 x 736 x 365	650,04





- 4x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
535/020V	555 x 736 x 465	790,50

Multi-board setup





Multi-board setup Page 265



Energy duct Page 281



NEW

Multi-board accessories Page 286



NEW

Lighting Page 300



NEW

Perforated walls and accessories Page 311

Workbenches with multi-board setup

MULTI-WALL – suitable for all workstations



Our features	Your advantages
Suitable for all workstations	Custom arrangement options
Modular system	Combinations in different dimensions freely configurable
Two different fastening systems	Suitable for all worktop designs and thicknesses
Perforated and slotted profiles – reinforced and welded	Very stable construction, which the various accessories or special solutions can be attached to
Heights: 650, 950, 1250 & 1550 mm Widths: 700, 1000, 1500 & 2000 mm	Individuality and arrangement can be implemented completely according to customer requirements
Wide range of accessories	The right solution for every application
Attachment of overhead frames with equipment rails possible	Lighting and slider mounted extremely easily, providing ergonomic working conditions
Electricity and compressed air supplied via energy ducts	Power supplied directly at the workplace
Convertible and retrofittable at any time	Additional parts can attached and existing parts can be converted for modified working conditions
All parts available in 17 standard colours	Eco-friendly painting procedure

- **Delivered unassembled, for easy self-assemlby**



Workbenches with multi-board setup

- Full pull-out 100 %, load capacity 100 kg
- Supplied without decoration

Suitable divider material for the R 18-24 and R 24-24 can be found on page 75 and 83



Multi-board setup
- 2x support column, 650 mm
- 2x shelf, 320 mm

Item no.	Dimensions in mm (WxH)	Price in €
03.900.15.33	1500 x 650	356,71

Box workbench R 18-24
- Beech multiplex worktop, 1500 x 750 x 40 mm
- Left: 3x drawer | Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.33V	1500 x 750 x 859	1.451,74



Multi-board setup
- 2x support column, 650 mm
- 1x perforated wall
- 1x shelf, 320 mm

Item no.	Dimensions in mm (WxH)	Price in €
03.900.15.02-01	1500 x 650	328,13

Box workbench R 24-24
- Beech multiplex worktop 40 mm
- Left: 2x shelf | Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.37V	1500 x 750 x 859	878,76

- Full pull-out 100 %, load capacity 100 kg
- Supplied without decoration



Suitable divider material for the R 18-24 can be found on page 75

Multi-board setup
- 2x support column, 1250 mm
- 2x magnetic board
- 2x perforated wall, 1500 mm
- 3x shelf, 320 mm

Item no.	Dimensions in mm (WxH)	Price in €
03.900.15.580.4	1500 x 1250	696,04

Inline workbench R 18-24
- Beech multiplex worktop, 1500 x 750 x 40 mm
- 4x drawer
- Base frame made of 50 x 50 x 2 mm square tube

Item no.	Dimensions in mm (WxDxH)	Price in €
03.15.580.4V	1500 x 750 x 859	1.264,05



Multi-board setup
- 3x support column, 1250 mm
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall, 1000 mm
- 2x shelf, 320 mm
- 1x multi roller shutter cabinet 910 x 210 x 820 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED lighting 37,8 W, 1226 lx

Item no.	Dimensions in mm (WxH)	Price in €
03.900.21	2000 x 1250	2.091,48

Inline workbench R 18-24
- Beech multiplex worktop, 2000 x 750 x 40 mm
- 4x drawer
- Base frame made of 50 x 50 x 2 mm square tube

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.580.4V	2000 x 750 x 859	1.338,62

Workbenches with multi-board setup

- Full pull-out 100 %, load capacity 100 kg
- Supplied without decoration



Multi-board setup
- 2x support column 1250 mm
- 1x energy bar with 3x earthed socket and on/off switch
- 1x perforated wall
- 1x magnetic board
- 2x shelf, 320 mm
- 1x overhead frame
- 2x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x slider

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.14.16	1500 x 750 x 1250	1.280,59

Box workbench R 18-24
- Beech multiplex worktop, 1500 x 750 x 40 mm
- Left: Steel shelf, half depth | Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.16V	1500 x 750 x 859	1.078,86



Multi-board setup
- 3x support column 1250 mm
- 2x energy bar with 3x earthed socket and on/off switch
- 2x perforated wall
- 2x magnetic board
- 2x rail for open fronted storage bins, length 450 mm
- 2x pivot arm support
- 1x pivot arm with shelf
- 1x pivot arm with monitor bracket and keyboard platform
- 3x shelf, 320 mm
- 1x overhead frame
- 2x equipment rail
- 2x LED lighting 28,9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.20.16	2000 x 750 x 1250	2.622,19

Box workbench R 24-24
- Beech multiplex worktop, 2000 x 750 x 40 mm
- Left: 1x hinged door, 1x shelf | Centre: 2x shelf
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.20.16V	2000 x 750 x 859	1.512,63

- Full pull-out 100 %, load capacity 100 kg
- Supplied without decoration

Suitable divider material for the R 18-24 can be found on page 75




Multi-board setup
- 3x support column 1250 mm
- 2x energy bar with 3x earthed sockets and on/off switch
- 2x perforated wall
- 4x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED lighting 37,8 W, 1226 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.22	2000 x 750 x 1250	1.874,83

Box workbench R 18-24
- Beech multiplex worktop, 2000 x 750 x 40 mm
- Left: 1x drawer, 1x hinged door | Centre: 3x drawer
- Right: 1x drawer, 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.37V	2000 x 750 x 859	1.594,66



Multi-board setup
- 3x support column 1250 mm
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x perforated wall
- 2x magnetic board
- 2x rail for open fronted storage bins, length 450 mm
- 2x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x Pivot arm with shelf and ribbed rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.23	2000 x 750 x 1250	1.850,71

Box workbench R 18-24
- Beech multiplex worktop, 2000 x 750 x 40 mm
- Left: 4x drawer | Center: 3x drawer | Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
03.19.38V	2000 x 750 x 859	2.255,90

Workbenches with multi-board setup

- Stable square tube frame 40 x 40 x 2 mm
- For assembly, workshop and shipping
- Completely welded and screwed incl. stiffening plate and leveling feet
- Worktops on/from page 434

Suitable divider material for the R 18-16 can be found on page 51



Multi-board setup
- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall, 1x shelf, 320 mm
- 1x pivot arm support
- 1x pivot arm with monitor bracket and keyboard platform
- 1x overhead frame, 1x equipment rail
- 1 x LED lighting 28,9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.15.14	1500 x 750 x 1250	1.432,97

Worktable/bench R 18-24
- Beech multiplex worktop, 1500 x 750 x 40 mm
- Full pull-out 100 %, load capacity 100 kg
- Incl. hanging drawer 150 mm

VA 100 kg 100%

Item no.	Dimensions in mm (WxDxH)	Price in €
03.14.520V	1500 x 750 x 859	647,55

Mobile drawer cabinet R 18-16
- Including raised edges and ribbed rubber mat
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- 3x drawer, 100 mm
- 1x drawer, 200 mm
- Full pull-out 100%, load capacity 50 kg
- Individual pull-out lock


Item no.	Dimensions in mm (WxDxH)	Price in €
46.301M	530 x 500 x 805	776,33



Lateral PC support

Item no.	Dimensions in mm (WxDxH)	Price in €
07.00.19	225 x 500 x 80	55,92

- Full pull-out 100 %, load capacity 100 kg
- Supplied without decoration



	Item no.	Dimensions in mm (WxDxH)	Description	Price in €
1	03.20.580.3V	2000 x 750 x 859	Inline workbench with drawer cabinet R 18-24, 3 drawers Worktop beech multiplex 2000 x 750 x 40 mm Stable square tube frame 50 x 50 x 2 mm	804,17
2	03.900.20.27		Multi-board setup as shown, 3 x support column, 1 x overhead frame, 1 x equipment rail, 1 x lighting 37,8W-1226 lx, 2 x perforated wall, 2 magnetic board, 1 x energy duct with 4 x earthed sockets, 2 x shelf 320 mm, 1 x shelf 220 mm tief, 1 x conatiner carrier with 8 open fronted storage bins 100x170x80 mm, 2 x rail for open fronted storage bins 450 mm, 1 x pivot arm with perforated wall, shelf and 2 x assembly swift	2.290,74
3	03.935.125.240		Support column left + center 1250 mm height	91,97
4	03.935.125.140		Support column right 1250 mm height	91,97
5	03.983.102	1000 x 20 x 302	Perforated wall 1000 mm, 10 x 10 mm grid	60,90
6	03.983.10	1000 x 20 x 302	Magnetic board 1000 mm	34,19
7	07.861.10.09		Energy duct 1000 mm, 4 earthed socket	178,23
8	03.900.012		Container carrier 1000 mm, incl. 8x open fronted storage bins 100 x 170/140 x 80 mm	64,64
9	03.910.220	1000 x 220 x 20	Shelf 1000 mm tiltable 0,10,20°, 220 mm depth	78,93
10	03.910.320	1000 x 320 x 20	Shelf 1000 mm tiltable 0,10,20°, 320 mm depth	83,90
11	07.861.375.1		Energy duct 375 mm 2x earthed socket, 1x compress air connector	177,20
12	07.98.7074	700 x 700 x 40	Pivot arm with 1 x perforated wall 1 x shelf 220 mm depth, tiltable, 4 x adapter bar, 2 x assembly swift 200 x 200 x 25 mm	447,64
13	07.8920.1	2000 x 750	Overhead frame	203,84
14	03.920.03	2000 x 30 x 30	Equipment rail	85,76
15	03L12M50B	1154 x 70 x 80	LED lighting1200 mm, 37,8 W, 1226 lx, 3822 lm	371,68

Workbenches with multi-board setup

Multi-board setup 1500 mm



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 2x shelf, 320 mm
- 1x perforated wall, 1x pivot arm with platform

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.15.24	1500 x 750 x 1250	Multi-board	1.511,40
03.900.15.24-1	1500 x 1250	Without overhead frame and lighting	1.034,73



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 3x shelf, 320 mm, 1x perforated wall

Item no.	Dim. in mm (WxDxH)	Version	Price in €
03.900.15.25	1500 x 750 x 1250	Multi-board	1.280,21
03.900.15.25-1	1500 x 1250	Without overhead frame and lighting	803,55



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 2x shelf, 320 mm

Item no.	Dim. in mm (WxDxH)	Version	Price in €
03.900.15.23	1500 x 750 x 1250	Multi-board	1.221,80
03.900.15.23-1	1500 x 1250	Without overhead frame and lighting	745,13



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 1x shelf, 320 mm
- 1x perforated wall, 1x magnetic board, 1x pivot arm with platform

Item no.	Dim. in mm (WxDxH)	Version	Price in €
03.900.15.21	1500 x 750 x 1250	Multi-board	1.460,44
03.900.15.21-1	1500 x 1250	Without overhead frame and lighting	983,78



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 4x shelf, 320 mm

Item no.	Dim. in mm (WxDxH)	Version	Price in €
03.900.15.22	1500 x 750 x 1250	Multi-board	1.308,79
03.900.15.22-1	1500 x 1250	Without overhead frame and lighting	832,15



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 28,9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 1x shelf, 320 mm
- 1x perforated wall, 1x magnetic board

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.15.20	1500 x 750 x 1250	Multi-board	1.237,95
03.900.15.20-1	1500 x 1250	Without overhead frame and lighting	761,28



- 3x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 4x shelf, 320 mm
- 2x perforated wall, 1x pivot arm with platform

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.20.24	2000 x 750 x 1250	Multi-board	1.648,00
03.900.20.24-1	2000 x 1250	Without overhead frame and lighting	965,62



- 3x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 6x shelf, 320 mm, 2x perforated wall

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.20.26	2000 x 750 x 1250	Multi-board	1.814,30
03.900.20.26-1	2000 x 1250	Without overhead frame and lighting	1.131,94



- 3x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 4x shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.20.23	2000 x 750 x 1250	Multi-board	1.612,20
03.900.20.23-1	2000 x 1250	Without overhead frame and lighting	929,83




- 3x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 2x shelf, 320 mm
- 2x perforated wall, 2x magnetic board, 1x pivot arm with platform

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.20.21	2000 x 750 x 1250	Multi-board	1.860,16
03.900.20.21-1	2000 x 1250	Without overhead frame and lighting	1.177,80



- 3x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 8x shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
03.900.20.22	2000 x 750 x 1250	Multi-board	1.857,80
03.900.20.22-1	2000 x 1250	Without overhead frame and lighting	1.175,43



- 3x support column, 1x overhead frame, 1x equipment rail
- 1x LED lighting 37,8 W, 1226 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 2x shelf, 320 mm
- 2x perforated wall, 2x magnetic board

Item no.	Dim. in mm (WxDxH)	Version	Price in €
03.900.20.20	2000 x 750 x 1250	Multi-board	1.637,06
03.900.20.20-1	2000 x 1250	Without overhead frame and lighting	954,69

Multi-board setup



Suitable for mounting on worktops from 40 mm and above

Support column profile 30 x 60 mm
- Reinforced by U-profile tube
- Thinner plate thicknesses on request
- Load capacity per column: 60 kg

Item no.	Dimensions in mm	Price in €
03.935.650.240	650 left	82,65
03.935.650.140	650 right	82,65
03.935.950.240	950 left	88,25
03.935.950.140	950 right	88,25
03.935.125.240	1250 left	91,97
03.935.125.140	1250 right	91,97
03.935.155.240	1550 left	96,95
03.935.155.140	1550 right	96,95



Runner

Item no.	Price in €
03.HELMLAUFW	50,13



Stopper
For runner

Item no.	Price in €
03.HELMSTO	5,23



Spring balancer with hose



Spring tensioner with hook

Spring balancer with hose
- Max. 8 bar, air flow rate 370 l/min, both sides 1/4"
- 1400 mm pull-out

Item no.	Weight in kg	Price in €
03.900.60	0,4 - 0,8	453,21
03.900.61	0,8 - 1,5	467,28
03.900.62	1,2 - 2,5	473,86

Spring balancer
- 1600 mm pull-out

Item no.	Weight in kg	Price in €
03.900.44	0,4 - 1,0	157,84
03.900.45	1,0 - 2,0	168,78
03.900.46	2,0 - 3,0	182,84





Overhead frame with bolted reinforcement cross-members

Item no.	WxD in mm	Price in €
07.8910.1	1000 x 750	131,75
07.8912.1	1250 x 750	136,72
07.8915.1	1500 x 750	139,21
07.8917.1	1750 x 750	147,92
07.8920.1D	2000 x 750	154,12

*Overhead frames with a width of 2000 mm may sag slightly under higher loads

Overhead frame with bolted reinforcement cross-members

Item no.	WxD in mm	Price in €
07.8920.1	2000 x 750	203,84



Double-sided overhead frame with bolted reinforcement cross-members

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8910.2	1000 x 750	171,27
07.8915.2	1500 x 750	180,96
07.8920.2D*	2000 x 750	200,37



slider

The equipment rail is mounted on the overhead frame and serves to accommodate the slider or the lighting.

Item no.	Dimensions in mm (WxDxH)	Price in €
03.910.03	1000 x 30 x 30	49,72
03.912.03	1250 x 30 x 30	57,18
03.915.03	1500 x 30 x 30	64,64
03.917.03	1750 x 30 x 30	72,09
03.920.03	2000 x 30 x 30	85,76
03.900.01	Slider	18,99


Adapter for extending the equipment rail


Item no.	Price in €
03.900.11	18,93




RAL standard colours, see page 27

Multi-board setup for panel thicknesses from 40 mm







- Table width 750 mm
- Superstructure width centre-centre 650 mm
- 1x support column left
- 1x support column right




- Table width 1000 mm
- Superstructure width centre-centre 950 mm
- 1x support column left
- 1x support column right




- Table width 1250 mm
- Superstructure width centre-centre 1200 mm
- 1x support column left
- 1x support column right




- Table width 1500 mm
- Superstructure width centre-centre 950 mm
- 1x support column left
- 1x support column right




- Table width 1500 mm
- Superstructure width centre-centre 1450 mm
- 1x support column left
- 1x support column right




- Table width 1750 mm
- Superstructure width centre-centre 1700 mm
- 1x support column left
- 1x support column right




- Table width 2000 mm
- Superstructure width centre-centre 950 mm
- 1x support column left
- 1x support column right



- Table width 2000 mm
- Superstructure width centre-centre 1450 mm
- 1x support column left
- 1x support column right



- Table width 2000 mm
- Superstructure width centre-centre 2 x 950 mm
- 2x support column left
- 1x support column right



- Table width 2000 mm
- Superstructure width centre-centre 1900 mm
- 1x support column left
- 1x support column right




Rail for open fronted storage bins on perforated wall

Item no.	Length in mm	Price in €
03.900.06	300	8,34
03.900.05	450	10,56

Open fronted storage bins

- Made of polypropylene (lids on request)


Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.001	100 x 95 / 65 x 50	1,99
03.900.002	100 x 175 / 140 x 75	2,99
03.900.003	145 x 235 / 195 x 125	6,84



Perforated wall

- 2000 mm perforated walls can only be attached to setups with 2 support columns, otherwise 2 x 1000 mm are required
- Steel plate with square perforations, 10 × 10 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.101	700 x 20 x 302	57,18
03.983.102	1000 x 20 x 302	60,90
03.983.104	1250 x 20 x 302	64,64
03.983.103	1500 x 20 x 302	67,12
03.983.106	1750 x 20 x 302	75,81
03.983.105	2000 x 20 x 302	84,52




Slotted wall

- 2000 mm slotted walls can only be attached to setups with 2 support columns, otherwise 2 x 1000 mm are required

Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.111	700 x 20 x 302	57,18
03.983.112	1000 x 20 x 302	60,90
03.983.114	1250 x 20 x 302	64,54
03.983.113	1500 x 20 x 302	67,12
03.983.116	1750 x 20 x 302	75,81
03.983.115	2000 x 20 x 302	84,52

NEW



Magnetic board

- 2000 mm magnetic boards can only be attached to setups with 2 support columns, otherwise 2 x 1000 mm are required

Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.07-1	700 x 20 x 150	22,45
03.983.10-1	1000 x 20 x 150	26,68
03.983.12-1	1250 x 20 x 150	30,26
03.983.15-1	1500 x 20 x 150	35,62
03.983.17-1	1750 x 20 x 150	39,03
03.983.20-1	2000 x 20 x 150	42,93

Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.07	700 x 20 x 302	28,59
03.983.10	1000 x 20 x 302	34,19
03.983.12	1250 x 20 x 302	38,54
03.983.15	1500 x 20 x 302	45,37
03.983.17	1750 x 20 x 302	49,72
03.983.20	2000 x 20 x 302	54,69



Monitor holder incl. crossbar

- 2000 mm crossbars can only be attached to setups with 2 support columns, otherwise 2 x 1000 mm are required

Item no.	Dimensions in mm (WxDxH)	Price in €
03MONTRA070	700 x 125 x 121	115,25
03MONTRA100	1000 x 125 x 121	116,34
03MONTRA125	1250 x 125 x 121	117,48
03MONTRA150	1500 x 125 x 121	120,03
03MONTRA175	1750 x 125 x 121	121,30
03MONTRA200	2000 x 125 x 121	122,64

Additional monitor holder

Item no.	Dimensions in mm (WxDxH)	Price in €
03MONHAL	125 x 125 x 121	94,58

Multi-board accessories

Shelf for hanging between the support columns

- Adjustable height and incline
- Inclination 0°, 10° and 20° incl. roll-off edge
- 2000 mm shelves can only be attached to setups with 2 support columns, otherwise 2 x 1000 mm are required
- Includes bracket
- Load capacity refers to uniformly distributed load





Shelf 700 mm

kg 25

Item no.	Dimensions in mm (WxDxH)	Usable dimensions in mm (WxD)	Price in €
03.907.220	700 x 220 x 20	614 x 218	75,19
03.907.320	700 x 320 x 20	614 x 318	79,54
03.907.420	700 x 420 x 20	614 x 418	85,14

Shelf 1000 mm

kg 25

Item no.	Dimensions in mm (WxDxH)	Usable dimensions in mm (WxD)	Price in €
03.910.220	1000 x 220 x 20	914 x 218	78,93
03.910.320	1000 x 320 x 20	914 x 318	83,90
03.910.420	1000 x 420 x 20	914 x 418	87,62

Shelf 1250 mm

kg 25

Item no.	Dimensions in mm (WxDxH)	Usable dimensions in mm (WxD)	Price in €
03.912.220	1250 x 220 x 20	1164 x 218	84,52
03.912.320	1250 x 320 x 20	1164 x 318	89,49
03.912.420	1250 x 420 x 20	1164 x 418	99,43

Shelf 1500 mm

kg 20

Item no.	Dimensions in mm (WxDxH)	Usable dimension in mm (WxD)	Price in €
03.915.220	1500 x 220 x 20	1414 x 218	88,88
03.915.320	1500 x 320 x 20	1414 x 318	95,69
03.915.420	1500 x 420 x 20	1414 x 418	110,61

Shelf 1750 mm

kg 15

Item no.	Dimensions in mm (WxDxH)	Usable dimension in mm (WxD)	Price in €
03.917.220	1750 x 220 x 20	1664 x 218	94,46
03.917.320	1750 x 320 x 20	1664 x 318	101,92
03.917.420	1750 x 420 x 20	1664 x 418	116,84

Shelf 2000 mm

kg 15

Item no.	Dimensions in mm (WxDxH)	Usable dimension in mm (WxD)	Price in €
03.920.220	2000 x 220 x 20	1864 x 218	100,67
03.920.320	2000 x 320 x 20	1864 x 318	108,14
03.920.420	2000 x 420 x 20	1864 x 418	123,05



Wooden shelf

- For mounting between the support columns
- Plate beech multiplex 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8907.350	700 x 350 x 20	91,97
07.8910.350	1000 x 350 x 20	97,57
07.8912.350	1250 x 350 x 20	104,41
07.8915.350	1500 x 350 x 20	111,87

Fitting carried out completely according to customer requirements, the individual components can be screwed on individually. The energy duct is available in three different lengths. Special brackets offer attachment options between or in front of the support columns or on the overhead frame of the multi-board setup. Attachment directly to the worktop is also possible.

Direct supply of electricity and compressed air via the energy duct. Each component is earthed separately. The individual elements in the energy duct are supplied via M20 cable glands.

For the energy bars offered here, on-site fuse protection is assumed.

Energy duct mounting bracket see page 283



Energy duct

- Energy duct, fully equipped with 1x socket bar with 3x earthed socket with on/off switch
- Unwired

Item no.	Dimensions in mm (WxDxH)	System dimensions mm	Price in €
07.861.10.10	875 x 60 x 130	1000	209,80
07.861.15.10	1375 x 60 x 130	1500	247,35
07.861.20.10	1875 x 60 x 130	2000	263,74



Energy duct

- Energy duct, fully equipped with 1x socket bar with 3x earthed socket with on/off switch
- 2x 1/4" compressed air connection
- Unwired

Item no.	Dimensions in mm (WxDxH)	System dimensions mm	Price in €
07.861.10.11	875 x 60 x 130	1000	307,25
07.861.15.11	1375 x 60 x 130	1500	337,32
07.861.20.11	1875 x 60 x 130	2000	368,14



Energy duct

- Energy duct, fully equipped with 1x socket bar with 3x earthed socket with on/off switch
- 2x 1/4" compressed air connection
- 1x CEE socket 16 A, unwired

Item no.	Dimensions in mm (WxDxH)	System dimensions mm	Price in €
07.861.10.12	875 x 60 x 130	1000	357,47
07.861.15.12	1375 x 60 x 130	1500	394,99
07.861.20.12	1875 x 60 x 130	2000	426,33



Energy duct

- Energy duct, fully equipped with 2x earthed socket with cover plate
- 1x 1/4" compressed air connection
- 1x CEE socket 16 A
- Emergency stop button, unwired

Item no.	Dimensions in mm (WxDxH)	System dimensions mm	Price in €
07.861.10.13	875 x 60 x 130	1000	364,92
07.861.15.13	1375 x 60 x 130	1500	402,46
07.861.20.13	1875 x 60 x 130	2000	418,86

Energy duct accessories



Energy duct, empty

- Universal applicable
- Fuses see page 285
- Unwired
- The width of the individual cover plates added together equals the width of the energy duct

Item no.	Dimensions in mm (WxDxH)	Total width in mm	Price in €
07.861.501	375 x 60 x 130	-	68,25
07.861.500	500 x 60 x 130	-	70,94
07.861.701	625 x 60 x 130	750	75,57
07.861.801	875 x 60 x 130	1000	85,76
07.861.1251	1125 x 60 x 130	1250	94,46
07.861.1301	1375 x 60 x 130	1500	104,41
07.861.1751	1625 x 60 x 130	1750	110,62
07.861.1801	1875 x 60 x 130	2000	116,84

Various mounting options

- Mounting laterally on the support column
- Mounting under the worktop
- Mounting between the support columns









Energy duct

- 45° inclination
- For mounting on the workbench
- Fuses see page 283
- Unwired
- The width of the individual cover plates added together equals the width of the energy duct

Item no.	Dimensions in mm (WxDxH)	Price in €
07.861.100S	1000 x 150 x 150	102,91
07.861.125S	1250 x 150 x 150	113,35
07.861.150S	1500 x 150 x 150	125,29
07.861.200S	2000 x 150 x 150	140,20





Energy duct mounting bracket for mounting in front of the support columns

- Mounting brackets for mounting energy duct in front of support columns (pair)

Item no.	Version in mm	Price in €
07.861.03	1000 / 1500	18,52
07.861.03-1	625 / 2000	20,26



Energy duct mounting bracket for mounting on the worktop

- Mounting brackets for direct mounting on worktop (pair)

Item no.	Dimensions in mm (WxDxH)	Price in €
03.861.04	60 x 52 x 110	16,41



Energy duct mounting bracket for mounting between the support columns

- Mounting brackets for mounting energy duct between support columns (pair)

Item no.	Dimensions in mm (WxDxH)	Price in €
07.861.01-1	33 x 38 x 117	15,16



Cover plate and network socket

- Cover plate incl. RJ45 socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.19	125 x 125	79,18



Cover plate and toggle switch

- Cover plate incl. toggle switch

Item no.	Dimensions in mm (WxH)	Price in €
07.861.10	125 x 125	26,10



Cover plate and CEE socket

- Cover plate incl. CEE socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.12	16 A - 250 x 125	59,66
07.861.32	32 A - 250 x 125	108,31



Cover plate and emergency stop

- Cover plate incl. emergency stop button
- Lockable emergency stop button*

Item no.	Dimensions in mm (WxH)	Price in €
07.861.09	125 x 125	80,54
07.861.09-1*	125 x 125	128,86



Cover plate and earthed socket

- Cover plate incl. earthed socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.11	125 x 125	38,54




Cover plate and compress air

- Cover plate incl. compressed air connection

Item no.	Dimensions in mm (WxH)	Price in €
07.861.07	1 / 4" - 125 x 125	53,46
07.861.08	1 / 2" - 125 x 125	53,46

Energy duct accessories

NEW



Cover plate for the energy duct

Item no.	Dimensions in mm (WxH)	Price in €
07.861.04	125 x 125	8,45
07.861.05	250 x 125	9,45
07.861.06	375 x 125	10,44



Cover plate and socket panel

- Cover plate incl. socket panel with 3x earthed sockets with network connection

Item no.	Dimensions in mm (WxH)	Price in €
07.861.170	375 x 125	131,78



Cover plate and socket panel

- Cover plate incl. socket panel with 3x earthed sockets with USB charging socket Type A and Type C

Item no.	Dimensions in mm (WxH)	Price in €
07.861.180	375 x 125	166,84



Cover plate and socket panel

- Cover plate incl. socket panel with 3x earthed sockets with on/off switch

Item no.	Dimensions in mm (WxH)	Price in €
07.861.15	375 x 125	105,14



Cover plate and socket panel

- Cover plate incl. socket panel with 4x earthed socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.16	375 x 125	84,52



Cover plate and socket panel

- Cover plate incl. socket panel with 2x earthed socket

Item no.	Dimensions in mm (WxH)	Price in €
07.861.21	250 x 125	55,49
07.861.14	375 x 125	58,42



USB port

- Cover plate incl. earthed socket, USB A and USB C port

Item no.	Dimensions in mm (WxH)	Price in €
07.861.26	125 x 125	88,04




USB port

- Cover plate incl. USB A and USB C port


Item no.	Dimensions in mm (WxH)	Price in €
07.861.33	125 x 125	70,19





Cover plate for fuses
- Cover plate incl. pre-lasered cutouts for fuses

Item no.	Dimensions in mm (WxH)	Price in €
07.861.13	375 x 125	27,34



Cover plate for fuse size 1
- Cover plate incl. pre-lasered cutouts for fuse

Item no.	Dimensions in mm (WxH)	Price in €
07.861.22	125 x 125	9,29



Cover plate for fuse size 2
- Cover plate incl. pre-lasered cutouts for fuses

Item no.	Dimensions in mm (WxH)	Price in €
07.861.23	125 x 125	9,29



Cover plate for fuse size 3
- Cover plate incl. pre-lasered cutouts for fuses

Item no.	Dimensions in mm (WxH)	Price in €
07.861.24	125 x 125	9,29



Cover plate for fuse size 4
- Cover plate incl. pre-lasered cutouts for fuses

Item no.	Dimensions in mm (WxH)	Price in €
07.861.30	125 x 125	9,29



Installation contactor 20 A
- Size 1
- 230 V
- For earthed sockets

Item no.	Price in €
03.74.16	82,03



Installation contactor 20 A
- Size 2
- 400 V
- For CEE sockets

Item no.	Price in €
03.74.17	82,03



Circuit breaker B
- Size 1
- 1-pole 16 A
- 230 V
- For earthed sockets

Item no.	Price in €
03.74.18	85,76



Circuit breaker C
- Size 3
- 3-pole 16 A
- 440 V
- For CEE sockets

Item no.	Price in €
03.74.19	100,67



Earth leakage circuit breaker 25A
- Size 2
- 230 V
- For earthed sockets

Item no.	Price in €
03.74.20	121,81



Earth leakage circuit breaker 25 A
- Size 4
- 400 V
- For CEE sockets

Item no.	Price in €
03.74.21	130,50

Multi-board accessories

Advantages of technical optimisation:
- Clean look
- Support column clearance minimised
- Ease of movement of the pivots can be adjusted with a screw (cannot be fully locked)
- Noise minimisation
- Withstands higher torsional moment
- Can also be mounted on superstructure stand with additional bracket



Pivot arm
- Axle diameter 25 mm
- Load capacity 30 kg
- 4x plain bearing
- Dimensions in mm (WxDxH) 40 x 40 x 2 square tube

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.SA	332 x 40 x 40	110,61





Standard pivot arm bracket | Worktop
- For attachment to the worktop

Item no.	Version	Price in €
07.98.01	For 40 x 40 x 2 mm pivot arm	31,07



Standard pivot arm bracket | Support column
- For lateral mounting at support column
- For holding the pivot arm

Item no.	Version	Price in €
07.98.02	For 40 x 40 x 2 mm pivot arm	43,51

Please note:
Pivot arm bracket is mandatory



Pivot arm with depositing tray

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.04	400 x 300 x 48	172,77



Pivot arm with inclinable tray

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.13	450 x 350 x 40	219,99



Pivot arm with pivot frame and shelves
- With 2x inclinable shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.03	680 x 287 x 400	253,56



Pivot arm with document holder A4
- With raised lateral and bottom edge

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.05	215 x 370 x 330	164,07

Please note:
Pivot arm bracket is mandatory



Pivot arm with document holder A4
- With raised bottom edge

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.06	310 x 156 x 310	176,49



Pivot arm with monitor bracket
- VESA 75 / 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.07	700 x 370 x 320	208,81



Pivot arm with monitor bracket and inclined keyboard platform
- VESA 75 / 100 mm
- Platform made of sheet steel

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.15	700 x 370 x 320	251,50



Pivot arm with monitor bracket and keyboard platform
- VESA 75 / 100 mm
- Beech multiplex shelf, 15 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.08	700 x 355 x 322	264,74



Pivot arm with perforated/slotted wall
- For hooks and small parts boxes
- 1st side with slotted wall | 2nd side with perforated wall


Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.10	655 x 45 x 500	352,99



Application example

Open fronted storage bins
- 15 pieces

Item no.	Dimensions in mm (WxDxH)	Price in €
07.45.26	100 x 95 / 65 x 50	44,74



Pivot arm with perforated walls
- Perforated walls on both sides

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.09	680 x 60 x 350	236,15



Pivot arm with shelf and ribbed rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.11	420 x 300 x 20	187,68


Multi-board accessories

Please note:
Pivot arm bracket is mandatory



Pivot arm with shelf
- Beech multiplex 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.12	600 x 350	178,98



Pivot arm with shelf
- Beech multiplex 25 mm
- Tiltable

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.14	400 x 182 x 100	159,10




Keyboard drawer underneath shelf
- For 320 und 420 mm deep shelves

Item no.	Dimensions in mm (WxDxH)	Price in €
PTTAAUFB320	598 x 300 x 95	126,77



Tablet wall mount with pivot arm
- Universal and flexible applicable
- Optimum viewing distance thanks to individual table screen positioning
- Inclination range holder: -6° to +46°; rotatable: 180°
- Colour: silver metallic

Item no.	Dimensions in mm (WxDxH)	Application | Mounting	Price in €
07.8934LW	95 x 225 x 170	Perforated wall	263,06
07.8934TR		Support column	263,06



Roller shutter cabinet
- For hanging between the support columns
- Incl. 2x perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.990.01.14	910 x 220 x 820	589,15



Inclined support for bins
- For lateral mounting at support column
- Includes 6 bins, size 2

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.37	350 x 110 x 82	155,36



Info bag, DIN A4
- For lateral mounting at support column

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.15	216 x 35 x 333	19,39




Folder holder for support column
- For mounting on the support column

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.40	120 x 300 x 340	73,33

- with QuickRelease suitable for VESA-standard 75/100
- Adjustableinhibition
- Perfect cable management with cable clip





Monitor holder static

Item no.	Range mm	Load capacity kg	Price in €
07.969.0039	107	15	161,45
07.969.1039	250	15	177,89

NEW





Monitor arm static

- Two-piece folding arm

Item no.	Range mm	Load capacity kg	Price in €
07.969.2039	450	10	235,06
07.969.3039	505	15	267,10
07.969.30391	700	10	288,19
07.969.30392	800	10	292,73
07.969.30393	900	10	297,41

Monitor holder with telescopic guide

Item no.	Range mm	Load capacity kg	Price in €
07.969.3049	327-426	10	274,94
07.969.30491	476-724	8	296,93





Monitor holder dynamic

- 360° rotatable with adjustable stop 180°
- Monitor arm with gas spring

Item no.	Range mm	Monitor weight kg	Fastening Version	Price in €
07.990.2009	433	2 - 7	Clu	233,83
07.991.3009	525	6 - 15	Clu Plus	341,69

Dual monitor holder

- For monitors up to approx. 27 inch
- Suitable for monitor widths up to 670 mm
- Monitor weight 2,5-7 kg
- Clu Plus fastening

Item no.	Range mm	Price in €
07.992.2009	375	468,29

Multi-board accessories



NEW



Four-Monitor holder static
- Total load capacity: 48 kg
  evenly distributed across all support arms
- Height-adjustable
- Height of the columns 845 mm
- for desktop thickness 15-70 mm

Item no.	Range mm	Price in €
07.220.0080	505	1.198,25

Mounts & adapters



Clu Clu Plus

Table mount
- Flexible 3-in-1 table mount for clamping, cable port or screw fixing
- Clamping length: 10–50 mm

Item no.	Version Monitor arms	Price in €
07.898.0019	Clu	78,67
07.899.0019	Clu Plus	79,66



Clu Clu Plus

Flat adapter
- For mounting column adapter
- 4-sided aluminium profile

Item no.	Version Monitor arms	Price in €
07.898.00991	Clu	22,37
07.899.00991	Clu Plus	35,95



Clu Clu Plus

Round adapter
- For perforated wall rail
- For column clamp and drill screw mounting

Item no.	Version Monitor arms	Price in €
07.898.0099	Clu	22,37
07.899.0099	Clu Plus	35,95



Column with clamp fastening
- Aluminium column
- Includes 2 x cable clips
- For table tops from 14-40 mm
- Clamping depth: 34 mm
- Suitable for all support elements

Item no.	Height mm	Price in €
07.961.0609	445	149,28
07.961.0639	545	160,30




Column with drill-screw fastening
- Aluminium column
- Includes 2 x cable clips
- For table tops from 15-70 mm
- Suitable for all support elements


Item no.	Height mm	Price in €
07.961.0109	445	118,85
07.961.0139	545	127,51
07.961.0119	845	163,70

Column adapter
- Fastening between Multi-board and Monitor holder
- Profile ends covered with plastic caps

Item no.	Höhe mm	Price in €
07.961.02	210	34,10
07.961.03	210	55,22



4-sided aluminium profile
07.961.02



Adapter with 4-sided aluminium profile
07.961.03



Open fronted storage bins can be found on page 279

NEW





Support profile

- Aluminium profile for holding open-fronted storage bins
- Central channel to adapt tool holders
- Profile sections covered by plastic caps
- Connection to TFC Universal folding arms

Item no.	Width mm	Price in €
07.795.8029	525	45,29

Universal folding arm

- Two-piece folding arm
- 8 adjustable positions for up to two crossbars

Item no.	Reach mm	Load capacity kg	Price in €
07.969.4019	500	25	285,84
07.969.40191	700	18	303,24

Perforated wall rail

- Aluminium profile for mounting on an Multi-board
- Flat wall clearance of approx. 20 mm
- Covered screw holes
- Fastening material included

Item no.	Height mm	Price in €
07.911.0079	350	99,00

Accessories



Dual-Monitor mount

- Suitable for monitor widths from 405 to 695 mm, approx. 6.4 kg each
- Monitors up to approx. 30"
- Fixed concave alignment of 7.5° per monitor

Item no.	Width mm	Price in €
07.795.9075	775	147,91



Keyboard mount

- Metal bracket for installation between monitor arm and monitor
- Includes 2 cable clips

Item no.	Dimensions in mm (WxD)	Price in €
07.795.9159	640 x 172	117,07





Thin Client holder

- Load capacity: 7.5 kg
- The holder can be adjusted to the width
- Suitable for attachment to a column, to an organisation wall or directly between a support element and a monitor

Item no.	Width mm	Price in €
07.795.9085	35-53	76,80





Tablet holder

- Maximum tablet depth: 10 mm

Item no.	Height mm	Width mm	Version	Price in €
07.881.3115	108 - 215	186 - 306	up to 10,5"	90,12
07.881.31152	173 - 272	231 - 346	up to 12,9"	96,96



Tablet holder


- Mount for tablets ranging in size from 7" to 10"

Item no.	Clamping length mm	Price in €
07.911.3005	160 - 300	55,70




Pivot frame

Composition of the pivot frame for attachment to the multi-board



Pivot frames can be used from a table width of 1250 mm



Support column 30 x 60 mm

- 1x support column right and 1 x support column left is required for mounting a stiffening crossbar
- Three support columns are required for installation on 2 m work surfaces (2 x left and 1 x right support column)
- Reinforced by U-profile tube
- Suitable for mounting an workf surfaces from 40 mm height
- Thinner plate thicknesses on request

Item no.	Height in mm	Price in €
03.935.125.240	1250 left	91,97
03.935.125.140	1250 right	91,97



Stiffening crossbar

- Mandatory when using a pivot frame

Item no.	Width in mm	Price in €
03.935TR075	750	20,67
03.935TR100	1000	21,76
03.935TR125	1250	22,90
03.935TR150	1500	25,44
03.935TR175	1750	26,72
03.935TR200D	2000	28,05
03.935TR200	Consists of 2 x 950 mm corssbars (for two seperated 2000 mm Multi-boards)	43,50

Further add-on parts such as shelves, magnetic panels or energy bars can be found from page 280 onwards.

Is attached to the left or right side of the support column with 2 x hinges. Swivelling through hinges.

kg 35



Pivot frame combination

- 1 x perforated wall
- 2 x shelf 220 mm depth, adjustable incline
- 4 x adapter strips


Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7071	700 x 700 x 40	484,01



Pivot frame combination

- 2 x Aluminium brace
- 3 x Assembly swift 200 x 200 x 25 mm
- 1 x Assembly swift 400 x 200 x 25 mm
- Assembly swift can be installed straight or inclined

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7072	700 x 700 x 40	379,55



Pivot frame combination

- 1 x magnetic board
- 1 x perforated wall
- 4 x adapter strips
- 1 x assembly swift 400 x 200 x 25 mm
- Assembly swift can be installed straight or inclined

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7073	700 x 700 x 40	397,41



Pivot frame combination

- 1 x perforated wall
- 1 x shelf 220 mm depth, adjustbale incline
- 4 x adapter strip
- 2 x Assembly swift 200 x 200 x 25 mm
- Assembly swift can be installed straight or inclined

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7074	700 x 700 x 40	447,64

Pivot frame attached to the support column, individual equipment

Attaches to the left or right side of the support column
Swivelling through hinges





Pivot frame
- Attaches to the left or right side of the support column with 2 x hinges
- Swivelling through hinges
- Regular multi-board accessories can be attached using adapter strips

kg 35

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7070	700 x 700 x 40	184,32

Aluminium brace
- Attaches to the inside of the pivot frame


Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7080-1	620 x 40 x 40	50,93



Adapter strip with screw joint
- 2 pieces
- Attaches to the aluminium profile
- Adapts regular multi-board accessories to the aluminium profile
- Required for perforated walls, magnetic boards and shelves

kg 50

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7069	44 ,5 x 50 x 300	23,04



Magnetic board
Requires adapter srip


Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.07SR	700 x 20 x 302	28,59



Shelf
Requires adapter strip
- Adjustable in inclination and height
- Inlcination 0°, 10° und 20°, incl. roll-off edge

kg 25


Item no.	Dimensions in mm (WxDxH)	Price in €
03.907.220SR	700 x 220 x 20w	75,18



Perforated wall
Requires adapter strip
- Grid 10x10 mm, 38 mm spacing

Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.101SR	700 x 20 x 302	57,18

Swivel frame for mounting on the worktop
Swivelling due to swivel arm







Pivot frame, for mounting on the worktop, swivelling
- Incl. swivel arm and swivel arm holder
- Regular multi-board accessories can be attached using adapter strips see page 299

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.8010	700 x 700 x 40	289,81

Pivot frame, for mounting on the worktop,
- Incl. swivel arm holder
- Regular multi-board accessories can be attached using adapter strips see page 299

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.8020	700 x 700 x 40	241,31





Pivot frame combination, for mounting on the worktop, swivelling
- Incl. swivel arm and swivel arm holder
- 1 x magnetic board
- 1 x perforated wall
- 4 x adapter strip
- 1 x assembly swift 400 x 200 x 25 mm
- Assembly swift can be installed straight or inclined


Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.8011	700 x 700 x 40	487,14


Pivot frame, for mounting on the worktop,
- Incl. swivel arm holder
- 3 x shelf 220 mm depth, adjustbale incline
- 4 x adapter strip

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.8021	700 x 700 x 40	559,01

Aluminium brace

Composition of the aluminium brace for attachment to the multi-board







Support column 30 x 60 mm

- 1x support column right and 1 x support column left is required for mounting a stiffening crossbar
- Three support columns are required for installation on 2 m work surfaces (2 x left and 1 x right support column)
- Reinforced by U-profile tube
- Suitable for mounting an workf surfaces from 40 mm height
- Thinner plate thicknesses on request

Item no.	Height in mm	Price in €
03.935.125.240	1250 left	91,97
03.935.125.140	1250 right	91,97

Aluminium brace


- For suspension on support column
- Assembly swifts can be hooked onto the aluminium profile strut. eingehängt werden
- Incl. 2 x adapter strip
- 40 kg carrying capacity

kg 40

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7080	700 x 40 x 40	44,87
07.98.7081	1000 x 40 x 40	48,50
07.98.7082	1250 x 40 x 40	52,14
07.98.7083	1500 x 40 x 40	58,21
07.98.7084	1750 x 40 x 40	60,63
07.98.7085	For width 2000 mm, consists of 2 x Aluminium brace 1000 x 40 x 40	109,13


Assembly swift

- Plug-in system for aluminium profiles
- Quick and flexible attachment in the groove of the aluminium profiles
- Easy handling
- Versatile workplace design
- Quick and easy to stow away after use
- 12 kg load capacity



Assembly swift 2 level
- Is hooked into the groove of the aluminium profile
- 0° horizontal (upper hook)
- 20° inclined (lower hook)
- Ideal for tool inlets, ribbed rubber or as a holder for plastic boxes, screws and small assembly parts

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7090	200 x 200 x 25	19,40



Assembly swift 2 level with handle
- Is hooked into the groove of the aluminium profile
- 0° horizontal (upper hook)
- 20° inclined (lower hook)
- Ideal for tool inlays, ribbed rubber or as a holder for plastic boxes, screws and small assembly parts
- Matching tool inlets can be found on page 484/485

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.7091	400 x 200 x 25	35,17





The Assembly swift is perfect for storing inlets or tools in a drawer and hooking them into the aluminium profile strut for easy access when needed.

Tablet stands

- Variable for holding all tablet sizes from 7" to 13"
- Symmetrical opening of the stands
- Easy insertion and removal of the tablet
- Rotatable: 360° for portrait and landscape format – with locking points every 90°
- Anti-theft protection, effective protection against the lateral removal of the tablet
- Cable management, opening in the stand serves as a duct for the tablet charging cable





Anti-theft protection



Tablet table stand

- Aluminium, steel and high-quality plastics
- Elegant and clear lines with a fine matt-finished surface
- Has stepless angle variability from 0° to 88°
- Additional anti-theft protection thanks to cable lock
  Not included in the scope of delivery
- Colour: Silver metallic

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8930	155 x 183 x 242	210,05



Tablet table stand with pivot arm

- Optimum viewing distance thanks to individual tablet screen positioning
- Table column height: 295 mm
- Inclination range holder: -6° to +46°; rotatable: 180°
- Arm radius: 365 mm; swivelling: 180°
- Table clamp dimensions: tabletop thicknesses up to 40 mm
- Colour: Silver metallic

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8931	100 x 210 x 440	275,81



Tablet wall mount

- Secure and flat mounting at walls/multi-walls
- Universally and flexibly applicable
- Simple assembly
- Colour: Silver metallic

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8933	85 x 180 x 50	99,70



Tablet wall mount with pivot arm

- Universal and flexible applicable
- Optimum viewing distance thanks to individual table screen positioning
- Inclination range holder: -6° to +46°; rotatable: 180°
- Colour: silver metallic

Item no.	Dimensions in mm (WxDxH)	Application | Mounting	Price in €
07.8934LW	95 x 170 x 225	Perforated wall	263,06
07.8934TR		Support column	263,06



Container carrier 1000 mm
- Mounting between two support columns
- Including open fronted storage bins

Item no.	open fronted storage bins in mm	Piece	Price in €
03.900.012	Size 2: 100 x 170 / 140 x 80	8	64,64
03.900.013	Size 3: 145 x 230 / 195 x 125	6	85,76
03.900.015	Size 5: 200 x 350 / 300 x 200	4	128,02



Container carrier 1000 mm
- Mounting between two support columns
- Including open fronted storage bins

Item no.	Dimensions in mm (WxDxH)	Piece	Price in €
07.89.19	145 x 230 x 125	6	84,14
07.89.53	100 x 170 x 80	8	63,66



Container carrier 1250 mm
- Mounting between two support columns
- Including open fronted storage bins

Item no.	Dimensions in mm (WxDxH)	Piece	Price in €
07.89.46	145 x 230 x 125	8	71,47
07.89.48	100 x 170 x 80	11	89,23



Container carrier 1500 mm
- Mounting between two support columns
- Including open fronted storage bins

Item no.	Dimensions in mm (WxDxH)	Piece	Price in €
07.89.24	145 x 230 x 125	9	96,95
07.89.23	100 x 170 x 80	13	79,05



Rail for open fronted storage bins on perforated wall

Item no.	Length in mm	Price in €
03.900.06	300	0,0
03.900.05	450	0,0




Rail for open fronted storage bins between support columns

Item no.	Length in mm	Price in €
07.89BTR10-0	1000	39,77
07.89BTR12-0	1250	42,26
07.89BTR15-0	1500	44,74



Open fronted storage bins
- Made of polypropylene (lids on request)

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.001	100 x 95 / 65 x 50	1,99
03.900.002	100 x 175 / 140 x 75	2,99
03.900.003	145 x 235 / 195 x 125	6,84



Application example

Docuement holder for rail between support columns
- 1 x A4 document holder
- Can be mounted on rail for open fronted storage bins

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.38	216 x 21 x 312	38,54

Workplace lighting

LIGHTING
Ideal illumination and improved field of vision guaranteed




Work and sight are inextricably linked in most occupations. Particular attention must therefore be paid to light at the workplace. With its high-quality work lights, Bedrunka+Hirth guarantees ideal illumination, improved visual comfort and the implementation of or compliance with workplace guidelines with regard to lighting assistance in the workplace environment.

80% of all sensory impressions experienced during a working day are perceived by sight. Poor visual conditions can have a negative impact on our entire body. Discomfort, headaches, irritated eyes and other symptoms of illness increase markedly. This is of particular significance at the workplace.

Of crucial importance are the requirements that need to be met directly at the job site. These requirements are so varied that a single appropriate, generally applicable workplace lighting system is not possible. Rather, the individual features of the respective work process provide the parameters for optimal light.

LIGHTING AND PERFORMANCE AT WORK


DIN EN 12464-1 deals with the requirements for lighting in indoor workplaces. The aim is to achieve optimum visual performance and comfort for people with normal vision so that individual visual tasks can be performed in the best possible way. Depending on the complexity of the tasks, significant improvements in performance can be achieved by using the correct illuminance. At the same time, compliance with this guideline prevents health impairments.



Examples of recommended illuminance levels:

Illuminance	Scope of application
500 lx	Testing and measuring workstations
500 lx	Computer workstations
1.000 lx	Fixture and jig construction
1.000 lx	Micromechanics
1.000 lx	Final inspection
1.000 lx	Color inspection
1.000 lx	Quality control
1.500 lx	Electronics workshop

Universal LED workplace lamp



Universal basic
- Microprismatic optics
- Uniform illumination
- Suitable for reflective surfaces

Universal power:
- LED optics 3-row
- High illuminance
- High energy efficiency

Premium LED workplace lamp



Premium basic-line:
- Microprismatic optics
- Uniform illumination
- Suitable for reflective surfaces

Premium eco-line/power-line:
- Parabolic louvre
- Outstanding glare control UGR<19
- High illuminance


Intelligente LED workplace lamp



Premium Sense DIM
- Integrated brightness and motion sensor
- Automatic brightness control and on/off switching
- Programming via pushbutton

Premium Sense Remote DIM:
- Integrated brightness and motion sensor
- Automatic brightness control and on/off switching
- Programming via IR remote control

Premium LED workplace lamp, tunable white and dimmable



Premium TW DIM
- Color temperature and dimmability controllable via push button
- Light colors continuously adjustable from 2700 K to 6500 K

Premium TW App connect DIM:
- Color temperature and dimmability controllable via app
- Light colors programmable and reproducible from 2700 K to 6500 K
- Create different light scenes
- Network and control up to 64 luminaires

LED testing workplace lamp VDA



LED test workplace lamp VDA 16
- Brightness control via touch dimmer
- Light colors 6500 k and 4000 k alternating
- Color rendering > RA90
- Average illuminance > 2300 lux



Cros-linkable test workplace lamp VDA 16
- Brightness control via app or remote control
- Light colors 6500 k and 4000 k alternating
- Light scenes programmable and reproducible
- Color rendering > RA90
- Average illuminance > 2300 lux
- Network and control up to 64 luminaires

Lighting

Universal LED workplace lamp basic

- Colorless anodized aluminum housing
- Integrated on/off switch
- Color rendering Ra > 80
- UGR < 22
- Dimmable upon request
- Life time: L80/B10 at 50.000h
- Color temperature: 5.000 K

Included in delivery:

- 1x mounting kit, standard
- 4 m connection cable

Universal LED workplace lamp power

- Colorless anodized aluminum housing
- Integrated on/off switch
- Color rendering Ra > 85
- UGR < 19
- Dimmable upon request
- Life time: L80/B10 at 50.000h
- Color temperature: 5.000 K

Included in delivery:

- 1x mounting kit, stanard
- 4 m connection cable

NEW

LED Microprismatic optics



Universal 600 | basic

- System output approx. 19,9 W
- Luminaire luminous flux approx. 1911 lm
- Average illuminance 859 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L06M50B	582 x 70 x 80	without sensor	290,16
03L06M50BS	582 x 70 x 80	with sensor	439,31

Universal 900 | basic

- System output approx. 28,9 W
- Luminaire luminous flux approx. 2867 lm
- Average illuminance 1290 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L09M50B	868 x 70 x 80	without sensor	330,92
03L09M50BS	868 x 70 x 80	with sensor	484,83

Universal 1200 | basic

- System output approx. 37,8 W
- Luminaire luminous flux approx. 3822 lm
- Average illuminance 1226 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L12M50B	1154 x 70 x 80	without sensor	371,68
03L12M50BS	1154 x 70 x 80	with sensor	530,60

Universal 1500 | basic

- System output approx. 46,8 W
- Luminaire luminous flux approx. 4778 lm
- Average illuminance 1533 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L15M50B	1440 x 70 x 80	without sensor	412,70
03L15M50BS	1440 x 70 x 80	with sensor	576,38

LED optics 3-row 60° frosted



Universal 600 | power

- System output approx. 11,8 W
- Luminaire luminous flux approx. 1620 lm
- Average illuminance 1101 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L06O350P	582 x 70 x 80	without sensor	303,66
03L06O350PS	582 x 70 x 80	with sensor	454,40

Universal 900 | power

- System output approx. 16,7 W
- Luminaire luminous flux approx. 2427 lm
- Average illuminance 1502 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L09O350P	868 x 70 x 80	without sensor	344,42
03L09O350PS	868 x 70 x 80	with sensor	499,91

Universal 1200 | power

- System output approx. 21,6 W
- Luminaire luminous flux approx. 3239 lm
- Average illuminance 1428 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L12O350P	1154 x 70 x 80	without sensor	385,44
03L12O350PS	1154 x 70 x 80	with sensor	545,96

Universal 1500 | power

- System output approx. 26,5 W
- Luminaire luminous flux approx. 4047 lm
- Average illuminance 1728 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L15O350P	1440 x 70 x 80	without sensor	426,20
03L15O350PS	1440 x 70 x 80	with sensor	591,47

Premium LED workplace lamp basic-line e
Anodised aluminium housing, natural colour
- Three-part light control system incl. microprismatic disc
- Integrated on/off switch and device connector plug for connection to mains voltage
- Additionally with internal feed-through wiring 3 x 1.5 mm² and an integrated connection socket for connecting a further lamp.
- Colour rendering Ra > 80
- UGR < 22
- Colour temperature 5000 K
- Service life: 50,000 hours (L80/B10)

Scope of delivery:
- 1x 4 m connection cable with earthed plug and
- 1x mounting kit, standard



LED workplace lamp basic line e

LED workplace lamp | 600
- System output approx. 19 W
- Luminous flux approx. 1850 lm
- Average illuminance 832 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L06M50E	631 x 135 x 57	467,34

LED workplace lamp | 900
- System output approx. 28.5 W
- Luminous flux approx. 2774 lm
- Average illuminance 1248 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09M50E	899 x 135 x 57	486,83

LED workplace lamp | 1200
- System output approx. 36.5 W
- Luminous flux approx. 3699 lm
- Average illuminance 1443 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11M50E	1186 x 135 x 57	511,03

LED workplace lamp basic line e | dimmable

LED workplace lamp | 900, dimmable
- System output approx. 32.5 W
- Luminous flux approx. 3148 lm
- Average illuminance 1417 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09M50D	899 x 135 x 57	585,93

LED workplace lamp | 1200, dimmable
- System output approx. 41.5 W
- Luminous flux approx. 4198 lm
- Average illuminance 1637 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11M50D	1186 x 135 x 57	610,13

LED workplace lamp basic line p

LED workplace lamp | 600
- System output approx. 27 W
- Luminous flux approx. 2588 lm
- Average illuminance 1165 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L06M50P	631 x 135 x 57	467,34

LED workplace lamp | 1200
- System output approx. 51.5 W
- Luminous flux approx. 5176 lm
- Average illuminance 2019 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11M50P	1186 x 135 x 57	511,03

LED workplace lamp | 900
- System output approx. 39.5 W
- Luminous flux approx. 3882 lm
- Average illuminance 1747 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09M50P	899 x 135 x 57	486,83

*Measurement conditions: Height: 1000 mm; Measuring surface: 1000 x 555 mm

Lighting

Premium LED workplace lamp | eco-line and power-line

- Colorless anodized aluminum housing
- Integrated unit connector
- With internal through-wiring 3 x 1,5 mm² and integrated connection socket for connecting an additional lamp
- Three-part light directing system incl. parabolic louvre
- Color rendering Ra > 80
- UGR < 19
- Color temperature 5000 K
- Life time: 50.000 h (L80/B10)

Included in delivery:
- 1x mounting kit, stanard
- 4 m connection cable



LED workplace lamp | eco-line

LED workplace lamp | 600
- System output approx. 19 W
- Luminaire luminous flux approx. 1674 lm
- Average illuminance 753 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L06R50E	631 x 135 x 57	480,97

LED workplace lamp | 900
- System output approx. 28,5 W
- Luminaire luminous flux approx. 2511 lm
- Average illuminance 1130 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09R50E	899 x 135 x 57	532,43

LED workplace lamp | 1200
- System output approx. 36,5 W
- Luminaire luminous flux approx. 3348 lm
- Average illuminance 1306 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11R50E	1186 x 135 x 57	604,27

LED workplace lamp | eco-line dimmable

LED workplace lamp LED workplace lamp | 900 dimmbar
- System output approx. 32,5 W
- Luminaire luminous flux approx. 2850 lm
- Average illuminance 1282 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09R50D	899 x 135 x 57	631,53

LED workplace lamp | 1200 dimmable
- System output approx. 41,5 W
- Luminaire luminous flux approx. 3799 lm
- Average illuminance 1482 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11R50D	1186 x 135 x 57	703,36

LED workplace lamp | power-line

LED workplace lamp | 600
- System output approx. 27 W
- Luminaire luminous flux approx. 2342 lm
- Average illuminance 1054 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L06R50P	631 x 135 x 57	486,57

LED LED workplace lamp | 1200
- System output approx. 51,5 W
- Luminaire luminous flux approx. 4685 lm
- Average illuminance 1827 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11R50P	1186 x 135 x 57	613,18

LED workplace lamp | 900
- System output approx. 39,5 W
- Luminaire luminous flux approx. 3514 lm
- Average illuminance 1581 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09R50P	899 x 135 x 57	537,52

*Measuring conditions: Height: 1000 mm; Measuring surface: 1000 x 555 mm

LED Sensor workplace lamp | automatic brightness controll

- Colorless anodized aluminum housing
- Integrated unit connector
- With internal through-wiring for connection to the mains power supply 3 x 1,5 mm² and integrated connection socket for connecting an additional lamp
- Color temperature 5000 K
- Life time: 50.000 h (L80/B10)

Inclued in delivery:
- IR remote control
- Shutter to limit motion detection
- 1 x 4 m connection cable with Schuko plug and
- 1 x mountin kit, standard
- Motion sensor



IR remote control
- Motion detector (switch-on and switch-off times programmable)
- Brightness sensor (programmable)
- Dimmer via remote control
- Shutter (limit detection range)





LED Sensor workplace lamp | eco-line

- Three-part light directing system incl. parabolic louvre
- Color rendering Ra > 80
- UGR < 19

LED Sensor workplace lamp | 900
- System output approx. 32,5 W
- Luminaire luminous flux approx. 2850 lm
- Average illuminance 1282 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09R50SEND	899 x 135 x 57	716,10

LED Sensor workplace lamp | 1200
- System output approx. 41,5 W
- Luminaire luminous flux approx. 3799 lm
- Average illuminance 1482 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11R50SEND	1186 x 135 x 57	788,20

LED Sensor workplace lamp | basic-line

- Three-part light directing system incl. microprismatic diffuser
- Color rendering Ra > 80
- UGR < 22

LED Sensor workplace lamp | 900
- System output approx. 32,5 W
- Luminaire luminous flux approx. 3148 lm
- Average illuminance 1417 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L09M50SEND	899 x 135 x 57	670,76

LED Sensor workplace lamp | 1200
- System output approx. 41,5 W
- Luminaire luminous flux approx. 4198 lm
- Average illuminance 1637 lx*

Item no.	Dimensions in (WxDxH)	Price in €
03L11M50SEND	1186 x 135 x 57	694,70

*Measurement conditions: Height: 1000 mm; Measuring surface: 1000 x 555 mm

Wireless workplace lamps

Premium LED workplace lamp, Tunable white and dimmable

- Colorless anodized aluminum housing
- IIntegrated unit connector

Tunable white
- Color temperature adjsutable from 2700 K to 6500 K
- Brightness and color temperature can be adjusted for individual adaption to the workplace



- Integrated Bluetooth controller for iOS and Android application.
- With internal through-wiring 3 x 1,5 mm² and integrated connection socket for connecting an additional lamp

Included in delivery:
- 1 x 4 m connection cable with Schuko plug and 1 x mounting kit, standard



Switch control
- Adjust Tunable white and brightness via switch control
- Color temperature stepless adjustable from 2700 K for 6500 K



App connect DIM (wireless)
- Adjust Tunable white and brightness via App
- Programmable via mobile device app
- A commercially available smartphone or tablet with the appropriate software is required. Not included in delivery





LED workplace lamp | basic-line

- Three-part light directing system incl. microprismatic diffuser
- Color rendering Ra 90
- UGR < 22
- Life time: 50.000 h (L80/B10)

LED wireless workplace lamp | 900
- System output approx. 46 W
- Luminaire luminous flux approx. 3494 lm
- Average illuminance 1572 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L09M27-65D	899 x 135 x 57	wireless	854,43
03L09M2765DT		switch	684,26

LED wireless workplace lamp | 1200
- System output approx. 61 W
- Luminaire luminous flux approx. 4658 lm
- Average illuminance 1817 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L11M27-65D	1186 x 135 x 57	wireless	878,63
03L11M2765DT		switch	719,67

LED workplace lamp | eco-line

- Three-part light directing system incl. parabolic louvre
- Color rendering Ra 90
- UGR < 19
- Life time: 50.000 h (L80/B10)

LED wireless workplace lamp | 900
- System output approx. 46 W
- Luminaire luminous flux approx. 3494 lm
- Average illuminance 1130 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L09R27-65D	899 x 135 x 57	wireless	900,03
03L09R2765DT		switch	730,88

LED wireless workplace lamp | 1200
- System output approx. 61 W
- Luminaire luminous flux approx. 4216 lm
- Average illuminance 1644 lx*

Item no.	Dimensions in (WxDxH)	Version	Price in €
03L11R27-65D	1186 x 135 x 57	wireless	971,87
03L11R2765DT		switch	779,54

Test workstations according to standard VDA 16
Our ergonomic solutions to support your testing and evaluation processes of decorative surfaces.

Often the quality of a surface cannot be measured, but only assessed subjectively. This appearance-dependent assessment requires, on the one hand, optimum illumination of the test parts and, on the other hand, shielding of the test parts from changing and disturbing extraneous light influences in order to guarantee the reproducibility of the test process.
The German Association of the Automotive Industry (VDA) has published a uniform standard for quality assurance in Volume 16. The guideline, known as VDA 16 for short, is primarily aimed at suppliers and customers who deal with decorative surfaces in the visible area, regulates the underlying test conditions and thus enables a universal and uniform assessment basis across manufacturers. It provides clarity and bindingness with regard to the characteristics of appearance-dependent surfaces and their description.

Our ergonomic test workplaces meet all the requirements of VDA 16 with regard to shielding, illuminance, light colours and colour rendering index. These are in detail:
- Illuminance at least 1000 Lux at the test object
- Color temperature 4000 K and 6500 K
- Color rendering RA >90

In addition, the illumination can be individually adapted to the material and surface by dimming the individual light colours. Several modules can be defined as a group, mounted as a row and controlled together. Light scenes can be programmed, saved and reproducibly recalled without limitation at part level. In addition to a remote control, we offer the option of being able to control the VDA 16 module luminaire via free app control with a smartphone or tablet.

Our test workstations provide you with sustainable support in implementing the required test conditions. The ergonomically and lighting-specific well thought-out design enables you to meet the demanding requirements of the future and to be prepared for the future.

LED test workplace lamp VDA 16

- Colorless anodized aluminum housing
- Brightness stepless adjustable
- Life time L80/B10 bei 50.000h
- Direct illumination
- Color reproduction Ra >90
- UGR <22 system output approx. 74 W
- Also available with color temperature 4.000 - 6.500 -4.000



Inclued in delivery:
- 1 x mounting kit, standard
- 4 m connection cable with Schuko plug

LED test workplace lamp VDA 16 | 600
- Luminaire luminous flux approx. 6.586 lm
- Average illuminance 2386 lx*

Item no.	Dimensions in (WxDxH)	Color temperature	Price in €
03LVDA3-0600	582 x 210 x 80	6.500 - 4.000 - 6.500	759,92

LED-test workplace lamp VDA 16 | 900
- Luminaire luminous flux approx. 9.879 lm
- Average illuminance 3448 lx*

Item no.	Dimensions in (WxDxH)	Color temperature	Price in €
03LVDA3-0900	868 x 210 x 80	6.500 - 4.000 - 6.500	923,21

LED-test workplace lamp VDA 16 | 1200
- Luminaire luminous flux approx. 13.173 lm
- Average illuminance 3971 lx*

Item no.	Dimensions in (WxDxH)	Color temperature	Price in €
03LVDA3-1200	1154 x 210 x 80	6.500 - 4.000 - 6.500	1.086,51

Workbench accessories

Test workplace lamp



Android-Version

IOS-Version



LED test workplace lamp VDA 16

- Colorless anodized aluminum housing
- Brightness stepless adjustable
- Life time L80/B10 bei 50.000h
- Direct illumination
- Color reproduction Ra >90
- UGR <22 system output approx. 103 W
- Luminaire luminous flux approx. 12.309 lm
- Average illuminance 2312 lx*
- Connect up to 63 lamps
- Programmable and operable via mobile device app

Item no.	Dimensions in mm (WxDxH)	Price in €
03PPLVDA16	595 x 540 x 57	1.603,91



Basic DIM Wireless User Interface

- Access to all important functions
- Enables control of all luminaires in the network
- Required for LED test workplace luminaire VDA 16

Item no.	Price in €
03FBDIM	269,53



Test station with beech multiplex worktop 25 mm

- worktop: 1170/1420 x 800 x 25 mm
- Load capacity 350 kg
- Incl. lighting

Item no.	Dimensions in mm (WxDxH)	Price in €
03PPBM125	1250 x 840 x 1950	4.037,99
03PPBM150	1500 x 840 x 1950	4.181,99

Example of the use of the test workplace lamp in a test station.

Satellite workplace lamps

- Anodised aluminium housing, natural colour
- Integrated on/off switch and device connector plug for connection to mains voltage
- For mounting on a vertical profile
- Colour temperature 5000 K
- Service life: 50,000 hours (L80/B10)

Scope of delivery:

- Mounting bracket for installation on commercially available profile systems
- 1x 4 m connection cable with earthed plug and 1x mounting kit, standard





Satellite workplace lamp | basic-line

- Three-part light control system incl. microprismatic disc
- UGR< 22
- System output 10 W
- Luminous flux approx. 925 lm
- Colour rendering Ra > 80

Item no.	Length in mm	Price in €
03L43SATML	430 mm | Left version	410,66
03L43SATMR	430 mm | Right version	410,66

Satellite workplace lamp | eco-line

- Three-part light control system incl. parabolic louvre
- UGR < 19
- System output 10 W
- Luminous flux approx. 837 lm
- Colour rendering Ra > 80

Item no.	Length in mm	Price in €
03L43SATRL	430 mm | Left version	440,97
03L43SATRR	430 mm | Right version	440,97

*Measurement conditions: Height: 1000 mm; Measuring surface: 1000 x 555 mm

Accessories



Accessories for workplace lamp swivelling

- 2 pieces

Item no.	Height in mm	Suitable for	Price in €
4016221000	80	LED lamp premium (page 303-306)	12,74
4016137000	80	LED lamp universal (page 302)	12,74



LED Lighting


LED Magnifier Lamp

- High-intensity illumination of the magnification area
- Lamp head with coated, scratch-resistant glass lens Ø160 mm and membrane keypad
- Aluminum spring arms and 3D head joint allow free and precise positioning
- Stepless dimming with integrated memory function
- Perfect for inspection workstations, quality control, assembly, and many other applications

Technical Data:

- Type: LED magnifier lamp with articulated arm
- Dimmable: Internal dimmer with memory function
- Light color: Daylight white
- Protection class: IP40
- Power supply: 24V DC
- Lens: Coated glass lens, 3.5 diopters
- Magnification factor: 1.88x
- Scope of delivery: Table clamp, Lens cover, Power supply 110–240V AC / output 24V DC
- Illuminance: approx. 3821 lx
- Luminous flux: 1570 lm

NEW






Item no.	Articulated arms mm	Optics	Dimmable	Price in €
03L12081011	2 x 400	120°	yes	643,00

LED Articulated Arm Lamp

- High-intensity illumination with a wide-reaching articulated arm
- Homogeneous, shadow- and glare-free area light for precise work
- High-quality aluminum spring arms with 3D joints allow flexible and accurate positioning
- Functional and robust lamp – suitable for a wide range of workstations

Technical Data:

- Lamp width: 548 mm
- Light color: Daylight white (5700K 3-step MacAdam)
- Color temperature: 5600 K
- Optics / Beam angle: 100°
- Protection class: IP40
- Articulated arms: Movable aluminum spring arms, 400 mm each
- Operating voltage: 24 V DC
- Scope of delivery: Power supply 100–240 V AC / output 24 V DC, table clamp





Item no.	Dimmable	Illuminance	Luminous flux	Head width mm	Price in €
03L12061001	no	2342 lx	1899 lm	298	468,81
03L12061002	yes	2342 lx	1899 lm	298	509,92
03L12071001	no	4249 lx	3798 lm	548	496,26
03L12071002	yes	4249 lx	3798 lm	548	551,16

Accessories



Pivot arm holder

- Height 210 mm
- Profile cut edges covered with plastic caps

Item no.	Price in €
07.961.02	34,10



Articulating Arm Lamp Adapter

- for T-slot mount

Item no.	Price in €
03L21520001	93,86




Screw-on base

- for direct mounting on the work surface

Item no.	Price in €
03L21540003	14,17

Perforated wall system: The right hook for every tool. The hooks can be easily hung and clicked into the required perforation. Nothing wobbles and the hooks remain in place.
Please also specify the desired colour.
Delivered in our standard colours without extra charge.
If no colour is specified, we will supply RAL 7035 light grey. Standard colours see page 27


- Clearly arranged and space-saving storage of tools, small parts and working materials
- Powder coated
- Reinforced by beams




Perforated wall

- Steel plate, square perforation, 10 x 10 mm
- Bevelled all-round
- Stiffened with strong beams for maximum loads
- Easy wall mounting
- Spacing 38 x 38 mm

Item no.	Dimensions in mm	Price in €
03.87.101-1	500 x 450	69,42
03.87.102-1	1000 x 450	85,76
03.87.103-1	1500 x 450	111,87
03.87.104-1	2000 x 450	131,75





Quickly connects the hooks to the perforated wall without the use of tools.

Workbench bracket
Recommendation for

- 1000 mm - 2 brackets
- 1500 mm - 3 brackets
- 2000 mm - 3 brackets

Item no.	Version	Price in €
03.87.043-1	for one perforated wall	18,39
03.87.044-1	For 2 perforated walls one above the other	27,59



Falt screen mount
07.45.21







Flat screen mount for perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
07.45.21	160 x 30 x 210	41,27



Swivelling monitor holder, for mounting on the flat screen mount

- VESA standard

Item no.	Dimensions in mm (WxDxH)	Price in €
07.45.22	125 x 75 x 125	53,31



Rail for open fronted storage bins on perforated wall

Item no.	Length in mm	Price in €
03.900.06	300	8,34
03.900.05	450	10,56



Open fronted storage bins

- Made of polypropylene (lids on request)

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.001	100 x 95 / 65 x 50	1,99
03.900.002	100 x 175 / 140 x 75	2,99
03.900.003	145 x 235 / 195 x 125	6,84



Tool holder with slante hook end

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.301	50	2,93
03.87.302	100	3,01
03.87.303	150	3,39
03.87.304	200	3,64



Tool holder with vertical hook end

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.311	35	2,90
03.87.312	75	2,98
03.87.313	125	3,26



Tool holder with straight hook end

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.401	50	2,79
03.87.402	100	2,93
03.87.403	150	3,07



Inclined hook For sockets and socket keys

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.404	14/40	3,47



Double tool holder with slanted hook ends

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.322	50	5,72
03.87.323	75	5,97
03.87.324	150	6,49



Double tool holder with vertical hook end

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.405	35	5,42
03.87.406	50	5,69
03.87.407	75	5,94
03.87.408	150	6,46



Pliers holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.409	20 x 35	5,91
03.87.410	50 x 40	7,77
03.87.411	75 x 50	8,40
03.87.412	20 x 55	6,21
03.87.413	20 x 75	6,62



Round holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.355	65 x 25	7,28



Machine holder

Item no.	Dimensions in mm (Ø)	Price in €
03.87.357	40	11,88
03.87.358	60	12,97
03.87.359	80	14,26



Base plate for individual solutions

Item no.	Version	Price in €
03.87.391	Small	2,38
03.87.392	Large	2,79



Magnetic holder

Item no.	Dimensions in mm (Ø)	Price in €
03.87.318	40	27,06



Magnets

- 10 pieces

Item no.	Dimensions in mm	Price in €
03.900.07	Ø 25	22,25



Tool clamp, single, small base plate

Item no.	Dimensions in mm (Ø)	Price in €
03.87.331	6	4,26
03.87.332	10	4,38
03.87.333	13	4,51
03.87.334	16	4,57
03.87.335	19	4,76



Double tool clamp

Item no.	Dimensions in mm (Ø)	Price in €
03.87.341	6	6,13
03.87.342	10	6,38
03.87.343	13	6,59
03.87.344	16	6,76
03.87.345	19	7,08



Tool clamp, single, large base plate


Item no.	Dimensions in mm (Ø)	Price in €
03.87.305	25	7,31
03.87.306	28	8,37
03.87.307	32	9,09

Perforated wall system



Screwdriver holder
- 200/390 x 30 x 40, dimensions in mm (W x D x H)

Item no.	Version	Price in €
03.87.374	for 6 pieces	17,70
03.87.375	for 12 pieces	25,70



Drill/hex key holder (various dia.)
- 200/390 x 30 x 35, dimensions in mm (W x D x H)

Item no.	Version	Price in €
03.87.378	for 14 pieces	20,69
03.87.379	for 28 pieces	32,13



Bit holder
- for 7 bits

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.414	150 x 35 x 10	19,02



Hex key holder, Ø 2 – 11 mm
- For 9 hex keys

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.377	200 x 25 x 50/70	21,51



Tool holder for MT-2 and MT-3
- 395 x 60 x 85, dimensions in mm (W x D x H)

Item no.	Version	Price in €
03.87.415	MT-2 (15 x Ø 17 mm)	35,28
03.87.416	MT-3 (12 x Ø 23 mm)	35,28



Socket holder
- For 12 sockets | 9 x Ø 25 mm, 1 x Ø 27 mm, 1 x Ø 32 mm, 1 x Ø 35 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.380	390 x 45 x 30	34,39



Vertical spanner holder
- For 10 spanners

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.372	145/75 x 50 x 220	26,98



Vertical ring spanner holder
- For 10 spanners

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.417	225/25 x 50 x 255	27,34



Horizontal spanner holder
- For 8 spanners

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.371	130/60 x 150 x 50	20,63



Tube holder, 3 tubes

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.418	150 x 85 x 400	35,52



Combination holder, 2 parts

Item no.	Dimensions in mm (WxD)	Price in €
03.87.368	55 x 150	45,29



Spool holder up to axial dimension 17 mm
- Maximum width 78 mm

Item no.	Dimensions in mm (Ø)	Price in €
03.87.419	17	19,32



Tool holder box with wooden panel
- For self-drilling

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.422	340 x 135 x 55	40,63



Tool holder for self-drilling
- Holder: 390 x 58, dimensions in mm (W x D)

Item no.	Version	Price in €
03.87.423	390 mm	75,66



Tool holder for self-drilling
- Holder: 110 x 58, dimensions in mm (W x D)

Item no.	Version	Price in €
03.87.424	110 mm	46,82



Tube holder
also for hoses, cables, etc.
- Depth 70 mm

Item no.	Dimensions in mm (Ø)	Price in €
03.87.383	62	12,43
03.87.384	100	13,17



Tool holder for self-service packs

Item no.	Dimensions in mm (WxD)	Price in €
03.87.420	30 x 125	6,76



Cable holder
- Hook ends 50 mm high

Item no.	Dimensions in mm (WxD)	Price in €
03.87.421	37 x 100	11,85
03.87.325	37 x 150	12,37
03.87.326	37 x 200	13,14



Tool holder, 3 tools

Item no.	Dimensions in mm (WxD)	Price in €
03.87.363	45 x 150	11,44



Tool holder, 6 tools

Item no.	Dimensions in mm (WxD)	Price in €
03.87.19	240 x 140	29,01



Saw holder
- Please order in pairs

Item no.	Version	Price in €
03.87.381	For 4 saws	12,73



Storage shelf

Item no.	Dimensions in mm (WxD)	Price in €
03.87.427	350 x 125	24,11
03.87.428	445 x 150	33,33



Depositing box, large

Item no.	Dimensions in mm (WxDxH)	
03.87.429	340 x 135 x 55	38,28



Depositing box, small

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.430	250 x 80 x 35	24,27



Steel shelf/tray

Item no.	Dimensions in mm (WxD)	Price in €
03.87.327	435 x 250	59,19



Steel shelf with roll-off edge

Item no.	Dimensions in mm (WxD)	Price in €
03.87.431	490 x 243	42,83



Bottle holder for mounting on the perforated wall

Item no.	Dimensions in mm	Price in €
03.900.43	Ø 90	27,23



Spray bottle holder, single
- Width 76 mm

Item no.	Dimensions in mm (Ø)	Price in €
03.87.432	52	35,36



Can holder, single
- Width 100 mm

Item no.	Dimensions in mm (Ø)	Price in €
03.87.369	70	19,54



Can holder, triple
- Width 300 mm


Item no.	Dimensions in mm (Ø)	Price in €
03.87.370	70	37,38

Hook assortment sets

Grease gun holder

- Fastening by wall screw connection e.g. to the perforated wall
- Gun is safely hooked into clamps
- The end of the hose is plugged onto the nipple of the cup to catch dripping grease
- Position of the cup (250 ml) can be individually adjusted to the length of the hose
- The drip tray is located underneath the gun, and is removable and thus facilitates cleaning
- Delivery wihtout grease





Item no.	Dim. in mm (WxDxH)	Version	Price in €
03.87.500	310 x 86 x 587	Cartridge Ø 46-56 mm	60,90
03.87.501		Cartridge Ø 56-63 mm	60,90



Range of hooks, 10 parts

- 7x tool holder with inclined end
- 2x double tool holder
- 1x tool clamp

Item no.	Price in €
03.87.395-10	35,52



Range of hooks, 18 parts

- 5x tool holder with inclined end
- 2x tool holder with vertical end
- 3x double tool holder
- 3x tool clamp
- 2x pliers holder
- 1x drill holder
- 1x spanner holder
- 1x screwdriver holder

Item no.	Price in €
03.87.395-18	121,52



Range of hooks, 28 parts

- 6x tool holder with inclined end
- 8x tool holder with vertical end
- 6x double tool holder
- 2x pliers holder
- 1x machine holder
- 1x spanner holder
- 1x screwdriver holder
- 1x drill holder
- 2x saw holder

Item no.	Price in €
03.87.395-28	182,11



Range of hooks, 40 parts

- 9x tool holder with inclined end
- 12x tool holder with vertical end
- 9x double tool holder
- 3x pliers holder
- 2x machine holder
- 1x spanner holder
- 1x screwdriver holder
- 1x drill holder
- 2x saw holder

Item no.	Price in €
03.87.395-40	236,57



Waste bag holder, 2-part

- top 305 x 350 x 130, dimensions in mm (W x D x H)
- bottom 300 x 305 x 120, dimensions in mm (W x D x H)

Item no.	Price in €
03.87.426	169,69



Hose holder

- Width 300 mm

Item no.	Dimensions in mm (WxD)	Price in €
03.87.425	230 x 125	52,29



Roll holder

Item no.	Dimensions in mm	Price in €
03.900.42	200 x 95 x 71	28,46



Roll-off holder

- Min. core dia. 22 mm
- Max. roll width 295 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.350	355 x 100 x 120	49,20



Bag holder

Item no.	Dimensions in mm	Price in €
03.900.41	40 x 30 x 70	21,12



Cup holder

- Width 850 mm

Item no.	Price in €
2494	37,40



Pen holder, 4 pens

- Width 112 mm

Item no.	Dimensions in mm (Ø)	Price in €
03.87.437	17	21,51



Pencil cup

- Perforation compatible with tool holder

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.438	63 x 70 x 110	24,14



Folder holder

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.435	85 x 220 x 310	75,25



Document tray

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.436	225 x 310 x 85	50,08



Folder holder, for hanging on the perforated wall

Item no.	Dimensions in mm	Price in €
03.900.025	464 x 300 x 356	54,07



DIN A5 brochure holder

Item no.	Dimensions in mm (W x H)	Price in €
03.87.433	150 x 230	24,44



DIN A4 brochure holder

Item no.	Dimensions in mm (W x H)	Price in €
03.87.398	220 x 330	30,05



DIN A3 brochure holder

Item no.	Dimensions in mm (W x H)	Price in €
03.87.434	440 x 330	46,08

Range of hooks for perforated wall systems








Hook Set 10-piece
- 6 x tool holders with angled hook end 45°, length 50 mm
- 2 x tool holders with vertical hook end 90°, length 35 mm
- 2 x tool holders with straight hook end, length 30 mm

Item no.	Price in €
03.87.C-10	29,29


Hook Set 18-piece
- 5 x tool holders with angled hook end 45°, length 50 mm
- 2 x tool holders with vertical hook end 90°, length 35 mm
- 3 x tool holders with straight hook end, length 50 mm
- 3 x double tool holders with vertical hook end 90°, length 50 mm
- 2 x pliers holders 35 x 20 mm
- 1 x vertical spanner holder
- 1 x screwdriver holder, width 190 mm
- 1 x drill/hexagon socket holder

Item no.	Price in €
03.87.C-18	119,20




Hook Set 28-piece
- 6 x tool holders with angled hook end 45°, length 50 mm
- 8 x tool holders with vertical hook end 90°, length 35 mm
- 2 x tool holders with straight hook end, length 50 mm
- 6 x double tool holders with vertical hook end 90°, length 50 mm
- 2 x pliers holders 35 x 20 mm
- 1 x machine holder Ø 40 mm
- 1 x vertical spanner holder
- 1 x screwdriver holder, width 190 mm
- 1 x drill/hexagon socket holder

Item no.	Price in €
03.87.C-28	172,13



Hook Set 40-piece
- 10 x tool holders with angled hook end 45°, length 50 mm
- 12 x tool holders with vertical hook end 90°, length 35 mm
- 10 x double tool holders with vertical hook end 90°, length 35 mm
- 3 x pliers holders 35 x 20 mm
- 2 x machine holders Ø 40 mm
- 1 x vertical spanner holder
- 1 x screwdriver holder, width 190 mm
- 1 x drill/hexagon socket holder

Item no.	Price in €
03.87.C-40	222,80



Diagonal alignment

Vertical alignment
(bracket wedges itself in place)



Vertical spanner holder
suitable for 10 spanners

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.149	76/152 x 36 x 228	26,65



Vertical ring spanner holder
suitable for 10 ring spanners

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.150	152/228 x 36 x 266	27,01

NEW



Tool holder

Item no.	Dimensions in mm (WxH)	Price in €
03.87.130	24 x 40	1,34



Bit holder for 7 bits

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.144	152 x 25 x 12	18,79



Screwdriver holder

Item no.	Model	Width in mm	Price in €
03.87.140	6 Screwing	190	17,49
03.87.141	12 Screwing.	380	25,39



Round holder

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.125	40 x 65 x 8	7,19



Tool holder with vertical hook end angled at 90°

Item no.	Length in mm	Price in €
03.87.104	35	2,87
03.87.105	75	2,95
03.87.106	125	3,22



Tool holder with straight hook end

Item no.	Length in mm	Price in €
03.87.107	50	2,75
03.87.108	100	2,90
03.87.109	150	3,03



Machine holder

Item no.	Inner diameter in mm	Price in €
03.87.126	40	11,73
03.87.127	60	12,81
03.87.128	80	14,09



Tool holder for nuts and sockets

Item no.	Length in mm	Price in €
03.87.110	14/40	3,43



Nut holder for 12 nuts

9x Ø 25 mm, 1x Ø 27 mm, 1x Ø 32 mm, 1x Ø 35 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.148	380 x 45 x 22	33,98



Drill and hexagon socket holder

Item no.	Model	Width in mm	Price in €
03.87.142	14 drill	190	20,43
03.87.143	28 drill	380	31,74



Bracket holder

Item no.	Width in mm	Price in €
03.87.151	190	13,36



Double tool holder with angled hook end at 45°

Item no.	Length in mm	Price in €
03.87.111	50	5,65
03.87.112	75	5,90
03.87.113	150	6,41



Tool holder with angled hook end, 45° angle

Item no.	Length in mm	Price in €
03.87.100	50	2,90
03.87.101	100	2,97
03.87.102	150	3,35
03.87.103	200	3,60



Cable holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.134	42 x 100	11,70
03.87.135	42 x 150	12,22
03.87.136	42 x 200	12,98



Tool holder for self-service packaging

Item no.	Dimensions in mm (WxD)	Price in €
03.87.133	30 x 100	6,68



Hexagon socket holder, Ø 2 - 11 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.145	190 x 25 x 50/70	21,25



Socket wrench holder

suitable for 10 socket wrenches

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.152	304 x 40 x 35	21,58



Pen holder

Item no.	Width in mm	Price in €
03.87.180	150	15,41



Double tool holder with angled hook end at 90°

Item no.	Length in mm	Price in €
03.87.114	50	5,62
03.87.115	75	5,87
03.87.116	150	6,38



Pliers holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.120	35 x 20	5,84
03.87.121	40 x 50	7,67
03.87.122	50 x 75	8,30
03.87.123	55 x 20	6,13
03.87.124	75 x 20	6,54

workraster - the structured one





workraster and linkage Page 323



workraster Combinations from practice Page 328



workraster Basic modules and worktops Page 330



workraster Accessories Page 332


WR
E
Erg
ESD


Single-sided overhead frame
Perforated wall
Open fronted storage bins
Worktop
Support foot



workraster - the structured one

The **workraster** is the "entry-level model" among our ergonomic workplace systems. Thanks to a structured grid arrangement of 38 mm, the work bench can be individually set to your required height and is therefore suitable for both sitting and standing activities. In particular due to the linkage with roller and small roller conveyors, this system is ideal for a smooth production flow. Thanks to its remarkable flexibility in terms of form, additional modules can be added to the basic work benches at any time. Double-sided workstations are also no problem. With a load capacity of 300 kg with an even load, it is ideal for the assembly of small to medium-sized parts.

Please note that workraster tables are delivered unassembled. Easy self-assembly!

Our features at a glance	
Basic module models	Single or double for double-sided workplace design
Modular system	Basic modules are connected to each other by means of cross-members - no need for add-on modules
Retrofittable	Extension of existing workstations, inline and corner combinations possible
Energy	Direct supply of lighting, energy, compressed air
Frame widths	1000, 1500 mm
Frame depths	500, 800, 960, 1460 mm
Frame heights	1348, 2070 mm
Work height without worktop	715 – 1057 mm with adjustable support Recommended: 829 mm
Height adjustment	Height grid arrangement of 38 mm
Frame design	L-foot
Load capacity	300 kg with even load

FRAME DESIGN:

WR E
Single-sided





WR D
Double-sided



HEIGHT ADJUSTMENT:

kg 300



Grid adjustment

Linking workstations and assembly lines

The linkage concept optimises productivity thanks to the arrangement of workstations according to the work sequence **Production - Assembly - Inspection - Packaging**. Intermediate transport is avoided, distances are reduced and the working cycle is increased.

The workraster system is among the most efficient systems on the market. Due to the use of standard modules, workstations are interlinked, thus optimising the production flow.
All modules are height-adjustable!

Transport path

The workpiece carriers are transported on the roller conveyors. The path is created by a string of modules.

Linking workstations

The assembly line starts with a basic table with a roller or small roller conveyor. The consecutive conveyors are supplemented by add-on tables or interim connections (labelled as ZM). A basic table with a roller ball or small roller conveyor follows each roller ball/intersecting bridge.

Linking

The workstations are connected using connection, linear or corner modules. Module lengths: 1000 and 1500 mm.


Workstations

The workstations are generally basic tables. With **workline**, they can either feature a roller ball board (for directly passing on the workpiece) or a worktop. With **workraster**, the worktop is combined with the conveyor.


Change of direction

The direction of the workpiece carriers is changed by means of roller ball/ intersecting bridge.

ZM = intermediate size; these worktops are necessary for linkages




Cross combination




Cross combination

The basic modules are arranged according to the intended application. The various components can be individually combined, linked and arranged in a simple modular system. Working height and handling areas are adapted on site.



Assembly line



Perforated walls
For storing tools or fixing small parts or work plans. Compatible with our multi wall accessories.

Workpiece carrier
Workpiece carrier for transporting components on the roller and small roller conveyors.

Stop on right and/or left
The workpiece is held securely at the assembly point and transported on by manually releasing the stops.

Arrangement variant Double
basic module



Raster column
Shelves or worktops can be individually suspended from the grid columns, each of which can be adjusted in a 38 mm grid.

Corner combination



Shelves, adjustable incline
The shelves have a raised edge and are simply suspended in the perforated holes in the support columns. Their height and incline can be adjusted. Incline: 0°, 10°, 20°.



Hanging drawer
Lockable drawer with front height of 100 mm. It is secured under the worktop.

Module arrangement





PC support A
Is screwed onto the support column of the **workraster** basic module from the inside or outside. Special bracket on the base frame for Construction.

Combinations from practice

- Figure: RAL 5013 Cobalt blue/RAL 7035 Light grey
- Height grid arrangement of 38 mm, individually height-adjustable, therefore ideal for standing and sitting activities
- Modular system: Diverse combination options, including for retrofitting
- The load capacity of the individual basic modules is up to 300 kg with an even load
- Load capacity of the drawer 35 kg
- Direct supply of lighting; electricity and compressed air supplied via energy ducts
- Beech multiplex worktop, 1500 x 750 x 25 mm

WR EK kg 300



workraster with multi-board setup
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.00	1500 x 800 x 2070	1.081,34



workraster with multi-board setup
- 1x energy bar with 4x earthed sockets
- 2x perforated wall
- 1x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.01	1500 x 800 x 2070	1.553,16



workraster with multi-board setup
- 3x perforated wall
- 1x energy bar with 4x earthed sockets and 2x compressed air 1/4"
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx
- 1x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.04	1500 x 800 x 2070	1.708,39



workraster with multi-board setup
- 2x perforated wall
- 1x shelf, 320 mm
- 1x energy bar with 2x 4x earthed sockets and 1x compressed air 1/4"
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx
- 1x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.05	1500 x 800 x 2070	1.766,07

Supplied without boxes, hooks and tools

WR EK

kg 300



workraster with multi-board setup

- 2x shelf, 220 mm
- 2x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx
- 1x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.02	1500 x 800 x 2070	1.544,34



workraster with multi-board setup

- 2x perforated wall
- 2x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.06	1500 x 800 x 2070	1.406,99



workraster with multi-board setup

- 1x magnetic wall
- 2x shelf, 220 mm
- 1x energy bar with 2x earthed socket and 2x compressed air 1/4“
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx
- 1x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.03	1500 x 800 x 2070	1.731,15



workraster with multi-board setup

- 3x shelf, 220, 320 and 420 mm
- 1x energy bar with 2x earthed socket and 1x compressed air 1/4“
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx
- 1x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.899.07	1500 x 800 x 2070	1.750,77

Supplied without boxes, hooks and tools

Basic modules for individual arrangement



kg 300

WR E

Single-sided basic module

- 2x base frame each
- Support columns
- Cross-members, junction plates, supports and worktop carriers
- For worktops with 750 mm depth

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8410.811	1000 x 800 x 1348	302,04
07.8410.821	1000 x 800 x 2070	345,53
07.8415.811	1500 x 800 x 1348	308,25
07.8415.821	1500 x 800 x 2070	350,51



kg 300

WR EK

Single-sided basic module, short

- 2x base frame each
- Support columns
- Cross-members, junction plates, supports and worktop carriers
- For worktops with 600 mm depth

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8410.511	1000 x 550 x 1348	251,07
07.8410.521	1000 x 550 x 2070	292,09
07.8415.511	1500 x 550 x 1348	253,56
07.8415.521	1500 x 550 x 2070	295,82



kg 300

WR D

Double-sided basic module

- 2x base frame each
- Support columns
- Cross-members, Junction plates, supports and worktop carriers
- For worktops with 750 mm depth

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8410.112	1000 x 1460 x 1348	420,11
07.8410.122	1000 x 1460 x 2070	464,86
07.8415.112	1500 x 1460 x 1348	426,33
07.8415.122	1500 x 1460 x 2070	471,07



kg 300

WR DK


Double-sided basic module, short

- 2x base frame each
- Support columns
- Cross-members, Junction plates, supports and worktop carriers
- For worktops with 600 mm depth

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8410.912	1000 x 960 x 1348	316,95
07.8410.922	1000 x 960 x 2070	360,45
07.8415.912	1500 x 960 x 1348	320,68
07.8415.922	1500 x 960 x 2070	364,17


25 mm worktops

- Worktops with worktop frame for attachment to the basic module, incl. worktop frame



40 mm worktops

- Worktops with worktop bracket for attachment to the basic module, incl. worktop bracket





Beech multiplex

- Waterproof
- Dampened according to DIN 68705

Panel thickness	25 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 600	07.8115.62	203,84	07.8115.64	212,53
1400 x 600 **ZM***	07.8114.62	193,90	07.8114.64	198,87
1000 x 600	07.8110.62	145,41	07.8110.64	142,94
900 x 600 **ZM***	07.8109.62	135,48	07.8109.64	129,26
1500 x 750	07.8115.72	254,79	07.8115.74	268,48
1400 x 750 **ZM***	07.8114.72	242,37	07.8114.74	226,21
1000 x 750	07.8110.72	181,46	07.8110.74	197,64
900 x 750 **ZM***	07.8109.72	167,80	07.8109.74	174,00



Chipboard panel directly coated with melamine resin

- 4-sided, ABS edging
- Chipboard carrier panel with laminate coating
- Abrasion-resistant and easy to care for surface

Panel thickness	28 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 600	07.8115.62M	195,13	07.8115.64M	216,27
1400 x 600 **ZM***	07.8114.62M	182,71	07.8114.64M	201,35
1000 x 600	07.8110.62M	130,50	07.8110.64M	144,18
900 x 600 **ZM***	07.8109.62M	116,84	07.8109.64M	130,50
1500 x 750	07.8115.72M	259,76	07.8115.74M	270,96
1400 x 750 **ZM***	07.8114.72M	244,85	07.8114.74M	253,56
1000 x 750	07.8110.72M	182,71	07.8110.74M	190,17
900 x 750 **ZM***	07.8109.72M	171,53	07.8109.74M	175,25



MDF worktop with 0.7 mm HPL coat

- Highly abrasion-resistant
- 4-sided, ABS edging

Panel thickness	30 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 600	07.8115.62H	272,21	07.8115.64H	269,71
1400 x 600 **ZM***	07.8114.62H	253,56	07.8114.64H	251,07
1000 x 600	07.8110.62H	181,46	07.8110.64H	180,22
900 x 600 **ZM***	07.8109.62H	162,82	07.8109.64H	161,58
1500 x 750	07.8115.72H	340,56	07.8115.74H	336,83
1400 x 750 **ZM***	07.8114.72H	323,17	07.8114.74H	315,71
1000 x 750	07.8110.72H	251,07	07.8110.74H	197,64
900 x 750 **ZM***	07.8109.72H	243,61	07.8109.74H	215,02

Other versions on request



ESD conductive workbench top

- Suitable for all electrostatically sensitive areas
- Surface RAL 7035

Panel thickness	30 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 600	07.8115.62E	381,57	07.8115.64E	426,33
1400 x 600 **ZM***	07.8114.62E	359,20	07.8114.64E	400,22
1000 x 600	07.8110.62E	257,29	07.8110.64E	285,87
900 x 600 **ZM***	07.8109.62E	232,43	07.8109.64E	257,29
1500 x 750	07.8115.72E	482,25	07.8115.74E	536,94
1400 x 750 **ZM***	07.8114.72E	456,15	07.8114.74E	504,63
1000 x 750	07.8110.72E	346,77	07.8110.74E	369,14
900 x 750 **ZM***	07.8109.72E	319,43	07.8109.74E	336,83

***ZM** = intermediate size. These worktops are necessary for linkages.
e.g. 2x basic table and 1x ZM, 3x basic table and 2x ZM

Accessories





You can find further accessories on/from page 335

Intersecting bridge

- Includes 4 end stops

Item no.	Length in mm	Price in €
07.8830.300	300 x 300	211,30
07.8840.400	400 x 400	228,69
07.8830.400	300 x 400	217,51



Support foot

- Height-adjustable

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.89.42	550 x 1348	Left	87,00
07.89.45		Right	87,00



Corner panel support

- Height-adjustable

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.10	150 x 150 x 655 – 1150	48,46



Workpiece carrier for transporting components on the roller and small roller conveyors

Item no.	Dimensions in mm (WxDxH)	For roller/small roller conveyor width in mm	Price in €
07.89.40	294 x 294 x 25	300	23,99
07.89.41	394 x 394 x 25	400	37,03
07.89.43	294 x 294 x 40	300	29,83



Cross-member for linking basic modules


Item no.	Length in mm	Price in €
07.89.17	1000	21,76
07.89.16	1500	25,44



PC support A

- For side attachment
- 205 x 550 x 500 mm

Item no.	Design	Price in €
07.89.07	Right	60,90
07.89.08	Left	60,90



Hanging drawer block

- Front height 100 mm
- Drawers with full pull-out (FP) 100%
- Load capacity 35 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.01	365 x 400 x 140	93,84



Stopper


- Supplied in pairs

Item no.	Dimensions in mm (WxDxH)	Price in €
07.81.02	182 x 8 x 30	26,10



End stop

Item no.	Length in mm	Price in €
07.8904.300	300	8,57
07.8904.400	400	9,32



- Top frame with bolted stiffening crossbar.
- For attaching the lighting and for holding the glider

	Item no.	Design	Dimensions in mm (WxD)	Price in €
1.	07.8910.1	Overhead frame	1000 x 750	131,75
1.	07.8915.1	Overhead frame	1500 x 750	139,21
2.	03.910.03	Equipment rail	1000	49,72



- Double-sided overhead frame with bolted reinforcement cross-members
- For attaching the lighting and for holding the glider

	Item no.	Design	Dimensions in mm (WxDxH)	Price in €
1.	07.8910.2	Overhead frame	1000 x 750	171,27
1.	07.8915.2	Overhead frame	1500 x 750	180,96
2.	03.915.03	Equipment rail	1500	64,64

WORKTOP
DEPTH 390 MM



ROLLER CONVEYOR
DEPTH 300 / 400 MM







Beech multiplex
- Waterproof
- Dampened according to DIN 68705

Panel thickness	25 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 390	07.8115.32	151,64	07.8115.34	142,94
1400 x 390 **ZM***	07.8114.32	146,66	07.8114.34	134,23
1000 x 390	07.8110.32	106,89	07.8110.34	100,67
900 x 390 **ZM***	07.8109.32	100,67	07.8109.34	94,46



Chipboard panel directly coated with melamine resin
- 4-sided, ABS edging
- Chipboard carrier panel with laminate coating
- Abrasion-resistant and easy to care for surface

Panel thickness	28 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 390	07.8115.32M	151,64	07.8115.34M	145,41
1400 x 390 **ZM***	07.8114.32M	146,66	07.8114.34M	136,72
1000 x 390	07.8110.32M	108,14	07.8110.34M	103,15
900 x 390 **ZM***	07.8109.32M	100,67	07.8109.34M	95,69



MDF worktop with 0.7 mm HPL coat
- Highly abrasion-resistant
- 4-sided, ABS edging

Panel thickness	30 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 390	07.8115.32H	195,13	07.8115.34H	181,46
1400 x 390 **ZM***	07.8114.32H	187,68	07.8114.34H	171,53
1000 x 390	07.8110.32H	149,15	07.8110.34H	130,50
900 x 390 **ZM***	07.8109.32H	139,21	07.8109.34H	119,32



ESD conductive workbench top
- Suitable for all electrostatically sensitive areas
- Surface RAL 7035

Panel thickness	30 mm		40 mm	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 390	07.8115.32E	270,96	07.8115.34E	262,25
1400 x 390 **ZM***	07.8114.32E	256,04	07.8114.34E	243,61
1000 x 390	07.8110.32E	197,64	07.8110.34E	176,49
900 x 390 **ZM***	07.8109.32E	182,71	07.8109.34E	156,61



Roller conveyor

Depth	300 mm		400 mm	
Length in mm	Item no.	Price in €	Item no.	Price in €
1500	07.8715.300	420,11	07.8715.400	467,34
1400 **ZM***	07.8714.300	401,48	07.8714.400	446,22
1000	07.8710.300	300,79	07.8710.400	330,61
900 **ZM***	07.8790.300	283,38	07.8790.400	314,45
500	07.8750.300	176,49	07.8750.400	198,87



Small roller conveyor

Depth	300 mm		400 mm	
Length in mm	Item no.	Price in €	Item no.	Price in €
1500	07.8615.300	151,64	07.8615.400	154,12
1400 **ZM***	07.8614.300	145,41	07.8614.400	147,92
1000	07.8610.300	116,84	07.8610.400	119,32
900 **ZM***	07.8690.300	111,87	07.8690.400	114,35
500	07.8650.300	88,25	07.8650.400	89,49

***ZM** = intermediate size. These worktops are necessary for linkages.
e.g. 2x basic table and 1x ZM, 3x basic table and 2x ZM

Corner worktops


1 | Corner panels

Corner worktops with worktop bracket for table-to-table connection



2 | Corner trapezoidal panels

Corner worktops with worktop bracket for table-to-table connection






1



2





Beech multiplex

- Waterproof
- Multi-layer laminated, oiled
- Dampened according to DIN 68705

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8130.40	494 x 494 x 40	95,69
07.8140.40	394 x 394 x 40	72,09
07.8130.25	494 x 494 x 25	79,54
07.8140.25	394 x 394 x 25	60,90

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8175.40	854 x 854 x 40	238,64
07.8175.25	854 x 854 x 25	188,92



Chipboard panel directly coated with melamine resin

- 4-sided, ABS edging
- Chipboard carrier panel with laminate coating
- Abrasion-resistant and easy to care for surface

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8130.40M	494 x 494 x 40	85,76
07.8140.40M	394 x 394 x 40	64,64
07.8130.25M	494 x 494 x 25	74,57
07.8140.25M	394 x 394 x 25	58,42

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8175.40M	854 x 854 x 40	269,71
07.8175.25M	854 x 854 x 25	176,49



MDF worktop with 0.7 mm HPL coat

- Highly abrasion-resistant
- 4-sided, ABS edging

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8130.40H	494 x 494 x 40	113,11
07.8140.40H	394 x 394 x 40	82,03
07.8130.25H	494 x 494 x 25	108,14
07.8140.25H	394 x 394 x 25	77,06

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8175.40H	854 x 854 x 40	283,38
07.8175.25H	854 x 854 x 25	261,02



ESD conductive workbench top


- Suitable for all electrostatically sensitive areas
- Surface RAL 7035

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8130.40E	494 x 494 x 40	176,49
07.8140.40E	394 x 394 x 40	123,05
07.8130.25E	494 x 494 x 25	144,18
07.8140.25E	394 x 394 x 25	103,15

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8175.40E	854 x 854 x 40	468,58
07.8175.25E	854 x 854 x 25	376,61

workline - the highest one





workline and linkage Page 340



workline Basic tables and add-on tables Page 342



workline corner panels and base cabinets Page 347



workline Combinations from practice with multi-board setup Page 348



workline multi-board setup Page 350



workline Combinations from practice with superstructure stand Page 352



workline Superstructure stand | Accessories Page 354



workline Linkage accessories Page 356

Linkage variant

Grid subdivision



Series
workline



Housing W x D
365 x 400

Height	Usable heights
500	400




Drawer W x D
300 x 350

Height	Load capacity
100	20 kg
200	20 kg
400	20 kg

Series
workline
T370 12-14

Grid:	R 12-14



workline - the highest one

The **workline** worktable achieves a working height of 1100 mm thanks to its continuous height adjustment and is therefore also an optimal standing workplace. At the same time, its simple and functional design ensures an ergonomic seated workplace.

- Standard colours: RAL 7035 Light grey / RAL 5013 Cobalt blue
- Base frame made of 45 x 45 mm steel tube Cross-members made of 40 x 40 mm aluminium sections



Please note that workline tables are delivered unassembled. Easy self-assembly!

Our features at a glance	
Modular system	Individual workstations can be quickly expanded to group workstations
Retrofittable	Wide range of accessories: Flexible design and conversion of the workplace
Energy	Direct supply of lighting, power, compressed air
Frame widths	1000, 1500 mm
Frame depth	750 mm
Travel speed	6.25 mm/s
Work height without worktop	735 – 1100 mm | Vertical travel: 365 mm
Height adjustment	Three different types: Clamp fixing, crank adjustment, electric height adjustment
Frame design	A-foot
Load capacity	180-200 kg with uniform load depending on height adjustment

FRAME DESIGN:

WL 1





Basic table



Add-on table

HEIGHT ADJUSTMENT:

WL 1 | kg 200



Clamp fixing

WL 2 | kg 200



Crank adjustment

WL 3 | kg 180



Electric height adjustment, 1 motor

Basic table with worktop



workline basic table with clamp fixing

- Beech multiplex worktop 25 mm



WL 1 | kg 200

Item no.	Dimensions in mm (WxDxH)	Price in €
07.75.10	1000 x 750 x 735 – 1100	476,05
07.75.15	1500 x 750 x 735 – 1100	555,58

workline basic table with crank adjustment

- Beech multiplex worktop 25 mm



WL 2 | kg 200

Item no.	Dimensions in mm (WxDxH)	Price in €
07.75.10KHV	1000 x 750 x 735 – 1100	807,90
07.75.15KHV	1500 x 750 x 735 – 1100	891,17

workline basic table with electric height adjustment

- Beech multiplex worktop 25 mm



WL 3 | kg 180

Item no.	Dimensions in mm (WxDxH)	Price in €
07.75.10EHV	1000 x 750 x 735 – 1100	1.544,95
07.75.15EHV	1500 x 750 x 735 – 1100	1.628,23



workline add-on table with clamp fixing

- Beech multiplex worktop 25 mm
- Can be used left or right



WL 1

kg 200

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.15	1000 x 750 x 735 – 1100	360,45
07.15.15	1500 x 750 x 735 – 1100	431,29

workline add-on table gear drive for crank adjustment and electric height adjustment

- Beech multiplex worktop 25 mm
- Can be used left or right - Please state the side when ordering



WL 2

kg 200

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.15KHV	1000 x 750 x 735 – 1100	559,32
07.15.15KHV	1500 x 750 x 735 – 1100	633,89

Basic frame

You can find multi-board accessories on/from page 434





WL 1 kg 200

workline basic table with clamp fixing

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.70	1000 x 750 x 735 – 1100	359,20
07.10.75	1500 x 750 x 735 – 1100	380,33



WL 2 kg 200

workline basic frame with crank adjustment

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.70KHV	1000 x 750 x 735 – 1100	691,07
07.10.75KHV	1500 x 750 x 735 – 1100	715,93



WL 3 kg 180

workline basic frame with electric height adjustment

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.70EHV	1000 x 750 x 735 – 1100	1.428,12
07.10.75EHV	1500 x 750 x 735 – 1100	1.452,97

The add-on table only requires crank adjustment if the basic table is electrically adjustable. 1x motor for 1x basic table and 1x add-on table



Crank adjustment retrofit kit

- For one base or add-on table maximum

Item no.	Designation	Price in €
07.00.42	Crank adjustment basic table 1000	331,86
07.00.43	Crank adjustment add-on table 1000	198,87
07.00.40	Crank adjustment basic table 1500	335,59
07.00.41	Crank adjustment add-on table 1500	202,61



Electric height adjustment retrofit kit

- The crank height adjustment is a prerequisite for the electrical height adjustment
- For one base and add-on table maximum

Item no.	Designation	Price in €
07.00.45	Electrical height adjustment	737,05





WL 1

kg 200

workline add-on frame with clamp fixing

- Can be used left or right

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.72	1000 x 750 x 735 – 1100	243,61
07.15.72	1500 x 750 x 735 – 1100	256,04



WL 2

kg 200



WL 3

kg 180

workline add-on frame with gear drive for crank adjustment and electric height adjustment

- Can be used left or right - Please state the side when ordering

Item no.	Dimensions in mm (WxDxH)	Price in €
07.10.72KHV	1000 x 750 x 735 – 1100	442,48
07.15.72KHV	1500 x 750 x 735 – 1100	458,63

Basic and add-on table connection



workline basic table and add-on table

- incl. 2x beech multiplex worktop 25 mm

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.30.15	3000 x 750 x 735 – 1100	Clamp adjustment	986,88
07.30.15KHV	3000 x 750 x 735 – 1100	Crank adjustment	1.525,08
07.30.15EHV	3000 x 750 x 735 – 1100	Electric height adjustment	2.262,12

Combinations from practice



workline basic table
- Beech multiplex worktop 25 mm
- 1x drawer, 100 mm
- 1x footrest

Item no.	Load capacity in kg	Dimensions in mm (WxDxH)	Price in €
07.25.25	200	1000 x 750 x 735 – 1100 with clamp fixing	835,87
07.75.25KHV	200	1000 x 750 x 735 – 1100 with crank adjustment	1.171,45
07.75.25EHV	180	1000 x 750 x 735 – 1100 with electric height adjustment	1.908,52



Footrest
- Only for workline tables
- Inclined, coated with anti-slip mat
- W x D x H: 400 x 350 x 20 mm

Item no.	Design	Price in €
07.00.20	Basic table 1000	161,58
07.00.21	Add-on table 1000	163,45
07.00.25	Basic table 1500	186,44
07.00.26	Add-on table 1500	188,92



workline basic table
- Beech multiplex worktop 25 mm
- 1x shelf, 3rd level

Item no.	Load capacity in kg	Dimensions in mm (WxDxH)	Price in €
07.75.41	200	1500 x 750 x 735 – 1100 with clamp fixing	743,27
07.75.41KHV	200	1500 x 750 x 735 – 1100 with crank adjustment	1.078,86
07.75.41EHV	180	1500 x 750 x 735 – 1100 with electric height adjustment	1.815,91



Shelf, 3rd level
- Beech multiplex 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.25.33	1000 x 260 x 300	161,58
07.25.35	1500 x 260 x 300	187,68

Corner connection for two basic tables
- 1x corner worktop or
- 1x triangular worktop





Corner worktop without corner connector
- Beech multiplex

Item no.	Dimensions in mm (WxDxH)	Price in €
07.25.90	750 x 750 x 25	116,22

- Chipboard panel melamine resin

Item no.	Dimensions in mm (WxDxH)	Price in €
07.26.91	750 x 750 x 28	111,24

- ESD conductive

Item no.	Dimensions in mm (WxDxH)	Price in €
07.24.91	750 x 750 x 30	217,51

Triangular worktop without corner connector
- Beech multiplex

Item no.	Dimensions in mm (WxDxH)	Price in €
07.27.90	750 x 750 x 25	101,92

- Chipboard panel melamine resin

Item no.	Dimensions in mm (WxDxH)	Price in €
07.28.91	750 x 750 x 28	104,78

- ESD conductive

Item no.	Dimensions in mm (WxDxH)	Price in €
07.29.91	750 x 750 x 30	200,10

Table-to-table connector see page 442

Base cabinets, load capacity of drawers 20 kg




Corner connector
- Steel tube

Item no.	Description	Price in €
07.30.90	90° connection	119,94



Hanging drawer blocks
- 1 x drawer, 400 mm
- 1x bottle holder and intermediate support
- 2x shelf and frame for suspension files

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.00	365 x 400 x 500	387,79



Hanging drawer blocks
- 1x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.01	365 x 400 x 140	93,84



Hanging drawer blocks
- 2x drawer, 100 mm
- 1x drawer, 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.03	365 x 400 x 500	476,05



Hanging drawer blocks
- 4x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.04	365 x 400 x 500	529,48



Hanging drawer blocks
- 2x drawer, 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.18.02	365 x 400 x 500	436,27

Combinations from practice with multi-board setup



You can find multi-board accessories on/from page 286



workline basic table with clamp fixing

Multi-board setup
- 2x support column
- 1x overhead frame
- 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x magnetic board and 1x perforated wall, 302 mm
- 2x inclinable shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.75.15	1500 x 750 x 735 – 1100	workline basic table	555,58
03.900.15.13	1500 x 750 x 1250	Multi-board setup	964,51



workline basic table with crank adjustment
- 1x footrest
- 1x drawer block with 3x drawer, load capacity 20 kg

Multi-board setup
- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall, 1 magnetic board, 2x shelf, 320 mm
- 2x pivot arm support
- 1x pivot arm with platform
- 1x pivot arm with monitor bracket and keyboard platform
- 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.75.17	1500 x 750 x 735 – 1100	workline basic table	1.553,66
03.900.75.18	1500 x 750 x 1250	Multi-board setup	1.836,30

Supplied without hooks, boxes and decoration

kg 200



workline basic and add-on table combination with clamp fixing
- Beech multiplex worktop 25 mm

Multi-board setup
- 3x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall
- 2x shelf, 320 mm
- 1x multi roller shutter cabinet
- 1x overhead frame, 1x equipment rail
- 1 pair of joists
- 1x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.20.15/40	2000 x 750 x 735 –1100	workline basic table and add-on table	836,49
03.900.21	2000 x 750 x 1250	Multi-board setup	2.091,48



workline basic and add-on table combination with crank adjustment
- 2x beech multiplex worktop 25 mm
- 1x drawer block with 3x drawer, load capacity 20 kg
- 1x superstructure frame
- 1x pivot arm with monitor bracket and keyboard platform

Multi-board setup 1500 mm
- 2x support column, 1x overhead frame
- 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x magnetic board and 1x perforated wall, 302 mm
- 1x shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.10.15.10.96	3000 x 750 x 735 – 1100	workline basic and add-on table with multi-board setup	3.519,21

Supplied without hooks, boxes and decoration


Multi-board setup



Suitable for mounting on workline worktables



- Table width 1000 mm
- Superstructure width centre-centre 950 mm
- 1x support column left
- 1x support column right



- Table width 1500 mm
- Superstructure width centre-centre 1450 mm
- 1x support column left
- 1x support column right



Support column profile 30 x 60 mm

- Reinforced by U-profile tube
- Lower panel thicknesses on request
- 3 support columns are required for assembly on 2 m work surfaces

Item no.	Dimensions in mm	Price in €
03.935.650.225	650 left	82,65
03.935.650.125	650 right	82,65
03.935.950.225	950 left	88,25
03.935.950.125	950 right	88,25
03.935.125.225	1250 left	91,97
03.935.125.125	1250 right	91,97



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 2x shelf, 320 mm
- 1x perforated wall
- 1x pivot arm with platform, 1 x Swivel arm holder

Item no.	Dimensions in mm (WxDxH)	Price in €
03.9001524WL	1500 x 750 x 1250	1.511,40



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 3x shelf, 320 mm, 1x perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.9001525WL	1500 x 750 x 1250	1.280,21



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 2x shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.9001523WL	1500 x 750 x 1250	1.221,80



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 1x shelf, 320 mm, 1x perforated wall, 1x magnetic board
- 1x pivot arm with platform, 1 x Swivel arm holder

Item no.	Dimensions in mm (WxDxH)	Price in €
03.9001521WL	1500 x 750 x 1250	1.460,44



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 4x shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.9001522WL	1500 x 750 x 1250	1.308,79



- 2x support column, 1x overhead frame, 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection, 1x shelf, 320 mm
- 1x perforated wall, 1x magnetic board

Item no.	Dimensions in mm (WxDxH)	Price in €
03.9001520WL	1500 x 750 x 1250	1.237,95

Scope of delivery without decoration

Combinations from practice with superstructure stand



You can find superstructure stand accessories on/from page 354





kg 200

workline basic table
- Beech multiplex worktop 25 mm
- 1x drawer block with 3x drawer: 2x 100 mm, 1x 200 mm, load capacity 20 kg

Superstructure frame
- 1x superstructure frame for stand
- 1x stand with 2x earthed sockets and 1x halogen lamp
- 1x pivot arm with shelf
- 1x pivot arm with perforated/slotted wall
- Without spring balancer and open front storage bins

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.75.96	1500 x 750 x 735 – 1100	Clamp fixing	2.149,64
07.75.96KHV	1500 x 750 x 735 – 1100	Crank fixing	2.485,23

workline basic table
- Beech multiplex worktop 25 mm
- 1x footrest, 1x PC support
- 1x drawer block with 1x drawer: 100 mm, load capacity 20 kg

Superstructure frame
- 1x superstructure frame for stand
- 1x stand with 2x earthed sockets and 1x halogen lamp
- 1x pivot arm with monitor and keyboard platform

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.75.55	1500 x 750 x 735 – 1100	Clamp fixing	1.742,58
07.75.55KHV	1500 x 750 x 735 – 1100	Crank fixing	2.078,17



PC support H
- For attachment under the worktop
- Width adjustable

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.06	250 x 550 x 500	62,15



Foot shelf
- Only for workline tables
- Beech multiplex top 25 mm

Item no.	Dimensions in mm (WxD)	Design	Price in €
07.30.20	1000 x 350	Basic table	135,48
07.30.21	1000 x 350	Add-on table	151,64
07.30.25	1500 x 350	Basic table	159,10
07.30.26	1500 x 350	Add-on table	159,10



workline basic table
- Beech multiplex worktop 25 mm
- 1x drawer block with 1x drawer, 100 mm, load capacity 20 kg
- 1x shelf, 3rd level beech multiplex (top)

Superstructure frame
- 1x superstructure frame for stand
- 1x stand with 2x earthed sockets and 1x halogen lamp


Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.75.46	1500 x 750 x 735 – 1100	Clamp fixing	1.423,15
07.75.46KHV	1500 x 750 x 735 – 1100	Crank fixing	1.758,73



workline basic table
- Beech multiplex worktop 25 mm

Superstructure frame
- 1x superstructure frame for stand
- 1x stand with 2x earthed sockets and 1x halogen lamp

Item no.	Dimensions in mm (WxDxH)	Design	Price in €
07.75.35	1500 x 750 x 735 – 1100	Clamp fixing	1.141,63
07.75.35KHV	1500 x 750 x 735 – 1100	Crank fixing	1.477,21





Superstructure frame below the worktop


Please note:
Mandatory for stand and pivot arms

Item no.	Dimensions in mm (WxDxH)	Price in €
07.40.00	610 x 170 x 130	118,70
07.40.01	Surcharge power supply	93,23
07.40.02	Surcharge compressed air distributor	68,99



Stand
- For structures with 2x earthed sockets and 1x halogen lightning 35 W
- Total height 1130 mm

Item no.	Design	Price in €
07.40.06	Standard	467,34
07.40.07	Surcharge for compressed air distributor	68,35



360° pivot arm inserts offer maximum flexibility for the work to be carried out.



Sockets, compressed air connections and a halogen lamp are integrated into the stand. This saves the space an additional energy bar would require.

Please note:
- The superstructure frame below the worktop is mandatory for pivot arms
- Load capacity 25 kg



Pivot arm with pivot frame and shelves
- 2x inclinable shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.03	680 x 287 x 400	253,56



Pivot arm with depositing tray

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.04	400 x 300 x 48	172,77



Pivot arm with document holder A4 Portrait format
- With raised lateral and bottom edge

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.05	215 x 370 x 330	164,07



Pivot arm with document holder A4 Landscape format
- With raised bottom edge

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.06	310 x 156 x 310	176,49



Pivot arm with monitor bracket
- VESA 75 / 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.07	130 x 370 x 320	208,81



Pivot arm with monitor bracket and keyboard platform
- VESA 75 / 100 mm
- Beech multiplex shelf, 15 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.08	700 x 355 x 322	264,74

Linkage accessories




kg 200

WL 1

workline roller ball table

- Beech multiplex worktop 25 mm
- 2x workpiece carrier stop
- Integrated roller ball rail
- Height-adjustable with clamp fixing
- incl. guide rails

Item no.	Depth of work-piece carrier in mm	Dimensions in mm (WxDxH)	Price in €
07.60.10.40	384	1000 x 750 x 735 – 1100	837,73
07.60.15.40	384	1500 x 750 x 735 – 1100	971,96
07.60.10.50	500	1000 x 750 x 735 – 1100	837,73
07.60.15.50	500	1500 x 750 x 735 – 1100	971,96
07.60.10.60	616	1000 x 750 x 735 – 1100	837,73
07.60.15.60	616	1500 x 750 x 735 – 1100	971,96



Beech multiplex worktop incl. roller ball rail

- Beech multiplex worktop 25 mm
- Integrated roller ball rail
- Incl. guide rails and 2 x workpiece carrier stop

Item no.	Depth of workpiece carrier in mm	Dimensions in mm (WxDxH)	Price in €
07.60.90	384	1000 x 750 x 25	490,95
07.60.91	384	1500 x 750 x 25	599,09
07.60.92	500	1000 x 750 x 25	490,95
07.60.93	500	1500 x 750 x 25	599,09
07.60.94	616	1000 x 750 x 25	490,95
07.60.95	616	1500 x 750 x 25	599,09



kg 40

WL 1

workline basic table with small roller conveyor

- 1x small roller conveyor up to 600 mm depth
- Continuously height-adjustable with clamp fixing

Item no.	Dimensions in mm (WxDxH)	Price in €
07.60.100	1000 x 600 x 790 – 1100	523,27
07.60.150	1500 x 600 x 790 – 1100	618,98




kg 40

WL 1

workline add-on table with small roller conveyor

- 1x small roller conveyor up to 600 mm depth
- Continuously height-adjustable with clamp fixing

Item no.	Dimensions in mm (WxDxH)	Price in €
07.61.100	1000 x 600 x 790 – 1100	401,48
07.61.150	1500 x 600 x 790 – 1100	499,66



kg 40

Roller ball table - bridge

- Without guide rails
- For an intersection with 3 or 4 junctions

Item no.	Dimensions in mm (WxD)	Price in €
07.60.70	3 junctions - 750 x 750	558,07
07.60.71	4 junctions - 750 x 750	565,52



kg 40

WL 1

Roller ball table - end module

- Without guide rails, with one intersection and two junctions

Item no.	Dimensions in mm (WxD)	Price in €
07.61.70	750 x 750	718,42




Workpiece carrier rail with 1x stopper

Item no.	Width in mm	Price in €
07.60.03	1000	72,09
07.60.01	1500	73,96




Stopper for workpiece carrier rail

Item no.	Price in €
07.60.02	19,27



Beech multiplex workpiece carrier

Item no.	Dimensions in mm (WxDxH)	Price in €
07.60.10	384 x 384 x 12	19,39
07.60.11	500 x 500 x 12	30,45
07.60.12	616 x 616 x 12	47,61



1



Guide bracket, pair

Item no.	Dimensions in mm	Price in €
07.60.40	For workpiece carrier 384	47,11
07.60.42	For workpiece carrier 500	49,34
07.60.44	For workpiece carrier 616	50,83

2



End stop


Item no.	Dimensions in mm (WxDxH)	Price in €
07.60.46	373 x 20 x 20	25,10

3



Guide rail

Item no.	Dimensions in mm	Price in €
07.60.48	700	26,73





ROLLER CONVEYOR SYSTEMS

The conveying elements are standardised to optimise the internal material flow. With the tried-and-tested roller and wheel conveyor programme, we develop optimal concepts in unit load conveyor technology and realise projects in the areas of: Production, incoming goods, warehouse with picking zones, dispatch, the transport of light products, such as cardboard boxes, is mastered by the conveyor system as well as the handling of heavier goods, which can be moved gently on medium-heavy roller conveyors.

ACCORDION ROLLER CONVEYORS


Flared conveyors are independent, flexible conveyor sections. They are used where stationary conveyor sections cannot be installed and packages are handled manually. Thanks to their high degree of flexibility, they can be used as curves or even S-curves. Furthermore, their conveying length is variable (extendable), and they can be moved using steering casters.

- Also galvanised steel tube, Ø 50 x 1.5 mm, on request
- The centre distance is 55 - 130 mm, depending on the extended length
- Height-adjustable, 700 - 1100 mm



Accordion roller conveyors with conveyor rollers made of blue plastic tube

- Also ball bearing-mounted plastic rollers, Ø 48 mm, on request (without surcharge)
- The centre distance is 32 - 130 mm, depending on the extended length
- Height-adjustable, 700 - 1100 mm



Accordion small roller conveyors with ball bearing-mounted and galvanised steel rollerverzinkten Stahlröllchen

SMALL ROLLER CONVEYORS

For transporting small, light-weight conveyed goods. The conveyed goods should always lie over at least 3 conveyor rollers. Consequently, length and diameter of the smallest conveyed good:
min. 75 mm with a centre distance of 25 mm,
min. 115 mm with a centre distance of 37.5 mm.
The roller conveyor width determines the inner clearance between the roller conveyor frames. The conveyor rollers protrude over the upper edge of the frame.
Conveyors rollers Ø 20 mm or Ø 30 mm



Conveyor rollers made of blue plastic tube

Conveyor rollers made of galvanised steel tube

LIGHT ROLLER CONVEYORS

Light roller conveyors are used for transporting piece goods of a weight that can still be handled manually. The conveyed goods should always lie over at least 3 conveyor rollers (check centre distance). The roller conveyor width determines the inner clearance between the roller conveyor frames. The load capacity of the conveyors depends on, among other things, the roller conveyor width, and the roller and support spacing. With plastic rollers, the weight of the conveyed good should be no more than 20-25 kg. Supports are placed with a spacing of up to 2 m.



Conveyor rollers made of blue plastic tube

Conveyor rollers made of galvanised steel tube


MEDIUM-WEIGHT ROLLER CONVEYORS

For applications where light roller conveyors reach their load limits and heavy-duty roller conveyors would be oversized.
They are used for loads of up to approx. 150 - 200 kg/m, irrespective of the roller conveyor width, and the roller and support spacing. For multi-segment sections, the individual conveyors are connected via the supports (no track connectors).



Conveyor rollers made of galvanised steel tube

workergo - the versatile one





workergo C-foot linkages Seite 362




workergo C-foot basic frames Seite 366



workergo 4-foot and linkages Seite 368



workergo 4-foot basic frames Seite 372



workergo multi-board setup Seite 376



workergo base cabinets Seite 378



workergo corner panels Seite 380

C-foot tables



workergo - the versatile one

The **workergo** is the most versatile workplace systems.
Six different frame widths, two different frame depths and four different types of height adjustment make the workergo C-foot a versatile worktable.



- Standard colours: RAL 7035 Light grey/RAL 5012 Light blue
- Base frame made of 45 x 45 mm steel tube
- Cross-members made of 40 x 40 mm aluminium sections

Please note that workergo tables are delivered unassembled. Easy self-assembly!

Our features at a glance	
Modular system	Freely selectable combinations from frame to worktop
Retrofittable	Multi-board setup and optional accessories
Energy	Direct supply of lighting, energy, compressed air
Frame widths	750, 1000, 1250, 1500, 1750 and 2000 mm
Frame depths	600, 750 mm
Travel speed	12 mm/s
Work height without worktop	670 – 1015 mm | Vertical travel: 345 mm
Height adjustment	Four different types: Clamp fixing, crank adjustment, electric height adjustment with 1 motor, electric height adjustment with 2 motors
Frame design	C-foot
Load capacity	180-300 kg with uniform load depending on height adjustment

FRAME DESIGN

WE C

C-foot






Basic table

HEIGHT ADJUSTMENT:

WE C1 | kg 200



Clamp fixing

WE C2 | kg 200



Crank adjustment

WE C3 | kg 180




Electric height adjustment, 1 motor

WE C4 | kg 300



Electric height adjustment, 2 motors

C-foot linkage variants



Cascading

- Cascading is required to adjust the height of several tables synchronously
- Linking up to 5 basic tables

Item no.	Description	Price in €
4CKAS1-2	Y-connector for cascading 2 basic tables	80,03
4CKAS3-6	Lifting element for cascading 3 to 5 basic tables	196,16
4CKASVERB	Connecting element absolutely necessary for each individual basic table	20,01



Linkage consisting of two basic tables with multi-board setup and corner panel

C-foot linkage variants



Linkage consisting of two basic tables and two multi-board setups



Individual cover panel labelling on request

C-foot basic frame



Cover panels are included as standard with C-foot

- For lateral mounting between the table legs

CLAMP FIXING - STANDARD



Item no.	Dimensions in mm (W x D x H)	Price in €
C075KL60G	750 x 600 x 670 - 1015	719,48
C100KL60G	1000 x 600 x 670 - 1015	736,61
C125KL60G	1250 x 600 x 670 - 1015	756,01
C150KL60G	1500 x 600 x 670 - 1015	776,29
C175KL60G	1750 x 600 x 670 - 1015	828,14
C200KL60G	2000 x 600 x 670 - 1015	832,61
C075KL75G	750 x 750 x 670 - 1015	732,62
C100KL75G	1000 x 750 x 670 - 1015	749,74
C125KL75G	1250 x 750 x 670 - 1015	769,12
C150KL75G	1500 x 750 x 670 - 1015	789,41
C175KL75G	1750 x 750 x 670 - 1015	841,28
C200KL75G	2000 x 750 x 670 - 1015	845,73

CRANK ADJUSTMENT



Item no.	Dimensions in mm (W x D x H)	Price in €
C075KU60G	750 x 600 x 670 - 1015	1.223,49
C100KU60G	1000 x 600 x 670 - 1015	1.242,56
C125KU60G	1250 x 600 x 670 - 1015	1.263,12
C150KU60G	1500 x 600 x 670 - 1015	1.285,16
C175KU60G	1750 x 600 x 670 - 1015	1.339,92
C200KU60G	2000 x 600 x 670 - 1015	1.344,40
C075KU75G	750 x 750 x 670 - 1015	1.237,16
C100KU75G	1000 x 750 x 670 - 1015	1.256,23
C125KU75G	1250 x 750 x 670 - 1015	1.276,80
C150KU75G	1500 x 750 x 670 - 1015	1.298,84
C175KU75G	1750 x 750 x 670 - 1015	1.353,60
C200KU75G	2000 x 750 x 670 - 1015	1.358,06

You can find further worktops on/from page 434



Beech multiplex worktop
- Glue laminated, oiled
- Waterproof
- Dampened according to DIN 68705

Item no.	Dimensions in mm (W x D x H)	Price in €
03.1260.25	1250 x 600 x 25	116,84
03.1560.25	1500 x 600 x 25	140,45
03.2060.25	2000 x 600 x 25	186,44
03.125.25	1250 x 750 x 25	145,41
03.15.25	1500 x 750 x 25	175,25
03.20.25	2000 x 750 x 25	233,67



Chipboard worktop with melamine resin coating
- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface

Item no.	Dimensions in mm (W x D x H)	Price in €
07.M12560.28	1250 x 600 x 28	116,84
07.M1560.28	1500 x 600 x 28	140,45
07.M2060.28	2000 x 600 x 28	186,44
07.M12575.28	1250 x 750 x 28	145,41
07.M1575.28	1500 x 750 x 28	175,25
07.M2075.28	2000 x 750 x 28	233,67

ELECTRIC HEIGHT ADJUSTMENT, 1 MOTOR

WE C3 kg 180

- Manual switch "memory"
- Save up to 4 positions
- LCD-Display
- Mounted under the worktop



Item no.	Dimensions in mm (W x D x H)	Price in €
C075E160G	750 x 600 x 670 - 1015	1.580,68
C100E160G	1000 x 600 x 670 - 1015	1.599,26
C125E160G	1250 x 600 x 670 - 1015	1.619,82
C150E160G	1500 x 600 x 670 - 1015	1.641,84
C175E160G	1750 x 600 x 670 - 1015	1.696,62
C200E160G	2000 x 600 x 670 - 1015	1.701,09
C075E175G	750 x 750 x 670 - 1015	1.592,60
C100E175G	1000 x 750 x 670 - 1015	1.611,19
C125E175G	1250 x 750 x 670 - 1015	1.631,76
C150E175G	1500 x 750 x 670 - 1015	1.653,78
C175E175G	1750 x 750 x 670 - 1015	1.708,56
C200E175G	2000 x 750 x 670 - 1015	1.713,01

ELECTRIC HEIGHT ADJUSTMENT, 2 MOTORS

WE C4 kg 300

- Manual switch "memory"
- Save up to 4 positions
- LCD-Display
- Mounted under the worktop



Item no.	Dimensions in mm (W x D x H)	Price in €
C075E260G	750 x 600 x 670 - 1015	1.669,08
C100E260G	1000 x 600 x 670 - 1015	1.687,68
C125E260G	1250 x 600 x 670 - 1015	1.708,24
C150E260G	1500 x 600 x 670 - 1015	1.730,26
C175E260G	1750 x 600 x 670 - 1015	1.785,04
C200E260G	2000 x 600 x 670 - 1015	1.789,50
C075E275G	750 x 750 x 670 - 1015	1.681,02
C100E275G	1000 x 750 x 670 - 1015	1.699,62
C125E275G	1250 x 750 x 670 - 1015	1.720,16
C150E275G	1500 x 750 x 670 - 1015	1.742,20
C175E275G	1750 x 750 x 670 - 1015	1.796,96
C200E275G	2000 x 750 x 670 - 1015	1.801,43

4-foot tables



workergo - the versatile one

The workergo is the most versatile workplace systems.
Six different frame widths, three different frame depths and four different types of height adjustment make the workergo 4-foot a versatile work-table.



- Standard colours: RAL 7035 light grey/RAL 5012 light blue
- Base frame made of 45 x 45 mm steel tube
- Cross-members made of 40 x 40 mm aluminium sections

Please note that workergo tables are delivered unassembled. Easy self-assembly!

Our features at a glance	
Modular system	Freely selectable combinations from frame to worktop
Retrofittable	Multi-board setup and optional accessories
Energy	Direct supply of lighting, energy, compressed air
Frame widths	750, 1000, 1250, 1500, 1750 and 2000 mm
Frame depths	600, 750, 900 mm
Travel speed	12 mm/s
Work height without worktop	670 – 1015 mm | Vertical travel: 345 mm
Height adjustment	Four different types: Clamp fixing, crank adjustment, electric height adjustment with 1 motor, electric height adjustment with 2 motors
Frame design	4-foot
Load capacity	180-300 kg with uniform load depending on height adjustment

FRAME DESIGN:

WE V

4-foot





Basic table

HEIGHT ADJUSTMENT:

WE V1 | kg 200



Clamp fixing

WE V2 | kg 200



Crank adjustment

WE V3 | kg 180



Electric height adjustment, 1 motor

WE V4 | kg 300



Electric height adjustment, 2 motors


4-foot linkage variants



Corner combination with large corner panel comprising two basic tables.
Multi-board setup not possible on the corner panel.



Inline combination with two basic tables.
Multi-board setup possible on both tables.



Cascading

- Cascading is required to adjust the height of several tables synchronously
- Linking up to 5 basic tables

Item no.	Description	Price in €
4CKAS1-2	Y-connector for cascading 2 basic tables	80,03
4CKAS3-6	Lifting element for cascading 3 to 5 basic tables	196,16
4CKASVERB	Connecting element absolutely necessary for each individual basic table	20,01



Ground anchorage


- For fixing the workbench to the floor
- 4 pieces

Item no.	Price in €
03.00.34	22,38



workergo 4-foot - expander casters Ø 100 mm


Item no.	Description	Price in €
4XXXXXMBL100	2 x fixed caster, 2 x steering caster with lock	129,26
4XXXXXMLL100	4 x steering caster, thereof 2 with locks	135,48





Linkage consisting of two basic tables with multi-board setup on both tables.





Corner combination with large corner panel comprising two basic tables. Multi-board setup not possible on the corner panel.

4-foot basic frame





Individual cover panel labelling on page 29

workergo cover panel, 4-foot version

- For lateral mounting between the table legs of 4-foot tables

Item no.	Dimensions in mm (W x D x H)	For depth in mm	Price in €
4XXXXX60BL	485 x 30 x 571	600	49,72
4XXXXX75BL	635 x 30 x 571	750	52,20
4XXXXX90BL	785 x 30 x 571	900	54,69

CLAMP FIXING - STANDARD



Item no.	Dimensions in mm (W x D x H)	Price in €
4075KL60G	750 x 600 x 670 - 1015	426,58
4100KL60G	1000 x 600 x 670 - 1015	441,49
4125KL60G	1250 x 600 x 670 - 1015	456,40
4150KL60G	1500 x 600 x 670 - 1015	471,32
4175KL60G	1750 x 600 x 670 - 1015	486,24
4200KL60G	2000 x 600 x 670 - 1015	501,15
4075KL75G	750 x 750 x 670 - 1015	439,98
4100KL75G	1000 x 750 x 670 - 1015	447,44
4125KL75G	1250 x 750 x 670 - 1015	462,36
4150KL75G	1500 x 750 x 670 - 1015	477,29
4175KL75G	1750 x 750 x 670 - 1015	492,18
4200KL75G	2000 x 750 x 670 - 1015	507,12
4075KL90G	750 x 900 x 670 - 1015	444,47
4100KL90G	1000 x 900 x 670 - 1015	451,94
4125KL90G	1250 x 900 x 670 - 1015	466,84
4150KL90G	1500 x 900 x 670 - 1015	481,77
4175KL90G	1750 x 900 x 670 - 1015	496,49
4200KL90G	2000 x 900 x 670 - 1015	511,60

You can find further worktops on/from page 434





Beech multiplex worktop
- Glue laminated, oiled
- Waterproof
- Dampened according to DIN 68705

Item no.	Dimensions in mm (W x D x H)	Price in €
03.1560.25	1500 x 600 x 25	140,45
03.2060.25	2000 x 600 x 25	186,44
03.15.25	1500 x 750 x 25	175,25
03.20.25	2000 x 750 x 25	233,67
03.1590.25	1500 x 900 x 25	210,05
03.2090.25	2000 x 900 x 25	279,65

Chipboard worktop with melamine resin coating
- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface

Item no.	Dimensions in mm (W x D x H)	Price in €
07.M1560.28	1500 x 600 x 28	140,45
07.M2060.28	2000 x 600 x 28	186,44
07.M1575.28	1500 x 750 x 28	175,25
07.M2075.28	2000 x 750 x 28	233,67
07.M1590.28	1500 x 900 x 28	210,05
07.M2090.28	2000 x 900 x 28	279,65

CRANK ADJUSTMENT

WE V2 | kg 200



Item no.	Dimensions in mm (W x D x H)	Price in €
4075KU60G	750 x 600 x 670 - 1015	1.043,44
4100KU60G	1000 x 600 x 670 - 1015	1.062,50
4125KU60G	1250 x 600 x 670 - 1015	1.083,04
4150KU60G	1500 x 600 x 670 - 1015	1.105,09
4175KU60G	1750 x 600 x 670 - 1015	1.159,85
4200KU60G	2000 x 600 x 670 - 1015	1.164,32
4075KU75G	750 x 750 x 670 - 1015	1.052,09
4100KU75G	1000 x 750 x 670 - 1015	1.071,15
4125KU75G	1250 x 750 x 670 - 1015	1.091,72
4150KU75G	1500 x 750 x 670 - 1015	1.113,76
4175KU75G	1750 x 750 x 670 - 1015	1.168,52
4200KU75G	2000 x 750 x 670 - 1015	1.172,99
4075KU90G	750 x 900 x 670 - 1015	1.060,05
4100KU90G	1000 x 900 x 670 - 1015	1.079,11
4125KU90G	1250 x 900 x 670 - 1015	1.099,65
4150KU90G	1500 x 900 x 670 - 1015	1.121,69
4175KU90G	1750 x 900 x 670 - 1015	1.176,46
4200KU90G	2000 x 900 x 670 - 1015	1.180,93

ELECTRIC HEIGHT ADJUSTMENT, 1 MOTOR

VE V3 | kg 180

- Manual switch "memory"
- Save up to 4 positions
- LCD-Display
- Mounted under the worktop



Item no.	Dimenions in mm (W x D x H)	Price in €
4075E160G	750 x 600 x 670 - 1015	1.427,93
4100E160G	1000 x 600 x 670 - 1015	1.356,02
4125E160G	1250 x 600 x 670 - 1015	1.467,07
4150E160G	1500 x 600 x 670 - 1015	1.489,12
4175E160G	1750 x 600 x 670 - 1015	1.543,88
4200E160G	2000 x 600 x 670 - 1015	1.548,35
4075E175G	750 x 750 x 670 - 1015	1.436,26
4100E175G	1000 x 750 x 670 - 1015	1.454,84
4125E175G	1250 x 750 x 670 - 1015	1.475,40
4150E175G	1500 x 750 x 670 - 1015	1.497,42
4175E175G	1750 x 750 x 670 - 1015	1.552,20
4200E175G	2000 x 750 x 670 - 1015	1.556,68
4075E190G	750 x 900 x 670 - 1015	1.445,16
4100E190G	1000 x 900 x 670 - 1015	1.463,75
4125E190G	1250 x 900 x 670 - 1015	1.484,30
4150E190G	1500 x 900 x 670 - 1015	1.506,34
4175E190G	1750 x 900 x 670 - 1015	1.561,10
4200E190G	2000 x 900 x 670 - 1015	1.565,57

ELECTRIC HEIGHT ADJUSTMENT, 2 MOTORS

VE V4 | kg 300

- Manual switch "memory"
- Save up to 4 positions
- LCD-Display
- Mounted under the worktop



Item no.	Dimenions in mm (W x D x H)	Price in €
4075E260G	750 x 600 x 670 - 1015	1.516,35
4100E260G	1000 x 600 x 670 - 1015	1.534,93
4125E260G	1250 x 600 x 670 - 1015	1.555,49
4150E260G	1500 x 600 x 670 - 1015	1.577,53
4175E260G	1750 x 600 x 670 - 1015	1.632,30
4200E260G	2000 x 600 x 670 - 1015	1.636,77
4075E275G	750 x 750 x 670 - 1015	1.524,66
4100E275G	1000 x 750 x 670 - 1015	1.543,26
4125E275G	1250 x 750 x 670 - 1015	1.563,82
4150E275G	1500 x 750 x 670 - 1015	1.585,84
4175E275G	1750 x 750 x 670 - 1015	1.640,62
4200E275G	2000 x 750 x 670 - 1015	1.645,07
4075E290G	750 x 900 x 670 - 1015	1.533,58
4100E290G	1000 x 900 x 670 - 1015	1.552,15
4125E290G	1250 x 900 x 670 - 1015	1.572,72
4150E290G	1500 x 900 x 670 - 1015	1.594,77
4175E290G	1750 x 900 x 670 - 1015	1.649,52
4200E290G	2000 x 900 x 670 - 1015	1.653,99



The equipment rail is mounted on the overhead frame and serves to accommodate the carriage or the lighting.

Item no.	Dimensions in mm (W x H)	Price in €
03.910.03	1000 x 30 x 30	49,72
03.912.03	1250 x 30 x 30	57,18
03.915.03	1500 x 30 x 30	64,64
03.917.03	1750 x 30 x 30	72,09
03.920.03	2000 x 30 x 30	85,76
03.900.01	Carriage	18,99

You can find further accessories on/from page 286



Overhead frame with bolted reinforcement cross-members

Item no.	Dimensions in mm (W x H)	Price in €
07.8910.1	1000 x 750	131,75
07.8912.1	1250 x 750	136,72
07.8915.1	1500 x 750	139,21

Overhead frame with bolted reinforcement cross-members


Item no.	Dimensions in mm (W x D)	Price in €
07.8920.1	2000 x 750	203,84



workergo multi-board setup
- 2x support column
- 1x cross-member
- 1x rear wall

Item no.	Dimensions in mm (W x H)	Price in €
03.10.14.01	1000 x 1491	325,64
03.12.14.01	1250 x 1491	343,05
03.15.14.01	1500 x 1491	362,94

Three support columns are required for a table width of 2000 mm. The number of perforated walls, magnetic boards and shelves doubles.



workergo multi-board setup
- 3x support column
- 2x cross-member
- 1x rear wall


Item no.	Dimensions in mm (W x H)	Price in €
03.20.14.01	2000 x 1491	471,07



workergo multi-board setup
- Overhead frames with equipment rail and lighting
- 3x support column
- 2x cross-member, 1x rear wall
- 2x magnetic board, 2x perforated wall
- 1x energy bar with 4x earthed sockets
- 2x shelf, 320 mm
- 1x pivot arm with platform, 1x pivot arm with shelf and ribbed rubber mat

Item no.	Dimensions in mm (W x H)	Price in €
03.2014.01-1	2000 x 1491	2.084,52

Multi-board setup for C- and 4-foot base frames



Setup example

- Setup 1500 mm
- Overhead frame with equipment rail and lighting
- 1x shelf, 220 mm
- 2x shelf, 320 mm
- 3x earthed sockets with 1x on/off switch
- 1x pivot arm with shelf
- 1x pivot arm with monitor bracket and keyboard platform


Pos.	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
1	07.861.15.10	1375 x 60 x 130	**Energy duct,** fully equipped and wired, 3x earthed socket with on/off switch	247,35
2	07.861.01-1	33 x 38 x 117	**Energy duct mounting bracket** for basic module. Bracket right and left for mounting between support columns	15,16
3	03.15.14.01	1500 x 1491	**Support columns**	362,94
4	07.8915.1	1500 x 750	**Overhead frame** with bolted reinforcement cross-members	139,21
5	03.915.03	1500 x 30 x 30	**The equipment rail** is mounted on the overhead frame and serves to accommodate the carriage, the lighting or a balancer.	64,64
6	03L09M50B	898 x 70 x 80	**Workplace lamp,** colour rendering RA>80, UGR<22, life time L80/B10 at 50.000h, color temperature 5.000 K, switch, incl. approx. 4 m mains cable and mains plug	330,92
7	03.915.220	1500 x 220 x 20	**Shelf, 1500 mm,** for hanging between the support columns, adjustable height and incline, inclination 0°, 10° and 20° incl. roll-off edge	88,88
8	03.915.320	1500 x 320 x 20		95,69
9	07.98.11	420 x 300 x 20	**Pivot arm with shelf and ribbed rubber mat,** load capacity 25 kg, pivot arm bracket mandatory, not suitable for mounting on superstructure stand	187,68
10	07.98.08	700 x 355 x 322	**Pivot arm with monitor bracket and keyboard platform,** VESA 75/100 mm, beech multiplex shelf, 20 mm, pivot arm bracket mandatory, not suitable for mounting on superstructure stand	264,74
11	07.98.02		**Pivot arm bracket**	43,51

Supplied without hooks, boxes and decoration

All variants: Overhead frame with equipment rail and lighting, **variant 1500 mm:** 2x support column
Variant 2000 mm: 3x support column, the number of perforated walls, magnetic boards and shelves doubles.



Item no.	Dimensions in mm (W x D x H)	Price in €
4C150-1	1500 x 750 x 1250	830,27
4C200-1	2000 x 750 x 1250	1.142,24




- 2x perforated wall
- 1x magnetic board
- 1x energy bar with 3x earthed sockets and on/off switch

Item no.	Dimensions in mm (W x D x H)	Price in €
4C150-2	1500 x 750 x 1250	1.269,02
4C200-2	2000 x 750 x 1250	1.692,86



- 2x perforated wall
- 1x shelf, 320 mm
- 1x shelf, 220 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
4C150-3	1500 x 750 x 1250	1.143,49
4C200-3	2000 x 750 x 1250	1.583,49



- 2x perforated wall
- 1x shelf, 320 mm
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x pivot arm with 20 mm beech multiplex platform
- 1x pivot arm with shelf and ribbed rubber mat

Item no.	Dimensions in mm (W x D x H)	Price in €
4C150-4	1500 x 750 x 1250	1.675,46
4C200-4	2000 x 750 x 1250	2.147,78



- 1x perforated wall
- 1x shelf, 320 mm
- 2x shelf, 220 mm
- 1x pivot arm with document holder
- 1x pivot arm with monitor bracket and keyboard platform

Item no.	Dimensions in mm (W x D x H)	Price in €
4C150-5	1500 x 750 x 1250	1.609,58
4C200-5	2000 x 750 x 1250	2.182,58



- 1x shelf, 320 mm
- 2x shelf, 220 mm
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x pivot arm with monitor bracket and keyboard platform
- 1x pivot arm with shelf and ribbed rubber mat

Item no.	Dimensions in mm (W x D x H)	Price in €
4C150-6	1500 x 750 x 1250	1.820,88
4C200-6	2000 x 750 x 1250	2.319,29

Supplied without hooks, boxes and decoration

Base cabinets for screw mounting directly under tabletop, for C- and 4-foot base frames





Supports for hanging cabinets

- Mandatory for installation of hanging cabinets
- Packing unit: 2 pieces

Item no.	Table depth in mm	Price in €
4XXXXX75TR	750	61,39
4XXXXX90TR	900	66,50





Hanging base cabinet R 12-16/R 18-16

- Empty housing

	Item no.	Dimensions in mm (W x D x H)	Usable height in mm	Price in €
	01.032	381 x 500 x 215	150	247,10
	01.033	381 x 500 x 365	300	257,29
	01.034	381 x 500 x 465	400	278,41
	01.053	531 x 500 x 365	300	278,41
	01.054	531 x 500 x 465	400	297,05

Hanging base cabinet R 18-24

- Empty housing

	Item no.	Dimensions in mm (W x D x H)	Usable height in mm	Price in €
	01.0520	555 x 736 x 215	150	268,48
	01.0530	555 x 736 x 365	300	299,54
	01.0540	555 x 736 x 465	400	323,17



Drawer R 12-16/R18-16

- Full pull-out 100 %
- Load capacity 50 kg
- All specifications are usable dimensions

Item no.	Front height	Dimensions in mm (W x D x H)	Price in €
60.038.100VA	100	300 x 400 x 90	58,42
60.038.150VA	150	300 x 400 x 140	62,15
60.046.075VA	75	450 x 400 x 65	62,15
60.046.100VA	100	450 x 400 x 90	64,64
60.046.150VA	150	450 x 400 x 140	69,61




Drawer R 18-24

- Full pull-out 100 %
- Load capacity 70 kg with 50 mm front height
- Load capacity 100 kg with 100 mm front height
- All specifications are usable dimensions

Item no.	Front height	Dimensions in mm (W x D x H)	Price in €
60.50.050V07	50	450 x 600 x 30	109,38
60.50.100V10	100	450 x 600 x 83	116,84
60.50.150V10	150	450 x 600 x 133	133,00
60.50.200V10	200	450 x 600 x 183	142,94

Installation not possible Installation possible

Base cabinets with 736 mm depth cannot be used with table depths of 750 mm. These can only be installed from a table depth of 900 mm. Base Cabinets are not possible with a table depth of 600 mm.





PC support H

- For attachment under the worktop
- Width adjustable

Item no.	Dimensions in mm (WxDxH)	Price in €
07.89.06	250 x 550 x 500	62,15



- 1x hinged door, 350 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
44.001	531 x 500 x 465	381,57



- 2x drawer, 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.011	381 x 500 x 465	410,17
44.011	531 x 500 x 465	446,22



- 1x drawer, 150 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.150	381 x 500 x 215	321,91
53.150	531 x 500 x 215	341,81
520/1VA-1	555 x 736 x 215	401,48



- 3x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.300	381 x 500 x 365	432,53
53.300	531 x 500 x 365	472,31



- 3x drawer: 1x 50 mm, 1x 100 mm, 1x 150 mm


Item no.	Dimensions in mm (WxDxH)	Price in €
530.111V	555 x 736 x 365	658,75



- 4x drawer, 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
38.020	381 x 500 x 465	512,09
53.020	531 x 500 x 465	555,58
535/020V	555 x 736 x 465	790,50

Corner panels



- Corner panels for table-to-table connection



Beech multiplex 25 mm
- Glue laminated, oiled
- Waterproof
- Dampened according to DIN 68705

Clamp fixing and electric height adjustment		
A x B in mm	Item no.	Price in €
600 x 600	BE1.6060K25	109,38
600 x 750	BE1.6075K25	128,02
600 x 900	BE1.6090K25	147,92
750 x 600	BE1.7560K25	126,77
750 x 750	BE1.7575K25	150,38
750 x 900	BE1.7590K25	175,25
900 x 600	BE1.9060K25	146,66
900 x 750	BE1.9075K25	174,00
900 x 900	BE1.9090K25	202,61



Chipboard panel, 28 mm, directly coated with melamine resin
- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface

A x B in mm	Item no.	Price in €
600 x 600	ME1.6060K28	99,43
600 x 750	ME1.6075K28	108,14
600 x 900	ME1.6090K28	130,50
750 x 600	ME1.7560K28	108,14
750 x 750	ME1.7575K28	135,48
750 x 900	ME1.7590K28	154,12
900 x 600	ME1.9060K28	130,50
900 x 750	ME1.9075K28	154,12
900 x 900	ME1.9090K28	177,73



MDF worktop, 30 mm, with 0.7 mm HPL coat
- 4-sided, ABS edging
- Heat and light resistant
- Stain-resistant, easy to clean and to disinfect

A x B in mm	Item no.	Price in €
600 x 600	HE1.6060K30	135,48
600 x 750	HE1.6075K30	159,10
600 x 900	HE1.6090K30	183,95
750 x 600	HE1.7560K30	159,10
750 x 750	HE1.7575K30	191,41
750 x 900	HE1.7590K30	222,49
900 x 600	HE1.9060K30	183,95
900 x 750	HE1.9075K30	223,72
900 x 900	HE1.9090K30	257,29



ESD conductive workbench top, 30 mm
- Surface made from conductive HPL laminate
- Suitable for all electrostatically sensitive areas
- Surface RAL 7035

ESD

A x B in mm	Item no.	Price in €
600 x 600	EE1.6060K30	176,49
600 x 750	EE1.6075K30	212,53
600 x 900	EE1.6090K30	248,59
750 x 600	EE1.7560K30	212,53
750 x 750	EE1.7575K30	258,53
750 x 900	EE1.7590K30	303,27
900 x 600	EE1.9060K30	248,59
900 x 750	EE1.9075K30	304,51
900 x 900	EE1.9090K30	357,96



- Corner panels for table-to-table connection




Beech multiplex 25 mm
- Glue laminated, oiled
- Waterproof
- Dampened according to DIN 68705

Clamp fixing and electric height adjustment		
A x B in mm	Item no.	Price in €
600 x 600	BE2.6060K25	109,38
600 x 750	BE2.6075K25	128,02
600 x 900	BE2.6090K25	147,92
750 x 600	BE2.7560K25	128,02
750 x 750	BE2.7575K25	150,38
750 x 900	BE2.7590K25	175,25
900 x 600	BE2.9060K25	146,66
900 x 750	BE2.9075K25	172,77
900 x 900	BE2.9090K25	202,61



Chipboard panel, 28 mm, directly coated with melamine resin
- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface

A x B in mm	Item no.	Price in €
600 x 600	ME2.6060K28	99,43
600 x 750	ME2.6075K28	108,14
600 x 900	ME2.6090K28	129,26
750 x 600	ME2.7560K28	108,14
750 x 750	ME2.7575K28	135,48
750 x 900	ME2.7590K28	154,12
900 x 600	ME2.9060K28	130,50
900 x 750	ME2.9075K28	155,36
900 x 900	ME2.9090K28	177,73



MDF worktop, 30 mm, with 0.7 mm HPL coat
- 4-sided, ABS edging
- Heat and light resistant
- Stain-resistant, easy to clean and to disinfect

A x B in mm	Item no.	Price in €
600 x 600	HE2.6060K30	135,48
600 x 750	HE2.6075K30	159,10
600 x 900	HE2.6090K30	183,95
750 x 600	HE2.7560K30	159,10
750 x 750	HE2.7575K30	191,41
750 x 900	HE2.7590K30	222,49
900 x 600	HE2.9060K30	182,71
900 x 750	HE2.9075K30	223,72
900 x 900	HE2.9090K30	258,53



ESD conductive workbench top, 30 mm
- Surface made from conductive HPL laminate
- Suitable for all electrostatically sensitive areas
- Surface RAL 7035

A x B in mm	Item no.	Price in €
600 x 600	EE2.6060K30	176,49
600 x 750	EE2.6075K30	212,53
600 x 900	EE2.6090K30	248,59
750 x 600	EE2.7560K30	212,53
750 x 750	EE2.7575K30	257,29
750 x 900	EE2.7590K30	304,51
900 x 600	EE2.9060K30	248,59
900 x 750	EE2.9075K30	304,51
900 x 900	EE2.9090K30	357,96

ergoliner - the powerful one





NEW

ergoliner 4-foot basic frames Seite 384



NEW

ergoliner C-foot basic frames Seite 386





ergoliner worktops Seite 388



ergoliner base cabinets Seite 389

4-foot workstation



NEW


4-foot


Lift: 650 mm
Lift speed
20 - 35 mm/s




Modern memory hand switch
- Stores up to three individual height settings for maximum comfort with **USB**

HEIGHT ADJUSTMENT:



Our features at a glance	
Modular system	Freely selectable combinations from frame to worktop
Retrofittable	Multi-board setup and optional accessories
Energy	Direct supply of lighting, energy, compressed air
Frame widths	750, 1000, 1250, 1500, 1750 and 2000 mm
Frame depths	600, 750 and 900 mm
Lifting Speed	20 - 35 mm/s
Work height without worktop	650 – 1300 mm | Lift: 650 mm (including 40 mm worktop)
Height adjustment	Electric height adjustment
Frame design	4-foot
Load capacity	400 kg with uniform load depending on height adjustment



ergoliner – the powerful One

The **ergoliner 4-foot** workstation impresses with its exceptional stability and versatility. Six frame widths, three frame depths, and an electrically height-adjustable work surface provide maximum flexibility for a wide range of requirements. The robust 4-foot construction made of high-quality steel ensures outstanding load capacity and precision – ideal for workplaces where performance, ergonomics, and durability are essential. The result is a workstation system that perfectly combines efficiency and well-being.

- Connection: 230V | Drive motor: 5A
- Height-adjustable leveling feet up to 20 mm
- Very quiet operation with less than 50 dB

Please note that ergoliner tables are delivered unassembled. Easy self-assembly!



ELETRIC HEIGHT ADJUSTMENT

Basic frame ergoliner 4-foot

Item.-Nr.	Dimensions in mm (W x D x H)	Price in €
EL4075060	750 x 600 x 650 - 1300	2.062,97
EL4100060	1000 x 600 x 650 - 1300	2.134,81
EL4125060	1250 x 600 x 650 - 1300	2.206,64
EL4150060	1500 x 600 x 650 - 1300	2.278,48
EL4175060	1750 x 600 x 650 - 1300	2.350,32
EL4200060	2000 x 600 x 650 - 1300	2.422,16
EL4075075	750 x 750 x 650 - 1300	2.160,37
EL4100075	1000 x 750 x 650 - 1300	2.225,71
EL4125075	1250 x 750 x 650 - 1300	2.291,06
EL4150075	1500 x 750 x 650 - 1300	2.356,40
EL4175075	1750 x 750 x 650 - 1300	2.421,75
EL4200075	2000 x 750 x 650 - 1300	2.487,09
EL4075090	750 x 900 x 650 - 1300	2.257,77
EL4100090	1000 x 900 x 650 - 1300	2.316,62
EL4125090	1250 x 900 x 650 - 1300	2.375,47
EL4150090	1500 x 900 x 650 - 1300	2.434,32
EL4175090	1750 x 900 x 650 - 1300	2.493,18
EL4200090	2000 x 900 x 650 - 1300	2.552,03

Standard colours: Lifting columns are only available in RAL 7016 and RAL 7035
The stated price applies exclusively to the base frame without wooden worktop.

RAL standard colours, see page 27

C-foot workstation





C-foot



Lift: 650 mm
Lift speed
20 - 35 mm/s




Modern memory hand switch
- Stores up to three individual height settings for maximum comfort with **USB**

HEIGHT ADJUSTMENT:



Our features at a glance	
Modular system	Freely selectable combinations from frame to worktop
Retrofittable	Multi-board setup and optional accessories
Energy	Direct supply of lighting, energy, compressed air
Frame widths	750, 1000, 1250, 1500, 1750 and 2000 mm
Frame depths	600, 750 and 900 mm
Lifting Speed	20 - 35 mm/s
Work height without worktop	650 – 1300 mm | Lift: 650 mm (including 40 mm worktop)
Height adjustment	Electric height adjustment
Frame design	C-foot
Load capacity	300 kg with uniform load depending on height adjustment



ergoliner – the powerful One

The **ergoliner C-foot** workstation combines functional design with state-of-the-art ergonomics. TThe open C-foot frame provides optimal legroom and makes working in movement-intensive environments easier. With six frame widths, three depths, and electric height adjustment, the desk adapts to any task. The sturdy steel construction ensures maximum load capacity, while the clean design creates an organized, professional work atmosphere – perfect for dynamic and adaptable workspaces.

- Connection: 230V | Drive motor: 5A
- Height-adjustable leveling feet up to 20 mm
- Very quiet operation with less than 50 dB

Please note that ergoliner tables are delivered unassembled. Easy self-assembly!



ELETRIC HEIGHT ADJUSTMENT

Basic frame ergoliner C-foot

Item.-Nr.	Dimensions in mm (W x D x H)	Price in €
ELC075060	750 x 600 x 650 - 1300	2.062,97
ELC100060	1000 x 600 x 650 - 1300	2.134,81
ELC125060	1250 x 600 x 650 - 1300	2.206,64
ELC150060	1500 x 600 x 650 - 1300	2.278,48
ELC175060	1750 x 600 x 650 - 1300	2.350,32
ELC200060	2000 x 600 x 650 - 1300	2.422,16
ELC075075	750 x 750 x 650 - 1300	2.160,37
ELC100075	1000 x 750 x 650 - 1300	2.225,71
ELC125075	1250 x 750 x 650 - 1300	2.291,06
ELC150075	1500 x 750 x 650 - 1300	2.356,40
ELC175075	1750 x 750 x 650 - 1300	2.421,75
ELC200075	2000 x 750 x 650 - 1300	2.487,09
ELC075090	750 x 900 x 650 - 1300	2.257,77
ELC100090	1000 x 900 x 650 - 1300	2.316,62
ELC125090	1250 x 900 x 650 - 1300	2.375,47
ELC150090	1500 x 900 x 650 - 1300	2.434,32
ELC175090	1750 x 900 x 650 - 1300	2.493,18
ELC200090	2000 x 900 x 650 - 1300	2.552,03

Standard colours: Lifting columns are only available in RAL 7016 and RAL 7035
The stated price applies exclusively to the base frame without wooden worktop.

RAL standard colours, see page 27

Worktops for C- and 4-foot frames



Beech multiplex worktop
- Glue laminated, oiled
- Water repellent
- Gluing according to EN 314-2

Top thickness 40 mm	Depth 600 mm		Depth 750 mm		Depth 900 mm	
Width in mm	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
750	03.7560.40	89,49	03.7575.40	111,87	03.7590.40	134,23
1000	03.1060.40	119,32	03.10.40	149,15	03.1090.40	178,98
1250	03.1260.40	149,15	03.125.40	186,44	03.1290.40	223,72
1500	03.1560.40	178,98	03.15.40	223,72	03.1590.40	268,48
1750	03.1760.40	208,81	03.1775.40	261,02	03.1790.40	313,22
2000	03.2060.40	238,64	03.20.40	298,30	03.2090.40	357,96



MDF worktop with 0.7 mm HPL coat | For assembly, shipping and laboratory
- HPL (high pressure laminate), also called "Resopal" is fire retarding as well as shock-, scratch- and abrasion-resistant
- 4-sided, ABS edging
- Heat and light resistant
- Stain-resistant, easy to clean and to desinfect
- Solvent resistant and largely chemical resistant


Top thickness 40 mm	Depth 600 mm		Depth 750 mm		Depth 900 mm	
Width in mm	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
750	H03.7560.40	116,84	H03.7575.40	147,92	H03.7590.40	176,49
1000	H03.1060.40	156,61	H03.1075.40	196,38	H03.1090.40	234,91
1250	H03.1260.40	196,38	H03.125.40	244,85	H03.1290.40	293,33
1500	H03.1560.40	234,91	H03.15.40	293,33	H03.1590.40	352,99
1750	H03.1760.40	274,07	H03.1775.40	342,43	H03.1790.40	479,77
2000	H03.2060.40	313,22	H03.20.40	391,53	H03.2090.40	469,83



Linkage variants

Cascading
- To adjust two workbenches synchronously in height using a hand switch, cascading is required
- Interconnection of up to two workbenches

Item no.	Description	Price in €
ELKAS1-2	Cascade cable for synchronous control of two workbenches	80,03
EK-6802	Connecting element absolutely necessary for each individual basic table	20,01







Additional Multi-Wall units starting from page 374

Supports for hanging cabinets

- Mandatory for installation of hanging cabinets
- Packaging unit: 2 pieces

Item no.	Table depth in mm	Price in €
ELXXXXX60TR	600	56,28
ELXXXXX75TR	750	61,39
ELXXXXX90TR	900	66,50

- Drawers with full pull-out (FP) 100%
- Drawers: load capacity 50 kg
- Ball-bearings





- 3 drawers 100 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
38.300	381 x 500 x 365	432,53
53.300	531 x 500 x 365	472,31

- 4 drawers 100 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
38.020	381 x 500 x 465	512,09
53.020	531 x 500 x 465	555,58

- Drawers with full pull-out (FP) 100%
- Drawers: load capacity 100 kg
- Ball-bearings





- 3 drawers 100 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
535/300V	555 x 736 x 365	650,04

- 4 drawers 100 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
535/020V	555 x 736 x 465	790,50



Heavy duty tables - The strongest  Page 392

Other workstation systems  Page 414

Worktops  Page 434

ESD  Page 444

Mobile logistics systems  Page 468

Wing and sliding door wardrobes  Page 536

Chairs and shelves  Page 564

Wardrobes  Page 586

Heavy load tables - the strongest ones







powerline C - height-adjustable heavy load tables with C-foot Page 394



powerline C - basic frame and basic table with C-foot Page 396




powerline C - combinations from practice with C-foot Page 398





powerline 4 - height-adjustable heavy load tables with 4-foot Page 400



powerline 4 - basic frame and basic table with 4-foot Page 402



powerline 4 - combinations from practice with 4-foot Page 404




hydline Page 406




hydline combinations from practice Page 408




Other heavy load tables Page 412

powerline C





powerline C - the strong one

Thanks to its electric height adjustment, the **powerline** quietly moves to the required working height in a range of 705-1155 mm with a vertical travel speed of 9mm/s without load. Thus, the powerline creates a flexible seated/standing workplace without long waiting times. At the same time, the quiet worktable has an extremely high load capacity. The C-foot variant bears up to 600 kg.

- Feet with levelling
- **Drive**: Internal DC drive with built-in end switches and two synchronous Hall effect sensors
- **Connection**: 230 V | **Drive motor**: 24 V

Features at a glance	
Retrofittable	Multi-board setup or stand and optional accessories such as foot switch
Energy	Direct supply of lighting, energy, compressed air
Frame widths	1250, 1500, 2000 mm
Frame depth	750 mm
Travel speed	9 mm/s without load
Work height without worktop	705 – 1155 mm | Vertical travel: 450 mm
Height adjustment	Electric height adjustment
Frame design	C-foot
Load capacity	600 kg with even load



FRAME DESIGN:



HEIGHT ADJUSTMENT:

PL C

kg 600



Electric height adjustment

powerline C basic frame



powerline C basic frame
- Equipped with up/down manual switch for height adjustment as standard
- Lifting columns made of aluminium
- Frame and feet made of rectangular tube and 5 mm thick sheet steel

Item no.	Dimensions in mm (WxDxH)	Price in €
CF.125.75	1250 x 750 x 705 – 1155	2.795,33
CF.150.75	1500 x 750 x 705 – 1155	2.807,77
CF.200.75	2000 x 750 x 705 – 1155	2.822,68



powerline C basic table
- Beech multiplex top 40 mm
- Equipped with manual switch for height adjustment as standard
- Lifting columns made of aluminium
- Frame and feet made of rectangular tube and 5 mm thick sheet steel

Item no.	Dimensions in mm (WxDxH)	Price in €
CF.125.75BM	1250 x 750 x 745 – 1195	2.981,79
CF.150.75BM	1500 x 750 x 745 – 1195	3.031,50
CF.200.75BM	2000 x 750 x 745 – 1195	3.120,98



Beech multiplex workbench top

- Glue laminated, oiled
- Waterproof
- Dampened according to DIN 68705

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1250 x 750	03.125.40	186,44	03.125.50	256,04
1500 x 750	03.15.40	223,72	03.15.50	308,25
2000 x 750	03.20.40	298,30	03.20.50	410,17



Red beech workbench top

- Strip laminated
- Finger jointed
- Glued wood panel with distinctive grain

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1250 x 750	03.125.40RB	256,04	03.125.50RB	290,84
1500 x 750	03.15.40RB	308,25	03.15.50RB	349,25
2000 x 750	03.20.40RB	410,17	03.20.50RB	466,09



MDF worktop with 0.7 mm HPL coat

- 4-sided, ABS edging
- Heat and light resistant
- Stain-resistant, easy to clean and to disinfect
- Solvent resistant and largely chemical resistant


Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1250 x 750	H03.125.40	244,85	H03.125.50	285,87
1500 x 750	H03.15.40	293,33	H03.15.50	343,05
2000 x 750	H03.20.40	391,53	H03.20.50	395,25



Chipboard panel directly coated with melamine resin

- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1250 x 750	07.M12575.40	195,13	07.M12575.50	253,56
1500 x 750	07.M1575.40	229,94	07.M1575.50	310,73
2000 x 750	07.M2075.40	298,30	07.M2075.50	410,17



MDF worktop with 2.5 mm linoleum coat

- 4-sided ABS edging
- Antistatic
- Scratch resistant
- Made from purely natural raw materials, thus linoleum is very environmentally friendly in production, use and disposal
- Areas of application: technical, electrical and chemical works

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1250 x 750	L03.125.40	290,84	L03.125.50	349,25
1500 x 750	L03.15.40	349,25	L03.15.50	420,11
2000 x 750	L03.20.40	466,09	L03.20.50	559,32



MDF worktop with 2.5 mm Trovidur coat

- 4-sided ABS edging
- Low flammability surface
- Very good electrical insulating properties
- High resistance to acids, lyes and salt solutions
- Areas of application: Chemical tank and plant construction, electrical industry, construction industry

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1250 x 750	T03.125.40	282,15	T03.125.50	329,37
1500 x 750	T03.15.40	338,07	T03.15.50	395,25
2000 x 750	T03.20.40	451,19	T03.20.50	528,24

Combinations from practice

Ergonomics at the workplace
A workplace that individually adapts to the respective worker's height.
Optimal working conditions for a seated and standing workplace.
Beech multiplex worktop 40 mm.

kg 600 | Erg | PL C

You can find further accessories on/from page 286






powerline C heavy load table with stand
- powerline heavy load table electrically height-adjustable
- Stand structure
- 1x pivot arm with perforated/slotted walls
- 1x pivot arm with shelf and ribbed rubber mat
- 1x halogen lamp
- 2x earthed sockets
- 1x 1/4" compress air connection


Item no.	Dimensions in mm (WxDxH)	Price in €
CF.125.75-2	1250 x 750 x 745 – 1195	4.053,17
CF.150.75-2	1500 x 750 x 745 – 1195	4.102,89
CF.200.75-2	2000 x 750 x 745 – 1195	4.192,38

powerline C heavy load table with multi-board setup
- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall
- 1x magnetic board
- 1x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
CF.125.75-1	1250 x 750 x 745 – 1195	4.013,40
CF.150.75-1	1500 x 750 x 745 – 1195	4.165,04
CF.200.75-1*	2000 x 750 x 745 – 1195	4.667,18

Supplied without hooks, boxes and decoration





- Table width 2000 mm
- Superstructure width centre-centre 2 x 950 mm
- 2x support column left
- 2x support column right

*Three support columns are required for a table width of 2000 mm.
The number of perforated walls, magnetic boards and shelves doubles.



Attachments for the stand
- Attachment for powerline, for example
- Screwed to the worktop (40 mm)


Item no.	Price in €
07.40.016	119,32



Foot switch
- 2 shift paddles
- Max. cable length 1.7 m

Item no.	Price in €
AFS	160,33





Multiple socket bar, single
- With 4 sockets
- Attachment under the worktop, for example

Item no.	Designation	Price in €
07.40.03	840 x 110 x 45 | Multiple socket bar	93,23
07.40.04	1/4" compressed air connection	68,99

powerline 4





powerline 4 - the strongest one

Thanks to its electric height adjustment, the **powerline** moves virtually silently to the required working height in a range of 705-1155 mm. The vertical travel speed is 9 mm/s without load. Thus, the powerline creates a flexible seated/standing workplace without long waiting times. The 4-foot variant boasts a load capacity of up to 900 kg.

- Feet with levelling
- **Drive**: Internal DC drive with built-in end switches and two synchronous Hall effect sensors
- **Connection**: 230 V | **Drive motor**: 24 V

Features at a glance	
Retrofittable	Multi-board setup or stand and optional accessories such as foot switch
Energy	Direct supply of lighting, energy, compressed air
Frame widths	1500, 2000 mm
Frame depth	900 mm
Travel speed	9 mm/s without load
Work height without worktop	705 – 1155 mm | Vertical travel: 450 mm
Height adjustment	Electric height adjustment
Frame design	4-foot
Load capacity	900 kg with even load



FRAME DESIGN:



HEIGHT ADJUSTMENT:



Electric height adjustment

powerline 4 basic frame



powerline 4 basic frame

- Equipped with manual switch for height adjustment as standard
- Lifting columns made of aluminium
- Frame and feet made of rectangular tube and 5 mm thick sheet steel

Item no.	Dimensions in mm (WxDxH)	Price in €
4F.150.75	1500 x 750 x 705 – 1155	4.485,71
4F.150.90	1500 x 900 x 705 – 1155	4.498,14
4F.200.75	2000 x 750 x 705 – 1155	4.473,28
4F.200.90	2000 x 900 x 705 – 1155	4.510,57



powerline 4 basic table

- Beech multiplex top 40 mm
- Equipped with manual switch for height adjustment as standard
- Lifting columns made of aluminium
- Frame and feet made of rectangular tube and 5 mm thick sheet steel

Item no.	Dimensions in mm (WxDxH)	Price in €
4F.150.75BM	1500 x 750 x 745 – 1195	4.709,44
4F.150.90BM	1500 x 900 x 745 – 1195	4.766,62
4F.200.75BM	2000 x 750 x 745 – 1195	4.771,58
4F.200.90BM	2000 x 900 x 745 – 1195	4.868,53



Beech multiplex workbench top

- Glue laminated, oiled
- Waterproof
- Dampened according to DIN 68705

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 750	03.15.40	223,72	03.15.50	308,25
1500 x 900	03.1590.40	268,48	03.1590.50	369,14
2000 x 750	03.20.40	298,30	03.20.50	410,17
2000 x 900	03.2090.40	357,96	03.2090.50	492,20



Red beech workbench top

- Strip laminated
- Finger jointed
- Glued wood panel with distinctive grain

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 750	03.15.40RB	308,25	03.15.50RB	349,25
1500 x 900	03.1590.40RB	369,14	03.1590.50RB	420,11
2000 x 750	03.20.40RB	410,17	03.20.50RB	466,09
2000 x 900	03.2090.40RB	492,20	03.2090.50RB	559,32



MDF worktop with 0.7 mm HPL coat

- 4-sided, ABS edging
- Heat and light resistant
- Stain-resistant, easy to clean and to disinfect
- Solvent resistant and largely chemical resistant

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 750	H03.15.40	293,33	H03.15.50	343,05
1500 x 900	H03.1590.40	352,99	H03.1590.50	411,41
2000 x 750	H03.20.40	391,53	H03.20.50	457,40
2000 x 900	H03.2090.40	469,83	H03.2090.50	548,12



Chipboard panel directly coated with melamine resin

- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface


Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 750	07.M1575.40	229,94	07.M1575.50	310,73
1500 x 900	07.M1590.40	268,48	07.M1590.50	367,91
2000 x 750	07.M2075.40	298,30	07.M2075.50	410,17
2000 x 900	07.M2090.40	507,12	07.M2090.50	492,20



MDF worktop with 2.5 mm linoleum coat

- 4-sided ABS edging
- Antistatic
- Scratch resistant
- Made from purely natural raw materials, thus linoleum is very environmentally friendly in production, use and disposal
- Areas of application: technical, electrical and chemical works

Panel thickness (mm)	40		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 750	L03.15.40	349,25	L03.15.50	420,11
1500 x 900	L03.1590.40	420,11	L03.1590.50	503,38
2000 x 750	L03.20.40	466,09	L03.20.50	559,32
2000 x 900	L03.2090.40	559,32	L03.2090.50	671,17



MDF worktop with 2.5 mm Trovidur coat

- 4-sided ABS edging
- Low flammability surface
- Very good electrical insulating properties
- High resistance to acids, lyes and salt solutions
- Areas of application: Chemical tank and plant construction, electrical industry, construction industry

Panel thickness (mm)	40 mm		50	
Dim. in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1500 x 750	T03.15.40	338,07	T03.15.50	395,25
1500 x 900	T03.1590.40	406,43	T03.1590.50	474,79
2000 x 750	T03.20.40	451,19	T03.20.50	528,24
2000 x 900	T03.2090.40	541,91	T03.2090.50	632,65

Combinations from practice

Ergonomics at the workplace
A workplace that individually adapts to the respective worker's height.
Optimal working conditions for a seated and standing workplace.
Beech multiplex worktop 40 mm.

kg 900 | Erg | PL V

*Three support columns are required for a table width of 2000 mm. The number of perforated walls, magnetic boards and shelves doubles.

You can find further accessories on/from page 286



powerline 4 with multi-board setup
- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall
- 1x magnetic board
- 1x shelf, 320 mm
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx


Item no.	Dimensions in mm (WxDxH)	Price in €
4F.150.75-1	1500 x 750 x 745 – 1195	5.865,35
4F.150.90-1	1500 x 900 x 745 – 1195	5.922,53
4F.200.75-1*	2000 x 750 x 745 – 1195	6.387,40
4F.200.90-1*	2000 x 900 x 745 – 1195	6.461,98



powerline 4 with multi-board setup
- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection
- 1x shelf, 220 mm
- 1x perforated wall
- 1x magnetic board
- 1x pivot arm with platform
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
4F.150.75-2	1500 x 750 x 745 – 1195	5.964,79
4F.150.90-2	1500 x 900 x 745 – 1195	6.021,96
4F.200.75-2*	2000 x 750 x 745 – 1195	6.481,85
4F.200.90-2*	2000 x 900 x 745 – 1195	6.561,41

Supplied without hooks, boxes and decoration



*Three support columns are required for a table width of 2000 mm. The number of perforated walls, magnetic boards and shelves doubles.



powerline 4 with multi-board setup

- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 3x shelf, 220 mm depth
- 1x shelf, 320 mm depth
- 1x overhead frame
- 1x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Price in €
4F.150.75-3	1500 x 750 x 745 – 1195	6.034,41
4F.150.90-3	1500 x 900 x 745 – 1195	6.089,09
4F.200.75-3*	2000 x 750 x 745 – 1195	6.689,42
4F.200.90-3*	2000 x 900 x 745 – 1195	6.772,69



powerline 4 with multi-board setup

- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 1x perforated wall
- 1x magnetic board
- 2x shelf, 320 mm
- 1x overhead frame
- 2x equipment rail
- 1 x LED illumination 28.9 W, 1290 lx
- 1x carriage

Item no.	Dimensions in mm (WxDxH)	Price in €
4F.150.75-4	1500 x 750 x 745 – 1195	5.957,34
4F.150.90-4	1500 x 900 x 745 – 1195	6.014,50
4F.200.75-4*	2000 x 750 x 745 – 1195	6.548,97
4F.200.90-4*	2000 x 900 x 745 – 1195	6.631,00

Supplied without hooks, boxes and decoration


The height-adjustable heavy load table





hydline heavy load table

Item no.	Dimensions in mm (WxDxH)	Description	Price in €
03.15.40.07	1500 x 750 x 700 – 1100	Complete set, as illustrated, but without decoration, spring tensioner with hook, boxes and tools, without lighting	6.823,54
03.15.40HVS	1500 x 750 x 700 – 1100	hydline heavy load table with electric height adjustment	3.739,03
07.40.016		Attachments for the stand, screwed to the worktop (40 mm)	119,32
07.40.06		Stand structure with 2x earthed sockets and 1x halogen lightning 35W	467,34
07.40.07		Surcharge for 1/4" compressed air distributor	68,35
07.98.10	655 x 45 x 500	Pivot arm with perforated/slotted wall	352,99
07.00.30	740 x 410 x 430	Footrest, with individually adjustable height and incline	182,71
05.96.09	520-710	Standing aid, PU-blue, large PU seat, blue, 370 mm wide Seat incline adjustment, 7.5° forwards and backwards, seat height adjustment with gas spring, stable plastic-cruciform base, Ø 630 mm	373,25
04.10.05V-1	555 x 736 x 1005	Mobile drawer cabinet, 2x 100 mm drawer, 2x 150 mm drawer, 1x 200 mm drawer, drawers with full pull-out 100 %, load capacity 100 kg, central locking with individual pull-out lock, double locking of the drawers with single locks, 2x steering casters with locks, 2x fixed casters Ø 125 mm, beech multiplex worktop 25 mm	1.286,44



hydline - the quickest of the strong ones

The **hydline** heavy load table moves to your required working height at a speed of 15 mm/s. However, this table is not only quick, but also strong. The hydline has a load capacity of up to 600 kg.
Thanks to the hydraulic drive, it has a long service life and will be your trusty companion for a long time.

- Stepless height adjustment of the drive
- Very large forces and torques
- Pressure relief valve for reliable and quick-acting overload protection
- High power density in comparison with electric motors
- Implementation of linear drive elements working in parallel
- Long service life thanks to the hydraulic drive
- High positioning accuracy
- Uniform movement

Features at a glance	
Retrofittable	Multi-board setup or stand and optional accessories such as foot switch
Energy	Direct supply of lighting, energy, compressed air
Frame widths	1500, 2000 mm
Frame depth	750 mm
Travel speed	15 mm/s without load
Work height without worktop	705 – 1155 mm | Vertical travel: 450 mm
Height adjustment	Two different types: Crank adjustment, electric height adjustment
Frame design	H-foot
Load capacity	350-600 kg with uniform load depending on height adjustment

hL
EH



FRAME DESIGN:



HEIGHT ADJUSTMENT:

hL 1 kg 350



Crank adjustment

hL 2 kg 600



Electric height adjustment

Combinations from practice




Ergonomics at the workplace
A workplace that individually adapts to the respective worker's height.
Optimal working conditions for a seated and standing workplace.
Beech multiplex worktop 40 mm.






Multi-board setup
- 2x support column
- 1x overhead frame
- 1x equipment rail
- 1x LED illumination 28.9 W, 1290 lx
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x 1/4" compressed air connection
- 1x perforated wall
- 1x magnetic board
- 1x shelf, 320 mm

Item no.	Dimensions in mm (WxDxH)	Description	Price in €
03.900.15.20	1500 x 750 x 1250	Multi-board setup	1.237,95
03.15.40HV	1500 x 750 x 700 – 1100	hydline heavy load table with crank adjustment, 350 kg load capacity	2.851,58
03.15.40HVS	1500 x 750 x 700 – 1100	hydline heavy load table height-adjustable with electric control, 600 kg load capacity	3.739,03



Adjustable pivot arms ensure the free configuration of handling areas



360° pivot arm inserts, which are attached directly to the stand, offer maximum flexibility for the work to be carried out.

You can find multi-board setups on/ from page 267



Floor anchorage
- For fixing the workbench to the floor
- 4 pieces

Item no.	Price in €
03.00.34	22,38



kg 350

hL 1

hydline heavy load table
- Crank adjustment
- Maximum load capacity 350 kg

Item no.	Dimensions in mm (WxDxH)	Tabletop	Thickness in mm	Price in €
03.15.40HV	1500 x 750 x 700 – 1100	Multiplex	40	2.851,58
03.15.50HV	1500 x 750 x 700 – 1100	Multiplex	50	2.922,06
H03.15.40HV	1500 x 750 x 700 – 1100	MDF – HPL	40	2.942,94
H03.15.50HV	1500 x 750 x 700 – 1100	MDF – HPL	50	3.000,36
03.20.40HV	2000 x 750 x 700 – 1100	Multiplex	40	2.939,02
03.20.50HV	2000 x 750 x 700 – 1100	Multiplex	50	3.039,50
H03.20.40HV	2000 x 750 x 700 – 1100	MDF – HPL	40	3.056,47
H03.20.50HV	2000 x 750 x 700 – 1100	MDF – HPL	50	3.086,49



kg 600

hL 2

hydline heavy load table
- Hydraulically height-adjustable with electric control
- Maximum load capacity 600 kg

Item no.	Dimensions in mm (WxDxH)	Tabletop	Thickness in mm	Price in €
03.15.40HVS	1500 x 750 x 700 – 1100	Multiplex	40	3.739,03
03.15.50HVS	1500 x 750 x 700 – 1100	Multiplex	50	3.830,38
H03.15.40HVS	1500 x 750 x 700 – 1100	MDF – HPL	40	3.861,71
H03.15.50HVS	1500 x 750 x 700 – 1100	MDF – HPL	50	3.913,92
03.20.40HVS	2000 x 750 x 700 – 1100	Multiplex	40	3.848,65
03.20.50HVS	2000 x 750 x 700 – 1100	Multiplex	50	3.947,84
H03.20.40HVS	2000 x 750 x 700 – 1100	MDF – HPL	40	3.913,92
H03.20.50HVS	2000 x 750 x 700 – 1100	MDF – HPL	50	3.992,22



Freely adjustable system lights, which are attached directly to the stand.



Sockets, compressed air connections and a halogen lamp are integrated into the stand. This saves the space an additional energy bar would require.

You can find further accessories on/from page 286



Attachments for the stand
- Screwed to the worktop (40 mm)

Item no.	Price in €
07.40.016	119,32



Stand
- For structures with 2x earthed sockets and 1x halogen lightning 35 W

Item no.	Design	Price in €
07.40.06	Standard	467,34
07.40.07	Surcharge for 1/4" compressed air distributor	68,35





Multiple socket bar, single
- With 4 sockets
- Attachment under the worktop, for example

Item no.	Designation	Price in €
07.40.03	840 x 110 x 45 Multiple socket bar	93,23
07.40.04	1/4" compressed air connection	68,99

Please note:
- The stand or the attachment for the stand is required for the pivot arms
- Load capacity 30 kg



Pivot arm with pivot frame and perforated walls
- With double-sided perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.09	680 x 60 x 350	236,15



Pivot arm with perforated/slotted wall
- For hooks and small parts boxes
- 1st side with slotted wall | 2nd side with perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.10	655 x 45 x 500	352,99



Example application

Open fronted storage bins
- 15 pieces

Item no.	Dimensions in mm (WxDxH))	Price in €
07.45.26	100 x 95 / 65 x 50	44,74



Pivot arm with shelf
- Beech multiplex 25 mm

Item no.	Dimensions in mm (WxD)	Price in €
07.98.12	600 x 350	178,98



Pivot arm with depositing tray

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.04	400 x 300 x 48	172,77



Pivot arm with document holder A4
- With raised lateral and bottom edge

Item no.	Dimensions in mm (WxDxH)	Price in €
07.98.05	215 x 35 x 330	164,07



Carriage

Item no.	Designation	Price in €
03.900.01	–	18,99



Spring tensioner with hook

- For all kinds of portable equipment and tools
- 1600 mm pull-out

Item no.	Load capacity in kg	Price in €
03.900.44	0.4 – 1.0	157,84
03.900.45	1.0 – 2.0	168,78
03.900.46	2.0 – 3.0	182,84



Spring balancer with hose

- Max. pressure 8 bar
- Airflow 370 l/min
- Both sides R 1/4"
- 1400 mm pull-out

Item no.	Load capacity in kg	Price in €
03.900.60	0.4 – 0.8	453,21
03.900.61	0.8 – 1.5	467,28
03.900.62	1.2 – 2.5	473,86



Bag holder

- For mounting on the worktop

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.41	40 x 30 x 70	21,12



Bottle holder

- For mounting on the perforated wall and the worktop

Item no.	Dimensions in mm	Price in €
03.900.43	Ø 90 x 70	27,23



Roll holder

- For mounting on the perforated wall and the worktop

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.42	200 x 95 x 71	28,46



Range of hooks, 10 parts

- 7x tool holder with inclined end
- 2x double tool holder
- 1x tool clamp

Item no.	Price in €
03.87.395-10	35,52



Double tool holder with slanted hook ends

- Ø 6 mm

Item no.	Dimension in mm (W)	Price in €
03.87.322	50	5,72
03.87.323	75	5,97
03.87.324	150	6,49



Depositing box, small

Item no.	Dimensions in mm (WxDxH)	Price in €
03.87.430	250 x 80 x 35	24,27


Other heavy load tables

Heavy load table

You can find worktops on/from page 434

- Very stable steel tube construction, 80 x 80 x 3 mm
- Completely welded
- 2500 kg total load capacity
- Frame height 919 mm

kg 2500



Heavy load table frame

- Frame without worktop

Item no.	Dimensions in mm (WxDxH)	Price in €
03.10SLT1.6	1000 x 650 x 919	930,95
03.15SLT1.6	1500 x 650 x 919	993,09
03.20SLT1.6	2000 x 650 x 919	1.055,24



Heavy load table

- Beech multiplex worktop 50 mm


Item no.	Dimensions in mm (WxDxH)	Price in €
03.10SLT0.6	1000 x 750 x 969	1.136,03
03.15SLT0.6	1500 x 750 x 969	1.301,34
03.20SLT0.6	2000 x 750 x 969	1.465,40

Height-adjustable heavy load table

- Stable U-profile construction, 75 x 50 x 2 mm
- Welded and bolted with gusset plates for stiffening
- For assembly, workshop and shipping
- 1000 kg total load capacity
- Height-adjustable from 694 to 1044 mm on a grid of 25 mm

You can find worktops on/from page 434

kg 1000



Height-adjustable heavy load table frame

- Frame without worktop
- Height-adjustable on a grid of 25 mm


Item no.	Dimensions in mm (WxDxH)	Price in €
03.10.001.6	1000 x 650 x 694 – 1044	398,97
03.15.001.6	1500 x 650 x 694 – 1044	425,08
03.20.001.6	2000 x 650 x 694 – 1044	451,19



Wooden shelf

- Beech multiplex

Item no.	Dimensions in mm (WxDxH)	Price in €
03.10.001FB	900 x 550 x 25	79,48
03.15.001FB	1400 x 550 x 25	129,16
03.20.001FB	1900 x 550 x 25	178,83



Height-adjustable heavy load table

- Beech multiplex worktop 40 mm
- Height-adjustable on a grid of 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.10.000.6	1000 x 750 x 734 – 1084	548,12
03.15.000.6	1500 x 750 x 734 – 1084	648,81
03.20.000.6	2000 x 750 x 734 – 1084	749,47



Mobile add-on for height-adjustable heavy load table

- Retrofittable
- Stable U-profile construction
- Height-adjustable on a grid of 25 mm
- Total height of heavy load table incl. casters: 884 – 1236 mm
- Load capacity 450 kg
- 4x steering caster, Ø 125 mm with lock

kg 450

Item no.	Dimensions in mm (WxDxH)	Price in €
03.90.HVMOB	1000 x 750 x 150	264,74

Delivered unassembled with assembly instructions

Other workplace systems
- they can handle it





Packing tables Page 416



Cutting stands Page 430



Stable table design with levelling Page 431



workalu Page 432

Packing tables

- Stable table design with levelling
- 19 mm worktop with melamine resin coating
- Surface loading up to 100 kg
- Shelves of table extensions made of galvanised sheet steel
- Cutting device with exchangeable cartridge
- Titanium coated blade
- High functionality
- Selected accessories



Pos.	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
1	03.PT01	2000 x 800 x 850	Packing table 2000, 19 mm worktop with melamine resin coating, max. surface loading up 100 kg	672,53
2	03.700030	40 x 40 x 1266	Mounting beam, in pairs	135,98
3	03.PT06	1430 x 400 x 58	Tray made of galvanised sheet steel, for mounting between the beams	189,26
4	03.700050	1420 x 300 x 400	Add-on store made of galvanised sheet steel incl. 8x dividers, max. surface loading 50 kg	294,00
5	03.700140	1425 x 20 x 20	Axle between beams, for holding rolls, max. load capacity 20 kg	80,50
6	03.700120	513 x 530 x 160	Drawer made of sheet steel, lockable, load capacity 12.5 kg	255,41
7	03.PT13	1500 x 175 x 20	Attachment cutting device, cutting width 1250 mm, incl. axle set	494,29
8	03.PT14	600 x 600 x 750	Side table, max. Area load 100 kg	279,30
9	03.700080	1415 x 300 x 415	Base box store, incl. 8x divider, mobile with 4x lockable steering caster	312,38
10	03.897052	500 x 400	Digital table scales for weighings not subject to statutory calibration	1.578,41
no fig.	03.PT02	1600 x 800 x 850	Packing table 1600, 19 mm worktop with melamine resin coating, max. surface loading up 100 kg	615,56
no fig.	03.PT05	1435 x 253 x 114	Form tray made of galvanised sheet steel	152,51
no fig.	03.PT08	1525 x 650 x 19	Intermediate shelf, wood, max. surface loading 50 kg	295,84
no fig.	03.PT12	200 x 100 x 100	Monitor mount, VESA 75/100 mm	216,83
no fig.	03.PT509201	640 x 728 x 120	Keyboard and mouse tray with articulated arm	347,76





Complete packing station with 1600 mm wide tabletop

- Form tray, 230 mm depth
- Box store with 6x divider
- Stable table with steel construction
- 300 kg surface loading
- Light grey 30 mm worktop with melamine resin coating
- Steel parts powder-coated, RAL 7016 Anthracite grey and RAL 3003 Ruby red
- Intermediate shelf (1145 x 650 x 19 mm)
- Steel drawer (520 x 500 x 150 mm), 12.5 kg load capacity

Item no.	Cutting width/dimensions in mm (W x D x H)	Price in €
03.PT163001	1600 x 800 x 690 – 960	1.909,16



Complete packing station with 1600 mm wide tabletop

- Form tray, 230 mm depth
- Box store with 6x divider
- Stable table with steel construction
- 300 kg surface loading
- Light grey 30 mm worktop with melamine resin coating
- Steel parts powder-coated, RAL 7016 Anthracite grey and RAL 3003 Ruby red
- Cutting device, RAL 9007 Grey aluminium, with blade cartridge for paper and foils, cutting width 100 cm, axle set with cones and bearing shells

Item no.	Cutting width/dimensions in mm (W x D x H)	Price in €
03.PT163002	1600 x 800 x 690 – 960	2.115,58

Packing tables


Crank adjustment


Electric height adjustment



Packing and worktable 1600/2000

- Stable steel construction, beams and feet made of square tube
- Foldable for transport, height adjustable from 690 to 960 mm as standard, melamine coated 30 mm tabletop
- Max. surface loading 300 kg
- Steel parts powder-coated, RAL 7016 Anthracite grey and RAL 3003 Ruby red
- Other versions with scales and EDP interface available

Pos.	Item no.	Dimensions in mm (W x D x H)	Design	Price in €
1	03.PT163000	1600 x 800 x 690-960	Clamp fixing	825,04
	03.PT203000	2000 x 920 x 690-960	Clamp fixing	913,69
	03.PT163500	1600 x 800 x 710-960	Crank adjustment	2.754,41
	03.PT203500	2000 x 920 x 710-960	Crank adjustment	2.754,41
	03.PT163800	1600 x 800 x 710-960	Electric height adjustment	4.095,79
	03.PT203800	2000 x 920 x 710-960	Electric height adjustment	4.003,91

Accessories for table width 1600 mm

Pos.	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
2	03.PT166000	1600 x 40 x 40	Back board made of 40 x 40 mm square tube	135,98
4	03.PT1653	1015 x 600 x 400	Add-on store, dividers: 3x small divider, 3x large divider, flexible clamp mounting, max. surface loading 50 kg	442,84
	03.PT1653D	1015 x 600 x 400	Add-on store without dividers, e.g. for mounting of the printer pull-out, flexible clamp mounting, max. surface loading 50 kg	451,60
5	03.PT207004	661 x 51 x 54	Workplace lighting, LED with dimming function, rotatable, 21 W, 903 lux	771,75
	03.PT207002	1145 x 515 x 40	Holder for mounting the workplace lamp, for mounting under add-on store	158,03
6	03.PT160900	1135 x 650 x 19	Intermediate shelf, max. surface loading 50 kg	316,05
7	03.PT704700	1045 x 450 x 60	Inclined sheet steel tray, flexible clamp mounting, incline continuously adjustable, with raised edge, max. surface loading 50 kg	327,08
9	03.PT704740	1046 x 400	Tray, melamine resin coated wooden panel, 30 mm, flexible clamp mounting, max. surface loading 50 kg	316,05

Accessories for table width 2000 mm

Pos.	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
2	03.PT206000	2000 x 40 x 40	Back board made of 40 x 40 mm square tube	141,49
4	03.PT2053	1600 x 600 x 400	Add-on store, dividers: 5x small divider, 4x large divider, flexible clamp mounting, max. surface loading 50 kg	464,89
	03.PT2053D	1600 x 600 x 400	Add-on store without dividers, e.g. for mounting of the printer pull-out, flexible clamp mounting, max. surface loading 50 kg	433,65
5	03.PT207003	976 x 51 x 54	Workplace lighting, LED with dimming function, rotatable, 32 W, 1409 lux	882,00
	03.PT207001	1730 x 515 x 40	Holder for mounting the workplace lamp, for mounting under add-on store	170,89
6	03.PT200900	1720 x 770 x 19	Intermediate shelf, max. surface loading 50 kg	369,34
7	03.PT704800	1630 x 450 x 60	Inclined sheet steel tray, flexible clamp mounting, incline continuously adjustable, with raised edge, max. surface loading 50 kg	442,75
9	03.PT704750	1600 x 400	Tray, melamine resin coated wooden panel, 30 mm, flexible clamp mounting, max. surface loading 50 kg	343,61

The mounting beams or the add-on frame are the basis for all above-the-table-accessories.
Please note the matching accessories for table widths 1600 and 2000 mm.



Accessories for table widths 1600 and 2000 mm

Pos.	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
3	03.PT2062	1170	Mounting beams, short version, 485 mm above tabletop with screw fastening at table legs, PU = 2 pieces, for table 03.PT163000 and 03.PT203000	145,16
3	03.PT2064	1770	Mounting beams, long version, 1085 mm above tabletop with screw fastening at table legs, PU = 2 pieces, for table 03.PT163000 and 03.PT203000	159,86
3	03.PT2065	1170	Mounting beams, short version, 485 mm above tabletop with screw fastening at table legs, PU = 2 pieces, for table 03.PT16350, 03.PT203500, 03.PT163800 and 03.PT203800	154,35
3	03.PT2066	1770	Mounting beams, long version, 1085 mm above tabletop with screw fastening at table legs, PU = 2 pieces, for table 03.PT16350, 03.PT203500, 03.PT163800 and 03.PT203800	226,01
8	03.PT2082	440 x 520 x 90	Universal tray for monitor, adhesive tape dispenser, etc. Clamp mounting at beams, max. surface loading 25 kg	191,10
10	03.PT205350	375 x 658 x 100	Printer pull-out for mounting on add-on store	542,06
11	03.PT200600	520 x 500 x 150	Steel drawer, lockable, for right and/or left use under table, plastic sliding guide, with protection against slipping out, load capacity 35 kg, internal dimensions: 460 x 495 x 120	317,89
12	03.PT228100	100 – 242 x 150 x 320 – 545	PC support for mounting under packing table, incl. fixing screws and drilling template	192,94
	03.PT228101	130 x 240 x 120	Beam attachment for PC holder	55,13
13	03.PT509001	51 x 51 x 445	Support column with screw clamps for attachment of an articulated TFT monitor arm and a keyboard tray, aluminium profile with clamp fastening, 14 – 40 mm clamping range	217,35
	03.PT509002	51 x 51 x 445	Support column with screw clamps for attachment of an articulated TFT monitor arm and a keyboard tray, aluminium profile with clamp fastening, 5 – 65 mm clamping range	277,83
	03.PT509006	51 x 51 x 845	Support column with screw clamps for attachment of an articulated TFT monitor arm and a keyboard tray, aluminium profile with clamp fastening, 5 – 65 mm clamping range	410,13
14	03.PT509201	640 x 728 x 120	Keyboard and mouse tray with articulated arm for flexible attachment to support column or adapter, surface area: 640 x 172mm, load capacity 10 kg	347,76
15	03.PT20	535 x 600 x 785	Cabinet unit with 1x door, 1x drawer	843,41
16	03.509204	47 x 67 x 200	Adapter for pivot arm and support carriage	389,34

Packaging table basic

- Sturdy construction made of 40 x 40 mm square tube
- Top front aditional square tube beam
- Top rear stiffening plate for stabilisation
- Worktop optionally:
  Beech mutliplex, glue laminated, oiled or
  MDF worktop with 0.7 mm HPL coat, 4-sided ABS edging
- Leveling glides under the feet
- Load capacity 300 kg
- Delivery unassembled





Basic table depth 750

Item no.	Dimensions in (W x D x H)	Worktop	Price in €
PT1575BU	1500 x 750 x 859	Beech multiplex	390,28
PT2075BU	2000 x 750 x 859	Beech multiplex	478,52
PT1575HPL	1500 x 750 x 859	MDF with HPL coat	459,88
PT2075HPL	2000 x 750 x 859	MDF with HPL coat	571,75

Basic table depth 900 mm

Item no.	Dimensions in (W x D x H)	Worktop	Price in €
PT1590BU	1500 x 900 x 859	Beech multiplex	451,69
PT2090BU	2000 x 900 x 859	Beech multiplex	556,21
PT1590HPL	1500 x 900 x 859	MDF with HPL coat	536,21
PT2090HPL	2000 x 900 x 859	MDF with HPL coat	669,10

Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet

Item no.	Version	Price in €
03.15.95	Height adjustment of 325 mm	91,97



- Construction made of 45 x 45 mm square tube
- Feet made of Aluminium profiles 40 x 40 mm
- Worktop optionally:
  Beech mutliplex, glue laminated, oiled or
  MDF worktop with 0.7 mm HPL coat, 4-sided ABS edging
- Travel speed 12 mm/s
- 4 different types of height adjustment:
  Clamp fixing, load capacity 200 kg
  Crank adjustment, load capacity 200 kg
  Electric height adjustment with 1 motor, load capacity 180 kg
  Electric height adjustment with 2 motors, load capacity 300 kg
- Delivery unassembled





Basic table depth 750 mm

- Dimensions in mm (W x D x H): 1500 x 750 x 710-1055 mm

Item no.	Height adjustment	Worktop	Price in €
PT4150KL75B	Clamp fixing	Beech multiplex	701,01
PT4150KU75B	Crank adjustment	Beech multiplex	1.337,48
PT4150E175B	Electric with 1 motor	Beech multiplex	1.721,14
PT4150E275B	Electric with 2 motors	Beech multiplex	1.809,56
PT4150KL75H	Clamp fixing	MDF with HPL coat	770,62
PT4150KU75H	Crank adjustment	MDF with HPL coat	1.407,09
PT4150E175H	Electric with 1 motor	MDF with HPL coat	1.790,75
PT4150E275H	Electric with 2 motors	MDF with HPL coat	1.879,17

Basic table depth 900 mm

- Dimensions in mm (W x D x H): 1500 x 900 x 710-1055 mm

Item no.	Height adjustment	Worktop	Price in €
PT4150KL90H	Clamp fixing	MDF with HPL coat	834,76
PT4150KU90H	Crank adjustment	MDF with HPL coat	1.474,69
PT4150E190H	Electric with 1 motor	MDF with HPL coat	1.859,33
PT4150E290H	Electric with 2 motors	MDF with HPL coat	1.947,76
PT4150KL90B	Clamp fixing	Beech multiplex	750,25
PT4150KU90B	Crank adjustment	Beech multiplex	1.390,17
PT4150E190B	Electric with 1 motor	Beech multiplex	1.774,81
PT4150E290B	Electric with 2 motors	Beech multiplex	1.863,24

Basic table depth 750 mm

- Dimensions in mm (W x D x H): 2000 x 750 x 710-1055 mm

Item no.	Height adjustment	Worktop	Price in €
PT4200KL75B	Clamp fixing	Beech multiplex	805,42
PT4200KU75B	Crank adjustment	Beech multiplex	1.471,29
PT4200E175B	Electric with 1 motor	Beech multiplex	1.854,98
PT4200E275B	Electric with 2 motors	Beech multiplex	1.943,38
PT4200KL75H	Clamp fixing	MDF with HPL coat	898,65
PT4200KU75H	Crank adjustment	MDF with HPL coat	1.564,52
PT4200E175H	Electric with 1 motor	MDF with HPL coat	1.948,21
PT4200E275H	Electric with 2 motors	MDF with HPL coat	2.036,60

Basic table depth 900 mm

- Dimensions in mm (W x D x H): 2000 x 900 x 710-1055 mm

Item no.	Height adjustment	Worktop	Price in €
PT4200KL90H	Clamp fixing	MDF with HPL coat	981,43
PT4200KU90H	Crank adjustment	MDF with HPL coat	1.650,76
PT4200E190H	Electric with 1 motor	MDF with HPL coat	2.035,40
PT4200E290H	Electric with 2 motors	MDF with HPL coat	2.123,82
PT4200KL90B	Clamp fixing	Beech multiplex	869,48
PT4200KU90B	Crank adjustment	Beech multiplex	1.538,81
PT4200E190B	Electric with 1 motor	Beech multiplex	1.923,45
PT4200E290B	Electric with 2 motors	Beech multiplex	2.011,87



Combination with packaging table basic, width 2000 mm

POS	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
1	PT2075BU	2000 x 750 x 859	Packaging table basic, depth 750 mm, worktop beech multiplex 40 mm	478,52
2	03.935.125.240	H 1250	Support column 30 x 60 mm, left	91,97
	03.935.125.140	H 1250	Support column 30 x 60 mm, right	91,97
3	03.935.TR10L	1000	Crossbar, left, 1000 mm	18,77
4	03MONHAL	125 x 125 x 121	Monitor mount, is attached to the crossbar	94,58
5	03.910.320	1000 x 320 x 20	Shelf, Inlcination 0,10 and 20°	83,90
6	03.910.220	1000 x 220 x 20	Shelf, Inlcination 0,10 and 20°	78,93
7	PT10ROHAMW	1000 x 32	Unwind holder incl. mounting, without paper roll	178,18
8	PTTAAUFB320	598 x 300 x 95	Keyboard pull-out beneath shelf, for shelves depth 320 mm	126,77
9	07.89.06	250 x 550 x 500	PC holder H, for fixing under the worktop, adjustable width	62,15
10	PTFBXXXXXMLL50	900 x 650 x 100/515	Trolley with 5 dividers for cardboard boxed, 4 steering rollers with lock Ø 50 mm, load capacity 120 kg, retrofittable	267,23



Support column profile 30 x 60 mm

- Reinforced by U-profile tube
- Thinner plate thicknesses on request
- Three support columns are required for installation on 2 m work surfaces
- Left column is also used as centre column

Item no.	Dimensions in mm	Price in €
03.935.650.240	650 left	82,65
03.935.650.140	650 right	82,65
03.935.950.240	950 left	88,25
03.935.950.140	950 right	88,25
03.935.125.240	1250 left	91,97
03.935.125.140	1250 right	91,97



Shelf depth 220 mm

Item no.	Dimensions in mm (W x D x H)	Usable dimensions in mm (W x D)	Price in €
03.910.220	1000 x 220 x 20	914 x 218	78,93
03.915.220	1500 x 220 x 20	1414 x 218	88,88
03.920.220	2000 x 220 x 20	1864 x 218	100,67

Shelf depth 320 mm

Item no.	Dimensions in mm (W x D x H)	Usable dimensions in mm (W x D)	Price in €
03.910.320	1000 x 320 x 20	914 x 318	83,90
03.915.320	1500 x 320 x 20	1414 x 318	95,69
03.920.320	2000 x 320 x 20	1864 x 318	108,14

Shelf depth 420 mm

Item no.	Dimensions in mm (W x D x H)	Usable dimensions in mm (W x D)	Price in €
03.910.420	1000 x 420 x 20	914 x 418	87,62
03.915.420	1500 x 420 x 20	1414 x 418	110,61
03.920.420	2000 x 420 x 20	1864 x 418	123,05



Keyboard pull-out beneath shelf

- For shelf depth 320 and 420 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
PTTAAUFB320	598 x 300 x 95	126,77



Unwind holder, axis Ø 32 mm

Item no.	Width in mm	Price in €
PT10ROHAMW	1000	178,18
PT15ROHAMW	1500	236,46



Crossbar

Item no.	Version	Price in €
03.935.TR10L	1000 mm, left	18,77
03.935TR100	1000 mm, right	21,76
03.935TR150	1500 mm	25,44
03.935TR200D	2000 mm	28,05



Monitor mount

- For attachement to the crossbar

Item no.	Dimensions in mm (W x D x H)	Price in €
03MONHAL	125 x 121 x 125	94,58



Combination with packaging table basic, width 1500 mm

POS	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
1	PT1575BU	1500 x 750 x 859	Packaging table basic, depth 750 mm, worktop beech multiplex 40 mm	390,28
2	03.935.125.240	H 1250	Support column 30 x 60 mm, left	91,97
	03.935.125.140	H 1250	Support column 30 x 60 mm, right	91,97
3	03.915.320	1500 x 320 x 20	Shelf, depth 320 mm	95,69
4	03.915.420G	1500 x 420	Shelf, perforted, for mounting between support columns	164,66
5	03.PT2956	H 250 mm	Bracket for shelf depth 420mm	16,42
	03.PT2957	H 450 mm	Bracket for shelf depth 420mm	19,25
6	PT15ETHAMW	1500	Holder for label rolls	95,69
7	03.2018-02D	1383 x 735 x 40	Steel shelf, full depth	104,41



Support column profile 30 x 60 mm

- Reinforced by U-profile tube
- Thinner plate thicknesses on request
- Three support columns are required for installation on 2 m work surfaces
- Left column is also used as centre column

Item no.	Dimensions in mm	Price in €
03.935.650.240	650 left	82,65
03.935.650.140	650 right	82,65
03.935.950.240	950 left	88,25
03.935.950.140	950 right	88,25
03.935.125.240	1250 left	91,97
03.935.125.140	1250 right	91,97



Shelf, perforated, for mounting between support columns

- Suitable for the use of brackets
- Adjustable in inclination and height
- Inclination 0°, 10° und 20°, inkl. Abrollrand
- Incl. mounting

Item no.	Dimensions in mm (W x D)	Price in €
03.910.420G	1000 x 420	145,22
03.915.420G	1500 x 420	164,66
03.920.420G	2000 x 420	179,53

Item no.	Dimensions in mm (W x D)	Price in €
03.910.620G	1000 x 600	157,85
03.915.620G	1500 x 600	178,98
03.920.620G	2000 x 600	195,14



Holder for label rolls

Item no.	Width in mm	Price in €
PT10ETHAMW	1000	83,90
PT15ETHAMW	1500	95,69



Shelf depth 220 mm


Item no.	Dimensions in mm (W x D x H)	Usable dimensions in mm (W x D)	Price in €
03.910.220	1000 x 220 x 20	914 x 218	78,93
03.915.220	1500 x 220 x 20	1414 x 218	88,88
03.920.220	2000 x 220 x 20	1864 x 218	100,67

Shelf depth 320 mm

Item no.	Dimensions in mm (W x D x H)	Usable dimensions in mm (W x D)	Price in €
03.910.320	1000 x 320 x 20	914 x 318	83,90
03.915.320	1500 x 320 x 20	1414 x 318	95,69
03.920.320	2000 x 320 x 20	1864 x 318	108,14

Shelf depth 420 mm

Item no.	Dimensions in mm (W x D x H)	Usable dimensions in mm (W x D)	Price in €
03.910.420	1000 x 420 x 20	914 x 418	87,62
03.915.420	1500 x 420 x 20	1414 x 418	110,61
03.920.420	2000 x 420 x 20	1864 x 418	123,05



Bracket for shelves depth 420 mm

Item no.	Height in mm	Price in €
03.PT2956	250	16,42
03.PT2957	450	19,25

Bracket for shelves depth 600 mm

Item no.	Height in mm	Price in €
03.PT2954	250	17,28
03.PT2955	450	20,26




Scanner holder

- Maximum freedom of adjustment
- Suitable for standard industrial scanners
- Opening: 90 x 54 mm
- Max. scanner size (WxHxD): 89 x 55 x 125 mm
- Slats: 18 pieces, 15 mm width
- Housing: Solid plastic housing, steel bracket
- Delivery without scanner


Item no.	Price in €
PTSCHA100548	250,64

Accessories



Combination with packaging table basic, width 2000 mm

POS	Item no.	Dimensions in mm (W x D x H)	Description	Price in €
1	03.935.950.240	H 950	Support column 30 x 60 mm, left	88,25
	03.935.950.140	H 950	Support column 30 x 60 mm, right	88,25
2	03.920.320	2000 x 320 x 20	Shelf, depth 320 mm	108,14
3	03.920.620G	2000 x 600	Shelf, perforted, for mounting between support columns	195,14
4	03.PT2956	H 250 mm	Bracket for shelf depth für 420mm	16,42
	03.PT2957	H 450 mm	Bracket for shelf depth für 420mm	19,25
5	03.983.105	2000 x 20 x 302	Perforated wall	84,52
6	03.PTWAAUSS	2000 x 750 x 40	Worktop with cut-out for table scale, please state the base area of the scale	365,56
7	03.PTWAHA		Table scale holder U-shaped for mounting under the worktop Please state the base area and height of the scale.	60,91



Perforate wall

- 2000 mm perforated walls can only be attachted to setups wihtout an overhead frame, otherwise 2 x 1000 mm are required
- Steel plate, square perforation 10 x 10 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
03.983.101	700 x 20 x 302	57,18
03.983.103	1500 x 20 x 302	67,12
03.983.105	2000 x 20 x 302	84,52



Tablet wall mount with pivot arm

- Universally and flexibly applicable
- Optimum viewing distance thanks to individual table screen positioning
- Inclination: -6° to +46°; rotatable: 180°
- Colour: silver metallic

Item no.	Dimensions in mm (W x D x H)	Mounting	Price in €
07.8934LW	95 x 225 x 170	Perforated wall	263,06
07.8934TR		Support column	263,06



Accessory set for swivelling workplace lights
- 2 pieces

Item no.	Height in mm	Suitable for	Price in €
4016221000	80	LED lamp premium (page 303-306)	12,74
4016137000	80	LED lamp universal (page 302)	12,74



Standard pivot arm bracket | Support column
- For laternal mounting at support column
- For holding the pivot arm

Item no.	Version	Price in €
07.98.02	For 40 x 40 x 2 mm pivot arm	43,51



Pivot arm with monitor bracket
- VESA 75 / 100 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
07.98.07	700 x 370 x 320	208,81





Flat screen holder for perforated wall
- VESA Standard

Item no.	Dimensions in mm (W x D x H)	Price in €
07.45.21	160 x 30 x 210	41,27



Energy duct with 2x earthed socket and 1x network port
- For mounting under the worktop or on the support column

Item no.	Dimensions in mm (W x D x H)	Price in €
PTEK375	375 x 60 x 130	205,61



Pivot arm with shelf and ribbed rubber mat

Item no.	Dimensions in mm (W x D x H)	Price in €
07.98.11	420 x 300 x 20	187,68



Pivot arm with monitor brakcent and keyboard plattform
- VESA 75 / 100 mm
- Tray made of steel sheet

Item no.	Dimensions in mm (W x D x H)	Price in €
07.98.15	700 x 370 x 320	251,50



Swiveling monitor bracket, for attachement to the flat screen holder
- VESA Standard

Item no.	Dimensions in mm (W x D x H)	Price in €
07.45.22	125 x 75 x 125	53,31

Packing tables - Real world combinations



Axle kit

- Incl. additional strut and axle tube Ø 32 mm
- Can be retrofitted
- Can be used for packing table basic and comfort

Item no.	Width in mm	Price in €
03.PTACS15	1500	145,79
03.PTACS20	2000	204,91

Hanging cabinet

- Drawers with full pull-out 100 % - load capacity 50 kg
- Drawer guides on ball bearing



- 1 x drawer 150 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
53.150	531 x 500 x 215	341,81
38.150	381 x 500 x 215	321,91



- 3 x drawer 100 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
53.300	531 x 500 x 365	472,31
38.300	381 x 500 x 365	432,53



- 2 x drawer 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
44.011	531 x 500 x 465	446,22
38.011	381 x 500 x 465	410,17



- 1 x hinged door 350 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
44.001	531 x 500 x 465	381,57



Support for hanging cabinets basic

- Mandatory for installation of hanging cabinets
- Beech multiplex
- Packing unit: 2 pieces

Item no.	Price in €
03.5340.35	19,89



Support for hanging cabinets comofort

- Mandatory for installation of hanging cabinets
- Packing unit: 2 pieces

Item no.	Suitable for table depth in mm	Price in €
4XXXXX75TR	750	61,39
4XXXXX90TR	900	66,50

- Construction made of 45 x 45 mm square tube
- Feet made of aluminium profile 40 x 40 mm
- Worktop optionally:
  Beech mutliplex, glue laminated, oiled or
  MDF worktop with 0.7 mm HPL coat, 4-sided ABS edging
- Clamp fixing, load capacity 200 kg
- Delivery unassembled



Side tabel height adjustable

- Worktop beech multiplex, 40 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
4075KL75GB	750 x 750 x 710-1055	551,85
4075KL90GB	750 x 900 x 710-1055	578,70



Side table height adjustable


- Worktop MDF with HPL coat, 40 mm

Item no.	Dimensions in mm (W x D x H)	Price in €
4075KL75GH	750 x 750 x 710-1055	587,90
4075KL90GH	750 x 900 x 710-1055	620,96



workergo 4-foot- eypander casters Ø 100 mm

Item no.	Description	Price in €
4XXXXXMBL100	2 x fixed caster, 2 x steering caster without lock	129,26
4XXXXXMLL100	4 steering caster, thereof 2 with locks	135,48





Roll container

- 3 x drawer
- Usable drawer dimensions: 450 x 400 mm
- Central lockinig
- Drawers with full pull-out100 %, load capacity each 50 kg
- Incl. roll-off edge
- 4 x steering caster Ø 80 mm, thereof mit 2 x mit Feststeller with lock

Item no.	Dimensions in mm (W x D x H)	Price in €
46.021BR80	530 x 500 x 745	698,70



Roll container

- 4 x drawer
- Usable drawer dimensions: 450 x 400 mm
- Central lockinig
- Drawers with full pull-out100 %, load capacity each 50 kg
- Incl. roll-off edge
- 4 x steering caster Ø 80 mm, thereof mit 2 x mit Feststeller with lock

Item no.	Dimensions in mm (W x D x H)	Price in €
46.220BR80	530 x 500 x 745	776,33

Packing tables - workplace systems

Cutting stands

- Cutting stand for cardboard, bubble wrap, foam film, etc.
- Easily exchangeable blade cartridge
- Circular blade for paper, corrugated cardboard, etc.
- The blade cartridges can be easily replaced with a single movement and without any tools for Blade knife for foils, soft films and bubble wrap



Unwind stand, mobile

- Max. weight per roll 200 kg
- Max. roll dia. 500 mm

Item no.	Cutting width x D x H in mm	Price in €
07.23107	750 / 1000 x 600 x 400	479,59
07.23110	1000 / 1250 x 600 x 400	505,31
07.23112	1250 / 1500 x 600 x 400	536,55



Horizontal cutting stand, double

- Outlet height continuously adjustable
- Max. roll dia. 800 mm each
- Max. total weight 130 kg

Item no.	Cutting width x D x H in mm	Price in €
07.26407	1120 x 850 x 1665	1.337,88
07.26410	1370 x 850 x 1665	1.391,78
07.26412	1620 x 850 x 1665	1.484,18
07.26416	1920 x 850 x 1665	1.640,10



Attachment cutting device

- Clamping range up to 70 mm

Item no.	Cutting width x D x H in mm	Price in €
07.55107	750 / 1020 x 250 x 1280	678,04
07.55110	1000 / 1270 x 250 x 1280	701,93
07.55112	1250 / 1533 x 250 x 1280	727,65



Horizontal cutting stand

- Outlet height continuously adjustable
- Max. roll dia. 800 mm
- Max. 100 kg

Item no.	Cutting width x D x H in mm	Price in €
07.26207N	750 / 1120 x 850 x 1165	694,93
07.26210N	1000 / 1370 x 850 x 1165	735,35
07.26212N	1250 / 1620 x 850 x 1165	775,78
07.26216N	1600 / 1970 x 850 x 1165	854,70
07.26218N	1800 / 2170 x 850 x 1165	952,88



Table cutting device

- Max. roll dia. 250 mm
- Max. 80 kg

Item no.	Cutting width x D x H in mm	Price in €
07.25607	750 / 1000 x 341 x 340	784,61
07.25610	1000 / 1250 x 341 x 340	825,04
07.25612	1250 / 1500 x 341 x 340	861,79
07.25716	1600 / 1850 x 341 x 340	990,41



Vertical cutting stand

- Max. roll dia. 800 mm
- Max. 200 kg

Item no.	Cutting width x D x H in mm	Price in €
07.35110	1000 / 800 x 880 x 1295	861,79
07.35112	1250 / 800 x 880 x 1545	904,05
07.35116	1600 / 800 x 880 x 1895	940,80
07.35118	1800 / 800 x 880 x 2095	1.161,30
07.35120	2000 / 800 x 880 x 2295	1.196,21



Table scales, dual range, calibratable

- Stainless steel weighing platform, substructure powder-coated. Reliable
- Extremely precise industrial
- Incl. evaluation unit 82B1, can be used as table and wall unit
- 1x serial RS-232 onboard interface
- Integrated 230 V power supply
- Mains plug with 2 m cable
- Strain gauge weighing cell made of anodised aluminium alloy (IP66)
- 2 m measuring cable (fixed connection)
- Weighing range up to 60 kg / 10 g to 30 kg, from 30 kg / 20 g



Item no.	Weighing platform in mm	Weighing range in kg	Increment in g	Price in €
03.WA833B1	500 x 400	60	10 / 20	1.824,13

NEW

Conformity assessment (HKB) for scales up to 60 kg

Item no.	Price in €
03.WA114223	118,45

Interface cabel 2,4 m

- 1 x serial interface RS-232 on board

Item no.	Price in €
03.WARS2320404	129,00

Counting scales 30kg/1g, non-calibratable

- ABS plastic housing
- Stainless steel weighing platform
- 3x LCD display, digit height 14 mm with blue backlight, membrane keyboard with tactile keys, numeric keypad and acoustic feedback
- Weighing functions: taring, counting, totalising, target weight checking
- Serial RS-232 interface, Sub-D socket for printer connection, acoustic-optical signal
- Optimisation of counting accuracy
- Memory for 200 reference weights
- Battery operation
- Plug-in power supply with 1.5 m cable
- Incl. transparent protective hood
- For counting parts from 0.8 g



Item no.	Weighing platform in mm	Weighing range in kg	Increment in g	Price in €
03.WA200927	280 x 220	30	1	406,28


work alu®

CATALOGUE



General perks and advantages of aluminium profiles*

- Modular, simple plug-in system for all requirements
- No drilling. The profiles are already cut to size and provided for easy self-assembly
- Non-magnetic or magnetisable
- The surface of the aluminium profile is anodised and therefore not electrically conductive. It serves as electrical insulation
- When correctly contacted, the aluminium profile has good electrical conductive. Contact is made via the front of the profile, which has no anodised layer
- Very light due to its low density of 2.71 g/cm³, which is about one about one third of the weight of steel
- Highly corrosion resistant
- Hygienic, easy to clean







Characteristics and advantages of the workalu® product series

- High combination variety due to the modular system
- Quick and easy combination of all tables and accessories
- Quick and easy profile shifting through corner connections, double-sided frames and add-on modules
- Extensive range of accessories, current accessories can be combined with the new workalu® series
- Position of the proviles variable and steplessly adjsutable

How it works:

1 The sleeves with the screws are screwed into the profile grooves with a drill. The slot nuts are pushed into the groove of the profile to which the first profile ist to be screwed. 2 Then the screws are screwed into the slot nuts and tightened.







Levelling:

The height of the workalu® 4-leg tables can be adjusted by 20 mm. Floor unevenness can thus be easily compensated for.


Our solution

The workalu® has the ability to grow with the diversity of your workplace. Thanks to the flexibility of the aluminium profile and the numerous accessories, the workstation can be extended at any time. This allows for an perfectly optimized handling area, which is essential from an ergonomic point of view.

Advantages:

- Assembly times are reduced
- Ergonomic workplace design
- Modular and easily expandable
- Slim and timeless design

With workalu® workplaces adapt to the requirements of the user and not vice versa. It can be variably expanded and changed at any time.
Only this variability and flexibility allows for highly optimised workflows.
Static, unchangeable workplaces are a thing of the past.



Worktops





Beech multiplex worktop Page 436



Solid red beech worktop Page 438



Workbench top end profiles and rear edge profile Page 439



MDF worktops, plastic worktops Page 440



Worktop connector Page 442



Chipboard worktop and ESD conductive worktop Page 443

Note on Solid Wood and Multiplex worktop

Wood is a natural material and may therefore vary in color, structure, and grain. Slight changes such as minimal shrinkage or warping are typical of the material and do not constitute grounds for complaint. For optimal use, the panels should be installed immediately after unpacking, as later deformation cannot be ruled out.

Beech multiplex worktop



Beech multiplex worktop

- Glue laminated, oiled
- Water repellent
- Gluing according to EN 314-2

Top thickness (mm)	25		40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
750 x 600	03.7560.25	70,10	03.7560.40	89,49	03.7560.50	123,05
1000 x 600	03.1060.25	93,23	03.1060.40	119,32	03.1060.50	164,07
1250 x 600	03.1260.25	116,84	03.1260.40	149,15	03.1260.50	205,07
1500 x 600	03.1560.25	140,45	03.1560.40	178,98	03.1560.50	246,10
1750 x 600	03.1760.25	163,56	03.1760.40	208,81	03.1760.50	287,12
2000 x 600	03.2060.25	186,44	03.2060.40	238,64	03.2060.50	328,13
2500 x 600	03.2560.25	233,67	03.2560.40	298,30	03.2560.50	410,17
750 x 750	03.7575.25	87,62	03.7575.40	111,87	03.7575.50	153,82
810 x 750	03.81.25	94,46	03.81.40	120,56	03.81.50	166,56
1000 x 750	03.10.25	116,84	03.10.40	149,15	03.10.50	205,07
1250 x 750	03.125.25	145,41	03.125.40	186,44	03.125.50	256,04
1500 x 750	03.15.25	175,25	03.15.40	223,72	03.15.50	308,25
1750 x 750	03.1775.25	204,45	03.1775.40	261,02	03.1775.50	358,90
2000 x 750	03.20.25	233,67	03.20.40	298,30	03.20.50	410,17
2500 x 750	03.25.25	290,84	03.25.40	372,87	03.25.50	513,32
750 x 900	03.7590.25	105,15	03.7590.40	134,23	03.7590.50	184,58
1000 x 900	03.1090.25	140,45	03.1090.40	178,98	03.1090.50	246,10
1250 x 900	03.1290.25	175,25	03.1290.40	223,72	03.1290.50	308,25
1500 x 900	03.1590.25	210,05	03.1590.40	268,48	03.1590.50	369,14
1750 x 900	03.1790.25	245,34	03.1790.40	313,22	03.1790.50	430,68
2000 x 900	03.2090.25	279,65	03.2090.40	357,96	03.2090.50	492,20
2500 x 900	03.2590.25	349,25	03.2590.40	447,45	03.2590.50	615,24



Beech multiplex worktop with cover
For automotive workshops, paint shops and welding work

- With 1.5 mm thick galvanised steel cover, bolted on as an L-profile

Top thickness (mm)	40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €
810 x 750	A03.81.40	180,22	A03.81.50	224,96
1000 x 750	A03.10.40	222,49	A03.10.50	278,41
1250 x 750	A03.125.40	277,18	A03.125.50	346,77
1500 x 750	A03.15.40	333,10	A03.15.50	416,37
2000 x 750	A03.20.40	443,71	A03.20.50	555,58
2500 x 750	A03.25.40	554,35	A03.25.50	694,78
1000 x 900	A03.1090.40	265,99	A03.1090.50	333,10
1250 x 900	A03.12590.40	333,10	A03.12590.50	416,37
1500 x 900	A03.1590.40	398,97	A03.1590.50	499,66
2000 x 900	A03.2090.40	531,97	A03.2090.50	666,21
2500 x 900	A03.2590.40	666,21	A03.2590.50	834,01



Beech multiplex worktop with cover
For automotive workshops, paint shops and welding work

- With recessed 1.5 mm stainless steel cover, bolted on as an L-profile

Top thickness (mm)	40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €
810 x 750	AE038140	326,90	AE038150	371,63
1000 x 750	AE031040	403,94	AE031050	459,88
1250 x 750	AE0312540	504,63	AE0312550	574,23
1500 x 750	AE031540	605,30	AE031550	689,83
2000 x 750	AE032040	807,90	AE032050	919,77
2500 x 750	AE032540	1.009,26	AE032550	1.148,46
1000 x 900	AE03109040	484,74	AE03109050	551,86
1250 x 900	AE031259040	605,30	AE031259050	689,83
1500 x 900	AE03159040	727,11	AE03159050	827,78
2000 x 900	AE03209040	968,23	AE03209050	1.102,48
2500 x 900	AE03259040	1.210,61	AE03259050	1.378,40

Note on Solid Wood and Multiplex worktop: Wood is a natural material and may therefore vary in color, structure, and grain. Slight changes such as minimal shrinkage or warping are typical of the material and do not constitute grounds for complaint. For optimal use, the panels should be installed immediately after unpacking, as later deformation cannot be ruled out.

Worktops

Red beech, solid, worktop with steel edge



Solid red beech worktop

- Strip laminated
- Finger jointed
- Glued wood panel with distinctive grain

Top thickness (mm)	40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1000 x 600	03.1060.40RB	164,07	03.1060.50RB	186,44
1250 x 600	03.1260.40RB	205,07	03.1260.50RB	233,67
1500 x 600	03.1560.40RB	246,10	03.1560.50RB	279,65
2000 x 600	03.2060.40RB	328,13	03.2060.50RB	372,87
2500 x 600	03.2560.40RB	410,17	03.2560.50RB	466,09
810 x 750	03.81.40RB	166,56	03.81.50RB	188,92
1000 x 750	03.10.40RB	205,07	03.10.50RB	233,67
1250 x 750	03.125.40RB	256,04	03.125.50RB	290,84
1500 x 750	03.15.40RB	308,25	03.15.50RB	349,25
2000 x 750	03.20.40RB	410,17	03.20.50RB	466,09
2500 x 750	03.25.40RB	513,32	03.25.50RB	582,93
1000 x 900	03.1090.40RB	246,10	03.1090.50RB	279,65
1250 x 900	03.1290.40RB	308,25	03.1290.50RB	349,25
1500 x 900	03.1590.40RB	369,14	03.1590.50RB	420,11
2000 x 900	03.2090.40RB	492,20	03.2090.50RB	559,32
2500 x 900	03.2590.40RB	615,24	03.2590.50RB	699,76



Beech multiplex worktop with steel edge

- With recessed 1,5 mm steel edge, bolted on as an L-profile

Top thickness (mm)	40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €
1000 x 600	K03.1060.40	149,15	K03.1060.50	193,90
1250 x 600	K03.12560.40	186,44	K03.12560.50	242,37
1500 x 600	K03.1560.40	223,72	K03.1560.50	290,84
2000 x 600	K03.2060.40	298,30	K03.2060.50	387,79
2500 x 600	K03.2560.40	372,87	K03.2560.50	484,74
810 x 750	K03.81.40	151,64	K03.81.50	196,38
1000 x 750	K03.10.40	186,44	K03.10.50	242,37
1250 x 750	K03.125.40	233,67	K03.125.50	303,27
1500 x 750	K03.15.40	279,65	K03.15.50	364,17
2000 x 750	K03.20.40	372,87	K03.20.50	484,74
2500 x 750	K03.25.40	466,09	K03.25.50	606,55
1000 x 900	K03.1090.40	223,72	K03.1090.50	290,84
1250 x 900	K03.12590.40	279,65	K03.12590.50	364,17
1500 x 900	K03.1590.40	335,59	K03.1590.50	436,27
2000 x 900	K03.2090.40	447,45	K03.2090.50	581,69
2500 x 900	K03.2590.40	559,32	K03.2590.50	727,11

Workbench top end profiles and rear edge profile





Workbench top end profiles, 3-sided

- Beech multiplex
- Height 120 mm
- Thickness 15 mm

Item no.	Dimensions in mm (WxD)	Price in €
PA.7560.12	750 x 600	42,77
PA.1060.12	1000 x 600	48,23
PA.1260.12	1250 x 600	53,69
PA.1560.12	1500 x 600	59,16
PA.1760.12	1750 x 600	64,64
PA.2060.12	2000 x 600	70,10
PA.2560.12	2500 x 600	81,04
PA.7575.12	750 x 750	48,73
PA81	810 x 750	50,59
PA.1075.12	1000 x 750	54,69
PA.1275.12	1250 x 750	60,65
PA150	1500 x 750	65,62
PA.1775.12	1750 x 750	71,11
PA200	2000 x 750	76,57
PA250	2500 x 750	87,50
PA.7590.12	750 x 900	55,68
PA.1090.12	1000 x 900	61,15
PA.1290.12	1250 x 900	66,62
PA.1590.12	1500 x 900	72,09
PA.1790.12	1750 x 900	77,57
PA.2090.12	2000 x 900	83,03
PA.2590.12	2500 x 900	93,96



Rear edge profile

- Beech multiplex
- Height 120 mm
- Thickness 15 mm

Item no.	Dimensions in mm (width)	Price in €
RPA75	750	17,40
RPA81	810	17,78
RPA100	1000	21,88
RPA125	1250	27,34
RPA150	1500	32,81
RPA175	1750	38,28
RPA200	2000	43,76
RPA250	2500	54,69

Note on Solid Wood and Multiplex worktop: Wood is a natural material and may therefore vary in color, structure, and grain. Slight changes such as minimal shrinkage or warping are typical of the material and do not constitute grounds for complaint. For optimal use, the panels should be installed immediately after unpacking, as later deformation cannot be ruled out.


MDF worktops, plastic worktops



MDF worktop with 0.7 mm HPL coat | For assembly, shipping and laboratory

- HPL (high pressure laminate), also called "Resopal" is fire retarding as well as shock-, scratch- and abrasion-resistant
- 4-sided, ABS edging
- Heat and light resistant
- Stain-resistant, easy to clean and to desinfect
- Solvent resistant and largely chemical resistant

Top thickness (mm)	30		40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
750 x 600	H03.7560.30	105,65	H03.7560.40	116,84	H03.7560.50	136,72
1000 x 600	H03.1060.30	141,69	H03.1060.40	156,61	H03.1060.50	182,71
1250 x 600	H03.1260.30	177,73	H03.1260.40	196,38	H03.1260.50	228,69
1500 x 600	H03.1560.30	212,53	H03.1560.40	234,91	H03.1560.50	274,68
1750 x 600	H03.1760.30	247,95	H03.1760.40	274,07	H03.1760.50	320,06
2000 x 600	H03.2060.30	283,38	H03.2060.40	313,22	H03.2060.50	365,42
2500 x 600	H03.2560.30	354,22	H03.2560.40	391,53	H03.2560.50	457,40
750 x 750	H03.7575.30	134,22	H03.7575.40	147,92	H03.7575.50	171,52
810 x 750	H03.81.30	142,94	H03.81.40	159,10	H03.81.50	185,19
1000 x 750	H03.1075.30	177,73	H03.1075.40	196,38	H03.1075.50	228,69
1250 x 750	H03.1275.30	221,25	H03.125.40	244,85	H03.125.50	285,87
1500 x 750	H03.15.30	265,99	H03.15.40	293,33	H03.15.50	343,05
1750 x 750	H03.1775.30	310,11	H03.1775.40	342,43	H03.1775.50	400,22
2000 x 750	H03.20.30	354,22	H03.20.40	391,53	H03.20.50	457,40
2500 x 750	H03.25.30	442,48	H03.25.40	489,71	H03.25.50	570,51
750 x 900	H03.7590.30	159,08	H03.7590.40	176,49	H03.7590.50	206,32
1000 x 900	H03.1090.30	212,53	H03.1090.40	234,91	H03.1090.50	274,68
1250 x 900	H03.1290.30	265,99	H03.1290.40	293,33	H03.1290.50	343,05
1500 x 900	H03.1590.30	319,43	H03.1590.40	352,99	H03.1590.50	411,41
1750 x 900	H03.1790.30	372,25	H03.1790.40	411,41	H03.1790.50	479,77
2000 x 900	H03.2090.30	425,08	H03.2090.40	469,83	H03.2090.50	548,12
2500 x 900	H03.2590.30	531,97	H03.2590.40	587,90	H03.2590.50	684,86



MDF worktop with 2.5 mm Trovidur coat

- With robust, hard-wearing 2.5 mm plastic coat
- 4-sided ABS edging
- Low flammability surface
- Very good electrical insulating properties
- High resistance to acids, lyes and salt solutions
- Areas of application: Chemical tank and plant construction, electrical industry, construction industry

Top thickness (mm)	30		40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
1000 x 600	T03.1060.30	160,33	T03.1060.40	180,22	T03.1060.50	211,30
1250 x 600	T03.1260.30	200,10	T03.1260.40	226,21	T03.1260.50	263,50
1500 x 600	T03.1560.30	241,13	T03.1560.40	270,96	T03.1560.50	316,95
2000 x 600	T03.2060.30	320,68	T03.2060.40	360,45	T03.2060.50	422,60
810 x 750	T03.81.30	162,82	T03.81.40	182,71	T03.81.50	213,79
1000 x 750	T03.10.30	200,10	T03.10.40	226,21	T03.10.50	263,50
1250 x 750	T03.125.30	251,07	T03.125.40	282,15	T03.125.50	329,37
1500 x 750	T03.15.30	300,79	T03.15.40	338,07	T03.15.50	395,25
2000 x 750	T03.20.30	401,48	T03.20.40	451,19	T03.20.50	528,24
1000 x 900	T03.1090.30	241,13	T03.1090.40	270,96	T03.1090.50	316,95
1250 x 900	T03.1290.30	300,79	T03.1290.40	338,07	T03.1290.50	395,25
1500 x 900	T03.1590.30	360,45	T03.1590.40	406,43	T03.1590.50	474,79
2000 x 900	T03.2090.30	481,01	T03.2090.40	541,91	T03.2090.50	632,65



Plastic worktop

- Plastic worktop, pressed polyethylene PE 500
- Surface white
- Highly resistant to wear and abrasion
- Excellent chemical resistance
- Highly impact, cut and scratch-proof
- Low flammability
- Area of application: Assembly and automation technology
- Printing and textile industry, conveyor and storage technology



Top thickness (mm)	20		25		30	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
1500 x 750	KUW03.15.20	646,69	KUW03.15.25	746,50	KUW03.15.30	838,10
2000 x 750	KUW03.20.20	861,34	KUW03.20.25	995,34	KUW03.20.30	1.118,39




Plastic worktop

- Worktop made from pressed reclaimed material
- Surface multicoloured/black
- Resistant to lyes and acids
- Area of application: Electroplating, bulk goods industry, food industry, paper industry

Top thickness (mm)	20		25		30	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
1500 x 750	KUS03.15.20	545,53	KUS03.15.25	615,25	KUS03.15.30	691,81
2000 x 750	KUS03.20.20	728,72	KUS03.20.25	820,34	KUS03.20.30	922,87

MDF worktop and top connector





Top-top connector
- With Lamello and two fixing clamps

Item no.	Price in €
03.00.32	74,57



MDF worktop with 2.5 mm linoleum coat
- 4-sided ABS edging
- Easy to care
- Durable
- Antistatic
- Scratch resistant
- Due to the production process, a yellow patina may be visible at the beginning, which disappears again with time due to the influence of light
- Production, light and environmental influences may lead to colour differences and colour changes in the coating
- Made from purely natural raw materials, thus linoleum is very environmentally friendly in production, use and disposal
- Areas of application: technical, electrical and chemical works

Top thickness (mm)	30		40		50	
Dimensions in mm (WxD)	Item no.	Price in €	Item no.	Price in €	Item no.	Price in €
1000 x 600	L03.1060.30	184,58	L03.1060.40	205,08	L03.1060.50	246,10
1250 x 600	L03.1260.30	210,05	L03.1260.40	233,67	L03.1260.50	279,65
1500 x 600	L03.1560.30	252,32	L03.1560.40	279,65	L03.1560.50	335,59
2000 x 600	L03.2060.30	335,59	L03.2060.40	372,87	L03.2060.50	447,45
2500 x 600	L03.2560.30	420,11	L03.2560.40	466,09	L03.2560.50	559,32
810 x 750	L03.81.30	170,27	L03.81.40	188,92	L03.81.50	226,21
1000 x 750	L03.10.30	231,05	L03.10.40	257,03	L03.10.50	307,62
1250 x 750	L03.125.30	262,25	L03.125.40	290,84	L03.125.50	349,25
1500 x 750	L03.15.30	314,45	L03.15.40	349,25	L03.15.50	420,11
2000 x 750	L03.20.30	420,11	L03.20.40	466,09	L03.20.50	559,32
2500 x 750	L03.25.30	524,51	L03.25.40	582,93	L03.25.50	699,76
1000 x 900	L03.1090.30	277,56	L03.1090.40	307,62	L03.1090.50	369,14
1250 x 900	L03.1290.30	314,45	L03.1290.40	349,25	L03.1290.50	420,11
1500 x 900	L03.1590.30	377,85	L03.1590.40	420,11	L03.1590.50	503,38
2000 x 900	L03.2090.30	503,38	L03.2090.40	559,32	L03.2090.50	671,17
2500 x 900	L03.2590.30	628,92	L03.2590.40	699,76	L03.2590.50	838,97

Chipboard worktop and ESD conductive worktop







Chipboard worktop with melamine resin coating

- 4-sided, ABS edging
- Chipboard carrier plate with direct coating
- Abrasion-resistant and easy to care for surface

Top thickness (mm)	28	
Dimensions in mm (WxD)	Item no.	Price in €
750 x 600	07.M7560.28	69,62
1000 x 600	07.M1060.28	93,23
1250 x 600	07.M12560.28	116,84
1500 x 600	07.M1560.28	140,45
1750 x 600	07.M1760.28	163,45
2000 x 600	07.M2060.28	186,44
750 x 750	07.M7575.28	88,27
810 x 750	07.M8175.28	94,46
1000 x 750	07.M1075.28	116,84
1250 x 750	07.M12575.28	145,41
1500 x 750	07.M1575.28	175,25
1750 x 750	07.M1775.28	204,46
2000 x 750	07.M2075.28	233,67
2500 x 750	07.M2575.28	290,84
750 x 900	07.M7590.28	105,65
1000 x 900	07.M1090.28	140,45
1250 x 900	07.M12590.28	175,25
1500 x 900	07.M1590.28	210,05
1750 x 900	07.M1790.28	244,86
2000 x 900	07.M2090.28	279,65

ESD conductive worktop

- Surface made from conductive HPL laminate
- Suitable for all electrostatically sensitive areas
- Surface RAL 7035

ESD

Top thickness (mm)	30	
Dimensions in mm (WxD)	Item no.	Price in €
750 x 600	07.E7560.30	170,30
1000 x 600	07.E1060.30	227,46
1250 x 600	07.E12560.30	284,63
1500 x 600	07.E1560.30	341,81
1750 x 600	07.E1760.30	398,37
2000 x 600	07.E2060.30	454,91
750 x 750	07.E7575.30	213,78
810 x 750	07.E8175.30	229,94
1000 x 750	07.E1075.30	284,63
1250 x 750	07.E12575.30	355,48
1500 x 750	07.E1575.30	426,33
1750 x 750	07.E1775.30	497,80
2000 x 750	07.E2075.30	569,26
2500 x 750	07.E2575.30	710,96
750 x 900	07.E7590.30	257,30
1000 x 900	07.E1090.30	341,81
1250 x 900	07.E12590.30	426,33
1500 x 900	07.E1590.30	512,09
1750 x 900	07.E1790.30	597,23
2000 x 900	07.E2090.30	682,36

ESD **E**lectro**S**tatic**D**ischarge





Overview, ESD Glossary Page 446



Measuring and test devices Page 450



ESD-workergo Page 452



ESD-workraster Page 455



ESD-workline Page 456



EDS accessories Page 457



ESD parts trolley Page 464



ESD chairs Page 465

Overview

ESD

ESD stands for electrostatic discharge. A large potential difference causes a spark or disruptive discharge, which produces high electric voltage pulses in electronic devices.

Humans first feel an electrostatic charge from 3000 volts, and in most cases the discharge is harmless, with the moment of shock being the worst part.

When is ESD dangerous?
Sparking can already occur at 10000 volts and can cause explosions if flammable liquids or gases are being handled. Static electricity is produced, for example, when running on a carpeted floor, whereby a person can become charged to approx. 30000 volts in some cases.

The effects of ESD are insidious, meaning that the damage is not immediately visible, and the causer often does not notice it. The consequences can become costly, especially if the assembly is installed in devices for sensitive applications. Sensitive components can be destroyed from just 40 volts.

EPA offers protection against ESD!

EPA = Electrostatic Protected Area

A work area equipped with ESD protective measures where electrostatically sensitive components can be handled without damaging them.

A comprehensive EPA protection area includes the following areas:
- Workstation
- Personal grounding
- Tools
- Markings
- Measurement technology
- Storage/containers
- Flooring

The ESD standard DIN EN 61340-5-1 applies to electronics production facilities.
All products listed here comply with this standard.



Four golden rules for dealing with ESD

1. Always presume that all active components are ESD-sensitive.
2. Only touch electronic components in ESD protection areas (EPA) and then only when you are properly grounded.
3. Store and transport ESD-sensitive components in ESD protective containers.
4. Regularly check the ESD protection system.

Observe the principle *"No charge, no discharge".*

Making as few movements as possible and using ESD-safe equipment reduces the risk of a static charge on people to a minimum.

ESD GLOSSARY

A

Bleeder resistance:
Measurement between an earthing point and the electrodes on a surface.
Antistatic:
The "electrostatic charge reduction property", could be a special type of plastic, for example.
Workstation
The ESD-protected workstation should be ergonomically adaptable. Electrostatic charge is dissipated via the worktop and a earthing cable so that the workstation remains charge-neutral.

D

Dissipative:
Surface resistance of materials between 10^5 and 10^{12} Ω.

E

EPA:
Electrostatic protected area, a work area where electrostatically sensitive components can be handled without damaging them.
Earthing:
Discharge of electric currents into the ground.
Earthing point:
Central point (e.g. on a worktop) that is connected to the building's earthing.
ESD:
The phenomenon of electrostatic discharge.
ESDS:
Electrostatic discharge sensitive devices.

F

Flooring
The flooring should be conductive and comply with the required limit values specified in DIN EN 61340-5-1. When cleaning ESD flooring, use only cleaning agents that do not form layers so that the conductivity values remain within the desired range. If only individual workstations are set up as EPAs, ESP floor mats or tiles can also be earthed.

I

IC:
Integrated circuit, microchip, e.g. microprocessor.
Ionisation:
Removal of charged particles (e.g. electrons) from a material such as air. Ionisation devices can neutralise electrostatic charges by distributing ionised air.
Isolator:
Materials that have a high surface resistance of at least 10^{12} Ω. Static charges remain in a part of these materials for a long time without discharging (plastic, glass, air).

L

Storage/containers
Conductive ESD shelving and containers for transporting and storing components protect endangered components. Assembly trolleys should be fitted with conductive wheels.
Conductivity:
Ability of a material to conduct electrical current, e.g. metals.

M

Markings
Markings on the flooring indicate ESD protection areas. Signs and labels indicating potentially endangered components and assemblies are also important.
Measurement technology
Protective device must be metrologically tested regularly. When entering an EPA, measurements and regular personal inspections must be performed. Work benches, floor mats and earthing connections should be checked monthly and ESD monitoring instruments should be checked annually.
The respective bleeder resistances should have the following values: Worktop: between 7.5 x 10^5 Ω and 10^9 Ω, Flooring: less than 10^9 Ω, Chair/standing aid: less than 10^{10} Ω, Tool: less than 10^{12}Ω.

N

Standards:
IEC 61340-5-1 Protection of electronic devices from electrostatic phenomena - General requirements
IEC 61340-5-2 Protection of electronic devices from electrostatic phenomena - User guide
IEC 61340-4-1 Electrical resistance of floor coverings and installed floors
ANSI/ESD S20.20.-1999 Protection of Electrical and Electronic Parts, Assemblies and Equipment
ANSI/ESD S541-2003 Packaging materials for ESD sensitive items

O

Surface resistance:
Resistance between two points on a surface, measured using a megohmmeter and two electrodes.

P

Personal grounding
People are the main source of electrostatic charges. Shoes and a wrist strap with an earthing cable should be mandatory for employees in electronics production. Wrist strap and shoe testers facilitate the daily inspection of EPA effectiveness. The chair or standing aid should also have ESD protection.

S

Current:
Unit [A] ampere, formula symbol: I, flow of (mostly negative) charge carriers.
Voltage:
Unit [V] volt, formula symbol: U, maintains the electrical current in a closed circuit and is thus the cause for the flow of current.

W

Resistance:
Unit [Ω] Ohm, formula symbol: R, indicates what voltage is required to cause a particular current to flow through an electrical conductor.

ESD

To be able to ensure the reliability and quality of current electronic products, it is necessary to observe the most important **HANDLING REGULATIONS** when processing electrostatic discharge sensitive devices (ESDS):

1. ESDS may only be processed at electrostatic protection workstations (EPA)!
2. Ensure a constant "smooth" potential equalisation!
3. Ensure personal grounding via wrist and shoe earthing!
4. Ensure conductive, closed clothing!
5. Avoid electrostatic chargeable materials such as normal PE, PVC, polystyrene , etc.!
6. ESDS must not be exposed to electrostatic fields > 100 V/cm!
7. Only use labelled and defined packaging and transport materials!
8. Employee training!

Standard colours
All ESD products on pages 452-456 have an eco-friendly, conductive powder coating.
Here you can see our 7 standard colours, which may deviate slightly from the standard RAL colours due to the pigmentation.


RAL 3003
Ruby red


RAL 5010
Gentian blue


RAL 5012 Light
blue


RAL 7035
Light grey


RAL 7038
Agate grey


RAL 9005
Jet black

ESD guidelines at a glance: DIN EN 61340-5-1

Last updated in July 2017, DIN EN 61340-5-1 is the standard dealing with electrostatic charge in connection with technical devices. Official title of this ESD standard: "Protection of electronic devices from electrostatic phenomena". As part of the international series of standards 61340, which deals with electrostatics in all areas, it is of significance for many industrial companies. Essentially, DIN EN 61340-5-1 contains the requirements that companies must place on their design, concept, creation, setup and maintenance processes for the effective management of electrostatic charges.

The requirements formulated are directly related to electrical parts, components or devices that are manufactured, further processed, packaged, operated or handled in any other way and that can be damaged by electrostatic charges. Adherence to ESD guidelines for companies with sensitive production areas such as clean rooms is of particular importance. Sources of electrostatic charge are also considered in DIN EN 61340-5-1. For example, certain material combinations, gases, impurities or the employees themselves unknowingly produce such charges.

Standard-compliant industrial chairs ensure product safety
In clean rooms compliance with such ESD guidelines should always have top priority. It therefore not only makes sense to orient clean room chairs and industrial chairs to this requirement, but also to prevent the occurrence of electrostatic charges to the greatest extent possible by means of suitable further measures. Companies from the electrical industry should already have a great operational interest in implementing such standards, e.g. DIN EN 61340-5-1, as precisely as possible and striving for their optimal integration into operational workflows.

- Tests personal bleeder resistances for wrist strap and footwear grounding systems to monitor access to electrostatic protection areas (EPAs)
- The test result is signalled visually and audibly. An additional potential-free relay contact makes it possible to control a door opener or turnstile, for example, to control access
- Voltage is supplied by an integrated battery or a plug-in power supply
- Tests wrist strap grounding
- Simultaneous testing of right and left shoe possible thanks to separate measuring circuits
- In combination with entry control systems (e.g. turnstiles), footwear measurements can be performed in hands-free mode without pressing the button
- Test voltage 30, 50 or 100 volts (standard setting)
- The lower limit values can be deactivated
- Can be used as a table-top or wall-mounted device (as a wall-mounted device, the optional wall bracket is required)
- Limit values can be adjusted using a DIP switch



1

2

3

Test station mat
830 x 680 x 13 mm

1

Footwear testing electrode for separate measuring, left and right shoe
Dimensions: 350 x 500 mm

Magnetic document holder made of IDP-STAT- PVC in DIN A3 format. Can be used for various labelling options.



Personnel Grounding PGT®120

- Scope of delivery: Footwear testing electrode, works calibration certificate, instructions for use (German/English), 9 V battery, 230 V AC plug-in power supply

	Item no.	Type	Price in €
1	EPGT120	Personnel Grounding Tester PGT®120	on request
	EPGT120.WK	Wall bracket for PGT®120 and PGT®120.COM made of stainless steel (not illustrated)	on request

Personnel Grounding accessories

	Item no.	Type	Price in €
2	EPGT120.CU.12	Calibration unit for PGT®120 and PGT®120.COM for on-site testing, incl. works calibration certificate for PGTs with 12 dip switches	on request
3	EPGT120.12.S	Test station mat with yellow leading edge	on request

PGTest Station

- Powder coating in the colours depicted
- Test station for the PGT®120
- Dimensions: 590 x 730 x 1700 mm (W x D x H)
- PGT®120 not included in the scope of delivery

Item no.	Type	Price in €
EPGT120.TEST	PGTest Station for PGT®120 / PGT®120.COM with magnetic document holder made of IDP-STAT-PVC in A3	on request

METRISO® B530 measuring lit

Metriso® B530 – MEASURING KIT

- For measuring point-to-point and bleeder resistances in accordance with DIN EN 61340-4-1 and DIN EN 61340-2-3 (VDE 0300, Part 4-1 / 2-3)
- For measuring the system resistance of human/footwear/flooring systems in accordance with DIN EN 61340-4-5 (VDE 0300, Part 4-5)
- Additional low-ohmic measuring range of 1 Ω - 10 kΩ for testing earthing measures, digital and analogue measurement display, as bar graph or pointer
- Optical signalling of the voltage measuring range with red and green LED
- External voltage detection with red LED

- **Measuring voltage:** DC 10 V, 100 V, 500 V
- **Resistance measuring range:** 1 Ω to 199 GΩ
- **Mode of operation:** Battery operation
- **Electrodes:** 2x model 870: 1x hand electrode – model 45 1x extension set for electrode 870
- **Dimensions:** 225 x 130 x 140 mm (WxDxH)
- **Weight (complete KIT):** 9 kg







Electrode model 870



Extension set for electrode 870

Measuring and test instrument Metriso® B530

- 2x measuring electrode model 870 according to DIN EN 61340-4-1/2-3
- 1x hand electrode model 45 according to DIN EN 61340-4-5
- 1x extension set for electrode 870
- Conductive carry case


Item no.	Type	Price in €
EB530.MK	Metriso® B530 complete measuring kit	on request
ES530.G	Metriso® B530 measuring instrument with measuring cables	on request




Optional accessories

Item no.	Type	Price in €
E2000.TR50	Cable drum 50 m, with unwinder for ground measurements	on request
E2000.ML	Spare measuring cable set (com/shield + positive cable)	on request


nach DIN EN 61340-2-3



Measurement: $R_{G\ system}$
Personal bleeder resistance (human/shows/flooring) to protective earth



Measurement: R_{P-P}
Point-to-point resistance



Measurement: R_G
Bleeder resistance to protective earth



Handheld meter for testing **conductive surfaces**. Test values displayed on LCD display. Delivery includes conductive carry case, earthing cable, USB cable, works calibration certificate and readout software for stored test data.

- **Measuring range:** 10^3 - 10^{12} ohm
- **Measuring voltage:** Open-circuit voltage 100 V
- **Mode of operation:** Battery operation
- **Display:** LCD display
- **Electrodes:** Bar electrode with conductive rubber

- With data storage and USB interface to PC
- Connection of 2 external electrodes possible





Example application





Surface resistance meter SRM®200

Item no.	Type	Price in €
ESRM200.K	Handheld meter with case	on request

Veribox

- The Veribox contains resistors for testing high-resistance measuring devices prior to use
- 3 different resistors for testing measuring devices
- Each resistance has a separate plug connection

Item no.	Price in €
E7100.VB2	on request

ESD standard colours, see page 448

C-foot workergo with basic frames - conductive





- ESD conductive worktop, 30 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.E1575.30	1500 x 750 x 30	426,33
07.E2075.30	2000 x 750 x 30	569,26

- C-foot basic frame
- Conductive, powdered

Clamp fixing	Item no.	Dimensions in mm (W x D x H)	Price in €
 kg 200	EC150KL75G	1500 x 750 x 670 – 1015	868,35
	EC200KL75G	2000 x 750 x 670 – 1015	930,31

Crank adjustment	Item no.	Dimensions in mm (W x D x H)	Price in €
 kg 200	EC150KU75G	1500 x 750 x 670 – 1015	1.428,72
	EC200KU75G	2000 x 750 x 670 – 1015	1.493,86

Electric height adjustment, 1 motor	Item no.	Dimensions in mm (WxDxH)	Price in €
 kg 180	EC150E175G	1500 x 750 x 670 – 1015	1.819,15
	EC200E175G	2000 x 750 x 670 – 1015	1.884,31

Electric height adjustment, 2 motors	Item no.	Dimensions in mm (WxDxH)	Price in €
 kg 300	EC150E275G	1500 x 750 x 670 – 1015	1.916,33
	EC200E275G	2000 x 750 x 670 – 1015	1.981,57





- ESD conductive worktop, 30 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.E1575.30	1500 x 750 x 30	426,33
07.E2075.30	2000 x 750 x 30	569,26
07.E1590.30	1500 x 900 x 30	512,09
07.E2090.30	2000 x 900 x 30	682,36

- 4-foot basic frame
- Conductive, powdered

Clamp fixing	Item no.	Dimensions in mm (WxDxH)	Price in €
 kg 200	E4150KL75G	1500 x 750 x 670 – 1015	525,02
	E4200KL75G	2000 x 750 x 670 – 1015	557,83
	E4150KL90G	1500 x 900 x 670 – 1015	529,95
	E4200KL90G	2000 x 900 x 670 – 1015	562,76
Crank adjustment	**Item no.**	**Dimensions in mm (WxDxH)**	**Price in €**
 kg 200	E4150KU75G	1500 x 750 x 670 – 1015	1.225,13
	E4200KU75G	2000 x 750 x 670 – 1015	1.290,29
	E4150KU90G	1500 x 900 x 670 – 1015	1.233,87
	E4200KU90G	2000 x 900 x 670 – 1015	1.299,02
Electric height adjustment, 1 motor	**Item no.**	**Dimensions in mm (WxDxH)**	**Price in €**
 kg 180	E4150E175G	1500 x 750 x 670 – 1015	1.647,16
	E4200E175G	2000 x 750 x 670 – 1015	1.712,34
	E4150E190G	1500 x 900 x 670 – 1015	1.656,98
	E4200E190G	2000 x 900 x 670 – 1015	1.722,13
Electric height adjustment, 2 motors	**Item no.**	**Dimensions in mm (WxDxH)**	**Price in €**
 kg 300	E4150E275G	1500 x 750 x 670 – 1015	1.744,43
	E4200E275G	2000 x 750 x 670 – 1015	1.809,58
	E4150E290G	1500 x 900 x 670 – 1015	1.754,24
	E4200E290G	2000 x 900 x 670 – 1015	1.819,38

C-foot table – conductive



1 workergo C-foot
- Worktop, conductive, 1500 x 750 x 30 mm
- Height adjustment by crank
- Energy board with 2x 2 earthed sockets, 1x network socket, 1x compressed air 1/4"
- Load capacity 200 kg

Item no.	Dimensions in mm (WxDxH)	Price in €
ESDC150KU75G	1500 x 750 x 700 – 1045	2.105,45

2 Parts trolley
- ESD version, 4x steering caster, thereof 2 with locks, Ø 125 mm
- 1x shelf 320 mm, 1x container strip with boxes
- 12x box: 210 x 330 x 200 mm
- 6x box: 150 x 230 x 125 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
E07.8310.08K	1000 x 800 x 1476	935,92

3 Rotary plate with locking mechanism
- With ribbed rubber mat
- With locking mechanism every 45°

Item no.	Dimensions in mm	Price in €
07.60.38ESD	Ø 380, ESD version	608,28
07.60.37ESD	Ø 500, ESD version	673,84
07.60.36ESD	Ø 600, ESD version	799,00



workergo C-foot
- Conductive, powdered
- Worktop, conductive, 1500 x 750 x 30 mm
- Height-adjustable

Multi-board setup
- 2x support column
- 1x perforated wall
- 2x shelf 220 mm, 1x shelf 320 mm
- Pivot arm with keyboard platform, pivot arm with shelf
- Overhead frame with equipment rail and lighting 2x 36W

Item no.	Dimensions in mm (WxDxH)	Height adjustment	Price in €
EC150KL75-05	1500 x 750 x 700 – 1045	Clamp fixing, load capacity 200 kg	3.529,09
EC150KU75-05	1500 x 750 x 700 – 1045	Crank adjustment, load capacity 200 kg	4.100,84
EC150E175-05	1500 x 750 x 700 – 1045	Electric, 1 motor, load capacity 180 kg	4.672,58
EC150E275-05	1500 x 750 x 700 – 1045	Electric, 2 motors, load capacity 300 kg	4.924,14

Supplied without boxes, hooks and decoration



workergo 4-foot
- Conductive, powdered
- Worktop, conductive, 1500 x 750 x 30 mm
- Height-adjustable

Multi-board setup
- 2x support column
- 1x energy bar with 3x earthed sockets and on/off switch
- 2x perforated wall
- 1x shelf, 320 mm
- 1x pivot arm with shelf
- 1x pivot arm with laptop shelf
- Overhead frame with equipment rail and lighting 2x 36W

Item no.	Dimensions in mm (WxDxH)	Height adjustment	Price in €
E4150KL75-04	1500 x 750 x 700 – 1045	Clamp fixing, load capacity 200 kg	3.143,19
E4150KU75-04	1500 x 750 x 700 – 1045	Crank adjustment, load capacity 200 kg	3.700,62
E4150E175-04	1500 x 750 x 700 – 1045	Electric, 1 motor, load capacity 180 kg	4.286,68
E4150E275-04	1500 x 750 x 700 – 1045	Electric, 2 motors, load capacity 300 kg	4.536,80



workraster
- Conductive, powdered
- Worktop, conductive, 1500 x 750 x 30 mm

Multi-board setup
- 2x support column
- 1x energy board with 4x earthed sockets
- 2x perforated wall
- 1x shelf, 320 mm
- Overhead frame with equipment rail and lighting 2x 36W

Item no.	Dimensions in mm (WxDxH)	Price in €
E07.899.01	1500 x 800 x 2070	1.894,22

Supplied without boxes, hooks and decoration

Basic tables - conductive



workline basic table, 1500 mm
- Conductive, powdered
- Worktop, conductive, 1500 x 750 x 30 mm
- Height-adjustable

Multi-board setup
- 2x support column
- 1x magnetic wall
- 1x perforated wall
- 2x inclinable shelf 320 mm
- Overhead frame with equipment rail and 1 × LED light, 28.9 W, 1290 lx

Item no.	Dimensions in mm (WxDxH)	Height adjustment	Price in €
E07.75.KLMW	1500 x 750 x 765 – 1135	Clamp fixing, load capacity 200 kg	3.012,85
E07.75.KUMW	1500 x 750 x 765 – 1135	Crank adjustment, load capacity 200 kg	3.334,78
E07.75.KHEMW	1500 x 750 x 765 – 1135	Electric, 1 motor, load capacity 180 kg	4.050,70



workline basic table, 1500 mm
- Conductive, powdered
- Worktop, conductive, 1500 x 750 x 30 mm
- Height-adjustable, tabletop form 765 – 1135 mm

1x superstructure frame
- 1x tripod with 2x earthed sockets and 1x halogen lamp
- 1x pivot arm with shelf
- 1x pivot arm with perforated/slotted wall
- 1x footrest

Item no.	Dimensions in mm (WxDxH)	Height adjustment	Price in €
E07.75.1KLST	1500 x 750 x 765 – 1135	Clamp fixing, load capacity 200 kg	2.646,17
E07.75.1KUST	1500 x 750 x 765 – 1135	Crank adjustment, load capacity 200 kg	2.866,19
E07.75.1KHEST	1500 x 750 x 765 – 1135	Electric, 1 motor, load capacity 180 kg	3.574,65

Supplied without boxes, hooks, rotary plate and decoration

1



Table cover
- 610 x 1220 mm (WxD)

Item no.	Price in €
E07.24.03	83,43

2



Earthing module
- With 2 m smooth cable
- 4 mm eyelet, without resistance

Item no.	Price in €
E07.24.21	29,75

8



Connection examples for earthing terminal strip on the rear



3



Earthing cable, 1.5 m
- For table/floor coverings, 1 MOhm safety resistor
- 10 mm snap fastener/4 mm eyelet, 3 m

Item no.	Price in €
E07.24.07	19,45

4



Spiral cable
- Highly elastic, 2.4 m long, 2x 1 MOhm safety resistance
- Earthing contact connection: 10 mm snap fastener
- Typical resistance R = 2x 10^6 Ohm

Item no.	Price in €
E07.24.04	16,74

5



Earthing box
- As earth bonding point (EBP) for personal grounding, earthing cable
- 2 m long, connection type: 4 mm eyelet, 1 MOhm safety resistor per connection
- 2x 10 mm snap fastener connection
- 1x 4 mm safety socket

Item no.	Price in €
E07.24.22	21,25

6



Wrist strap
- 3 mm snap fastener

Item no.	Price in €
E07.24.02	13,13

7



Floor mat
- Ecostat® Mega - 3.5 Rubber
- 1220 x 2500 x 3.5 mm (W x D x H)

Item no.	Price in €
E07.24.08	588,13

8



Earthing terminal strip

Item no.	Price in €
E07.24.09	27,55

ECOSTAT® standard floor mats

Flooring material for DIY loose laying
Two-layer composite tile flooring
- Volume conductive
- Abrasion-resistant
- Conductive, elastic backing, adapts to the substrate
- Backing with waffle structure for installation on problematic substrates (e.g. residual moisture)
- Suitable for chair castors
- Suitable for forklifts
- Reusable
- Self-laying | **Easy laying thanks to click system**
- Easy handling using woodwork tools
- Colour: Grey
- Can be walked on during laying, therefore very short downtimes
- Typical bleeder resistance $R_{gp} = 10^4 - 10^5$ ohm

Standard floor mat
- Rounded corners
- 2x 10 mm snap fastener connection
- Max. roll length 10 m




Incl. earthing cable with protective cap, with 10 mm snap fastener, 4 mm eyelet, 1 MOhm safety resistor, 4.5 m long

ECOSTAT® PR - 2.0
- Self-gripping

Item no.	Dimensions in mm (WxDxH)	Price in €
E1250.7004.L	1500 x 2000 x 2	326,25

ECOSTAT® Mega - 3.5 Rubber
- Self-gripping

Item no.	Dimensions in mm (WxDxH)	Price in €
E1250.681	1220 x 1650 x 3.5	on request
E07.24.08	1220 x 2500 x 3.5	588,13



ECOSTAT® anti-fatigue mats
- Improved walking, turning and standing properties
- Tread can be quickly extended as desired using puzzle technology
- Customer-specific dimensions also possible lateral and longitudinal directions with puzzle technology
- Smallest configuration: 2 end tiles
- Blister diameter: 8 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
E06500940VE	End tile: 650 x 940 x 13 incl. 10 mm snap fastener	on request
E06500910VM	Middle tile: 650 x 910 x 13	on request
E307.B1.Z	Custom size on request	on request

- Two-layer composite flooring
- Rugged synthetic rubber
- Resistant to solder and heat
- Abrasion-resistant
- Halogen-free
- Permanently elastic

- Volume conductive
- Material thickness: 2 mm
- Typical bleeder resistance $R_{gp} = 10^6 – 10^7$ ohm
- Includes: 2x 10 mm snap fastener,
  *Rounded corners (radius approx. 43 mm)






Table cover

Item no.	Colour	Dimensions in mm (WxD)	Price in €
E07.24.03	Platinum grey	1220 x 610	83,43
E1402.663.S*	Platinum grey	900 x 610	83,43
E1402.663.R	Platinum grey	Rolls: 1220 x 10000	on request



Table cover

Item no.	Colour	Dimensions in mm (WxD)	Price in €
E1402.665.L*	Light blue	610 x 1220	103,77
E1402.665.S*	Light blue	610 x 900	83,43
E1402.665.R	Light blue	Rolls: 1220 x 10000	on request



Table cover

Item no.	Colour	Dimensions in mm (WxD)	Price in €
E1402.662.L*	Beige	610 x 1220	103,77
E1402.662.S*	Beige	610 x 900	83,43
E1402.662.R	Beige	Rolls: 1220 x 10000	on request

ECOSTAT® shelf mat

Anti-slip covering

- Anti-slip profile in transverse and longitudinal direction - on both sides
- Permanently dissipative due to carbon
- Covering for transport trolleys and shelves
- Profiled, wear-resistant synthetic rubber
- Material thickness: 2 mm

Item no.	Colour	Dimensions in mm (WxD)	Price in €
E1453.7300.R	Black	Rolls: 1220 x 10000	on request



Open fronted storage bins - conductive



Open fronted storage bins – conductive

- Carbon-loaded, permanently volume conductive polypropylene
- Improved removal opportunity due to rounded corners
- With ESD labelling
- Typical surface resistance $R_{gp} = 10^4 – 10^5$ ohm



Back



Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Packaging unit	Price in €
E5320.FA3Z	200 x 350 x 145	182 x 280 x 127	127	12	222,37
E5320.FA4	145 x 235 x 125	127 x 180 x 108	108	25	226,14
E5320.FA5	100 x 175 x 75	87 x 129 x 67	67	42	209,81



- E5320.2 and E5320.3 include a handle

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Packaging unit	Price in €
E5320.2	300 x 500 x 200	280 x 425 x 183	183	6	246,24
E5320.3	200 x 350 x 200	182 x 280 x 185	185	8	211,07
E5320.3Z	200 x 350 x 145	182 x 280 x 127	127	12	222,37
E5320.4	145 x 235 x 125	127 x 180 x 108	108	27	185,94
E5320.5	100 x 175 x 75	87 x 129 x 67	67	40	199,77
E5320.6	100 x 95 x 50	87 x 60 x 44	44	50	162,06



- With separator

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Packaging unit	Price in €
E5320.6D	100 x 95 x 50	87 x 60 x 44	44	50	202,26

IDP-STAT® open fronted storage bins – dissipative

- Permanently volume conductive polypropylene
- Made of Inherently Dissipative Polymer (IDP-STAT®)
- Stackable
- With ESD labelling
- Typical surface resistance $R_{gp} = 10^9 – 10^{10}$ ohm



- Red

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Packaging unit	Price in €
E5321.R.4	145 x 235 x 125	127 x 180 x 108	108	27	483,69
E5321.R.5	100 x 175 x 75	87 x 129 x 67	67	40	425,91
E5321.R.6	100 x 95 x 50	87 x 60 x 44	44	50	250,02



- Yellow

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Packaging unit	Price in €
E5321.Y.4	145 x 235 x 125	127 x 180 x 108	108	27	483,69
E5321.Y.5	100 x 175 x 75	87 x 129 x 67	67	40	425,91
E5321.Y.6	100 x 95 x 50	87 x 60 x 44	44	50	250,02

Other sizes and colours on request.



Labels for open fronted storage bins

Item no.	Suitable for open fronted storage bins	Dimensions in mm (WxD)	Packaging unit	Price in €
E5320.2.ET	5320.2	82 x 42	100	20,09
E5320.3.ET	5320.3	79 x 43	100	20,09
E5320.3Z.ET	5320.3Z	79 x 30	100	20,09
E5320.4.ET	5320.4 / 5321.R.4 / 5321.Y.4	80 x 29	100	20,09
E5320.5.ET	5320.5 / 5321.R.5 / 5321.Y.5	79 x 20	100	20,09
E5320.6.ET	5320.6 / 5321.R.6 / 5321.Y.6	79 x 13	100	20,09
E5320FA2.3ET	5320.FA2 / 5320.FA3	98 x 43	100	20,86
E5320FA3Z.ET	5320.FA3Z	101 x 30	100	20,86
E5320.FA4.ET	5320.FA4	74 x 23	100	20,09
E5320.FA5.ET	5320.FA5	53 x 15	100	20,09

Storage and transport containers - conductive

Storage containers - conductive

- Carbon-loaded, permanently volume conductive polypropylene
- Stackable
- Palette modular size
- With ESD labelling
- Closed handle
- Typical surface resistance $R_{gp} = 10^4 – 10^5$ ohm

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Price in €
E5310.05	200 x 300 x 120	170 x 270 x 117	106	16,74
E5310.10	300 x 400 x 120	255 x 355 x 115	104	27,30
E5310.14	300 x 400 x 170	255 x 355 x 165	152	38,11
E5310.20	300 x 400 x 220	255 x 355 x 217	204	40,94
E5310.25	300 x 400 x 270	255 x 355 x 265	252	55,36
E5310.31	300 x 400 x 320	255 x 355 x 317	304	57,68



Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Usable height/stack in mm	Price in €
E5310.15	400 x 600 x 75	355 x 555 x 70	56	45,58
E5310.24	400 x 600 x 120	355 x 555 x 115	104	53,30
E5310.33	400 x 600 x 150	355 x 555 x 145	131	60,26
E5310.34	400 x 600 x 170	355 x 555 x 165	152	63,09
E5310.42	400 x 600 x 220	355 x 555 x 215	204	70,56
E5310.50	400 x 600 x 236	355 x 555 x 231	214	76,99
E5310.55	400 x 600 x 280	355 x 555 x 275	261	87,29
E5310.70	400 x 600 x 336	355 x 555 x 332	314	99,91
E5310.80	400 x 600 x 420	355 x 555 x 415	397	131,58





Lid with hooks

Item no.	External dimensions in mm (WxD)	Price in €
E5310.43	400 x 300 lid, loose	17,51
E5310.64	600 x 400 lid, loose	28,58



Lid with hooks

Item no.	External dimensions in mm (WxD)	Price in €
E5310.43.PU	400 x 300 lid, loose, with conductive, soft PU foam	22,79
E5310.64.PU	600 x 400 lid, loose, with conductive, soft PU foam	36,31





Hinge

Hinged lid

Item no.	External dimensions in mm (WxD)	Price in €
E5310.32.S	300 x 200 lid, loose	8,37
E5310.43.S	400 x 300 lid, loose	16,61

IDP-Stat® storage and transport containers - dissipative

- Permanently volume conductive polypropylene
- Made of Inherently Dissipative Polymer (IDP-STAT®)
- Stackable
- Palette modular size
- With ESD labelling
- Closed handle
- Typical surface resistance $R_{gp} = 10^9 – 10^{10}$ ohm

- Yellow

Item no.	External dimensions in mm (LxWxH)	Internal dimensions in mm (LxWxH)	Usable height/stack in mm	Price in €
E5311.Y.10	300 x 400 x 120	255 x 355 x 115	104	43,00
E5311.Y.14	300 x 400 x 170	255 x 355 x 165	152	52,79
E5311.Y.20	300 x 400 x 220	255 x 355 x 217	204	60,77

- Red

E5311.R.10	300 x 400 x 120	255 x 355 x 115	104	43,00
E5311.R.14	300 x 400 x 170	255 x 355 x 165	152	52,79
E5311.R.20	300 x 400 x 220	255 x 355 x 217	204	60,77



- Yellow

Item no.	External dimensions in mm (LxWxH)	Internal dimensions in mm (LxWxH)	Usable height/stack in mm	Price in €
E5311.Y.24	400 x 600 x 120	355 x 555 x 115	104	85,49
E5311.Y.34	400 x 600 x 170	355 x 555 x 165	152	90,13
E5311.Y.42	400 x 600 x 220	355 x 555 x 215	204	107,89

- Red

E5311.R.24	400 x 600 x 120	355 x 555 x 115	104	85,49
E5311.R.34	400 x 600 x 170	355 x 555 x 165	152	90,13
E5311.R.42	400 x 600 x 220	355 x 555 x 215	204	107,89







Lid with hooks

- Yellow

Item no.	External dimensions in mm (WxD)	Price in €
E5311.Y.43	400 x 300 lid, loose	21,63
E5311.Y.64	600 x 400 lid, loose	35,02

Lid with hooks

- Red

Item no.	External dimensions in mm (WxD)	Price in €
E5311.R.43	400 x 300 lid, loose	21,63
E5311.R.64	600 x 400 lid, loose	35,02

ESD parts trolley

Multi-trolley combinations from practice – conductive



Multi-trolley
- Equipped with 2x fixed and 2x steering caster with locks, Ø 125 mm
- Bottom shelf
- 8x inclinable shelf 320 mm depth
- Total load capacity 500 kg

Includes
- 6x Euro storage bins 400 x 300 x 170 mm
- 8x open fronted storage bin 200 x 350 x 200 mm
- 16x open fronted storage bin 200 x 350 x 145 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
ESD07.58.14	990 x 610 x 1450	1.788,58



Multi-trolley
- Equipped with 2x fixed and 2x steering caster with locks, Ø 125 mm
- 4x inclinable shelf 320 mm depth
- 2x perforated panel, 302 mm
- Total load capacity 500 kg

Includes
- 6x Euro storage bins 400 x 300 x 170 mm
- 8x open fronted storage bin 200 x 350 x 145 mm
- Supplied without tools

Item no.	Dimensions in mm (WxDxH)	Price in €
ESD07.58.16	990 x 610 x 1450	1.142,24



Multi-trolley
- Equipped with 2x fixed and 2x steering caster with locks, Ø 125 mm
- Open fronted storage bins are hung in rails
- Total load capacity 500 kg

Includes
- 32x open fronted storage bin 100 x 170 x 80 mm
- 24x open fronted storage bin 145 x 230 x 125 mm
- 16x open fronted storage bin 200 x 350 x 200 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
ESD07.58.12	990 x 610 x 1450	1.651,84



Multi-trolley
- Equipped with 2x fixed and 2x steering caster with locks, Ø 125 mm
- 4x inclinable shelf 420 mm depth
- Total load capacity 500 kg

Includes
- 8x Euro storage bins 400 x 600 x 170 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
ESD07.58.18	990 x 610 x 1450	952,08

Individual parts trolleys on request.



Vinyl roller stool

- Dissipative roller stool with height adjustment
- For clean production areas
- 5-star cruciform base made of chrome-plated aluminium with 5 conductive, load-dependent braked, soft castors
- Safety gas spring
- Seat height adjustment from 500 to 640 mm
- Durable and conductive vinyl cover, seat diameter: 340 mm
- With ESD labelling

Item no.	Type	Price in €
E1700.VH	Black	461,44
E1700.KS.13	Hard, conductive chair castors (for carpeted floors)	19,31

The INDUSTRIAL PU chair provides excellent, ergonomic sitting comfort. It reliably and safely drains static charges from personnel to the conductive flooring or floor mat.



Standard version

- 5-star cruciform base made of chrome-plated aluminium with 5 conductive, load-dependent braked, soft castors
- Safety gas spring
- Seat height adjustment from 380 to 510 mm
- Synchronous adjustment of seat and backrest
- Seat and backrest made of durable, black conductive PU integral foam
- PU integral foam is easy to clean
- With ESD labelling
- GS tested

Item no.	Type	Price in €
E1700.PU	Without armrests	752,42



Backrest with ESD labelling

PU sit-stand stool

- Dissipative sit-stand stool with height adjustment
- Dissipative and robust construction with anti-skid glides
- Lockable seat height adjustment
- 15° tilting seat
- Dissipative and durable PU integral foam seat
- 16° tilting seat for excellent body contact
- GS tested
- With ESD labelling
- Typical bleeder resistance $R_{gp} = 10^8 - 10^9$ ohm

Item no.	Colour	Price in €
E1700.S	Black	452,43



Backrest with ESD labelling

High model

- Seat height from 540 to 800 mm
- Cruciform base with 5 conductive glides
- Chrome-plated foot ring as climbing aid
- Stepless height adjustment

Item no.	Type	Price in €
E1710.PU	Without armrests	826,32

Optional accessories

Item no.	Type	Price in €
E1700.KS.13	Hard, conductive chair castors (for carpeted floors)	19,31
E1700.XS.PU	Volume conductive PU armrests* incl. mounting plate	281,96

Chair

Comfort chair

The COMFORT chair provides an exceptional sitting comfort due to its highly resilient foam contoured seat. It reliably and safely drains static charges from personnel to the conductive flooring or floor mat.

Backrest with ESD labelling





Armrests optional (height-adjustable)



Standard version

- 5-star cruciform base made of chrome-plated aluminium with 5 conductive, load-dependent braked, soft castors
- Safety gas spring
- Seat height adjustment from 400 to 420 mm
- Asynchronous mechanism
- Seat and dynamic back rest individually adjustable
- Hard-wearing and conductive upholstery cover for the seat and backrest in fabric
- Conductive plastic back seat shell with ESD labelling
- GS tested

Item no.	Colour	Type	Price in €
E1700.ES.B	Blue	Without armrests	502,64
E1700.ES.D	Grey	Without armrests	502,64

High model

- Seat height from 640 to 760 mm
- Cruciform base with 5 conductive glides, foot ring as climbing aid

Item no.	Colour	Type	Price in €
E1710.ES.B	Blue	Without armrests	585,30
E1710.ES.D	Grey	Without armrests	585,30

Optional accessories

Item no.	Type	Price in €
E1700.KS.13	Hard, conductive chair castors (for carpeted floors)	19,31
E1700.XS	Volume conductive PU armrests*	223,25

The high-quality COMFORT PLUS chair provides perfect, ergonomic sitting comfort due to its foam contoured seat. It reliably and safely drains static charges from personnel to the conductive flooring or floor mat.

Backrest with ESD labelling







Standard version

- 5-star cruciform base made of polished aluminium with 5 conductive, load-dependent braked, soft castors
- Safety gas spring
- Seat height adjustment from 430 to 540 mm
- Adjustable back height
- Adjustable back height, depth and angle
- Mechanism with synchronous technology ensures active-dynamic sitting
- Seat and dynamic back rest individually adjustable
- High-quality moulded foam pads for perfect sitting comfort
- Hard-wearing and conductive black upholstery cover
- Conductive plastic back seat shell
- With ESD labelling
- GS tested

Item no.	Colour	Type	Price in €
E1700.ESP.S	Black	Without armrests	918,25

High model

- Seat height from 610 to 850 mm
- Cruciform base with 5 conductive glides
- Chrome-plated foot ring as climbing aid
- Stepless height adjustment

Item no.	Colour	Type	Price in €
E1710.ESP.S	Black	Without armrests	1.124,76

Optional accessories

Item no.	Type	Price in €
E1700.KS.13	Hard, conductive chair castors (for carpeted floors)	19,31
E1700.XS	Volume conductive PU armrests*	223,25

Mobile logistics systems





Caster types Page 470



maxmobile 1, maxmobile 2 Page 472



Drawer tool sets Page 482



Mobile drawer cabinets Page 486



Mobile workbenches Page 498



Mobile computer, measuring and testing stations Page 508



Multi-trolleys, parts trolleys Page 514



Other mobile units Page 528



Mobile workraster unit Page 532

Caster types for drawer cabinets



- For safety reasons, the maximum total load for a set of casters is 75% of the indicated load capacity



04ST500L80



04ST500LF80



04ST736B80 04ST736L80 04ST736LF80

Casters for T500 mobile drawer cabinets

- Steering caster with back hole, Ø 80 mm
- Load capacity per caster 50 kg

Item no.	Version	Price in €
04ST500L80	Steering caster without lock	33,93
04ST500LF80	Steering caster with lock	58,71

Casters for T736 mobile drawer cabinets

- Fixed and steering caster with screw-on plate, Ø 80 mm
- Wheel made of high-quality, unbreakable polyamide 6, natural white
- Load capacity per caster 200 kg

Item no.	Version	Price in €
04ST736B80	Fixed caster	26,11
04ST736L80	Steering caster without lock	36,54
04ST736LF80	Steering caster with lock	40,46



04SWEL125



04SWELF125



04ST736B125 04ST736L125 04ST736LF125

Casters for T500 mobile drawer cabinets

- Steering caster with back hole, Ø 125 mm
- Wheel made of high-quality elastic solid rubber
- Quiet running, low roll resistance, very gentle on floors
- Load capacity per caster 150 kg


Item no.	Version	Price in €
04SWEL125	Steering caster without lock	32,62
04SWELF125	Steering caster with lock	37,85

Casters for T736 mobile drawer cabinets

- Fixed and steering caster with screw-on plate, Ø 125 mm
- Wheel made of high-quality elastic solid rubber
- Quiet running, low roll resistance, very gentle on floors
- Load capacity per caster 150 kg

Item no.	Version	Price in €
04ST736B125	Fixed caster	27,40
04ST736L125	Steering caster without lock	30,02
04ST736LF125	Steering caster with lock	32,62

Caster types for workbenches



- For safety reasons, the maximum total load for a set of casters is 75% of the indicated load capacity



04SWEL125



04SWELF125



04WB200



04WL200



04WLF200

Casters for T500 and T750 mobile workbenches

- Steering caster with back hole, Ø 125 mm
- Wheel made of high-quality elastic solid rubber
- Quiet running, low roll resistance, very gentle on floors
- Load capacity per caster 150 kg

Item no.	Version	Price in €
04SWEL125	Steering caster without lock	32,62
04SWELF125	Steering caster with lock	37,85

Casters for T750 mobile box workbenches

- Fixed and steering caster with screw-on plate, Ø 200 mm
- Wheel made of standard solid rubber
- Very high driving comfort, quiet running, very gentle on floors
- Load capacity per caster 205 kg

Item no.	Version	Price in €
04WB200	Fixed caster	39,15
04WL200	Steering caster without lock	58,71
04WLF200	Steering caster with lock	62,65

maxmobile 1 and workergo series



04MB100



04ML100



04MLF100



4XXXXXML100



4XXXXXMLF100

Casters for maxmobile 1

- Fixed and steering caster with back hole, Ø 100 mm
- Wheel made of high-quality thermoplastic rubber elastomer (TPE)
- High driving comfort, quiet running, low roll and swivel resistance, gentle on floors
- Load capacity per caster 110 kg

Item no.	Version	Price in €
04MB100	Fixed caster	19,56
04ML100	Steering caster without lock	22,18
04MLF100	Steering caster with lock	26,11

workergo series expander casters

- Fixed and steering caster, Ø 100 mm
- Wheel made of high-quality thermoplastic rubber elastomer (TPE)
- High driving comfort, quiet running, low roll and swivel resistance, gentle on floors
- Load capacity per caster 110 kg


Item no.	Version	Price in €
4XXXXXMB100	Fixed caster	28,59
4XXXXXML100	Steering caster without lock	31,07
4XXXXXMLF100	Steering caster with lock	36,04

maxmobile 1 and 2

maxmobile

	Series	Series
	maxmobile 1	maxmobile 2
		
	Housing W x D	Housing W x D
	630 x 390	630 x 490
Height	Usable heights	Usable heights
208	–	–
215	–	–
358	–	–
365	–	–
465	–	–
469	–	–
500	–	–
519	–	–
619	–	–
719	600	600
819	–	–
919	–	–
1019	–	–
1319	–	–
1519	–	–
		
	Drawer W x D	Drawer W x D
	600 x 300	600 x 400
Height	Load capacity	Load capacity
50	35 kg	35 kg
75	35 kg	35 kg
100	35 kg	35 kg
125	–	–
150	35 kg	35 kg
175	–	–
200	35 kg	35 kg
250	–	–
300	–	–
400	–	–
	Series	Series
	maxmobile 1	maxmobile 2
	T390 24-12	T490 24-16
Grid:	**R 24-12**	**R 24-16**

Grid subdivision



- Internal usable area: 600 x 300 mm
- Drawers with full pull-out (FP) 100 %, load capacity 35 kg
- Supplied without decoration, tools and hooks





maxmobile 1

- 5x drawer
- 2x fixed and 2x steering caster with locks, Ø 100 mm
- 1x waste bin, 1x bottle and can holder
- 1x support tray, 1x wooden panel, 1x side cover panel
- 1x swivelling laptop tray
- 1x perforated wall setup 300 mm with swivelling side parts

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.90-1	780 x 480 x 1540	1.144,72



maxmobile 2

- 6x drawer
- Axle with 2x fixed caster, Ø 150 mm, 2x steering caster with lock, Ø 100 mm
- 1x waste bin, 1x bottle and can holder
- 1x support tray, 1x wooden panel, 1x side flap
- 1x swivelling laptop tray
- 1x perforated wall setup 300 mm with swivelling side parts

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.92-1	780 x 580 x 1540	1.381,26



maxmobile 2

- 5x drawer
- Axle with 2x fixed caster, Ø 150 mm, 2x steering caster with lock, Ø 100 mm
- 1x bottle and can holder
- 1x waste bin, 1x support tray, 1x wooden panel, 1x side flap
- 1x swivelling laptop tray

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.90-1	780 x 580 x 912	1.150,70



maxmobile 2

- 5x drawer
- 1x waste bin, 1x support tray, 1x wooden panel, 1x side cover panel
- 1x swivelling laptop tray
- Axle with 2x fixed caster, Ø 150 mm, 2x steering caster with lock, Ø 100 mm
- 1x perforated wall setup 600 mm with swivelling side walls

Item no.	Dimensions in mm (WxDxH)	Price in €
087.89.303-2	780 x 580 x 1540	1.310,05



maxmobile 1

maxmobile 1

- Internal usable area: 600 x 300 mm
- 100 % full pull-out of drawers with max. 35 kg load capacity
- Central locking
- Precise locking and self-retraction
- Circumferential impact and heel protection
- 2x fixed and 2x steering caster with locks, Ø 100 mm
- Comprehensive range of divider material
- Wide range of accessories for every application
- Plastic support surface with moulded surfaces for small parts and ergonomic handles
- Support surface is highly resistant to chemicals and oil
- Support surface in either plastic or beech multiplex version
- Powder coating in 15 standard colours (colour combinations possible)
- Adaptive locking rod kit as an accessory for additional drawer locking

Your advantages:

- Space-saving
- Small and manoeuvrable
- Comfortable, safe ride
- Theft-proof central locking with "B+H" locking system
- Wide range of accessories for every application
- Comprehensive range of divider material
- Individual configuration
- Eco-friendly painting procedure
- No risk of injury from snagging





maxmobile 1

- 2x hinged door
- 1x internal perforated wall on each side
- 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.03	780 x 480 x 912	534,46



maxmobile 1

- 6x drawer
- 1x side cover panel

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.93	780 x 480 x 912	766,51



maxmobile 1

- 6x drawer
- 1x side cover panel

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.92	780 x 480 x 912	762,78

maxmobile 1



maxmobile 1
- 4x drawer
- 1x side cover panel

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.91	780 x 480 x 912	659,62

Individual arrangement

2x hinged door with lock
- Cylinder lock with central locking

Item no.	Usable heights (mm)	Price in €
08.88.FLGSE	600	185,19



Support rail for open fronted storage bins
- For hanging on the perforated wall

Item no.	Width in mm	Price in €
03.900.06	300	8,34
03.900.05	450	10,56



Open fronted storage bins
- Polypropylene

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.001	100 x 95 / 65 x 50	1,99
03.900.002	100 x 175 / 140 x 75	2,99
03.900.003	145 x 235 / 195 x 125	6,84



Hook assortment
- 10 parts

Item no.	Price in €
03.87.395-10	35,52



Housing with 2x fixed and 2x steering caster with locks, Ø 100 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
08.88.10	780 x 480 x 912	600	349,25

Locking rod set

NEW

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88/89.SSS	51 x 30 x 722	66,35

Drawers

- 600 x 300 mm (W x D) with full pull-out 100 % – 35 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
08.88.60	50	35	40	35 kg	59,66
08.88.64	75	60	65	35 kg	61,53
08.88.61	100	85	90	35 kg	63,39
08.88.62	150	135	140	35 kg	68,99
08.88.63	200	185	190	35 kg	75,19



Beech multiplex panel

- For inserting in the plastic storage area

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.70	570 x 280 x 15	49,22



Support tray

- With paper roll holder

Item no.	Dimensions in mm (WxD)	Price in €
08.88.72	435 x 200	50,59



Swivelling laptop tray

- With locking

Item no.	Dimensions in mm (WxD)	Price in €
08.88.73	300 x 420	100,31



Bottle and can holder

- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.74	380 x 90 x 85	17,53



Document holder

- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.75	380 x 45 x 190	18,89



Waste bin

- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.76	375 x 170 x 150	33,81



Perforated wall setup

- With swivelling side parts

Item no.	Dimensions in mm (W x H)	Price in €
08.88.77	1250 x 300	180,22
08.89.50	1380 x 600	239,88

- Without swivelling side walls

Item no.	Dimensions in mm (W x H)	Price in €
08.88.89	630 x 300	96,95
08.89.51	630 x 568	120,19



Perforated side wall

- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.79	388 x 15 x 712	53,46



Side cover panel

- Semi-circular, hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88.81	388 x 15 x 712	33,19

Drawer inserts R 24-12, internal dimensions 600 x 300 mm



- 2x TP with 2 troughs
- 4x TP with 3 troughs
- 2x TP with 4 troughs
- 4x SDIV for 2 troughs
- 12x SDIV for 3 troughs
- 8x SDIV for 4 troughs

Item no.	Front	Price in €
08.88.30	50	44,74



- Foam mat

Item no.	Front	Price in €
08.88.41	100	21,76



- 3x CCR 300 mm
- 8x DIV 150 mm

Item no.	Front	Price in €
08.88.36	100	27,96
08.88.37	150	29,83
08.88.42	200	31,07



- 2x CCR 300 mm
- 6x DIV 200 mm

Item no.	Front	Price in €
08.88.38	100	20,50
08.88.39	150	21,12
08.88.43	200	22,38



- 4x SPB 150 x 150 mm
- 6x SPB 75 x 150 mm
- 4x SPB 75 x 75 mm

Item no.	Front	Price in €
08.88.34	50	28,59
08.88.35	100	33,56

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider




maxmobile 2

maxmobile 2

- Drawer interior dimension 600 x 400 mm
- 100 % full pull-out of drawers with max. 35 kg load capacity
- Central locking
- Precise locking and self-retraction
- Circumferential impact and heel protection
- Axle with 2x fixed caster, Ø 150 mm, 2x steering caster with lock, Ø 100 mm
- Comprehensive range of divider material
- Wide range of accessories for every application
- Plastic support surface with moulded surfaces for small parts and ergonomic handles
- Support surface is highly resistant to chemicals and oil
- Side cover for the storage of long tools
- Support surface in either plastic or beech multiplex version
- Powder coating in 15 standard colours (colour combinations possible)
- Adaptive locking rod kit as an accessory for additional drawer locking

Your advantages:

- Reinforced wheel set for higher load
- maxmobile 2 offers 25% more volume
- Larger storage shelves
- More storage space
- Theft-proof central locking with "B+H locking system"
- Wide range of accessories for every application
- Individual configuration
- No risk of injury from snagging





maxmobile 2

- 4x drawer
- 1x side cover panel

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.91	780 x 580 x 912	766,51



maxmobile 2

- 6x drawer
- 1x side cover panel

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.93	780 x 580 x 912	882,10



maxmobile 2

- 6x drawer
- 1x side cover panel

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.92	780 x 580 x 912	874,65

maxmobile 2



maxmobile 2
- 2x hinged door, each with 1x internal perforated wall
- 1x shelf
- 1x internal perforated wall on each side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.03	780 x 580 x 912	635,14

Individual arrangement





Housing with 2x caster, Ø 150 mm, 2x steering caster with lock, Ø 100 mm
- Total height = 600 mm usable height + 119 mm +150 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
08.89.10	780 x 580 x 912	600	449,94

Locking rod set

NEW

Item no.	Dimensions in mm (WxDxH)	Price in €
08.88/89.SSS	51 x 30 x 722	66,35

2x hinged door with lock
- Cylinder lock with central locking

Item no.	Usable heights (mm)	Price in €
08.88.FLGSE	600	185,19





Side flap
- For long tools

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.88	490 x 70 x 600	95,69



Anti-slip mat insert
- For inserting in the plastic storage area

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.71	570 x 380 x 3	26,22

Drawers

- 600 x 400 mm (W x D) with full pull-out 100 % – 50 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
08.89.60	50	35	40	50 kg	62,76
08.89.59	75	59	60	50 kg	64,01
08.89.61	100	85	90	50 kg	65,25
08.89.62	150	135	140	50 kg	71,47
08.89.63	200	185	190	50 kg	76,45



Beech multiplex panel
- For inserting in the plastic storage area

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.70	570 x 380 x 15	57,91



Support tray
- With paper roll holder

Item no.	Dimensions in mm	Price in €
08.89.72	535 x 200	52,20



Swivelling laptop tray
- With locking

Item no.	Dimensions in mm	Price in €
08.88.73	300 x 420	100,31



Bottle and can holder
- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.74	480 x 90 x 85	18,27



Document holder
- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.75	480 x 45 x 190	19,51



Waste bin
- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.76	475 x 170 x 150	35,18



Perforated wall setup
- With swivelling side parts

Item no.	Dimensions in mm (WxH)	Price in €
08.88.77	1250 x 300	180,22
08.89.50	1380 x 600	239,88

- Without swivelling side walls

Item no.	Dimensions in mm (WxH)	Price in €
08.88.89	630 x 300	96,95
08.89.51	630 x 568	120,19



Perforated side wall
- Hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.79	488 x 15 x 712	58,79



Side cover panel
- Semi-circular, hung on the side

Item no.	Dimensions in mm (WxDxH)	Price in €
08.89.81	488 x 15 x 712	33,19

Drawer inserts R 24-16, internal dimensions 600 x 400 mm



- 2x CCR 400 mm
- 5x DIV 200 mm

Item no.	Front	Price in €
168-136-100	100	20,50
168-136-150	150	22,12
168-136-200	200	24,86



- 5x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 4x SPB 75 x 75 mm
- 1x DIV 600 mm
- 2x DIV 100 mm

Item no.	Front	Price in €
168-132	100	39,89




- 3x CCR 400 mm
- 8x DIV 150 mm


Item no.	Front	Price in €
168-139-100	100	31,07
168-139-150	150	33,56
168-139-200	200	37,29

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

Drawer tool sets

maxmobile 1 drawer tool sets





Set of turbular hexagon box spanner and double-end box wrench, 15 pcs.

- Turbular hexagon box spanner, DIN 896, Version B 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm
- Mandrel, 5-fold
- Jaw spanner, adjutable to SW 30, 10"/ 250 mm
- Double-end box wrench 8 x 10, 10 x 12, 11 x 13, 14 x 17, 19 x 22 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.88.207	565 x 300	218,99



Set of T-handle screwdrivers, 15 pcs.

- Inlet two-coloured black/blue
- Hex T-handle screwdriver, DIN 911, 2, 3, 4, 5, 6, 8, 10 mm
- T-handle screwdriver, internal Torx TX 10, 15, 20, 25, 27, 30, 40, 45

Item no.	Dimensions in mm (WxD)	Price in €
08.88.200	565 x 300	217,60

Accessories for individual configuration of maxmobile 1 and 2



Cutting tool, 50 mm

- Flat wide tool for individual creation of inlets

Item no.	Dim. in mm	Price in €
08.90.01	50 mm	32,92



Cutting tool, 20 mm

- Flat small tool for individual creation of inlets

Item no.	Dim. in mm	Price in €
08.90.02	20 mm	16,46



Cutting tool, 20 x 20 mm

- Semicircular tool for individual creation of inlets

Item no.	Dim. in mm	Price in €
08.90.03	20 x 20	54,32



Inlet, untreated

- 2 colours: blue 5 mm, black 20 mm height


Item no.	W x D in mm	Price in €
08.90.10	600 x 300	36,77
08.90.11	600 x 400	49,02



Set of hammers, files, chisels and saws, 16 pcs.

- Inlet two-coloured black/blue
- Fitter's hammer, DIN 1041, 500 g
- Plastic embossing and dinging hammer, 32 mm
- Engineer's file, DIN 7261 A, 200 mm flat, triangular, round, square and half-round
- Metal saw frame, 250 mm
- Tool set, 6 pcs., plastic feeler gauge, 100 mm sheet, bolted, 20 x 2 – 40/100
- Steel tape measure 3 m


Item no.	Dimensions in mm (WxD)	Price in €
08.88.203	565 x 300	246,71



Key set, 21 pcs.

- Inlet two-coloured black/blue
- Combination spanner DIN 3113 A, 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24 mm
- Double-ended ring spanners, DIN 838 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.88.204	565 x 300	290,60



Set of 1/4"-1/2" socket keys, 71 pcs.

- Inlet two-coloured black/blue
- 1/2" reversible ratchet, 270 mm
- 1/2" extension, 75 and 250 mm
- 1/2" cardan joint, 75 mm
- 1/2" hex socket10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 27, 30, 32 mm
- 1/4" reversible ratchet, safety extension, 140 mm
- 1/4" extension, DIN 3123, 50 and 100 mm
- 1/4" drive handle, DIN 3122, 150 mm
- 1/4" hex socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4" internal Torx socket, TX 8, 10, 15, 20, 25, 27, 30, 40
- 1/4" external Torx socket, E 4, 5, 6, 7, 8, 10, 11
- 1/4" cross-head socket, PH 1, 2, 3
- 1/4" slot drive socket, 4 x 25, 5,5 x 25, 7 x 25 mm
- Angled hex key, long, ball head, 9 pcs. 1.5 – 10 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.88.205	565 x 300	544,31



Set of pliers/screwdrivers, 14 pcs.

- Inlet two-coloured black/blue
- Cross-head screwdriver, Pozidriv, DIN ISO 8764-1/-2, PZ 1, 2, 3
- Cross-head screwdriver, DIN ISO 8764-1/-2, PH 1, 2, 3
- Workshop screwdriver, DIN 5265, D, 6,5 x 150, 5,5 x 125, 6, 5 x 125 mm
- Water pump pliers, ISO 8976, B, 240 mm
- High leverage combination pliers, DIN ISO 5746, 7" / 180 mm
- Diagonal cutter, DIN ISO 5749, 6.1/4" / 160 mm
- Telephone pliers, ISO 5745, straight, 6.3/4" / 170 mm
- Universal grip pliers, 10" / 250 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.88.206	565 x 300	346,04

Drawer tool sets

maxmobile 2 drawer tool sets



Set of spanners, 100, 8 pcs.
- Inlet two-coloured black/blue
- Double open-ended spanner DIN 3110 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm

Item no.	Dimensions in mm	Price in €
08.89.200	400 x 200	111,57



Set of spanners, 185, 8 pcs.
- Inlet two-coloured black/blue
- Combination spanner, DIN 3113 A 8, 10, 11, 13, 14 , 17, 19, 22 mm

Item no.	Dimensions in mm	Price in €
08.89.201	400 x 200	126,79



Set of spanners, 190, 8 pcs.
- Inlet two-coloured black/blue
- Combination spanner, DIN 3113 B 8, 10, 11, 13, 14, 17, 19, 22 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.89.202	400 x 200	111,57



Set of hammers, chisels and drift punchs, 11 pcs.
- Inlet two-coloured black/blue
- Fitter's hammer, DIN 1041, 500 g
- Flat chisel, DIN 6453, form A, 150 and 200 mm
- Centre punch, pin punch, DIN 6450, form C, 3, 4, 5, 6 mm
- Suprabeam Q1 LED tube light
- Snap-off knife, 18 mm
- Steel tape measure 3 m

Item no.	Dimensions in mm (WxD)	Price in €
08.89.203	400 x 200	176,25

Set of 1/4" socket keys, 84 pcs.
- Inlet two-coloured black/blue 1/4" reversible ratchet
- Safety extension, 140 mm, 1/4" sliding T-handle, DIN 3122, 115 mm
- 1/4" cardan joint, DIN 3123, 37 mm
- 1/4" extension, DIN 3123, 50 and 100 mm
- 1/4" drive handle, DIN 3122, 150 mm
- 1/4" hex socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13 mm
- 1/4" slot drive socket, 4 x 25, 5,5 x 25, 7 x 25 mm
- 1/4" cross-head socket, PH 1, 2, 3
- 1/4" hex socket, 3, 4, 5, 6, 8 mm
- 1/4" connector, A/M 3/8"- I/F 1/4", 1/4" insert
- External Torx, E 4, 5, 6, 7, 8, 10, 11
- 1/4" internal Torx socket, TX 8, 10, 15, 20, 25, 27, 30, 40
- Angled hex key, long, ball head, 9 pcs. 1.5 – 10 mm
- 1/4 connector for 1/4" bits, A/M 1/4"- I/F 1/4"
- Torx bit assortment with 72 teeth ratchet, 31 pcs.


Item no.	Dimensions in mm (WxD)	Price in €
08.89.204	400 x 200	310,54





Set of screwdrivers, 10 pcs.
- Inlet two-coloured black/blue
- Electrician's screwdriver, DIN 5265, carburettor screwdriver 4 x 80 mm, PH1
- Workshop screwdriver, DIN 5265, D, 5 x 100, 5,5 x 125, 6,5 x 150 mm
- Cross-head screwdriver, DIN ISO 8764-1/-2, PH 0, 1, 2
- Voltage tester, VDE 0680, 3 mm

Item no.	Dimensions in mm	Price in €
08.89.207	400 x 200	127,74




Set of circlip pliers, 4 pcs.
- Inlet two-coloured black/blue
- Circlip pliers, DIN 5254, A, A2
- Circlip pliers, DIN 5254, B, A21
- Circlip pliers, DIN 5256, C, J2
- Circlip pliers, DIN 5254, D, J21

Item no.	Dimensions in mm	Price in €
08.89.208	400 x 200	143,91




Set of pliers, 4 pcs.
- Inlet two-coloured black/blue
- High leverage combination pliers, DIN ISO 5746, 7"/ 180 mm
- High leverage diagonal cutter, DIN ISO 5749, 7" / 180 mm
- Water pump pliers, ISO 8976, B, 240 mm
- Telephone pliers, ISO 5745, straight, 8" / 205 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.89.209	400 x 200	192,42




1/2" hex key Set of socket keys, 31 pcs.
- Inlet two-coloured black/blue
- 1/2" hex socket, 5 x 60, 5 x 110, 6 x 60, 6 x 110, 7 x 100, 8 x 60, 8 x 110, 10 x 60, 12 x 60, 14 x 60, 17 x 60, 7 x 60 mm
- 1/2" socket B & S / XZN M 5 x 60, 6 x 60, 6 x 100, 8 x 60, 8 x 100, 10 x 60, 10 x 100, 12 x 100 mm; 1/2" internal Torx socket, TX 25 x 60,
- 27 x 60, 30 x 60, 40 x 60, 45 x 60, 50 x 60, 55 x 60, 60 x 60, 45 x 140, 55 x 140, 70 x 110 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.89.210	400 x 200	273,27



Set of socket keys 1/2", hex key, 22 pcs.
- Inlet two-coloured black/blue
- 1/2" reversible ratchet, safety locking 270 mm
- 1/2" sliding T-handle, DIN 3122, 300 mm
- 1/2" cardan joint, 75 mm
- 1/2" extension, swivelling, 125 and 250 mm
- 1/2" hex socket 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.89.205	400 x 200	273,79



Set of spanners, 34 pcs.
- Inlet two-coloured black/blue
- Double open-ended spanner, DIN 3110 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23 mm
- Combination spanner, DIN 3113 B 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
- Double-ended ring spanners, DIN 838 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23 mm

Item no.	Dimensions in mm (WxD)	Price in €
08.89.211	600 x 400	498,20


T500 mobile drawer cabinets

- Roll-off edge on 3 sides
- 4x steering caster, thereof 2 with locks, Ø 125 mm
- Drawers with full pull-out 100%, load capacity per drawer 50 or 75 kg
- Aluminium handle bars with labelling strip
- Central locking with single pull-out lock
- Double locking of the drawers by means of individual interlocking
- Push handle





Grid subdivision



		Series	Series	Series
		T500	T500	T500
				
		Housing W x D	Housing W x D	Housing W x D
		530 x 500	680 x 500	980 x 500
Height		Usable heights	Usable heights	Usable heights
519		400	400	–
619		500	500	500
719		600	600	600
819		700	700	700
919		800	800	800
1019		900	900	900
1219		–	–	–
1319		–	1200	1200
1519		–	–	–
				
				
		Drawer W x D	Drawer W x D	Drawer W x D
		450 x 400	600 x 400	900 x 400
Height	Shell height	Load capacity	Load capacity	Load capacity
75	59	50 kg	50 kg	50 kg
100	85	50 / 75 kg	50 / 75 kg	50 / 75 kg
150	135	50 / 75 kg	50 / 75 kg	50 / 75 kg
200	185	50 / 75 kg	50 / 75 kg	50 / 75 kg
250	185	50 / 75 kg	50 / 75 kg	50 / 75 kg
300	185	50 / 75 kg	50 / 75 kg	50 / 75 kg
				
		Series	Series	Series
		T500	T500	T500
		T500 18-16	T500 24-16	T500 36-16
Grid:		**R 18-16**	**R 24-16**	**R 36-16**

All dimensions in mm

Mobile drawer cabinets

Mobile drawer cabinets 530 mm width | 500 mm depth

- Drawer interior dimension 450 x 400 mm
- Drawers with full pull-out (FP) 100 %
- Load capacity per drawer 50 or 75 kg
- Push handle
- Cylinder lock with two keys
- Suitable divider material see page 51



- 4x drawer
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 4x steering caster, thereof 2 with locks, Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
46.220M	530 x 500 x 800	776,33

Individual arrangement

Visit our drawer cabinet configurator at configurator.bedrunka-hirth.de





Housing with Ø 80 mm casters and push handle

kg 300

- Total height = usable height + 120 mm + 110 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.046M80	530 x 500 x 730	500	420,11
01.047M80	530 x 500 x 830	600	427,56
01.048M80	530 x 500 x 930	700	433,78
01.049M80	530 x 500 x 1030	800	442,48
01.040M80	530 x 500 x 1130	900	449,94

Housing with Ø 125 mm casters and push handle

kg 500

- Total height = usable height + 120 mm +160 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.046M125	530 x 500 x 780	500	436,27
01.047M125	530 x 500 x 880	600	443,71
01.048M125	530 x 500 x 980	700	449,94
01.049M125	530 x 500 x 1080	800	458,63
01.040M125	530 x 500 x 1180	900	466,09

Ribbed rubber mat on cabinet

- Oil-proof

Item no.	Dim. in mm (WxDxH)	Price in €
65.040.530	530 x 500 x 3	21,88

Metal roll-off edge on 3 sides

- 20 mm height

Item no.	Dim. in mm (WxDxH)	Price in €
66.046.025	530 x 500 x 20	49,72

Cover plate

- Beech multiplex, oiled, 25 mm

Item no.	Dim. in mm (WxDxH)	Price in €
67.046.017	530 x 500 x 25	43,51

Cover plate

- Melamine resin coated chipboard
- RAL 7035, 16 mm, screwable

Item no.	Dim. in mm (WxDxH)	Price in €
67.046.016	530 x 500 x 16	41,01

Divider material see page 51

Drawers

- 450 x 400 mm (WxD)

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61

Mobile drawer cabinets 680 mm width | 500 mm depth

- Drawer interior dimension 600 x 400 mm
- Drawers with full pull-out (FP) 100 %
- Load capacity per drawer 50 or 75 kg
- Push handle
- Cylinder lock with two keys
- Suitable divider material see page 57



- 5x drawer
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 4x steering caster, thereof 2 with locks, Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
68.221M	680 x 500 x 1000	934,92

Individual arrangement

Visit our drawer cabinet configurator at configurator.bedrunka-hirth.de





Housing with Ø 80 mm casters and push handle

kg 300

- Total height = usable height + 120 mm +110 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.066M80	680 x 500 x 730	500	441,24
01.067M80	680 x 500 x 830	600	449,94
01.068M80	680 x 500 x 930	700	458,63
01.069M80	680 x 500 x 1030	800	477,28
01.060M80	680 x 500 x 1130	900	497,17

Housing with Ø 125 mm casters and push handle

kg 500

- Total height = usable height + 120 mm + 160 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.066M125	680 x 500 x 780	500	457,40
01.067M125	680 x 500 x 880	600	466,09
01.068M125	680 x 500 x 980	700	474,79
01.069M125	680 x 500 x 1080	800	493,43
01.060M125	680 x 500 x 1180	900	513,32

Ribbed rubber mat on cabinet

- Oil-proof

Item no.	Dim. in mm (WxDxH)	Price in €
65.060.530	680 x 500 x 3	25,10

Metal roll-off edge on 3 sides

- 20 mm height

Item no.	Dim. in mm (WxDxH)	Price in €
66.068.025	680 x 500 x 20	55,92

Cover plate

- Beech multiplex, oiled, 25 mm

Item no.	Dim. in mm (WxDxH)	Price in €
67.068.017	680 x 500 x 25	54,69

Cover plate

- Melamine resin coated chipboard
- RAL 7035, 16 mm, screwable

Item no.	Dim. in mm (WxDxH)	Price in €
67.068.016	680 x 500 x 16	53,46

Drawers

Divider material see page 57

- 600 x 400 mm (WxD)

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.068.075VA	75	59	60	50 kg	68,35
60.068.100VA	100	85	90	50 kg	70,84
60.068.150VA	150	135	140	50 kg	77,06
60.068.200VA	200	185	190	50 kg	83,28
60.068.250VA	250	185	240	50 kg	89,49
60.068.300VA	300	185	290	50 kg	95,69
60.068.100VA-75	100	85	90	75 kg	96,95
60.068.150VA-75	150	135	140	75 kg	103,15
60.068.200VA-75	200	185	190	75 kg	109,38
60.068.250VA-75	250	185	240	75 kg	115,59
60.068.300VA-75	300	185	290	75 kg	121,81

Mobile drawer cabinets

Mobile drawer cabinets 980 mm width | 500 mm depth

- Drawer interior dimension 900 x 400 mm
- Drawers with full pull-out (FP) 100 %
- Load capacity per drawer 50 or 75 kg
- Push handle
- Cylinder lock with two keys
- Suitable divider material see page 63



Visit our drawer cabinet configurator at configurator.bedrunka-hirth.de

- 5x drawer
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 4x steering caster, thereof 2 with locks, Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
98.221M	980 x 500 x 1000	1.099,37

Individual arrangement



Housing with Ø 80 mm casters and push handle

- Total height = usable height + 120 mm + 100 mm

kg 200

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.096M80	980 x 500 x 730	500	508,35
01.097M80	980 x 500 x 830	600	524,51
01.098M80	980 x 500 x 930	700	540,67
01.099M80	980 x 500 x 1030	800	556,83
01.090M80	980 x 500 x 1130	900	572,98



Housing with Ø 125 mm casters and push handle

- Total height = usable height + 120 mm + 160 mm

kg 500

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
01.096M125	980 x 500 x 780	500	524,51
01.097M125	980 x 500 x 880	600	540,67
01.098M125	980 x 500 x 980	700	556,83
01.099M125	980 x 500 x 1080	800	572,98
01.090M125	980 x 500 x 1180	900	589,15

Ribbed rubber mat on cabinet

- Oil-proof

Item no.	Dim. in mm (WxDxH)	Price in €
65.090.530	980 x 500 x 3	31,70

Metal roll-off edge on 3 sides

- 20 mm height

Item no.	Dim. in mm (WxDxH)	Price in €
66.098.025	980 x 500 x 20	63,39

Cover plate

- Beech multiplex, oiled, 25 mm

Item no.	Dim. in mm (WxDxH)	Price in €
67.098.017	980 x 500 x 25	75,81

Cover plate

- Melamine resin coated chipboard
- RAL 7035, 19 mm, screwable

Item no.	Dim. in mm (WxDxH)	Price in €
67.098.016	980 x 500 x 19	73,33

Drawers

Divider material see page 63

- 900 x 400 mm (WxD)

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.098.075VA	75	59	60	50 kg	82,03
60.098.100VA	100	85	90	50 kg	84,52
60.098.150VA	150	135	140	50 kg	90,73
60.098.200VA	200	185	190	50 kg	96,95
60.098.250VA	250	185	240	50 kg	103,15
60.098.300VA	300	185	290	50 kg	109,38
60.098.100VA-75	100	85	90	75 kg	109,38
60.098.150VA-75	150	135	140	75 kg	115,59
60.098.200VA-75	200	185	190	75 kg	121,81
60.098.250VA-75	250	185	240	75 kg	128,02
60.098.300VA-75	300	185	290	75 kg	134,23


Mobile drawer cabinets | 500 mm depth

kg 500



- 5x drawer
- 1x perforated wall setup
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 4x steering caster, thereof 2 with locks, Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
46.500M	530 x 500 x 800	Drawer cabinet	831,03
03.983.530	530 x 30 x 605	Perforated wall setup	129,26



- 5x drawer
- 1x perforated side wall
- 1x depositing box
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 4x steering caster, thereof 2 with locks, Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
68.221M	680 x 500 x 1000	Drawer cabinet	934,92
03.983.680	500 x 819 (WxH)	Perforated side wall	131,75

Accessories for perforated wall system



Range of hooks, 10 parts

- 7x tool holder with inclined end
- 2x double tool holder
- 1x tool clamp

Item no.	Price in €
03.87.395-10	35,52



Depositing box

- Dimensions in mm (WxDxH): 500 x 90 x 85
- For hanging into the support columns

Item no.	Version for	Price in €
03.983.53.1	Perforated wall setup	26,85
03.983.736.1	Perforated side wall	25,61



Rail for open fronted storage bins

- For hanging on the perforated wall

Item no.	Width in mm	Price in €
03.900.06	300	8,34
03.900.05	450	10,56



DIN A4 brochure holder

Item no.	Dimensions in mm (W x H)	Price in €
03.87.398	220 x 330	30,05



Can holder, single

- Width 100 mm

Item no.	Dimensions in mm (Ø)	Price in €
03.87.369	70	19,54



Drill/hex key holder (various dia.)

- 200/390 x 30 x 35, dimensions in mm (W x D x H)

Item no.	Version	Price in €
03.87.378	for 14 pieces	20,69
03.87.379	for 28 pieces	32,13

Mobile drawer cabinets

Mobile drawer cabinets 1060 mm width | 500 mm depth

kg 500

- Drawer interior dimension 450 x 400 mm
- With individual interlocking and 2 housing variants
- With full pull-out 100 %, load capacity per drawer 50 kg
- Push handle
- Cylinder lock with two keys
- 4x steering caster, thereof 2 with locks, Ø 125 mm
- Suitable divider material see page 51



- Left: 4x drawer
- Right: 1x hinged door, 1x shelf
- Incl. roll-off edge on 4 sides and ribbed rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
04.11.04	1060 x 500 x 1000	1.204,39

Individual arrangement



Hinged door
- Hinges on the right and left are possible
- Twist lock cylinder lock with 2 keys

Item no.	Usable heights (mm)	Price in €
01.053.700E	700	87,00

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77

Ribbed rubber mat on cabinet
- Oil-proof

Item no.	Dim. in mm (WxDxH)	Price in €
65.1060.530	1060 x 500 x 3	33,56

Metal roll-off edge on 3 sides
- 20 mm height

Item no.	Dim. in mm (WxDxH)	Price in €
04.11.01	1060 x 500 x 20	73,33

Cover plate
- Beech multiplex, oiled, 25 mm

Item no.	Dim. in mm (WxDxH)	Price in €
67.1060.25	1060 x 500 x 25	83,28

Cover plate
- Melamine resin coated chipboard
- RAL 7035, 16 mm, screwable

Item no.	Dim. in mm (WxDxH)	Price in €
67.1060.016	1060 x 500 x 25	86,14

Mobile drawer cabinet with 2x empty housing, 1x push handle, 4x steering caster Ø 125 mm, usable height 700 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.1100LG	1060 x 500 x 980	682,36

Drawers

Divider material see page 51


- 450 x 400 mm (WxD)

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61

Workshop trolley 1060 mm width | 500 mm depth

kg 400

- Drawer interior dimension 450 x 400 mm
- Roll-off edge on 4 sides
- **Lockable telescopic roll-off edge with storage space**
- 4x centre compartment rail, top, 1x support surface
- With full pull-out 100 %, load capacity per drawer 50 or 75 kg
- Aluminium handle bar with labelling strip
- Central locking with single pull-out lock
- Double locking of the drawers by means of individual interlocking
- 4x steering caster, thereof 2 with locks, Ø 125 mm
- Suitable divider material see page 51



- 4x drawer
- 2x ribbed rubber mat
- 1x shelf
- Incl. perforated side wall



Item no.	Dimensions in mm (WxDxH)	Price in €
04.116.09	1060 x 500 x 1010	1.116,15

Individual arrangement



Mobile workshop trolley
Empty housing, 1x push handle,
4x steering caster Ø 125 mm, usable height 500 mm
incl. perforated wall, shelf and lockable telescopic roll-off edge

Item no.	Dimensions in mm (WxDxH)	Price in €
04.116LG	1060 x 500 x 1010	847,68

Hinged door

- Hinges on the right and left are possible
- Twist lock cylinder lock with 2 keys

Item no.	Usable heights (mm)	Price in €
01.053.500E	500	77,44

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77



Open fronted storage bins

- Polypropylene

Item no.	Dim. in mm (WxDxH)	Price in €
03.900.003	145 x 235 / 195 x 125	6,84
03.900.004	200 x 350 / 300 x 145	13,66
03.900.005	200 x 350 / 300 x 200	19,89

Drawers

Divider material see page 51

- 450 x 400 mm (WxD)

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61


T736 mobile drawer cabinets

- 2x steering caster with locks, 2x fixed caster, Ø 125 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Aluminium handle bars with labelling strip
- Central locking with single pull-out lock
- Double locking of the drawers by means of individual interlocking
- Plastic push handles
- Roll-off edge on 3 sides





Grid subdivision



		Series	Series	Series
		T736	T736	T736
				
		Housing W x D	Housing W x D	Housing W x D
		555 x 736	705 x 736	1005 x 736
Height		Usable heights	Usable heights	Usable heights
519		400	400	400
619		500	500	500
719		600	600	600
819		700	700	700
919		800	800	800
1019		900	900	900
1219		1100	1100	1100
1319		–	1200	1200
1519		–	1400	1400
				
				
		Drawer W x D	Drawer W x D	Drawer W x D
		450 x 600	600 x 600	900 x 600
Height	Shell height	Load capacity	Load capacity	Load capacity
50	28	70 kg	70 kg	70 kg
75	56	100 kg	100 kg	100 kg
100	81	100 kg	100 kg	100 kg
125	81	100 kg	100 kg	100 kg
150	131	100 kg	100 kg	100 kg
175	131	100 kg	100 kg	100 kg
200	181	100 kg	100 kg	100 kg
250	181	100 kg	100 kg	100 kg
300	181	100 kg	100 kg	100 kg
400	81	100 kg	100 kg	100 kg
				
		Series	Series	Series
		T736	T736	T736
		T736 18-24	T736 24-24	T736 36-24
Grid:		**R 18-24**	**R 24-24**	**R 36-24**

All dimensions in mm

Mobile drawer cabinets

555 mm width | 736 mm depth

kg 500

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Aluminium handle bars with labelling strip
- Central locking with single pull-out lock
- Double locking of the drawers by means of individual interlocking
- 2x steering caster with locks, 2x fixed caster, Ø 125 mm
- Suitable divider material see page 75
- Plastic push handle



- 5x drawer
- Incl. roll-off edge on 3 sides and ribbed rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
04.10.05V	555 x 736 x 990	1.306,56

Individual arrangement

Visit our drawer cabinet configurator at configurator.bedrunka-hirth.de



Housing with Ø 125 mm casters and push handle

- Total height = usable height + 120 mm +150 mm

Item no.	Dimensions in mm (WxDxH)	Usable height in mm	Price in €
0550M125	555 x 736 x 670	400	481,01
0560M125	555 x 736 x 770	500	517,06
0570M125	555 x 736 x 870	600	546,89
0580M125	555 x 736 x 970	700	574,23
0590M125	555 x 736 x 1070	800	601,58
0500M125	555 x 736 x 1170	900	627,67

Ribbed rubber mat on cabinet

- Oil-proof

Item no.	Dim. in mm (WxDxH)	Price in €
65.050.730	555 x 736 x 3	30,07

Metal roll-off edge on 3 sides

- 20 mm height

Item no.	Dim. in mm (WxDxH)	Price in €
66.050.025	555 x 736 x 20	59,66

Cover plate

- Beech multiplex, oiled, 25 mm

Item no.	Dim. in mm (WxDxH)	Price in €
67.050.017	555 x 736 x 25	69,61

Cover plate

- Melamine resin coated chipboard
- RAL 7035, 16 mm, screwable

Item no.	Dim. in mm (WxDxH)	Price in €
67.050.016	555 x 736 x 16	62,15

Drawers

Divider material see page 75

VA 100 kg 100%

- 450 x 600 mm (WxD) with full pull-out 100 % – 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.050V07	50	28	30	70 kg	109,38
60.50.075V10	75	56	58	100 kg	113,11
60.50.100V10	100	81	83	100 kg	116,84
60.50.125V10	125	81	108	100 kg	130,50
60.50.150V10	150	131	133	100 kg	133,00
60.50.175V10	175	131	158	100 kg	135,48
60.50.200V10	200	181	183	100 kg	142,94
60.50.250V10	250	181	233	100 kg	147,92
60.50.300V10	300	181	283	100 kg	151,64

Mobile drawer cabinets 555 mm width | 736 mm depth

kg 500



- 7x drawer
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 1x perforated wall setup

Item no.	Dimensions in mm	Version	Price in €
04.10.07V	555 x 736 x 990	Drawer cabinet	1.481,81
03.983.580	555 x 604	Perforated wall setup	136,72



- 4x drawer
- Incl. roll-off edge on 3 sides and ribbed rubber mat
- 1x perforated side wall
- 1x depositing box

Item no.	Dimensions in mm	Version	Price in €
04.10.04V	555 x 736 x 990	Drawer cabinet	1.215,84
03.983.581	720 x 604	Perforated side wall	155,36

Accessories for perforated wall system



Rail for open fronted storage bins

- For hanging on the perforated wall

Item no.	Width in mm	Price in €
03.900.06	300	8,34
03.900.05	450	10,56



Machine holder

Item no.	Dimensions in mm (Ø)	Price in €
03.87.357	40	11,88
03.87.358	60	12,97
03.87.359	80	14,26



Open fronted storage bins

- Polypropylene

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.001	100 x 95 / 65 x 50	1,99
03.900.002	100 x 175 / 140 x 75	2,99
03.900.003	145 x 235 / 195 x 125	6,84
03.900.004	200 x 350 / 300 x 145	13,66
03.900.005	200 x 350 / 300 x 200	19,89



Round holder

Item no.	Dimensions in mm (WxD)	Price in €
03.87.355	65 x 25	7,28



Depositing box

- Dimensions in mm (WxDxH): 730 x 90 x 85
- For hanging into the support columns

Item no.	Version for	Price in €
03.983.53.1	Perforated wall setup	26,85
03.983.736.1	Perforated side wall	25,61



Double tool clamp

Item no.	Dimensions in mm (Ø)	Price in €
03.87.341	6	6,13
03.87.342	10	6,38
03.87.343	13	6,59
03.87.344	16	6,76
03.87.345	19	7,08



Mobile workbenches




Mobile workbench with shelves

- Beech multiplex worktop 25 mm
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Push handle

kg 400

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
04.512.20	1200 x 540 x 880	1x shelf	481,01
04.512.30	1200 x 540 x 880	2x shelf	592,86



Mobile workbench with shelves

- Beech multiplex worktop 25 mm
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Push handle

kg 400

Item no.	Dimensions in mm (WxDxH)	Designation	Price in €
04.515.20	1500 x 540 x 880	1x shelf	518,29
04.515.30	1500 x 540 x 880	2x shelf	630,16



Mobile worktable

- Beech multiplex worktop 40 mm
- 1x beech multiplex shelf 25 mm
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Push handle

kg 400

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.01	1250 x 750 x 859	753,21
04.15.01	1500 x 750 x 859	778,07
04.20.01	2000 x 750 x 859	806,65



Mobile worktable

- Beech multiplex worktop 40 mm
- 1x beech multiplex shelf 25 mm
- 2x fixed and 2x steering caster with locks, Ø 200 mm
- Push handle

kg 600

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.02	1250 x 750 x 995 mm	943,37
04.15.02	1500 x 750 x 995 mm	1.036,60
04.20.02	2000 x 750 x 995 mm	1.133,55

Mobile workbenches

Mobile workbenches 1200 mm width | 540 mm depth

kg 400

- Beech multiplex worktop 25 mm
- Drawer interior dimension 450 x 400 mm
- Drawers with full pull-out (FP) 100 %, load capacity 50 or 75 kg
- Cylinder lock with two keys
- Push handle
- 4x steering caster, thereof 2 with locks, Ø 125 mm
- Suitable divider material see page 51



- Left: 2x shelf
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.512.03	1200 x 540 x 880	784,29



- Left: 2x shelf
- Right: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.512.05	1200 x 540 x 880	893,65

Individual arrangement



Mobile workbench
1x empty housing, 2x wooden shelf, 1x push handle,
4x steering caster, thereof 2 with locks, Ø 125 mm, usable height 500 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.512M	1200 x 540 x 880	570,51

Divider material see page 51

Drawers

- 450 x 400 mm (WxD)

Item no.	Front height in mm	Shell height in mm	Usable height in mm	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61

Hinged door

- Hinges on the right and left are possible
- Twist lock cylinder lock with 2 keys

Item no.	Usable heights (mm)	Price in €
01.053.500E	500	77,44

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77

Mobile workbenches 1200 mm width | 540 mm depth

kg 400

- Beech multiplex worktop 25 mm
- Drawer interior dimension 450 x 400 mm
- Drawers with full pull-out (FP) 100 %, load capacity 75 kg
- Cylinder lock with two keys
- Push handle
- 4x steering caster, thereof 2 with locks, Ø 125 mm



- Left: 2x shelf
- Right: 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
04.512.01	1200 x 540 x 880	647,55



- Left: 2x shelf | Right: 4x drawer

Multi-board setup

- With 2x support column, 1x perforated wall, 1x magnetic board, 1x A4 info pouch

Item no.	Dimensions in mm (WxDxH)	Price in €
04.512.04	1200 x 540 x 880	838,97
03.900.12.02	Multi-board setup 1000 x 650	279,79



Multi-board setup

- 2x support column
- 1x perforated wall
- 1x magnetic board
- 2x shelf, 220 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.12.01	1000 x 220 x 950	436,90

You can find further perforated wall accessories on/from page 236



Range of hooks, 18 parts

- 5x tool holder with inclined end
- 2x tool holder with vertical end
- 3x double tool holder
- 3x tool clamp
- 2x pliers holder
- 1x drill holder
- 1x spanner holder
- 1x screwdriver holder

Item no.	Price in €
03.87.395-18	121,52

Mobile workbenches

Mobile workbenches 1250 mm width | 750 mm depth

kg 500

- Beech multiplex worktop 40 mm
- Drawer interior dimension 450 x 600 mm
- Usable height of housing 400 mm
- Cylinder lock with two keys
- Push handle



- Left: 1x hinged door, 1x shelf
- Right: 1x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.04V	1250 x 750 x 859	928,47

- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Suitable divider material see page 75



- Left: 1x hinged door
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.05V	1250 x 750 x 859	1.200,67

Individual arrangement

4x steering caster, Ø 125 mm, thereof 2 with locks
Usable height 400 mm, 1x push handle



Mobile workbench
1x empty housing, 1x wooden shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.859-1M	1250 x 750 x 859	606,55



Mobile workbench
2x empty housing

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.859-2M	1250 x 750 x 859	657,50

Hinged doors

Item no.	Usable heights (mm)	side	Price in €
03.050.400EL	400	left	64,64
03.050.400ER	400	right	64,64

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Drawers

Divider material see page 75

VA 100 kg 100%

- 450 x 600 mm (WxD) with full pull-out 100 % – 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.050V07	50	28	30	70 kg	109,38
60.50.075V10	75	56	58	100 kg	113,11
60.50.100V10	100	81	83	100 kg	116,84
60.50.125V10	125	81	108	100 kg	130,50
60.50.150V10	150	131	133	100 kg	133,00
60.50.175V10	175	131	158	100 kg	135,48
60.50.200V10	200	181	183	100 kg	142,94
60.50.250V10	250	181	233	100 kg	147,92
60.50.300V10	300	181	283	100 kg	151,64

Mobile workbenches 1250 mm width | 750 mm depth

kg 500

- Beech multiplex worktop 25 mm
- Drawer interior dimension 450 x 600 mm
- Usable height of housing 600 mm
- Cylinder lock with two keys
- Push handle
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Suitable divider material see page 75



- Left: 4x drawer
- Right: 1x hinged door, 1x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.19V	1250 x 750 x 935	1.255,36



- Left: 3x drawer
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.23V	1250 x 750 x 935	1.435,59

Individual arrangement



Mobile workbench
2x empty housing, 1x push handle,
4x steering caster Ø 125 mm, thereof 2 with locks
Usable height 600 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.935M	1250 x 750 x 935	600,32

Hinged door

- Hinges on the right and left are possible
- Twist lock cylinder lock with 2 keys

Item no.	Usable heights (mm)	Price in €
03.050.600	600	82,03

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Rear edge profile

Item no.	Width in mm	Price in €
RPA125	1250	27,34

Workbench top end profiles on 3 sides

Item no.	Dim. in mm (WxD)	Price in €
PA.1275.12	1250 x 750	60,65

Drawers

Divider material see page 75

VA 100 kg 100%

- 450 x 600 mm (WxD) with full pull-out 100 % – 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.050V07	50	28	30	70 kg	109,38
60.50.075V10	75	56	58	100 kg	113,11
60.50.100V10	100	81	83	100 kg	116,84
60.50.125V10	125	81	108	100 kg	130,50
60.50.150V10	150	131	133	100 kg	133,00
60.50.175V10	175	131	158	100 kg	135,48
60.50.200V10	200	181	183	100 kg	142,94
60.50.250V10	250	181	233	100 kg	147,92
60.50.300V10	300	181	283	100 kg	151,64

Mobile workbenches

Mobile workbenches 1250 mm width | 750 mm depth

kg 700

- Beech multiplex worktop 40 mm
- Drawer interior dimension 450 x 600 mm
- Usable height of housing 600 mm
- Cylinder lock with two keys
- Push handle
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- 2x fixed and 2x steering caster with locks, Ø 200 mm
- Suitable divider material see page 75



- Left: 4x drawer
- Right: 5x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.29V	1250 x 750 x 995	1.951,40



- Left: 4x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.28V	1250 x 750 x 995	1.870,60

Individual arrangement



Mobile workbench
2x empty housing, 1x push handle, 2x fixed and 2x steering caster with locks, Ø 200 mm
Usable height 600 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.995M	1250 x 750 x 995	806,65

Hinged door

- Hinges on the right and left are possible
- Twist lock cylinder lock with 2 keys

Item no.	Usable heights (mm)	Price in €
03.050.600	600	82,03

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
03.1094-01	499 x 705 x 20	41,01

Rear edge profile

Item no.	Width in mm	Price in €
RPA125	1250	27,34

Workbench top end profiles on 3 sides

Item no.	Dim. in mm (WxD)	Price in €
PA.1275.12	1250 x 750	60,65

Drawers

Divider material see page 75

VA 100 kg 100 %

- 450 x 600 mm (WxD) with full pull-out 100 % – 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.50.050V07	50	28	30	70 kg	109,38
60.50.075V10	75	56	58	100 kg	113,11
60.50.100V10	100	81	83	100 kg	116,84
60.50.125V10	125	81	108	100 kg	130,50
60.50.150V10	150	131	133	100 kg	133,00
60.50.175V10	175	131	158	100 kg	135,48
60.50.200V10	200	181	183	100 kg	142,94
60.50.250V10	250	181	233	100 kg	147,92
60.50.300V10	300	181	283	100 kg	151,64

Mobile workbenches 1200 mm width | 540 mm depth

kg 500

- Beech multiplex worktop 25 mm
- Drawer interior dimension 450 x 400 mm
- Drawer guides on ball-bearings
- Drawers with full pull-out 100 %, load capacity 75 kg
- 2 x fixed casters and 2 x steering casters with lock, Ø 200 mm



- Left: 4x drawer
- Right: 4x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.93	1200 x 540 x 820	1.040,32



- Left: 4x drawer
- Right: 2x beech multiplex shelf 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.91	1200 x 600 x 820	746,99



- Left: 1x hinged door
- Right: 2x beech multiplex shelf 25 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.90	1200 x 540 x 820	635,14



- Left: 4x drawer
- Right: 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
04.12.92	1200 x 540 x 820	891,17

Drawer inserts, internal dimension 450 x 400 mm



Metal divider | 8 parts

- 2x CCR 400 mm
- 6x DIV 150 mm

Item no.	Front height in mm	Price in €
146-139-100	100	21,69



Metal divider | 15 parts

- 3x CCR 400 mm
- 9x DIV 100 mm
- 3x DIV 150 mm

Item no.	Front height in mm	Price in €
146-142-100	100	35,92



Small parts boxes | 12 parts

- 3x SPB 150 x 150 mm
- 4x SPB 75 x 150 mm
- 4x SPB 75 x 75 mm
- 1x CCR 450 mm

Item no.	Front height in mm	Price in €
146-132	100	33,37

CCR = Centre compartment rails, DIV = Divider, SPB = Small Parts Box, TP = Trough Plate, SDIV = Slot-in divider

Mobile workbenches

Mobile workbenches 1500 mm width | 750 mm depth

kg 400

- Beech multiplex worktop 40 mm
- Drawer interior dimension 600 x 600 mm
- Usable height of housing 400 mm
- Drawers with full pull-out 100 %
- Drawers with 50 mm front height, load capacity 70 kg
  Drawers from 75 mm front height, load capacity 100 kg
- Cylinder lock with two keys
- Push handle
- 4x steering caster, Ø 125 mm, thereof 2 with locks
- Suitable divider material see page 83



- Left: 4x drawer
- Right: 1x drawer 400 mm, **load capacity 180 kg**

Item no.	Dimensions in mm (WxDxH)	Price in €
04.15.14V	1500 x 750 x 859	1.394,56



- Left: 4x drawer
- Right: 3x drawer

Item no.	Dimensions in mm (WxDxH)	Price in €
04.15.43V	1500 x 750 x 859	1.595,92

Individual arrangement



Mobile workbench
2x empty housing, 1x push handle, 4x steering caster Ø 125 mm, thereof 2 with locks
Usable height 400 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.15.859M	1500 x 750 x 859	689,83

Hinged door

- Hinges on the right and left are possible
- Twist lock cylinder lock with 2 keys

Item no.	Usable heights (mm)	Price in €
03.070.400E	400	73,33

Shelf

Item no.	Dim. in mm (WxDxH)	Price in €
03.1094-00	705 x 705 x 20	42,26

Rear edge profile

Item no.	Width in mm	Price in €
RPA150	1500	32,81

Workbench top end profiles on 3 sides

Item no.	Dim. in mm (WxD)	Price in €
PA150	1500 x 750	65,62

Divider material see page 83

VA 100 kg 100%

- 600 x 600 mm (WxD) with full pull-out 100 % – 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.050V07	50	28	30	70 kg	119,32
60.70.075V10	75	56	58	100 kg	123,05
60.70.100V10	100	81	83	100 kg	125,53
60.70.125V10	125	81	108	100 kg	134,23
60.70.150V10	150	131	133	100 kg	139,21
60.70.175V10	175	131	158	100 kg	142,94
60.70.200V10	200	181	183	100 kg	145,41
60.70.250V10	250	181	233	100 kg	150,38
60.70.300V10	300	181	283	100 kg	159,10

- Beech multiplex worktop 40 mm
- Drawer interior dimension 600 x 600 mm
- Usable height of housing 400 mm
- Drawers with full pull-out 100 %, load capacity 100 kg
- Push handle
- 4x steering caster, Ø 125 mm, thereof 2 with locks



- Left: 4x drawer
- Right: 1x hinged door

Item no.	Dimensions in mm (WxDxH)	Price in €
04.15.41V	1500 x 750 x 859	1.265,30



- Left: 1x drawer, 1x hinged door
- Right: 1x drawer, 1x hinged door

Multi-board

- 2x support column
- 1x shelf, 220 mm, 1x perforated wall, 1x magnetic board

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
04.15.22V	1500 x 750 x 859	Mobile workbench	1.095,01
03.900.15.32	1500 x 1250	Multi-board	377,85



- Left: 3x drawer
- Right: 3x drawer

Multi-board

- 2x support column, 1x overhead frame, 1x equipment rail
- 1x perforated wall, 1x magnetic board, 1x shelf, 320 mm

Item no.	Dimensions in mm	Version	Price in €
04.15.33V	1500 x 750 x 859	Mobile workbench	1.482,81
03.900.15.30	1500 x 1250	Multi-board	589,15



- Left: 1x hinged door
- Right: 4x drawer

Multi-board

- 2x support column
- 1x magnetic board, 1x shelf, 220 mm, 1x shelf, 320 mm

Item no.	Dimensions in mm	Version	Price in €
04.15.24V	1500 x 750 x 859	Mobile workbench	1.276,49
03.900.15.31	1500 x 1250	Multi-board	406,43

Supplied without hooks, boxes and decoration

Mobile computer, measuring and testing stations

All models are intended for the holding of IT hardware components. Equipped to customer requirements.

Advantages
- All models are available in stationary and mobile versions
- Stable sheet steel constructions with a powder coating
- Cable passages on the rear
- Ventilation slots/square holes
- Individually configured or according to our arrangement
- Supplied fully assembled

Visible area:
468 x 561 mm (W x D)
used for 21" monitor



Computer cabinet
Mobile add-on:
- 2x fixed and 2x steering caster with locks, Ø 125 mm

Computer cabinet:
- Hinged door: top H 727, bottom H 979 mm
- Keyboard drawer: H 84 mm with anti-slip mat
- Pull-out shelf
- Fan
- 4-way socekt bar with connection cable

Item no.	Dimensions in mm (WxDxH)	Description	Price in €
04.118.601	680 x 600 x 160	Mobile add-on	160,33
04.118.05	680 x 736 x 160	Mobile add-on	181,46
04.118.600	680 x 600 x 1838	Computer cabinet	1.552,41
04.118.003	680 x 736 x 1838	Computer cabinet	1.755,01



Computer cabinet | Stationary
- Hinged door: top H 558, bottom H 630 mm
- Keyboard drawer: H 84 mm
- Fan
- 1x 4-way socket bar with connection cable


Item no.	Dimensions in mm (WxDxH)	Price in €
04.118.002	680 x 736 x 1320	1.589,71



Computer cabinet | Stationary or mobile
- Computer housing made of high-quality thin sheet metal with one vertical and one horizontal partition wall and 1 x keyboard drawer
- 1x 4-way socket bar
- Monitor attachment housing incl. keyboard drawer
- Mobile add-on: 2x fixed and 2x steering caster with locks, Ø 125 mm

Item no.	Dim. in mm (WxDxH)	Description	Price in €
04.118.609	1005 x 600 x 160	Mobile add-on: 2x fixed and 2x steering caster with locks, Ø 125 mm	174,00
04.118.608	1005 x 600 x 820	Computer housing	796,71
04.118.607	680 x 600 x 820	Monitor attachment housing	829,04













Mobile office 1 | Stationary or mobile

- Computer cabinet with 1x shelf
- 2x hinged door
- 1x drawer, 100 mm
- Energy duct with 4x earthed sockets and monitor bracket
- Square holes in rear wall for ventilation

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	01.098.009	980 x 500 x 150	Mobile add-on: - 4x steering caster, thereof 2 with locks, Ø 125 mm	192,66
2	04.980.30	463 x 211	Tray	114,35
3	04.980.02	980 x 500 x 1020	Housing with hinged doors	645,07
4	60.098.100VA	900 x 400 x 100	Drawer FH 100 mm	84,52
5	03.1260.25	1200 x 600 x 25	Beech multiplex worktop 25mm	116,84
6	07.861.10.14	1000 x 60 x 130	Energy duct with 1x 4-way socket	205,58
7	07.98.20	333 x 320	Monitor bracket complete with pivot arm	202,61
	04.980.01	1200 x 600 x 1196	Mobile office, as illustrated	1.585,24

Computer trolley | Stationary or mobile

- Stationary or mobile
- Cable passages
- Square holes in rear wall for ventilation

Visible area:
550 x 355 mm (W x D)
used for 24" monitor



- 1x shelf
- Beech multiplex top 25 mm
- 2x hinged door
- 1x drawer, 100 mm
- 1x monitor attachment housing
- Window cutout, 355 x 550 mm
- 1x roller base, Ø 125 mm

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	01.098.009	980 x 500 x 150	Mobile add-on: 4x steering caster, thereof 2 with locks, Ø 125 mm	192,66
2	04.980.03	980 x 500 x 1044	Housing with hinged doors and worktop	984,39
3	04.110.CM	700 x 300 x 600	Monitor attachment housing	367,91
	04.980.04	1250 x 750 x 1796	Computer trolley, as illustrated	1.544,95



- 2x hinged door
- 1x keyboard pull-out
- 1x shelf
- Perforated rear wall
- 1x inclined shelf
- 1x flat screen bracket with VESA screw connection
- 1x roller base, Ø 125 mm
- 1x 4-way socket

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	01.068.009	680 x 500 x 150	Mobile add-on: 4x steering caster, thereof 2 with locks, Ø 125 mm	186,44
2	04.680.01	680 x 500 x 820	Housing with hinged doors	556,83
3	04.680.PA	680 x 500 x 640	Perforated wall with flat screen bracket + desk attachment and pull-out drawer	422,60
	04.680.C125	680 x 500 x 1610	Computer trolley, as illustrated	1.165,87



- 1x hinged door
- Beech multiplex top 25 mm
- 1x drawer, 100 mm
- 1x roller base, Ø 125 mm
- 1x 4-way socket

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	01.046.009	530 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	176,49
2	04.530.01	530 x 500 x 820	Housing with hinged door, 1x shelf, 1x socket bar and 1x drawer	481,01
3	03.53/50.25	530 x 500 x 25	Beech multiplex top 25 mm	43,51
	04.530.02	530 x 500 x 1000	Computer trolley, as illustrated	701,01

Visible area:
550 x 355 mm (W x D)
used for 24" monitor



- 2x hinged door
- Beech multiplex top 25 mm
- 1x monitor attachment housing
- Window cutout, 355 x 550 mm
- 1x roller base, Ø 125 mm
- 1x 4-way socket

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	01.068.009	680 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	186,44
2	04.680.10	700 x 500 x 820	Housing with hinged doors, top and 1x shelf	607,78
3	04.110.CM	700 x 300 x 600	Monitor attachment housing	367,91
	04.680.02	750 x 500 x 1600	Computer trolley, as illustrated	1.162,13

- Hinged door cabinet with or without desk attachment
- Attachment parts such as perforated walls and monitor brackets with VESA screw connection can be retrofitted.
- Stationary or mobile
- Cable passages
- Square holes in rear wall for ventilation



Computer trolley 105-1

- 1x hinged door
- 1x drawer
- 2x shelf
- 1x mouse tray
- 1x roller base, Ø 125 mm
- 1x 4-way socket
- 1x monitor bracket with VESA screw connection

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.105.125	500 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	150,38
2	04.105C	500 x 500 x 1000	Hinged door cabinet	370,40
3	04.105.BH	500 x 575	Flat screen attachment	88,88
4	04.105.MAA	150 x 175	Mouse tray	26,85
	04.105.MC125	500 x 500 x 1725	Computer trolley, as illustrated	636,51



Computer trolley 105-2

- 1x hinged door
- 1x drawer
- 2x shelf
- 1x desk attachment
- 1x mouse tray
- 1x roller base, Ø 125 mm
- 1x 4-way socket
- 1x monitor bracket with VESA screw connection

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.105.125	500 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	150,38
2	04.105C	500 x 500 x 1000	Hinged door cabinet	370,40
3	04.105.205	500 x 500 x 250	Desk attachment	161,58
4	04.105.BH	500 x 575	Flat screen attachment	88,88
5	04.105.MAA	150 x 175	Mouse tray	26,85
	04.105.MKC125	500 x 500 x 1725	Computer trolley, as illustrated	798,09

Visible area:
345 x 355 mm (W x D)
used for 15,6" monitor



Computer trolley 105-3

- 1x hinged door
- 1x drawer
- 2x shelf
- 1x monitor attachment housing
- 1x mouse tray
- 1x roller base, Ø 125 mm
- 1x 4-way socket

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.105.125	500 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	150,38
2	04.105C	500 x 500 x 1000	Hinged door cabinet	370,40
3	04.105.CM01	500 x 300 x 600	Monitor attachment housing	352,99
4	04.105.MAA	150 x 175	Mouse tray	26,85
	04.105.C01	500 x 500 x 1735	Computer trolley, as illustrated	900,61



Computer trolley 105-4

- 1x hinged door
- 1x drawer
- 2x shelf
- 1x monitor attachment housing
- 1x mouse tray
- 1x roller base, Ø 125 mm
- 1x 4-way socket
- 1x intermediate block with keyboard pull-out

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.105.125	500 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	150,38
2	04.105C	500 x 500 x 1000	Hinged door cabinet	370,40
3	04.105.TAA	500 x 500 x 125	1x intermediate block with keyboard pull-out	238,64
4	04.105.CM02	500 x 500 x 600	Monitor attachment housing	386,55
5	04.105.MAA	150 x 175	Mouse tray	26,85
	04.105.C02	500 x 500 x 1735	Computer trolley, as illustrated	1.172,83

Mobile computer, measuring and testing stations

Computer trolley 110 | Stationary or mobile

- Stationary or mobile
- Cable passages
- Square holes in rear wall for ventilation

Computer trolley 110-1

- 2x hinged door
- 1x adjustable shelf
- 1x monitor attachment housing
- 1x roller base, Ø 125 mm

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.110.125	1000 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	167,80
2	04.180.C01	1000 x 500 x 820	Hinged door cabinet	531,97
3	04.105.CM01	500 x 300 x 600	Monitor attachment housing	352,99
	04.180.C03	1000 x 500 x 1575	Computer trolley, as illustrated	1.052,76





Computer trolley 110-2

- 2x hinged door
- 1x adjustable shelf
- 1x monitor attachment housing
- 1x roller base, Ø 125 mm

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.110.125	1000 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	167,80
2	04.180.C01	1000 x 500 x 820	Hinged door cabinet	531,97
3	04.110.CM	700 x 300 x 600	Monitor attachment housing	367,91
	04.180.C04	1000 x 500 x 1575	Computer trolley, as illustrated	1.067,67



Computer trolley 110-3

- 2x hinged door
- 1x adjustable shelf
- 1x monitor attachment housing
- 1x roller base, Ø 125 mm

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.110.125	1000 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	167,80
2	04.180.C01	1000 x 500 x 820	Hinged door cabinet	531,97
3	04.MAG100/30	1000 x 300 x 600	Monitor attachment housing, two-door	495,94
	04.180.C05	1000 x 500 x 1575	Computer trolley, as illustrated	1.195,69





Computer trolley 110-4

- 2x hinged door
- 1x adjustable shelf
- 1x monitor attachment housing
- 1x roller base, Ø 125 mm
- 1x desk attachment

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.110.125	1000 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	167,80
2	04.180.C01	1000 x 500 x 820	Hinged door cabinet	531,97
3	04.105.205	500 x 500 x 250	Desk attachment	161,58
4	04.105.CM01	500 x 300 x 600	Monitor attach-ment housing	352,99
5	04.105.MAA	150 x 175	Mouse tray	26,85
	04.180.C06	1000 x 500 x 1530	Computer trolley, as illustrated	1.241,18

Visible area:
345 x 355 mm (W x D)
used for 15,6" monitor





Computer trolley 110-5

- 2x hinged door
- 1x adjustable shelf
- 1x roller base, Ø 125 mm
- 1x desk attachment with pull-out drawer and perforated wall

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.110.125	1000 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	167,80
2	04.180.C01	1000 x 500 x 820	Hinged door cabinet	531,97
3	04.680.PA	680 x 500 x 640	Perforated wall with flat screen bracket + desk attachment and pull-out drawer	422,60
	04.180.C02	1000 x 500 x 1565	Computer trolley, as illustrated	1.122,37

Visible area:
550 x 355 mm (W x D)
used for 24" monitor



Computer trolley 110-6


- 2x hinged door
- 1x adjustable shelf
- 1x monitor attachment housing
- 1x roller base, Ø 125 mm

Pos.	Item no.	Dim. in mm (WxDxH)	Description	Price in €
1	04.110.125	1000 x 500 x 150	Mobile add-on: 4x steering caster, Ø 125 mm, thereof 2 with locks	167,80
2	04.180.C01	1000 x 500 x 820	Hinged door cabinet	531,97
3	03.12/60.25	1200 x 600 x 25	Wooden shelf	243,61
4	04.110.CM	700 x 300 x 600	Monitor attachment housing	367,91
	04.180.C07	1200 x 600 x 1660	Computer trolley, as illustrated	1.311,29

Parts trolley

Multi-trolley combinations from practice

- Total load capacity 500 kg
- Side push handle
- Equipped with 2x fixed and 2x steering caster with locks, Ø 125 mm





Multi-trolley
- Empty

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.10	990 x 610 x 1450	395,25



Multi-trolley
- 8x perforated wall, 302 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.17	990 x 610 x 1450	892,42



Multi-trolley
- Bottom shelf
- 8x inclinable shelf 320 mm depth
- Supplied without decoration

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.14	990 x 610 x 1450	1.109,93

Accessories



Bin carrier 1000 mm
- Fully equipped with open fronted storage bins

Item no.	Open fronted storage bins in mm	Piece	Price in €
03.900.012	Size 2: 100 x 170 / 140 x 80	8	64,64
03.900.013	Size 3: 145 x 230 / 195 x 125	6	85,76
03.900.015	Size 5: 200 x 350 / 300 x 200	4	128,02



Bottom shelf
- For multi-trolley 07.58.10

Item no.	Price in €
07.58.20	42,88



Top shelf
- For multi-trolley 07.58.10

Item no.	Price in €
07.58.22	43,51



Multi-trolley
- Bottom shelf
- 4x inclinable shelf 320 mm depth
- 2x perforated wall, 302 mm
- Supplied without decoration

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.16	990 x 610 x 1450	895,53



Multi-trolley
- 2x shelf, 220 mm depth
- 2x inclinable shelf, 320 mm
- 1x multi-roller shutter cabinet

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.19	990 x 610 x 1450	1.310,05



Multi-trolley
- Complete, as illustrated
- 4x bin strip with open fronted storage bins, size 2
- 4x bin strip with open fronted storage bins, size 3
- 4x bin strip with open fronted storage bins, size 5

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.12	990 x 610 x 1450	1.508,91



Multi-trolley
- Top shelf
- 4x inclinable shelf 420 mm depth
- 8x Euro storage bin 400 x 600 x 120 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
07.58.18	990 x 610 x 1450	929,71

Accessories




Euro storage bin
- Polypropylene
- Blue

Item no.	Dimensions in mm (WxDxH)	Price in €
03.55498	300 x 400 x 120	22,99
03.55501	300 x 400 x 170	24,24
03.55504	300 x 400 x 220	30,95



Shelf
- 0°, 10° & 20° inclinable

Item no.	Depth in mm	Price in €
03.910.220	220	78,93
03.910.320	320	83,90
03.910.420	420	87,62



Perforated wall
- Mounting between support columns

Item no.	Dimensions in mm (WxDxH)	Price in €
03.983.102	1000 x 20 x 302	60,90

Parts trolley

Multi-trolley combinations from practice - conductive

These mobile material and small parts storage units are ideal wherever assembly, repairs or commissioning is carried out. Fitted with slotted panels and assorted practical open fronted storage bins on both sides, they keep all types of small material clearly arranged and ready to hand and ensure easy transport.

- Small parts boxes L x W x H Size 6 = 230 x 140 x 130 mm | Size 7 = 160 x 105 x 75 mm | Size 8 = 85 x 105 x 45 mm
- Modular structure, 3 different heights, impact and scratch resistant plastic coating, width 1000 mm, depth 500 mm
- Double-sided use, ergonomic handles, horizontal mounting and dismounting of open fronted storage bins





The special design of the hanging rail allows to hang and unhang the storage bin absolutely horizontally even when they're filled. So no spilling of the stored goods.



Trolley - Size 2

- W x D x H: 1000 x 500 x 890 mm
- with 88 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.01.0913	24	64	-	881,63



Trolley - Size 2

- W x D x H: 1000 x 500 x 890 mm
- with 96 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.02.0913	-	96	-	1.075,72



Trolley - Size 2

- W x D x H: 1000 x 500 x 890 mm
- with 60 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.03.0913	60	-	-	907,00



Trolley - Size 3

- W x D x H: 1000 x 500 x 1230 mm
- with 152 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.01.2013	24	80	48	1.056,69



Trolley - Size 3

- W x D x H: 1000 x 500 x 1230 mm
- with 112 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.02.2013	48	64	-	1.075,72



Trolley - Size 3

- W x D x H: 1000 x 500 x 1230 mm
- with 84 Bins


Item no.	Size 6	Size 7	Size 8	Price in €
04.03.2013	84	-	-	1.102,36

Colours

RAL 5010 | RAL 7016 | RAL 7035

ESD

Fitting trolleys also ESD conductive available on page 464



Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- with 160 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.01.3513	48	112	-	1.635,46



Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- with 192 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.02.3513	-	192	-	1.425,11



Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- with 108 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.03.3513	108	-	-	1.677,36



Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- with 184 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.04.3513	24	128	32	1.437,98

Colours

RAL 5010 | RAL 7016 | RAL 7035



Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- with 152 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.05.3513	72	32	48	1.473,02



Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- with 176 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.06.3513	48	80	48	1.625,06

Parts trolley

RasterMobil® - Combinations from practice

RasterMobil®
is the practical rolling material and tool store - your useful helper in the workshop, factory and assembly hall. They are particularly helpful to save time. Work processes can be organised organised from any location.

- Modular construction in three heights
- Subsequent modification and/or exchange of panels possible
- Impact- and scratch-resistant plastic coating
- Fahrmodul lichtgrau
- Double-sided perforated/slotted panels
- Ergonomische Handgriffe
- Ergonomic handles
- 2 x fixed and 2 x steering castors with lock Ø 100 mm



Open fronted storage bins for hanging



RasterMobil® Trolley - Size 2
- W x D x H: 1000 x 500 x 890 mm
- 1 x base shelf made of sheet steel
- 1 x range of hooks 10 pcs.
- With 11 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.47.1016	6	5	-	970,84



RasterMobil® Trolley - Size 2
- W x D x H: 1000 x 500 x 890 mm
- 1 x base shelf made of sheet steel
- Incl. ribbed rubber mat
- 1 x range of hooks 10 pcs.
- With 12 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.42.1016	-	8	4	983,02



RasterMobil® Trolley - Size 2
- W x D x H: 1000 x 500 x 890 mm
- 1 x base shelf made of sheet steel
- Top: beech mutliplex 30 mm
- 1 x range of hooks 10 pcs.
- With 14 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.43.1016	6	4	4	1.114,28



RasterMobil® Trolley - Size 3
- W x D x H: 1000 x 500 x 1230 mm
- 1 x base shelf made of sheet steel
- Incl. ribbed rubber mat
- 1 x range of hooks 15 pcs.
- 1 x document holder A4
- With 14 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.47.2216	6	8	-	1.213,56



RasterMobil® Trolley - Size 3
- W x D x H: 1000 x 500 x 1230 mm
- 1 x base shelf made of sheet steel
- 1 x range of hooks 15 pcs.
- With 10 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.43.2216	6	4	-	1.163,18

Colours

RAL 5010 | RAL 7016 | RAL 7035



RasterMobil® Trolley - Size 2
- W x D x H: 1000 x 500 x 890 mm
- 1 x range of hooks 12 pcs.

Item no.	Size 6	Size 7	Size 8	Price in €
04.46.0813	-	-	-	802,77



RasterMobil® Trolley - Size 2
- W x D x H: 1000 x 500 x 890 mm
- 1 x range of hooks 10 pcs.
- With 12 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.41.1016	-	8	4	802,46



RasterMobil® Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- 1 x range of hooks 18 pcs.
- 1 x shelf 950 mm
- 1 x hook, fork holder
- 2 x hook, shaft carrier
- With 9 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.41.4116	2	-	7	1.394,83



RasterMobil® Trolley - Size 4
- W x D x H: 1000 x 500 x 1580 mm
- 1 x range of hooks 28 pcs.
- 1 x shelf 450 mm
- 1 x hook, universal holder
- 2 x hook, mandrel carrier
- With 9 Bins

Item no.	Size 6	Size 7	Size 8	Price in €
04.41.3916	-	9	-	1.388,50

Colours

RAL 5010 | RAL 7016 | RAL 7035

Other mobile units

Hinged door cabinet



Hinged door cabinet, type 105, mobile
- 2x adjustable shelf
- 1x drawer with full pull-out 100 %, load capacity 50 kg
- 1x roller base, Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.105MK125	500 x 500 x 1400 with desk attachment	590,39
04.105M125	500 x 500 x 1150 without desk attachment	428,81



Hinged door cabinet, type 105
- 1x drawer with full pull-out 100 %, load capacity 50 kg
- 2x shelf
- 1x roll-off edge

Item no.	Dimensions in mm (WxDxH)	Price in €
04.105	500 x 500 x 1000	278,41

Individual components



Roller base
- 4x steering caster, Ø 50 mm
- Thereof 2 with locks

kg 150

Item no.	Dimensions in mm (WxDxH)	Price in €
04.105.50	500 x 500 x 65	85,76



Roller base
- 4x steering caster, Ø 125 mm
- Thereof 2 with locks

kg 400

Item no.	Dimensions in mm (WxDxH)	Price in €
04.105.125	500 x 500 x 150	150,38



Desk attachment
- With tray and cylinder lock

Item no.	Dimensions in mm (WxDxH)	Price in €
04.105.205	500 x 500 x 250	161,58



Hinged door cabinet, type 110
- 1x roller base, Ø 125 mm
- 2x drawer with full pull-out 100 %, load capacity 50 kg
- 2x shelf
- 1x roll-off edge

Item no.	Dimensions in mm (WxDxH)	Price in €
04.110M125	1000 x 500 x 1150	616,50



Hinged door cabinet, type 110
- 2x drawer with full pull-out 100 %, load capacity 50 kg
- 2x shelf
- 1x roll-off edge

Item no.	Dimensions in mm (WxDxH)	Price in €
04.110	1000 x 500 x 1000	448,69



Roller base
- 4x steering caster, Ø 125 mm
- Thereof 2 with locks

kg 400

Item no.	Dimensions in mm (WxDxH)	Price in €
04.110.125	1000 x 500 x 150	167,80

- Load capacity 30 kg each
- Delivered unassembled!



- Stepless height adjustment
- Caster types: Ø50 mm: 4 x plastic steering caster
  Ø100 mm: 4 x steering caster with locks
- Tray 610 x 410 mm (W x D) with Ripped rubber mat

Item no.	Dimensions in mm (WxDxH)	Ø castors in mm	Price in €
05.10.20	660 x 660 x 872 – 1222	50	152,87
05.10.21	660 x 660 x 945 – 1295	100	183,95



- Stepless height adjustment
- Up to 30° inclinable
- Caster types: Ø50 mm: 4 x plastic steering caster
  Ø100 mm: 4 x steering caster with locks
- Tray 610 x 410 mm (W x D) with Ripped rubber mat

Item no.	Dimensions in mm (WxDxH)	Ø castors in mm	Price in €
05.10.30	660 x 660 x 921 – 1271	50	171,53
05.10.31	660 x 660 x 994 – 1344	100	201,35



- Stepless height adjustment
- Up to 30° inclinable
- 4x steering caster with locks
- Tray 610 x 410 mm (W x D) with Ripped rubber mat

Item no.	Dimensions in mm (WxDxH)	Caster dia. in mm	Price in €
05.10.51	600 x 600 x 1024 – 1374	100	283,38



- Stepless height adjustment
- Up to 30° inclinable
- Equipped with 4x adjustable feet
- Tray 610 x 410 mm (W x D) with Ripped rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
05.10.52	600 x 600 x 900 – 1250 mm	197,64



Stepless incline up to 30°



Stepless height adjustment

Other mobile units

Mobile skips

- Welded steel construction with tipping system
- Automatic tipping triggered by releasing the skip when approaching the container to be filled
- Automatic return to the upright position after emptying
- Forklift pockets for safe transport
- Device for retrofitting wheels
- Various wheel types with different load capacities available as options
- Optionally available with drain tap

- With 2 front-side forklift pockets
- Colour: RAL 5012 light blue
- Including device for mounting retrofit castors

NEW



Item no.	Dimensions in mm (WxDxH)	Internal dimensions in mm (WxDxH)	Height in mm without castors	Load capacity in kg	Bin volume	Weight in kg	Price in €
04300004	1385 x 880 x 615	1215 x 790 x 475	615	1500	300 litres	93,5	1.214,15
04600004	1535 x 860 x 865	1430 x 770 x 735	865	2000	600 litres	118	1.797,32
04100004	1525 x 1205 x 1070	1355 x 1115 x 940	1070	2000	1000 litres	168,5	2.294,43

Accessories

Wheel sets for tipping containersr

- Wheel diameter in mm: 200 Ø
- Each wheel set includes 4 castors:
  2 swivel castors with central brake EasySTOP, wheel lock and foot guard, 2 fixed castors
- Installation is only possible ex works



Wheel set with thermoplastic rubber tyres

- Wheel type: Thermoplastic castor on plastic rim, not retrofittable

Item no.	Wheel width in mm	Load capacity in kg	Price in €
04RSA200400	40	500	on request



Wheel set with polyurethane tyres, 92° Shore A

- Wheel type: Thermoplastic castor on die-cast aluminium rim with ball bearing, not retrofittable

Item no.	Wheel width in mm	Load capacity in kg	Price in €
04RSA200403	50	1500	on request

Conical drain tap 3/8"

- Universally applicable for tipping containers
- Allows controlled and clean draining of liquids
- Can only be installed ex works – retrofitting is not possible
- Supplied exclusively in combination with the respective trolley
- Robust, durable design for industrial use



Item no.	Ball valve	Price in €
04ZSW000500	Connection 3/8"	86,94

- Light-duty table trolley made of a sturdy modular system
- Base construction with innovative L-profile
- Shelves made of wood-based panels
- Permanently surface-protected
- Impact- and scratch-resistant
- Shelf made of angle steel
- Shelves with surrounding edge (15 mm height)
- Total load capacity: 250 kg
- Shelf load capacity: 80 kg
- Push handle
- Colour: RAL 5010 gentian blue, powder-coated
- 2 swivel castors with EasySTOP and 2 fixed castors, Ø 125 mm
- Tyres: Thermoplastic rubber on plastic rim
- Precision deep-groove ball bearings
- Grey, "non-marking", with foot guard

NEW



Type A



Type B

Table trolley with 2 shelves

- Clear distance between the shelves is 590 mm

Item no.	Dimensions in mm (WxDxH)	Loading surface in mm (W×D)	Version	Weight in kg	Price in €
04500501	1025 x 525 x 850	835 x 490	Type A	28	347,52
04600501	1175 x 625 x 850	985 x 590	Type A	33,5	386,31
04701501	1175 x 725 x 850	985 x 690	Type A	38,5	490,78
04801501	1375 x 825 x 850	1185 x 790	Type A	45	517,96
04500500	975 x 525 x 1010	835 x 490	Type B	28,5	342,01
04600500	1125 x 625 x 1010	985 x 590	Type B	34	380,79
04701500	1125 x 725 x 1010	985 x 690	Type B	39	480,21
04801500	1325 x 825 x 1010	1185 x 790	Type B	45,5	504,37



Type A



Type B

Table trolley with 3 shelves

- Clear distance between the shelves is 2 × 280 mm

Item no.	Dimensions in mm (WxDxH)	Loading surface in mm (W×D)	Version	Weight in kg	Price in €
04500603	1025 x 525 x 850	835 x 490	Type A	28	460,28
04600601	1175 x 625 x 850	985 x 590	Type A	33,5	500,96
04701661	1175 x 725 x 850	985 x 690	Type A	38,5	264,38
04801661	1375 x 825 x 850	1185 x 790	Type A	45	285,66
04500600	975 x 525 x 1010	835 x 490	Type B	28,5	449,20
04600600	1125 x 625 x 1010	985 x 590	Type B	34	495,44
04701660	1125 x 725 x 1010	985 x 690	Type B	39	262,44
04801660	1325 x 825 x 1010	1185 x 790	Type B	45,5	283,72

Other mobile units

Steel tube table trolley

- Sturdy table trolley in modular construction
- Base construction with innovative L-profile
- Shelf made of angle steel
- Loading surfaces made of wood-based panels
- Loading surfaces flush
- Loading surfaces with surrounding edge (15 mm height)
- Bowden cable integrated internally
- Shelf load capacity: 80 kg
- Permanently surface-protected
- Impact- and scratch-resistant
- Colour: RAL 5010 gentian blue, powder-coated

NEW

- Thermoplastic rubber on plastic rim
- Precision deep-groove ball bearings
- Grey, "non-marking", with foot guard



Table trolley with 2 shelves and dead man's brake

- Clear distance between the shelves is 590 mm
- Tubular push handle with dead-man control, additional handle bracket below the push handle
- 2 shelves made of wood-based panels
- Total load capacity: 250 kg
- 2 swivel castors with dead-man brake and 2 fixed castors
- Wheel diameter: 125 mm

Item no.	Dimensions in mm (WxDxH)	Loading surface in mm (WxD)	Weight in kg	Price in €
04600548	1175 x 625 x 1045	985 x 590	37,5	688,34

Heavy-duty table trolley with 2 shelves

- Clear distance between the shelves is 590 mm
- 2 swivel castors with EasySTOP and 2 fixed castors



Type A

Heavy-duty table trolley with 3 shelves

- Clear distance between the shelves is 2 × 280 mm
- 2 swivel castors with EasySTOP and 2 fixed castors



Type B

Item no.	Dimensions in mm (WxDxH)	Loading surface in mm (WxD)	Wheel Ø in mm	Version	Load capacity in kg	Weight in kg	Price in €
04500504	1040 x 500 x 880	850 x 500	160	Type A	400	34	460,28
04600510	1190 x 600 x 920	1000 x 600	200	Type A	500	40,5	476,93
04700500	1190 x 700 x 920	1000 x 700	200	Type A	500	46	486,18
04800500	1390 x 800 x 920	1200 x 800	200	Type A	500	51,5	517,64
04500650	1040 x 500 x 880	850 x 500	160	Type B	400	44,5	661,80
04600512	1190 x 600 x 920	1000 x 600	200	Type B	500	54,5	682,14
04700600	1190 x 700 x 920	1000 x 700	200	Type B	500	55,5	696,88
04800600	1390 x 800 x 920	1200 x 800	200	Typ B	500	67,5	752,34

Folding-handle trolley

- Sturdy welded steel construction
- Foldable push handle with cross brace
- Loading surface made of wood-based panel
- Permanently surface-protected, impact- and scratch-resistant
- Total load capacity: 250 kg
- Push handle
- Colour: RAL 5010 gentian blue, powder-coated
- Handle bracket for locking located beneath the loading surface, allowing through-loading

NEW

- 2 swivel castors with EasySTOP and 2 fixed castors, Ø 125 mm
- Tyres: Thermoplastic rubber on plastic rim
- Precision deep-groove ball bearings
- Grey, "non-marking", with foot guard







Item no.	Dimensions in mm (WxDxH)	Loading surface in mm (WxD)	Weight in kg	Price in €
04450802	815 x 450 x 940	720 x 450	15	293,87

Chassis with 2 angle frames

- Sturdy welded steel construction
- Suitable for Euro pallets or mesh boxes
- Includes corner stops and lashing eyes
- 4 galvanized connecting tubes for insertion into the corner sleeves
- Angle frames mounted onto the connecting tubes
- Removable as required
- Permanently surface-protected
- Impact- and scratch-resistant
- Colour: RAL 5010 gentian blue, powder-coated

- 2 swivel castors with EasySTOP and 2 fixed castors, Ø 200 mm
- Tyres: Thermoplastic rubber on plastic rim
- Precision deep-groove ball bearings
- Grey, "non-marking", with foot guard



04870100



04870101

Item no.	Dimensions in mm (WxDxH)	Loading surface in mm (WxD)	Load capacity in kg	Weight in kg	Price in €
04870100	1270 x 870 x 720	1210 x 810	500	48	465,79
04870101	1270 x 870 x 720	1210 x 810	1200	50,5	669,13

Other mobile units

Transport trolleys

- Ergonomic handle
- 2x fixed and 2x steering caster with locks, Ø 125 mm
- 300 kg load capacity with uniform load
- Tubes 40 x 20 mm
- Plywood support surface, 855 x 575 x 15 mm



- With wooden bottom

Item no.	Dimensions in mm (WxDxH)	Price in €
04.900.01	900 x 620 x 860	227,46



- With wooden bottom and rear panel

Item no.	Dimensions in mm (WxDxH)	Price in €
04.900.02	900 x 620 x 860	253,56



- With wooden bottom
- Front and rear panel

Item no.	Dimensions in mm (WxDxH)	Price in €
04.900.03	900 x 620 x 860	304,51



- With 2 levels of wooden shelves

Item no.	Dimensions in mm (WxDxH)	Price in €
04.900.04	900 x 620 x 860	410,17

Accessories



Label pouch A4

Item no.	Price in €
04.900.10	38,54



Writing tablet A4

Item no.	Price in €
04.900.11	32,93



Zinc panel cover

Item no.	Price in €
04.900.13	53,46



Tray

Item no.	Price in €
04.900.12	70,22

Fixed-welded shelf trolley

- Rigid welded steel construction
- With lockable double-wing doors: cylinder lock, incl. 2 keys
- Doors open up to 270°
- With push/pull handle that folds flush with the frame
- Push/pull handle with soft black plastic coating
- Foldable and recessed flush within the frame
- Front and side walls, roof and doors made of wire mesh, mesh size 50 × 50 mm
- Base and shelves made of wood-based panels
- Shelves adjustable in 50 mm increments using support brackets
- Colour: RAL 5010 gentian blue, powder-coated

- 2 swivel castors with EasySTOP central brake and 2 fixed castors, Ø 200 mm
- Tyres: Thermoplastic rubber on plastic rim
- Precision deep-groove ball bearings
- Grey, "non-marking", with foot guard
- Foot guard in accordance with German DIN 1757 standard




Push/pull handle
Foldable and recessed flush within the frame


Shelves supported by shelf brackets


Swivel castors and fixed castors, Ø 200 mm


Cylinder lock



NEW

Item no.	Dimensions in mm (WxDxH)	Load area in mm (WxD)	Weight in kg	Price in €
04700987	1115 x 730 x 1810	1045 x 685	117,5	1.807,98
04800987	1315 x 830 x 1810	1245 x 785	140	1.998,00

Other mobile units

KUBIK – 5S



Back



Paper towel roll



Waste bins



Disinfectant dispenser



Kubik 5S cleaning station duo

- 1 x perforated side wall, consisting of 4 x individual panel
- 1 x solid side wall with push handle
- Top bevelled on 4 sides
- Recessed rear wall: 2 x shelves, 1 x broom, 1 x hand brush and 1x dustpan
- Interior: 2 x waste bins made of galvanised sheet steel
- 1 x unwind holder incl. paper towel roll
- 2 x fixed casters and 2 x steering casters with lock Ø 125 mm
- Delivery without disinfectant dispenser

Item no.	Dimensions in mm (WxDxH)	Price in €
86.CLEAN5S-1	690 x 530 x 1690	1.420,54



Kubik 5S cleaning station trio

- 1 x perforated side wall, consisting of 4 x individual panel
- 1 x solid side wall with push handle
- Top bevelled on 4 sides
- Recessed rear wall: 2 x shelves, 1 x broom, 1 x hand brush and 1x dustpan
- Interior: 3 x waste bins made of galvanised sheet steel
- 1 x unwind holder incl. paper towel roll
- 2 x fixed casters and 2 x steering casters with lock Ø 125 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
86.CLEAN5S-2	690 x 530 x 1690	1.570,93



Disinfectant dispenser*
- Airtight closed system (no germination)
- Constant dosage of 1.00 ml
- Incl. metal adapter for perforated wall and drip-catcher, allows for simple mounting an optimal cleaning
- Incl. high-performance batteries

Item no.	Dimensions in mm (WxDxH)	Price in €
03.H8719	105 x 108 x 280	206,95


*Delivery without disinfectant



Disinfectant
- Alcoholic solution for hygienic hand disinfection
- Re-greasing, spectrum MRSA, Noro
- HBV/HIV, exposure time 3 ml/30 sec., VAH-listed, 650 ml vacuum bag

Item no.	Price in €
03.BH8719	23,89

Height adjustable and mobile



Disinfectant dispenser easy drive
- 4 x plastic steering castors, thereof 2 with brake Ø 50 mm
- 1 x disinfectant dispenser
- Height adjustable on a grid of 50 mm
- Drip-catcher for optimal cleaning

Item no.	Dimensions in mm (WxDxH)	Price in €
05.H10.01	655 x 655 x 1060-1410	308,16



Infopoint
- Solid sheet steel construction
- Easy to move
- Space-saving and clearly arranged
- Perforated grid: 38mm
- Solid rubber wheels for smooth floors
- 4 x steering castors Ø 125 mm, 2 x with brakes
- Weight: approx. 50 kg
- 8 x perforated wall, 566 mm wide, perforation 10x10 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.IP001	650 x 650 x 1970	943,37

KUBIK – 5S

Health Protection Line Kubik

- Solid sheet steel construction
- Reinforced handle bars with aluminium handles
- Space-saving and clearly arranged
- Perforation: 10 x 10 mm, spacing: 38 mm
- 1 x push handle
- 2 x hinged door
- 4 x perforated wall on the side
- 1 x perforated back wall
- 1 x shelf with recess for waste Ø 148 mm
- Easy to move
- Solid rubber wheels for smooth floors
- 4 x steering castors Ø 125 mm, 2 x with brakes





- Delivery without accessories, as described above
- Waste bin can be stowed behind hinged doors

Item no.	Dimensions in mm (WxDxH)	Price in €
86.H01KUB5	730 x 550 x 1690	1.373,32



Waste bin, 40 Liter

- White, large filling capacity, ABS plastic
- Free standing or wall mounted

Item no.	Dimensions in mm (WxDxH)	Price in €
03.H8780	320 x 250 x 500	56,93

Bin liners

- 50 litres, white, 9 rolls of 40 bags each

Item no.	Price in €
03.H8769	33,73

kg 400

Contactless use



- 1 x waste bin, stowed behind the hinged doors
- 1 x disinfectant dispenser
- 1 x towel dispenser
- Incl. adapters for accessories for easy mounting to perforated walls and optimal cleaning

Item no.	Dimensions in mm (WxDxH)	Price in €
86.H02KUB5	730 x 550 x 1690	1.749,90

The sturdy case cabinet made of sheet steel with 4 compartments ensures quick and clear access to your flex-box at the workplace. It is suitable for attachment on the wall and as a free-standing or stackable unit. Both plastic and metal flex-boxes can be used.

- Eco-friendly powder coating (light grey)
- High stability and load capacity
- Individual drawer interlocking prevents unwanted opening, one-handed operation
- Smooth-running ball bearing full pull-outs with self-retraction
- Special colours, silkscreens, stickers possible on request



Flex-box cases on/ from page 257



Open fronted storage bins

- Polypropylene

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.001	Size 1 100 x 95 / 65 x 50	1,99
03.900.002	Size 2 100 x 175 / 140 x 75	2,99
03.900.003	Size 3 145 x 235 / 195 x 125	6,84
03.900.004	Size 4 200 x 350 / 300 x 145	13,66
03.900.005	Size 5 200 x 350 / 300 x 200	19,89



Support rail for open fronted storage bins

Item no.	Width in mm	Price in €
03.900.06	300	8,34

Mobile flex-box cabinet

- Beech multiplex top 25 mm
- Side handles at top
- 2x case cabinet with smooth side wall
- Individual drawer interlocking prevents unwanted opening One-handed operation
- Smooth-running ball bearing full pull-outs with self-retraction
- 4x steering caster, Ø 100 mm, thereof 2 with locks

Item no.	External dimensions in mm (WxDxH)	Price in €
04.5037.2*	607 x 475 x 1132	839,98



Perforated wall

- For hanging the range of hooks

Item no.	External dimensions in mm (WxH)	Price in €
04.50.37LW	370 x 462	38,16



Bottle holder

- For mounting on the perforated wall

Item no.	Dimensions in mm	Price in €
03.900.43	Ø 90	27,23



Roll holder


- For mounting on the perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
03.900.42	140 x 106 x 71	28,46

*Supplied without bins, hooks, case, perforated walls and tools.

workraster workplace systems

The mobile units of the workraster series enable quick access and maximum mobility. More manoeuvrable than ever before with 4 steering casters with a diameter of 125 mm (2 with locks). Simple handling thanks to user-friendly plastic handles. As transport or storage trolleys, whether used as a mobile workstation or for storing tools in the perforated walls, they can be used in any situation. Thanks to a height grid of 38 mm, various heights and depths, individual equipping is possible on one or both sides. Shelves can be added to supply material as can many parts of the multi-board. The accessories of the workraster range are compatible.



Mobile workraster units: Basic dimensions
The mobile workraster units can be arranged in different depths and heights and can be used just as flexibly and individually as the series itself.

workraster

- Ergonomic plastic handle
- 4x steering caster, Ø 125 mm with lock
- Load capacity 200 kg

Accessories, such as perforated walls see page 279

kg 200



Mobile workraster unit, single-sided

WR E

- 1x bottom plate

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.811	1000 x 800 x 1476	381,57



Mobile workraster unit, single-sided

WR E

- 1x bottom plate

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.821	1000 x 800 x 2198	403,94



Mobile workraster unit, double-sided

WR DK

- 1x bottom plate

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.912	1000 x 960 x 1476	394,00



Mobile workraster unit, double-sided

WR DK

- 1x bottom plate

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.922	1000 x 960 x 2198	413,89

Mobile workraster units

workraster

- Ergonomic plastic handle
- 4x steering caster, Ø 125 mm with lock
- Load capacity 200 kg



Mobile workraster unit, single-sided

- 1x bottom plate
- 1x perforated wall
- 2x bin carrier
- 1x shelf, 220 mm
- 1x shelf, 320 mm
- 1x bin strip with 6x drawer
- Open fronted storage bins: 12x size 4, 12x size 3, 8x size 2

WR E

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.01	1000 x 800 x 2198	857,62



Mobile workraster unit, single-sided

- Beech multiplex worktop 1500 x 750 x 25 mm
- 1x bin carrier
- 1x shelf, 220 mm
- 2x perforated wall
- Open fronted storage bins: 8x size 2, 6x size 3

WR E

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.50	1000 x 800 x 2198	867,57



Mobile workraster unit, double-sided

- 1x bottom plate
- 2x perforated wall
- 4x bin carrier
- 4x Euro bin 400 x 300 mm
- Open fronted storage bins: 16x size 2, 12x size 3, 4x size 4
- 1x bin strip with 3x drawer

WR DK

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.02	1000 x 960 x 1476	868,80



Mobile workraster unit, double-sided

- 1x bottom plate
- 2x perforated wall
- 2x bin carrier
- 2x shelf, 220 mm
- Open fronted storage bins: 8x size 2, 18x size 3, 8x size 4

WR DK

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.03	1000 x 960 x 1476	871,29

workraster

- Ergonomic plastic handle
- 4x steering caster, Ø 125 mm with lock
- Load capacity 200 kg



Mobile workraster unit, single-sided

- 1x bottom plate
- 1x multi-roller shutter cabinet
- 1x bin carrier
- 1x shelf, 220 mm
- Open fronted storage bins: 8x size 2, 6x size 3, 8x size 4

WR E

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.04	1000 x 800 x 2198	1.241,67



Mobile workraster unit, single-sided

- 1x bottom plate
- 2x bin carrier
- 4x Euro bin 400 x 300 mm
- 2x perforated wall
- Open fronted storage bins: 6x size 2, 8x size 3
- Small parts magazine with 12x drawer
- 1x bin strip with 6x drawer

WR E

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.05	1000 x 800 x 1476	779,31



Mobile workraster unit, double-sided

- 1x bottom plate
- 1x multi-roller shutter cabinet
- 2x shelf, 220 mm
- 2x perforated wall
- 3x Euro bin 400 x 300 mm
- Open fronted storage bins: 12x size 3, 4x size 4

WR DK

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.06	1000 x 960 x 2198	1.032,88



Mobile workraster unit, double-sided

- 1x bottom plate
- 2x shelf, 220 mm
- 2x bin carrier
- 2x perforated wall
- 3x Euro bin 400 x 300 mm
- Open fronted storage bins: 4x size 4, 18x size 3, 8x size 2

WR DK

Item no.	Dimensions in mm (WxDxH)	Price in €
07.8310.07	1000 x 960 x 2198	975,69

Supplied without hooks, tools and decoration

Hinged and sliding door cabinets





Individual hinged door cabinets Page 538



Multifunction cabinets Page 542



Open fronted storage bin cabinets Page 544



Hinged door cabinets with shelves Page 548



NEW

Environment protection cabinets, fireproof cabinets Page 549



Heavy-duty cabinets Page 552



Cabinets with windows Page 553



NEW

Heavy-duty cabinets with drawers Acurado Pro Seite 554



Cabinets with sliding doors Page 559



NEW

Workstation system Page 561



NEW

Vertical pull-out cabinet Page 562

Individual hinged door cabinets


Hinged door cabinets T500 | wide 530 mm

- Robust, welded sheet steel construction
- Resistant powder coating
- Drawers/pull-out shelf with full pull-out 100 %, load capacity 50 kg
- Adjustable steel shelves, load capacity 80 kg
- Doors with moulded recess cylinder lock
- When using drawers and pull-outs, the opening angle must be 130°



Hinged door cabinet T500
- 1 x drawer
- 2 x shelves

Item no.	Dimensions in mm (WxDxH)	Price in €
04.153.001	530 x 500 x 1019	525,76



04.153.10FLS 04.153.18FLS

Housing with hinged doors

Item no.	Dimensions in mm (WxDxH)	Usable height	Price in €
04.153.10FLS	530 x 500 x 1019	900	381,89
04.153.18FLS	530 x 500 x 1838	1719	534,21

Drawers
- Drawers with full pull-out (FP) 100 %
- Usable drawer dimension: **450 x 400 mm (B x T)**

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.046.075VA	75	59	60	50 kg	62,15
60.046.100VA	100	85	90	50 kg	64,64
60.046.150VA	150	135	140	50 kg	69,61
60.046.200VA	200	185	190	50 kg	74,57
60.046.250VA	250	185	240	50 kg	79,54
60.046.300VA	300	185	290	50 kg	84,52
60.046.100VA-75	100	85	90	75 kg	90,73
60.046.150VA-75	150	135	140	75 kg	95,69
60.046.200VA-75	200	185	190	75 kg	100,67
60.046.250VA-75	250	185	2240	75 kg	105,64
60.046.300VA-75	300	185	290	75 kg	110,61





Lift truck base
- Cover plate front and rear

Item no.	Dim.in mm (WxDxH)	Price in €
01.046.012	530 x 500 x 112	120,56



Hanging folder frame R 18-16
- Pull-out 100%, load capacity 50 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.015	475 x 328 x 80	100,68

In the hinge area, no drawers are possible.



Pull-out shelf R 18-16
- Shelf with upstand, pull-out 100%, load capacity 50 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.014	476 x 422 x 70	65,88



Shelf R 18-16
- load capacity 80 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.053.013	475 x 443 x 22	39,77

- Robust, welded sheet steel construction
- Resistant powder coating
- Drawers/pull-out shelf with full pull-out 100 %, load capacity 50 kg
- Adjustable steel shelves, load capacity 80 kg
- Doors with moulded recess cylinder lock
- When using drawers and pull-outs, the opening angle must be 130°





04.106 04.112

Hinged door cabinet T500

- 2 x drawers
- 1 x shelf
- 1x hanging folder frame

Item no.	Dimensions in mm (WxDxH)	Price in €
04.106.001	680 x 500 x 1019	714,05

Housing with hinged doors


Item no.	Dimensions in mm (WxDxH)	Usable height	Price in €
04.106	680 x 500 x 1019	900	418,86
04.112	680 x 500 x 1838	1719	513,32

Drawers

- Drawers with full pull-out (FP) 100 %
- Usable drawer dimension: **600 x 400 mm (B x T)**

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.068.075VA	75	59	60	50 kg	68,35
60.068.100VA	100	85	90	50 kg	70,84
60.068.150VA	150	135	140	50 kg	77,06
60.068.200VA	200	185	190	50 kg	83,28
60.068.250VA	250	185	240	50 kg	89,49
60.068.300VA	300	185	290	50 kg	95,69
60.068.100VA-75	100	85	90	75 kg	96,95
60.068.150VA-75	150	135	140	75 kg	103,15
60.068.200VA-75	200	185	190	75 kg	109,38
60.068.250VA-75	250	185	240	75 kg	115,59
60.068.300VA-75	300	185	290	75 kg	121,81





Lift truck base

- Cover plate front and rear

Item no.	Dim. in mm (WxDxH)	Price in €
01.068.012	680 x 500 x 112	145,41



Hanging folder frame R 24-16

- Pull-out 100%, load capacity 50 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04.060.015	625 x 382 x 80	108,14

In the hinge area, no drawers are possible.



Pull-out shelf R 24-16

- Shelf with upstand, pull-out 100%, load capacity 50 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.060.014	626 x 442 x 70	70,22



Shelf R 24-16

- load capacity 80 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.060.013	625 x 443 x 22	44,74

Individual hinged door cabinets

Hinged door cabinets T500 | wide 980 mm

- Robust, welded sheet steel construction
- Resistant powder coating
- Drawers/pull-out shelf with full pull-out 100 %, load capacity 50 kg
- Adjustable steel shelves, load capacity 80 kg
- Doors with moulded recess cylinder lock
- When using drawers and pull-outs, the opening angle must be 130°





04.109



04.118

Hinged door cabinet T500

- 1x drawer
- 1x pull-out shelf
- 1x hanging folder frame

Item no.	Dimensions in mm (WxDxH)	Price in €
04.109.001	980 x 500 x 1019	784,29

Housing with hinged doors

Item no.	Dimensions in mm (WxDxH)	Usable height	Price in €
04.109	980 x 500 x 1019	900	499,66
04.118	980 x 500 x 1838	1719	595,37

Drawers

- Drawers with full pull-out (FP) 100 %
- Usable drawer dimension: **900 x 400 mm (B x T)**

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.098.075VA	75	59	60	50 kg	82,03
60.098.100VA	100	85	90	50 kg	84,52
60.098.150VA	150	135	140	50 kg	90,73
60.098.200VA	200	185	190	50 kg	96,95
60.098.250VA	250	185	240	50 kg	103,15
60.098.300VA	300	185	290	50 kg	109,38
60.098.100VA-75	100	85	90	75 kg	109,38
60.098.150VA-75	150	135	140	75 kg	115,59
60.098.200VA-75	200	185	190	75 kg	121,81
60.098.250VA-75	250	185	240	75 kg	128,02
60.098.300VA-75	300	185	290	75 kg	134,23





Lift truck base

- Cover plate front and rear

Item no.	Dim. in mm (WxDxH)	Price in €
01.098.012	980 x 500 x 112	154,12



Hanging folder frame R 36-16

- Pull-out 100%, load capacity 50 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04.090.015	925 x 382 x 80	119,32

In the hinge area, no drawers are possible.



Pull-out shelf R 36-16

- Shelf with upstand, pull-out 100%, load capacity 50 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.090.014	926 x 442 x 70	80,79



Shelf R 36-16

- load capacity 80 kg
- Includes fastening material

Item no.	Dim. in mm (WxDxH)	Price in €
04.090.013	925 x 443 x 22	54,69

- Robust, welded sheet steel construction
- Resistant powder coating
- Adjustable steel shelves, load capacity 80 kg
- Doors with moulded recess cylinder lock
- When using drawers and pull-outs, the opening angle must be 130°



Housing with hinged doors and Plexglas insert

- Price without drawers. Drawers have to be combined individually

Item no.	Dimensions in mm (WxDxH)	Usable height	Price in €
04.119	980 x 500 x 1538 + 300 (drawers)	1538+300	729,59



Housing with hinged doors and Plexglas insert

- Price without drawers. Drawers have to be combined individually

Item no.	Dimensions in mm (WxDxH)	Usable height	Price in €
04.117	980 x 500 x 1838	1719	725,86



Display cabinet T500 R 36-16

- 3x shelf, fixed
- 1x shelf, pull-out
- 1x intermediate shelf
- 2x drawers, not lockable

Item no.	Dimensions in mm (WxDxH)	Price in €
04.188.002	980 x 500 x 1838	1.155,92

In the hinge area, no drawers are possible.

Multifunction cabinets

Multifunction cabinet T500 R 36-16

- When using drawers and pull-outs, the opening angle must be 130°
- **Supplied without decoration, hooks and open fronted storage bins**



Multifunction cabinet T500 R 36-16
- 2x shelf, fixed, 500 mm
- 1x perforated wall
- 2x hinged door with perforated wall


Item no.	Dimensions in mm (WxDxH)	Price in €
04.118.023	980 x 500 x 1838	830,27



Multifunction cabinet T500 R 36-16
- 1x drawer 100 mm, FP 50 kg
- 1x drawer 200 mm, FP 50 kg
- 1x intermediate shelf
- 1x perforated wall
- 2x hinged door with perforated wall

Item no.	Dimensions in mm (WxDxH)	Price in €
04.118.024	980 x 500 x 1838	957,05

Individual components



Drawers R 36-16
- Drawers with full pull-out (FP) 100 %
- Usable drawer dimension: **900 x 400 mm (B x T)**

Item no.	Dimensions in mm (WxDxH)	Front height	Shell height	Load capacity	Price in €
60.098.075VA	75	59	60	50 kg	82,03
60.098.100VA	100	85	90	50 kg	84,52
60.098.150VA	150	135	140	50 kg	90,73
60.098.200VA	200	185	190	50 kg	96,95
60.098.250VA	250	185	240	50 kg	103,15
60.098.300VA	300	185	290	50 kg	109,38
60.098.100VA-75	100	85	90	75 kg	109,38
60.098.150VA-75	150	135	140	75 kg	115,59
60.098.200VA-75	200	185	190	75 kg	121,81
60.098.250VA-75	250	185	240	75 kg	128,02
60.098.300VA-75	300	185	290	75 kg	134,23



Shelf R 36-16
- Includes fastening material

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
04.090.013	925 x 443 x 22	80 kg	54,69



Pull-out shelf R 36-16
- Shelf with upstand, pull-out 100%
- Includes fastening material

Item no.	Dimensions in mm (WxDxH)	Load capacity	Price in €
04.090.014	926 x 442 x 70	50 kg	80,79

In the hinge area, no drawers are possible.

- When using drawers and pull-outs, the opening angle must be 130°
- It is not possible to install a shelf in front of the perforated rear wall
- **Supplied without decoration, hooks and open fronted storage bins**



Multifunction cabinet T500 R 36-16
- 2x hinged door with perforated wall
- 1x perforated wall
- 3x shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
04.118.026	980 x 500 x 1838	884,96

Accessories



Hook assortment
- Further hook assortments can be found on page 316

Item no.	Parts	Price in €
03.87.395-18	18 parts	121,52



Support rail for open fronted storage bins

Item no.	Width in mm	Price in €
03.900.05	450	10,56
03.900.06	300	8,34

Open fronted storage bins

Item no.	Width in mm	Price in €
03.900.001	Size 1 100 x 95 / 65 x 50	1,99
03.900.002	Size 2 100 x 170 / 140 x 80	2,99
03.900.003	Size 3 145 x 230 / 195 x 125	6,84
03.900.004	Size 4 200 x 350 / 300 x 145	13,66
03.900.005	Size 5 200 x 350 / 300 x 200	19,89



Range of open fronted storage bin as illustrated in the respective cabinets

Item no.	Type	Price in €
04.118.023/1	4x size 4, 6x size 3, 8x size 2, 6x size 1	131,49
04.118.024/1	6x size 3, 8x size 2, 6x size 1	76,80
04.118.026/1	4x size 4, 12x size 3, 48x size 2	279,91



In the hinge area, no drawers are possible.

Open fronted storage bin cabinets



The 3-bolt Ergo-Lock is not only equipped with 2 keys but also a **patented mechanism**: Simply press to lock! It is only available for hinged door cabinets from page 546-549 and 552-557. On request, the Ergo-Lock is also available keyed alike or as an electronic PIN code or RFID lock.



Simply press to lock



Recessed handle lock, easy to use even with gloves





Electronic PIN code lock

- Operation with 2 x standard AA alkaline batterie (industrial quality), approx. 3 years service life / 30,000 operations
- PIN code lock with selectable user and master code
- Immediately programmable and ready for operation

Item no.	Price in €
06.8900.750	137,28

Electronic RFID transponder lock

- Operation with 2 x standard AA alkaline batterie (industrial quality), approx. 3 years life / 30,000 operations
- RFID lock with programmable user and master cards as well as service card
- Basic programming set required for commissioning

Item no.	Price in €
06.8900.740	353,75



Ergo-Lock with keyed alike locking system

- Mechanical key lock
- Surcharge per lock

Item no.	Price in €
06.8900.7211	34,33

Basic programming set

- Master card, update card, service card
- Required for commissioning the RFID lock

Item no.	Price in €
06.8900.7491	68,65

RFID user card

- One card required per user

Item no.	Price in €
06.8900.7492	13,85

Open fronted storage bin cabinets

Large cabinets

- Long-lasting steel construction with a wide range of different dimensions and box fittings for every purpose
- Door reinforcements for high door stability
- High flexibility of the internal arrangement through adjustability on a 15 mm grid
- Open fronted storage bins of various sizes, colours and fittings
- 3-bolt Ergo-Lock with 2 keys and **patented mechanism**: Simply press to lock!
- Drawers with telescopic rail guide, full pull-out 100%, 50 kg load capacity per drawer
- High load capacity per galvanised shelf up to 70 kg (shortened shelves up to 50 kg)


Open fronted storage bins (W x D x H)
Size 2: 103 x 160 x 75 mm
Size 3: 150 x 230 x 125 mm
Size 4: 210 x 350 x 145 mm
Size 6: 315 x 500 x 145 mm
Size 7: 315 x 500 x 200 mm



Simply press to lock



Door retention component with approx. 110° opening angle. For large cabinets with hinged doors the door opening angle is 180°



Drawers with telescopic rail guide, full pull-out, load capacity per drawer 50 kg


Recessed handle lock, easy to use even with gloves


04.130276.65


04.130276.66


04.130276.68


04.130276.67

Large cabinets with open fronted storage bins
- 1100 x 535 x 1950 mm (W x D x H)

Item no.	Shelves	Drawers	Rails per door	Bins	Price in €
04.130276.65	9x shelf, 7x shelf, short	-	5	40x size 2 blue, 28x size 3 red, 15x size 4 blue, 9x size 7 red	3.653,75
04.130276.66	9x shelf, 5x shelf, short	-	7	56x size 2 red, 35x size 3 blue, 6x size 6 red, 9x size 7 blue	3.653,75
04.130276.67	7x shelf, 6x shelf, short	3	5	40x size 2 blue, 28x size 3 red, 15x size 4 blue	3.406,93
04.130276.68	7x shelf, 4x shelf, short	3	7	56x size 2 red, 35x size 3 blue, 6x size 6 red	3.406,93

Open fronted storage bins (W x D x H)
Size 1: 102 x 85 x 50 mm
Size 2: 103 x 160 x 75 mm
Size 3: 150 x 230 x 125 mm
Size 4: 210 x 350 x 145 mm
Size 5: 210 x 350 x 200 mm
Size 6: 315 x 500 x 145 mm
Size 7: 315 x 500 x 200 mm

Shelf bins (W x D x H)
RK 3109: 117 x 300 x 90 mm
RK 3209: 234 x 300 x 90 mm
RK 3214: 234 x 300 x 140 mm



Open-fronted and shelving boxes
- Made of polypropylene (up to -20°/+90° C, food-safe and oil-resistant)
- Smooth inner walls and recessed grip on the rear wall
- Stacking lugs for secure stacking
- Roughened base for non-slip transport on conveyor belts
- Available in 7 sizes and in cadmiumfree colours red and blue



04.413.210



04.113.20



04.144.24

Cabinets with open fronted storage bins
- 700 x 300 x 1690 mm (W x D x H)

Item no.	Shelves	Bins	Price in €
04.413.20	6	-	542,53
04.413.22	9	20x size 3 red, 20x size 3 blue	1.155,00
04.413.23	11	36x size 2 red, 24x size 3 blue	1.199,88
04.413.27	13	18x size 1 red, 18x size 1 blue, 18x size 2 red, 20x size 3 blue	1.244,75
04.413.25	14	42x size 2 red, 48x size 2 blue	1.268,53
04.413.210	17	30x size 1 red, 30x size 1 blue, 24x size 2 red, 24x size 2 blue	1.380,73
04.413.24	9	45x size 1 red, 45x size 1 blue, 24x size 2 red, 24x size 2 blue	1.155,00

Additional shelf
- galvanised

Item no.	For cabinet widths	Dimensions in mm (WxDxH)	Price in €
04.013.81	700	694 x 252 x 15	30,35
04.044.81	1000	994 x 372 x 24	39,60

Cabinets with open fronted storage bins
- 700 x 300 x 1980 mm (W x D x H)

Item no.	Shelves	Bins	Price in €
04.113.20	9	-	712,80
04.113.22	15	60x size 2 red, 24x size 3 blue	1.401,85
04.113.23	18	60x size 2 red, 54x size 2 blue	1.492,93
04.113.21	11	24x size 3 red, 24x size 3 blue	1.267,20

Cabinets with open fronted storage bins and shelf bins
- 1000 x 420 x 1980 mm (W x D x H)

Item no.	Shelves	Bins	Price in €
04.144.20	4	-	715,45
04.144.22	6	16x size 5 red, 12x size 5 blue	1.304,15
04.144.23	8	24x size 4 red, 12x size 5 blue	1.488,95
04.144.24	9	20x size 4 red, 20x size 4 blue	1.569,48
04.144.29	11	48x RK 3109 blue, 12x size 4 red, 12x size 4 blue	1.620,95
04.144.28	12	40x RK 3109 blue, 16x RK 3209 blue, 16x RK 3214 blue	1.647,35

Housing: RAL 5010 | RAL 7016 | RAL 7021 | RAL 7035

Fronts: RAL 1023 | RAL 3000 | RAL 3003 | RAL 3020 | RAL 5010 | RAL 5012 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 9005 | RAL 9006

Hinged door cabinets with shelves

Hinged door cabinets

- Long-lasting steel construction with a wide range of different dimensions for every purpose - up to 800 mm depth
- Central door reinforcements for high door stability
- Door retention component with approx. 110° opening angle
- High flexibility of the internal arrangement through adjustability on a 15 mm grid
- 3-bolt Ergo-Lock with 2 keys and **patented mechanism**: Simply press to lock!
- High load capacity per galvanised shelf: 70 kg



Simply press to lock



Recessed handle lock, easy to use even with gloves



Door retention component with approx. 110° opening angle



04.158.120



04.155.050



04.156.093



Hinged door cabinets, height 1950 mm

- 4x galvanised shelf

Item no.	Dimensions in mm (WxDxH)	Type	Price in €
04.155.050	500 x 500 x 1950	1x hinged door	652,08
04.154.093	930 x 400 x 1950	2x hinged door	633,60
04.155.093	930 x 500 x 1950	2x hinged door	729,95
04.156.093	930 x 600 x 1950	2x hinged door	856,68
04.158.093	930 x 800 x 1950	2x hinged door	1.281,73
04.154.120	1200 x 400 x 1950	2x hinged door	823,68
04.155.120	1200 x 500 x 1950	2x hinged door	949,08
04.156.120	1200 x 600 x 1950	2x hinged door	1.114,08
04.158.120	1200 x 800 x 1950	2x hinged door	1.665,85

Additional shelf

- Load capacity 70 kg
- galvanised

Item no.	Dimensions in mm (WxD)	Price in €
04.155.050FB	495 x 453	31,68
04.154.093FB	925 x 353	39,60
04.155.093FB	925 x 453	42,25
04.156.093FB	925 x 553	44,88
04.158.093FB	925 x 753	117,48
04.154.120FB	1195 x 353	50,15
04.155.120FB	1195 x 453	52,80
04.156.120FB	1195 x 553	56,75
04.158.120FB	1195 x 753	149,15





04.01.119



plastic tray made of polyethylene

Environment protection cabinets with two hinged doors

- Storage of small containers of water-hazardous materials, e.g. fertilizer, oils, fats, small quantities of thinner, etc.
- Hinged doors with perforated rosettes for ventilation
- Exterior height 1950 mm (interior 1840 mm)
- Internal dimensions (WxD) 928 x 453 mm
- Trays teste

Item no.	Dimensions in mm (WxDxH)	Description	Price in €
04.01.119	930 x 500 x 1950	4x adjustable galvanised tray, collection volume per tray approx. 20 l	962,50
04.01.219	930 x 500 x 1950	3x adjustable galvanised shelf, 4x plastic tray made of polyethylene	1.700,00

Fireproof cabinets

- **Double-walled on all sides** (between the walls are 25 mm thick special insulating panels, class A1 non-flammable according to DIN 4102)
- Protection against small fires and attempts at burglary
- Hinged doors on stable pintles at top and bottom
- Improved security against burglary through stable door locking mechanisms that engage in the side walls on left and right
- **5-bar bolt lock mechanism** (3x side, 1x top/bottom)
- **Double-bit security lock** with 2 keys
- Load capacity per shelf: 70 kg

- 1x door, internal, 4x adjustable shelf

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxD)	Price in €
04.112.04	650 x 500 x 1950	598 x 429	2.081,65

- 2x door, internal, 4x adjustable shelf

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxD)	Price in €
04.112.05	930 x 500 x 1950	878 x 429	2.312,65

- 2x door, internal, 4x adjustable shelf

Item no.	External dimensions in mm (WxDxH)	Internal dimensions in mm (WxD)	Price in €
04.112.06	1200 x 500 x 1950	1148 x 429	2.890,80



04.112.04



feuergeschützt

Housing

RAL 7016 | RAL 7021 | RAL 7035

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Hinged door cabinets with shelves

Cabinets for pesticides und enviromental cabinets

Cabinets for pesticides

For storage of water-endangering pesticies and hazardous substances in small containers indoors

- Made from high quality sheet steel
- Powder-coated in RAL 6011 - reseda green
- Doors reinforced, with handle cylinder lock
- Height-adjustable storage levels
- Ventilation slots in the doors
- Cabinets 1000 mm height with 2 storage levels
- Cabinets 1950 mm height with 4 storage levels
- Base sump tray (AW) made from 3 mm sheet steel, galvanized Ü-sign according to StawaR
- Tray-shaped shelves (WB), galvanized, liquid-tight, max. load capacity 50 kg
- Marking according to ASR A1.3





NEW



Item no.	Dimensions in mm (WxDxH)	Sump capacity (l)	Version	Price in €
04.6555.A	500 x 500 x 1950	AW 1 x 20 / WB 3 x 20	1 x Door	977,00
04.6556.A	1000 x 500 x 1000	AW 1 x 30 / WB 1 x 20	2 x Door	977,00
04.6557.A	1000 x 500 x 1950	AW 1 x 30 / WB 3 x 20	2 x Door	1.187,00

Environmental cabinets

For the storage of water-endangering hazardous substances in small containers indoors

- Single-wall body made from high-quality powder-coated
- Sheet steel in RAL 7035 - light grey, door(s) in RAL 1018 - zinc yellow
- Reinforced door(s), with cylinder handle lock
- Height-adjustable levels
- Ventilation slots in the door(s)
- Height 1000 mm with 2 storage levels as standard
- Height 1950 mm with 4 storage levels as standard
- Marking according to ASR A1.3
- Base sump tray (AW) made from 3 mm sheet steel, galvanized according to AwSV - Ü-sign according to StawaR
- Tray-shaped shelves (WB), galvanized, liquid-tight, load capacity 50 kg





Item no.	Dimensions in mm (WxDxH)	Internal Dimensions in mm (WxDxH)	Sump capacity (l)	Version	Price in €
04.6582.A	500 x 500 x 1950	495 x 475 x 1825	AW 1 x 20 / WB 3 x 20	1 x Door	977,00
04.6583.A	1000 x 500 x 1000	995 x 475 x 875	AW 1 x 30 / WB 1 x 20	2 x Door	977,00
04.6584.A	1000 x 500 x 1950	995 x 475 x 1825	AW 1 x 30 / WB 3 x 20	2 x Door	1.187,00

Accessories

Cabinets for pesticides

- 1 x Door, Item no. 04.6555.A

Item no.		Price in €
04.6560.A	PE-insert for base sump tray, for storage of aggressive media	126,00
04.6562.A	PE-insert for tray-shaped shelf, for storage of aggressive media	100,80

- 2 x Door, Item no. 04.6556.A

Item no.		Price in €
04.6561.A	PE-insert for base sump tray, for storage of aggressive media	134,40
04.6563.A	PE-insert for tray-shaped shelf, for storage of aggressive media	110,88

Environmental cabinets

- 1 x Door, Item no. 04.6582.A

Item no.		Price in €
04.6558.A	Tray-shaped shelf, sheet steel, galvanized	100,80
04.6585.A	Perforated cover plate for base sump tray AW	117,60
04.6586.A	Perforated cover plate for tray-shaped shelf WB	100,80

- 2 x Door, Item no. 04.6584.A

Item no.		Price in €
04.6559.A	Additional tray shaped shelf, sheet steel, galvanized	146,16
04.6587.A	Perforated cover plate for base sump tray AW	134,40
04.6588.A	Perforated cover plate for tray-shaped shelf WB	117,60

Safety and hazardous substances cabinets, SIS type 90
Approved for storage of flammable liquids at the workplace as per DIN EN 14470-1 (type 90) and TRGS 510

- GS-approved safety (GS-sign)
- Insulation according to DIN 4102
- Outer body and interior fittings made from powder-coated sheet steel, RAL 7035 - light grey
- Shelves height-adjustable, load capacity 75 kg
- Automatic thermal closing mechanism if fire occurs
- DN 80 ventilation connection for exhaust air extraction on cabinet roof
- Operation complies with TRGS 510
- Ground connection in accordance with TRBS 2153
- 1 x base sump tray (sump capacity 33 liters) as per AwSV - Ü-sign according to StawaR
- 1 x perforated base tray cover as 1st storing level
- 3 x shelves
- Door hold-open device

NEW



- 2 x Door

Item no.	Dimensions in mm (WxDxH)	Internal Dimensions in mm (WxDxH)	Sump capacity (l)	Door colour	Price in €
04.2002.D	1190 x 598 x 1935	1087 x 430 x 1700	AW 1 x 20 / WB 3 x 20	RAL 7035, light grey	4.971,02
04.2102.G	1190 x 598 x 1935	1087 x 430 x 1700	AW 1 x 30 / WB 3 x 20	RAL 1007, daffodil yellow	4.971,02

Accessories



Hazardous substance filter attachment

- Suitable for operation of storeLAB® safety cabinets according to DIN EN 14470-1 in recirculating air mode
- Permanent filtration of exhaust air
- Warning message in case of heavy contamination (dust, etc.) or filter saturation by hydrocarbons
- Connection via Schuko plug
- Housing: Sheet steel, RAL 7035 - light grey
- Dimensions in mm (W x D x H): 310 x 510 x 210

Item no.		Price in €
04.2880.A	Hazardous substances filter attachment GFA Basic	3.582,00
04.2883.A	Attachment adapter for storeLAB® type 90 cabinets	96,00



Exhaust air fans

- Voltage 230 V
- EX-protected: NO
- Plug-ready version for placing on the cabinet roof
- Including Schuko plug with 2 m connection cable
- Suction-side connection via aluminium flexible hose
- Including airflow monitoring
- Warning message occurs in case of fan failure or air-flow interruption through acoustic warning

Item no.	Price in €
04.2842.A	1.546,40

Heavy-duty cabinets

Heavy-duty cabinets

Heavy-duty cabinets with hinged doors:
- Long-lasting sheet steel construction
- Door retention component through external hinges, approx. 180° opening angle
- Door reinforcement for high door stability and concealed locking bar
- High flexibility of the internal arrangement through adjustability on a 15 mm grid
- 3-bolt Ergo-Lock with 2 keys and patented mechanism: Simply press to lock!
- High load capacity per galvanised shelves: 110 kg
- Cabinet load 700 kg

kg 700



Recessed handle lock, easy to use even with gloves, simply press to lock





Door opening angle approx. 180° through external hinges



Door reinforcement for high door stability with concealed locking bars



Drawers with telescopic rail guide, full pull-out, load capacity per drawer 75 kg







Heavy-duty cabinets with hinged doors
- 4x adjustable shelf, galvanised, load capacity 110 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04S155093	930 x 500 x 1950	935,88
04S156093	930 x 600 x 1950	1.075,80
04S158093	930 x 800 x 1950	1.541,75
04S155120	1200 x 500 x 1950	1.177,45
04S156120	1200 x 600 x 1950	1.358,28
04S158120	1200 x 800 x 1950	1.965,48

Heavy-duty cabinets with centric drawer block
- 3x drawer with full pull-out
- Load capacity 75 kg per drawer
- 3x adjustable shelf, galvanised, load capacity 110 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04S155093-1	930 x 500 x 1950	1.681,68
04S156093-1	930 x 600 x 1950	1.826,88
04S155120-1	1200 x 500 x 1950	1.933,80
04S156120-1	1200 x 600 x 1950	2.125,20

Heavy-duty cabinet with sliding doors
- 4x adjustable shelf, galvanised
- Turn/push cylinder lock incl. 2 key and exchangeable cylinder
- Sliding doors with smooth-running rollers

Item no.	Dim. in mm (WxDxH)	Price in €
04S255120	1200 x 500 x 1950	1.420,33

Heavy-duty cabinet with sliding doors
- With centre divider
- 2 x 4 adjustable shelf, galvanised

Item no.	Dim. in mm (WxDxH)	Price in €
04S255160	1600 x 500 x 1950	1.825,55

Cabinets with glazed doors:

- Steel-hinged doors with firmly screwed 3 mm thick acrylic glass and concealed locking bars
- Acrylic glass can be easily replaced



Hinged door cabinets with windows

- 4x adjustable shelf, galvanised, load capacity 70 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04155093G	930 x 500 x 1950	1.209,13
04156093G	930 x 600 x 1950	1.335,85
04158093G	930 x 800 x 1950	1.759,55
04155120G	1200 x 500 x 1950	1.428,25
04156120G	1200 x 600 x 1950	1.591,93
04158120G	1200 x 800 x 1950	2.143,68



Hinged door cabinets with centric drawer block and viewing window

- 3x drawer with full pull-out
- Load capacity 50 kg per drawer
- 3x adjustable shelf, galvanised, load capacity 70 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04155093G-2	930 x 500 x 1950	1.828,20
04156093G-2	930 x 600 x 1950	1.961,53
04155120G-2	1200 x 500 x 1950	2.057,88
04156120G-2	1200 x 600 x 1950	2.229,48



Hinged door cabinets with lower drawer block and viewing window

- 3x drawer with full pull-out
- Load capacity 50 kg per drawer
- 4x adjustable shelf, galvanised, load capacity 70 kg

Item no.	Dim. in mm (WxDxH)	Price in €
04155093G-1	930 x 500 x 1950	1.828,20
04156093G-1	930 x 600 x 1950	1.961,53
04155120G-1	1200 x 500 x 1950	2.057,88
04156120G-1	1200 x 600 x 1950	2.229,48





Smooth-running sliding doors run with special rollers in rail guides



Ergonomic metal bow-type handle for easy use



High load capacity per shelf: 70 kg

- **Sliding door cabinets with viewing window**
- 4x adjustable shelf, galvanised, load capacity 70 kg, 1600 mm wide versions with centre panel and 2x 4 shelves
- Turn/push cylinder lock incl. 2 key and exchangeable cylinder
- Ideal for confined spaces
- Steel sliding doors with viewing window of 3 mm thick acrylic glass for direct view

Item no.	Dimensions in mm (WxDxH)	Price in €
04255120G	1200 x 500 x 1950	1.935,13
04256120G	1200 x 600 x 1950	2.271,73
04255160G	1600 x 500 x 1950	2.399,75
04256160G	1600 x 600 x 1950	2.816,88

Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Heavy-duty cabinets with drawers

Heavy-duty cabinets sheet steel doors

The reliable organizational talents with hinged doors, drawers, and adjustable shelves

- Robust steel construction with high-quality powder coating
- Floor gliders for practical cabinet and floor protection
- Various size options (2 widths, 2 depths)
- Door mounting with external hinges, approx. 180° opening angle
- Reinforced doors for high stability, concealed locking rod
- 3-point "Ergo-Lock" handle lock with 2 keys and **patented mechanism**: simply push to close
- High flexibility of shelves through 15 mm adjustable grid
- Drawers with telescopic runners, fully extendable, galvanized drawer tray, 75 kg load capacity per drawer, aluminum handle strip with label holder. Wall mounting of cabinet required!
- Drawer internal heights: 75, 100, 150, and 200 mm
- Drawer internal dimensions, wide version (W x D): 1000/1200 x 440 mm
- Drawer internal dimensions, center partition version (W x D): 500/600 x 440 mm
- High load capacity per galvanized shelf: 110 kg
- **Cabinet load capacity: 700 kg**

NEW



048951V422



048951V4220



048951V423

Heavy-duty cabinets with drawer unit

- **1000** x 1950 mm (W x H)

Number of drawers, height, position	Shelves
2 x 150 mm, at the bottom	4
2 x 150 mm, in the middle	3
3 x 100 mm, at the bottom	4
3 x 100 mm, in the middle	3
3 x 150 mm, at the bottom	4
3 x 150 mm, in the middle	3
je 1 x 100, 150, 200 mm, at the bottom	4
je 1 x 100, 150, 200 mm, in the middle	3
je 2 x 75, 150 mm, at the bottom	4
je 2 x 75, 150 mm, in the middle	3
1 x 100, 4 x 200 mm, at the bottom	3
2 x 100, 2 x 150, 2 x 200 mm, at the bottom	3
2 x 75, 2 x 100, 1 x 150, 2 x 200 mm, at the bottom	3
Middle divider, 4 x 150 mm, in the middle	3
Middle divider, je 2 x 100, 150, 200 mm, left	5

- Depth 500 mm

Item no.	Price in €
048951V422	1.640,75
048951V4220	1.640,75
048951V423	1.746,35
048951V4230	1.746,35
048951V4231	1.825,55
048951V42301	1.825,55
048951V4232	1.825,55
048951V42302	1.825,55
048951V424	1.931,15
048951V4240	1.931,15
048951V425	2.568,73
048951V426	2.674,33
048951V427	2.779,93
048951V4240T	1.865,15
048951V426T	2.436,73

- Depth 600 mm

Item no.	Price in €
048952V422	1.808,40
048952V4220	1.808,40
048952V423	1.927,20
048952V4230	1.927,20
048952V4231	2.019,60
048952V42301	2.019,60
048952V4232	2.019,60
048952V42302	2.019,60
048952V424	2.138,40
048952V4240	2.315,30
-	
-	
-	
-	
-	







Handle lock, easy to operate even with gloves - simply push to close



Door opening angle approx. 180° thanks to external hinges



Door reinforcement for high door stability with concealed locking rods



Drawers with telescopic runners, fully extendable, load capacity per drawer 75 kg



048951V4230



048951V425



048951V426T



048951V4240T

Heavy-duty cabinets with drawer unit

■ **1200** x 1950 mm (W x H)

Number of drawers, height, position	Shelves
2 x 150 mm, at the bottom	4
2 x 150 mm, in the middle	3
3 x 100 mm, at the bottom	4
3 x 100 mm, in the middle	3
3 x 150 mm, at the bottom	4
3 x 150 mm, in the middle	3
je 1 x 100, 150, 200 mm, at the bottom	4
je 1 x 100, 150, 200 mm, in the middle	3
je 2 x 75, 150 mm, at the bottom	4
je 2 x 75, 150 mm, in the middle	3
1 x 100, 4 x 200 mm, at the bottom	3
2 x 100, 2 x 150, 2 x 200 mm, at the bottom	3
2 x 75, 2 x 100, 1 x 150, 2 x 200 mm, at the bottom	3
Middle divider, 4 x 150 mm, in the middle	3
Middle divider, je 2 x 100, 150, 200 mm, left	5

■ Depth 500 mm

Item no.	Price in €
048931V422	1.849,33
0489314V220	1.849,33
048931V423	1.968,13
048931V4230	1.968,13
048931V4231	2.060,53
048931V42301	2.060,53
048931V4232	2.060,53
048931V42302	2.060,53
048931V424	2.179,33
048931V4240	2.179,33
048931V425	2.824,80
048931V426	2.943,60
048931V427	3.062,40
048931V4240T	2.100,13
048931V426T	2.679,60

■ Depth 600 mm

Item no.	Price in €
048932V422	2.051,28
048932V4220	2.051,28
048932V423	2.183,28
048932V4230	2.183,28
048932V4231	2.288,88
048932V42301	2.288,88
048932V4232	2.288,88
048932V42302	2.288,88
048932V424	2.420,88
048932V4240	2.420,88
-	
-	
-	
-	
-	

Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Heavy-duty cabinets with drawers

Heavy-duty cabinets glazed doors with acrylic glass

The reliable organizational talents with hinged doors, drawers, and adjustable shelves

- Robust steel construction with high-quality powder coating
- Floor gliders for practical cabinet and floor protection
- Various size options (2 widths, 2 depths)
- Door mounting with external hinges, approx. 180° opening angle
- Reinforced doors for high stability, concealed locking rod
- 3-point "Ergo-Lock" handle lock with 2 keys and **patented mechanism**: simply push to close
- High flexibility of shelves through 15 mm adjustable grid
- Drawers with telescopic runners, fully extendable, galvanized drawer tray, 75 kg load capacity per drawer, aluminum handle strip with label holder. Wall mounting of cabinet required!
- Drawer internal heights: 75, 100, 150, and 200 mm
- Drawer internal dimensions, wide version (W x D): 1000/1200 x 440 mm
- Drawer internal dimensions, center partition version (W x D): 500/600 x 440 mm
- High load capacity per galvanized shelf: 110 kg
- **Cabinet load capacity: 700 kg**

NEW



048951S422



048951S4220



048951S423

Heavy-duty cabinets with drawer unit

- **1000** x 1950 mm (W x H)

Number of drawers, height, position	Shelves
2 x 150 mm, at the bottom	4
2 x 150 mm, in the middle	3
3 x 100 mm, at the bottom	4
3 x 100 mm, in the middle	3
3 x 150 mm, at the bottom	4
3 x 150 mm, in the middle	3
je 1 x 100, 150, 200 mm, at the bottom	4
je 1 x 100, 150, 200 mm, in the middle	3
je 2 x 75, 150 mm, at the bottom	4
je 2 x 75, 150 mm, in the middle	3
1 x 100, 4 x 200 mm, at the bottom	3
2 x 100, 2 x 150, 2 x 200 mm, at the bottom	3
2 x 75, 2 x 100, 1 x 150, 2 x 200 mm, at the bottom	3
Middle divider, 4 x 150 mm, in the middle	3
Middle divider, je 2 x 100, 150, 200 mm, left	5

- Depth 500 mm

Item no.	Price in €
048951S422	1.640,75
048951S4220	1.640,75
048951S423	1.746,35
048951S4230	1.746,35
048951S4231	1.825,55
048951S42301	1.825,55
048951S4232	1.825,55
048951S42302	1.825,55
048951S424	1.931,15
048951S4240	1.931,15
048951S425	2.568,73
048951S426	2.674,33
048951S427	2.779,93
048951S4240T	1.865,15
048951S426T	2.436,73

- Depth 600 mm

Item no.	Price in €
048952S422	1.808,40
048952S4220	1.808,40
048952S423	1.927,20
048952S4230	1.927,20
048952S4231	2.019,60
048952S42301	2.019,60
048952S4232	2.019,60
048952S42302	2.019,60
048952S424	2.138,40
048952S4240	2.315,30
-	
-	
-	
-	
-	







Handle lock, easy to operate even with gloves - simply push to close



Door opening angle approx. 180° thanks to external hinges



Door reinforcement for high door stability with concealed locking rods



Drawers with telescopic runners, fully extendable, load capacity per drawer 75 kg



048951S4230



048951S425



048951S426T



048951S4240T

Heavy-duty cabinets with drawer unit

■ **1200** x 1950 mm (W x H)

Number of drawers, height, position	Shelves
2 x 150 mm, at the bottom	4
2 x 150 mm, in the middle	3
3 x 100 mm, at the bottom	4
3 x 100 mm, in the middle	3
3 x 150 mm, at the bottom	4
3 x 150 mm, in the middle	3
je 1 x 100, 150, 200 mm, at the bottom	4
je 1 x 100, 150, 200 mm, in the middle	3
je 2 x 75, 150 mm, at the bottom	4
je 2 x 75, 150 mm, in the middle	3
1 x 100, 4 x 200 mm, at the bottom	3
2 x 100, 2 x 150, 2 x 200 mm, at the bottom	3
2 x 75, 2 x 100, 1 x 150, 2 x 200 mm, at the bottom	3
Middle divider, 4 x 150 mm, in the middle	3
Middle divider, je 2 x 100, 150, 200 mm, left	5

■ Depth 500 mm

Item no.	Price in €
048931S422	1.849,33
048931S4220	1.849,33
048931S423	1.968,13
048931S4230	1.968,13
048931S4231	2.060,53
048931S42301	2.060,53
048931S4232	2.060,53
048931S42302	2.060,53
048931S424	2.179,33
048931S4240	2.179,33
048931S425	2.824,80
048931S426	2.943,60
048931S427	3.062,40
048931S4240T	2.100,13
048931S426T	2.679,60

■ Depth 600 mm

Item no.	Price in €
048932S422	2.051,28
048932S4220	2.051,28
048932S423	2.183,28
048932S4230	2.183,28
048932S4231	2.288,88
048932S42301	2.288,88
048932S4232	2.288,88
048932S42302	2.288,88
048932S424	2.420,88
048932S4240	2.420,88
-	
-	
-	
-	
-	


Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

NEW







Additional interior shelves

Product description	For W x D mm	■ **Without** middle divider Item no.	Price in €	■ **With** middle divider Item no.	Price in €
Galvanized adjustable shelf	1000 x 500	04.8951.802	84,48	0489515706SL	46,00
EGalvanized adjustable shelf	1000 x 600	04.8952.802	88,45	-	
Galvanized adjustable shelf	1200 x 500	04.8931.802	106,93	0489315706SL	55,50
Galvanized adjustable shelf	1200 x 600	04.8932.802	112,20	-	
Metal divider for 75/100 h, 21 compartment	1000	04.895157041	105,52	04895157041T	47,60
Metal divider for 150/200 h, 21 compartment	1000	04.895157042	84,09	04895157042T	42,84
Metal divider for 75/100 h, 21 compartment	1200	04.893157041	122,97	04893157041T	53,95
Metal divider for 150/200 h, 21 compartment	1200	04.893157042	109,48	04893157042T	48,40
Plastic box assortment, 48-piece set	1000	04.8951.5713	90,87	048951.5713T	34,00
Plastic box assortment, 52-piece set	1200	04.8931.5714	96,74	04.89315714T	42,08
Anti-slip mat for drawer	1000	04.8951.700	28,19	04.8951.700T	14,09
Anti-slip mat for drawer	1200	04.8931.700	34,45	04.8931.700T	17,23
Ribbed rubber insert for drawer	1000	04.8951.701	27,26	04.8651.701T	13,63
Ribbed rubber insert for drawer	1200	04.8931.701	33,31	04.8931.701T	16,66

- Cabinet housing: Stable welded construction in steel sheet
- Doors: Double-edged and reinforced sheet steel, easy running
- Sheet steel: reinforced, powder-coated
- With push cylinder lock



Empty housing with sliding doors

- Usable height: 850 mm

Item no.	Dimensions in mm (WxDxH)	Price in €
04.200.140	1410 x 790 x 1044	1.167,10

Drawer T 736 R 24-24

VA 100 kg 100%

- 600 x 600 mm (W x D) with full pull-out 100 % - load capacity 70/100 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.050V07	50	28	30	70 kg	119,32
60.70.075V10	75	56	58	100 kg	123,05
60.70.100V10	100	81	83	100 kg	125,53
60.70.125V10	125	81	108	100 kg	134,23
60.70.150V10	150	131	133	100 kg	139,21
60.70.175V10	175	131	158	100 kg	142,94
60.70.200V10	200	181	183	100 kg	145,41
60.70.250V10	250	181	233	100 kg	150,38
60.70.300V10	300	181	283	100 kg	159,10



VA 180 kg 100%

- 600 x 600 mm (W x D) with full pull-out 100 % - load capacity 180 kg

Item no.	Front height	Shell height	Usable height	Load capacity	Price in €
60.70.100V18	100	81	83	180 kg	145,41
60.70.125V18	125	81	108	180 kg	152,87
60.70.150V18	150	131	133	180 kg	157,84
60.70.175V18	175	131	158	180 kg	161,58
60.70.200V18	200	181	183	180 kg	164,07
60.70.250V18	250	181	233	180 kg	174,00
60.70.300V18	300	181	283	180 kg	182,71
60.70.30V18CNC	300	81	283	180 kg	177,73
60.70.40V18CNC	400	81	383	180 kg	195,13

Shelf

Item no.	Dimensions in mm (WxDxH)	pull-out	Load capacity	Price in €
04.200.92V10	600 x 615 x 55	100 %	100 kg	157,84
04.200.92V18	600 x 615 x 55	100 %	180 kg	165,30
04.200.94	647 x 670 x 25	-	100 kg	60,90



Sliding door cabinets

Sliding door cabinet T736 R 24-24

- Push cylinder lock
- For 1200 mm width full-length shelves, for 1600 mm with centre divider
- High flexibility of the internal arrangement through adjustability on a 15 mm grid
- Load capacity shelf 70 kg



Height 1000 mm

- 1x adjustable shelf, galvanised
- Including top ribbed rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
04.254.12H10	1200 x 400 x 1000	831,60
04.255.12H10	1200 x 500 x 1000	955,68
04.256.12H10	1200 x 600 x 1000	1.122,00
04.254.16H10	1600 x 400 x 1000	1.089,00
04.255.16H10	1600 x 500 x 1000	1.244,75
04.256.16H10	1600 x 600 x 1000	1.450,68



Height 1200 mm

- 2x adjustable shelf, galvanised
- Including top ribbed rubber mat

Item no.	Dimensions in mm (WxDxH)	Price in €
04.254.12H12	1200 x 400 x 1200	914,75
04.255.12H12	1200 x 500 x 1200	1.052,05
04.256.12H12	1200 x 600 x 1200	1.235,53
04.254.16H12	1600 x 400 x 1200	1.193,28
04.255.16H12	1600 x 500 x 1200	1.362,25
04.256.16H12	1600 x 600 x 1200	1.589,28



Height 1950 mm

- 4x galvanised shelf

Item no.	Dimensions in mm (WxDxH)	Price in €
04.254.120	1200 x 400 x 1950	1.069,20
04.255.120	1200 x 500 x 1950	1.228,93
04.256.120	1200 x 600 x 1950	1.442,75
04.254.160	1600 x 400 x 1950	1.382,05
04.255.160	1600 x 500 x 1950	1.580,05
04.256.160	1600 x 600 x 1950	1.845,35



Additional shelf

- In pairs only with 1600 mm width
- Load capacity 70 kg
- galvanised

Item no.	Dimensions in mm (WxDxH)	Price in €
04.254.120FB	1196 x 327 x 24	48,85
04.255.120FB	1196 x 427 x 24	51,48
04.256.120FB	1196 x 527 x 24	54,13
04.254.160FB	796 x 327 x 24	36,95
04.255.160FB	796 x 427 x 24	38,28
04.256.160FB	796 x 527 x 24	39,60

Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts


RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Multifunctional features of the compact workstation

- 1 x perforated panel
- 1 x adjustable shelf, load capacity 80 kg
- 1 x 40 mm beech multiplex worktop
- Roller shutter lockable via central locking system, including two keys
- Welded sheet steel construction
- Housing: powder-coated
- Drawers: galvanized
- Full-extension drawers 100%, load capacity 75 kg
- Ball-bearing drawer slides
- Single-drawer interlock
- Drawers with cylinder lock and two keys
- Roller shutter top cabinet mountable on the lower cabinet via block fastening; both cabinets also available separately
- Lockable in three areas: wide drawer, hinged door, and drawer block can be locked separately
- **The upper module is only available in a width of 1005 mm and is suitable for both lower modules.**

NEW

VA
100 kg
100 %



KAS135019



KAS105019-01

- Top right: 4 x drawers, usable drawer dimensions: 500 x 450 mm
- Top left: 1 x hinged door, 1 x shelf
- Bottom: 1 x drawer, usable drawer dimensions: 1000 x 450 mm

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
KAS105019	1005 x 500 x 1920	with Roller shutter top cabinet	1.899,00
KAS135019	1305 x 500 x 1920	with Roller shutter top cabinet	2.128,62
KAS105010	1005 x 500 x 1000	without Roller shutter top cabinet	908,90
KAS135010	1305 x 500 x 1000	without Roller shutter top cabinet	1.130,51



KAS135010

- Top: 1 x drawer, usable drawer dimensions: 1000 x 450 mm
- Bottom right: 4 x drawers, usable drawer dimensions: 500 x 450 mm
- Bottom left: 1 x hinged door, 1 x shelf

Item no.	Dimensions in mm (WxDxH)	Version	Price in €
KAS105019-01	1005 x 500 x 1920	with Roller shutter top cabinet	1.899,00
KAS135019-01	1305 x 500 x 1920	with Roller shutter top cabinet	2.128,62
KAS105010-01	1005 x 500 x 1000	without Roller shutter top cabinet	908,90
KAS135010-01	1305 x 500 x 1000	without Roller shutter top cabinet	1.130,51



KAS105010-01

Vertical pull-out cabinet


Vertical pull-out cabinet

Vertical pull-out cabinet with hinged doors and partition wall

- Space-saving – versatile applications within a minimal storage footprint
- Double-sided loading – more storage space and no collision with hooks from the opposite side
- Ideal for storing key rings, blanks, tools, and other small parts
- Optimized workflow, as all items are quickly accessible
- Cabinet centrally lockable. During use, only one pull-out may be extended at a time
- Supplied fully assembled – no flat-pack delivery
- Height-adjustable leveling glides under the housing
- Pull-out rails mounted at the top with bottom guidance
- Full extension (FE) 100%, load capacity 80 kg per pull-out
- 2 x double-sided perforated panel pull-outs
- 3 x adjustable shelves, load capacity 80 kg
- 2 x drawers, height 100 mm, load capacity 80 kg
- Hinged doors with recessed handle cylinder lock and two keys
- Wall mounting is mandatory; delivery without fastening material. Suitable mounting hardware must be selected according to the wall structure
- Total load capacity per complete cabinet: 320 kg
- Optional with central partition wall for drawers and shelves on the right-hand cabinet section



Pull-out handles with hinged doors



Space-saving for versatile applications in confined spaces



Full extension (FE) 100%, load capacity 80 kg



Double-sided loading

NEW





Item No.	Dimensions mm (W x D x H)	Number of vertical pulls	Price in €
03.1000.30	1000 x 600 x 1950	2	2.599,00

Vertical pull-out cabinet with hinged doors, without partition wall

- Space-saving - a wide range of applications in the smallest storage space
- Can be fitted on both sides - more space and no collision with hooks from the other side
- Ideal for storing bunches of keys, blanks, tools and other small parts
- Optimization of the work process, as all items are quickly within easy reach
- Cabinet can be locked centrally. Only pull out one drawer when in use
- No disassembled goods - ready assembled ex works
- Level compensating glides under the housing
- Two versions possible: with 3 or 4 pull-outs
- Pull-out rails attached at the top with guide at the bottom
- Full-extension runner (VA) 100% load capacity 80 kg per pull-out
- Wall mounting is mandatory; delivery without fastening material. Suitable mounting hardware must be selected according to the wall structure
- Total load capacity 320 kg

Hook Set
from page 316



NEW

kg 320





Vertical pull-out cabinet with hinged doors

- With hinged doors
- Hinged doors with handle shell lock and two keys
- Pull-outs behind the doors with pull-out handle

Item No.	Dimensions mm (W x D x H)	Number of vertical pulls	Price in €
03.1000.13	1000 x 600 x 1950	3	2.516,93
03.1000.14	1000 x 600 x 1950	4	2.781,87

Vertical pull-out cabinet with vertical pull-out

- Pull-out panels with handle on the front
- Lock with two keys installed on the housing

Item No.	Dimensions mm (W x D x H)	Number of vertical pulls	Price in €
03.1000.03	1000 x 600 x 1950	3	2.581,13
03.1000.04	1000 x 600 x 1950	4	2.846,07

Chairs and shelving





Work stools Page 566



NEW


Work chairs and standing aids Page 568



Shelving systems Page 575



Wide-span shelving Page 580



Cantilever shelving Page 582



Flow racks Page 585

Chairs

Work stools



kg 110

- PU-, Beech- or Upholstered seat, Ø 350
- Concealed safety gas spring
- High-quality plastic cruciform base, Ø 630 mm

Item no.	Seat	Seat height mm	Price in €
05.96.42	PU black	400 - 590 glides	242,00
05.96.43	PU black	420 - 610 casters	253,50
05.96.06	Beech	415 - 605 glides	187,50
05.96.05	Beech	435 - 625 casters	199,00
05.96.44	Padding, anthracite	475 - 665 glides	223,50
05.96.45	Padding, anthracite	495 - 685 casters	235,00



kg 110

- PU-, Beech- or Upholstered seat, Ø 350
- Safety gas spring
- Steel cruciform base with glides
- All-round footrest provides secure footing

Item no.	Seat	Seat height mm	Price in €
05.96.39	PU black	540 - 730 glides	330,50
05.96.40	Beech	555 - 745 glides	261,00
05.96.41	Padding, anthracite	615 - 805 glides	306,00



kg 110

- PU-, Beech- or Upholstered seat, Ø 350
- Safety gas spring
- High-quality plastic cruciform base, black, Ø 440 mm

Item no.	Seat	Seat height mm	Price in €
05.96.36	PU black	440 - 630 glides	234,50
05.96.37	Beech	455 - 645 glides	190,25
05.96.38	Padding, anthracite	515 - 705 glides	223,50



kg 110

- PU-, Beech- or Upholstered seat, Ø 350
- High-quality Industrial castors
- Plastic-cruciform base with 5-compartment storage tray

Item no.	Seat	Seat height mm	Price in €
05.96.12	PU black	400 - 525 casters	238,50
05.96.13	Beech	410 - 545 casters	222,00



05.3571.18

kg 110

- PU seat black
- Plastic-cruciform base black with concealed safety gas spring, black
- 7° seat incline adjustment
- The elevated backrest ensures upright sitting.

Item no.	Seat height in mm	Type	Price in €
05.3571.08	415-605	Glides	261,00
05.3571.18	445-635	Casters	273,00



05.3575.08

kg 110

- PU seat black
- Plastic-cruciform base black with concealed safety gas spring, black
- 7° seat incline adjustment
- The elevated backrest ensures upright sitting.

Item no.	Seat height in mm	Type	Price in €
05.3576.08	550 - 805	Glides	267,00
05.3575.08	550-805	Glides with foot ring	319,50



kg 110

05.3250.04

05.3250.02



Standard stacking stool

- Quickly to hand and stacked to save space
- Seat: durable PU foam or beech plywood
- Stable steel tube frame
- Seat height 500 mm
- Seat Ø 350 mm
- Also available in stainless steel

Item no.	Seat	Frame	Price in €
05.3250.01	PU black	Black	170,75
05.3250.02	Beech	Black	134,50
05.3250.04	PU black	Light grey	170,75
05.3250.22	Beech	Light grey	134,50



kg 110

05.3258.01

05.3258.22

High stacking stool

- Quickly to hand and stacked to save space
- Seat: durable PU foam or beech plywood
- Stable steel tube frame
- Seat height 580 mm
- Seat Ø 350 mm
- Also available in stainless steel

Item no.	Seat	Frame	Price in €
05.3258.01	PU black	Black	172,50
05.3258.02	Beech	Black	136,25
05.3258.04	PU black	Light grey	172,50
05.3258.22	Beech	Light grey	136,25

Chair

Work chairs - load capacity up to approx. 120 kg



Industrial swivel chair with foot ring and glides
- Seat and backrest of beech plywood, natural finish
- Height adjustment with gas spring
- Plastic cruciform base with glides

Item no.	Height adjustment in mm	Price in €
05.94.36	590 - 840	609,55



ESD conductive chairs also available on page 465

Industrial swivel chair with casters
- Seat and backrest of beech plywood, natural finish
- Height adjustment with gas spring
- Plastic cruciform base with casters

Item no.	Height adjustment in mm	Price in €
05.94.37	480 - 620	329,13



Industrial swivel chair in two different versions
- Seat and backrest of beech plywood, natural finish
- Height adjustment with keyway
- Steel cruciform base made of rectangular tube with glides and foot ring

Item no.	Height adjustment in mm	Price in €
05.94.41	640 - 880	545,55



Industrial swivel chair in two different versions
- Seat and backrest of beech plywood, natural finish
- Height adjustment with keyway
- Steel cruciform base made of rectangular tube with glides

Item no.	Height adjustment in mm	Price in €
05.94.42	440 - 630	298,55



Industrial swivel chair with footrest and glides

- Seat and backrest PU foam, black
- Height adjustment with gas spring
- Plastic cruciform base with glides

Item no.	Height adjustment in mm	Price in €
05.94.38	590 - 850	557,80



Industrial swivel chair with glides

- Seat and backrest PU foam, black
- Height adjustment with gas spring
- Plastic cruciform base with glides

Item no.	Height adjustment in mm	Price in €
05.94.39	470 - 610	386,05



Industrial swivel chair with foot ring and glides

- Seat and backrest with synthetic leather upholstery, black
- Height adjustment with keyway
- Steel cruciform base made of rectangular tube with glides

Item no.	Height adjustment in mm	Price in €
05.94.43	690 - 930	560,53



Industrial swivel chair with casters

- Seat and backrest with synthetic leather upholstery, black
- Height adjustment with keyway
- Steel cruciform base made of rectangular tube with casters

Item no.	Height adjustment in mm	Price in €
05.94.44	540 - 660	365,68

Work chairs



kg 110

- Very sturdy tubular steel base with three PU footrests of different heights
- Safety gas spring
- Tilting backrest
- Height-adjustable
- Backrest with adjustable incline

Item no.	Seat and backrest	Seat height mm	Price in €
05.96.19	PU black	480 - 870, glides	513,00
05.96.20	Beech	460 - 850, glides	410,50
05.96.21	Padding, anthracite	490 - 880, glides	530,50



kg 110

- High-quality plastic cruciform base
- Safety gas spring
- PU parts with steel inserts
- Tilting backrest
- Height-adjustable
- Backrest with adjustable incline

Item no.	Seat and backrest	Seat height mm	Price in €
05.96.02	PU black	435 - 625, glides	331,50
05.96.01	PU black	465 - 655, casters	337,75
05.96.04	Beech	415 - 605, glides	238,50
05.96.03	Beech	445 - 635, casters	250,00
05.96.17	Padding, anthracite	450 - 640, glides	346,50
05.96.18	Padding, anthracite	480 - 670, casters	358,50

ESD

ESD conductive chairs also available on page 465



kg 110

- Large PU and upholstered seat and backrest
- Ergonomically shaped
- 12° seat incline adjustment
- Asynchronous mechanism for infinite setting of the seat and backrest angle
- Safety gas spring, chrome-plated foot ring
- Plastic cruciform base

Item no.	Seat and backrest	Seat height mm	Price in €
05.96.22	PU black	515 - 700, glides	433,50
05.96.23	Padding, anthracite	525 - 710, glides	448,50



kg 110

- Stable plastic-cruciform base, black
- PU parts with steel inserts
- Tilting backrest
- Height-adjustable
- Backrest with adjustable incline

Item no.	Seat and backrest	Seat height mm	Price in €
05.96.24	PU black	560 - 820, glides	391,50
05.96.25	Beech	540 - 800, glides	298,50
05.96.26	Padding, anthracite	575 - 835, glides	406,50



05.95.03 05.95.05 05.95.06

Industrial swivel chair

- Maximum load of up to 150 kg or 170 kg
- Seat and backrest with adjustable incline, back with anti-shock
- Height-adjustable with gas spring
- Steel cruciform base

Item no.	Type	Height adjustment in mm	Load capacity kg	Seat (WxD in mm)	Backrest in mm	Price in €
05.95.03	With glides	490 - 630	up to 170	480 x 470	430 x 420	803,78
05.95.04	With braked casters	480 - 610	up to 170	480 x 470	430 x 420	816,08
05.95.05	Glides with footrest	590 - 840	up to 150	480 x 470	430 x 420	922,68
05.95.06	Glides with foot ring	590 - 840	up to 150	480 x 470	430 x 420	973,98



- Seat and backrest PU foam, black
- Back with anti-shock, height and tilt adjustable
- Height adjustment with gas spring
- Elegant, stable cruciform base made of round tube

Item no.	Height adjustment in mm	Type	Price in €
05.94.31	480 - 610	Casters	792,78
05.94.32	480 - 620	Floor glides	758,50



- ESD version
- Seat and backrest PU foam, black
- Tilting backrest, adjustable height and incline
- Height adjustment with gas spring
- Elegant aluminium cruciform base, with casters

Item no.	Height adjustment in mm	Price in €
05.94.34	490 - 630	735,00

Work chairs



- Modern work chair for production and industrial workplaces
- Provides high seating comfort, ergonomic support, and functional design
- Suitable for demanding tasks in tough working environments
- Individually adaptable with various upholstery elements

ESD



05.3277.9571



05.3277.9573



05.3277.9570

- Blue flex band
- Base made of black aluminum
- Weight adjustment
- Seat depth and tilt adjustment
- Backrest height adjustment
- Synchronous mechanism

Item no.	Height adjustment in mm	Type	Price in €
05.3277.9570	450 - 600	Glides	791,20
05.3277.9573	450 - 620	Double casters	1.168,40
05.3277.9571	560 - 820	Glides	929,20

NEW





Work Chair – Duotec Fabric

- For a clean environment
- Breathable fabric cover, moisture is absorbed and released
- Soft surface for maximum comfort during long periods of sitting
- Duotec fabric – highly durable and easy to clean

Item no.	Color	Price in €
05.9588.6801	Black	239,20
05.9588.6802	Blue	239,20
05.9588.6811	Grey	239,20



Work Chair – Integral Foam

- Suitable for very demanding environments
- Aggressive substances such as oils, greases, metal shavings, mild acids and alkalis, moisture, or sparks are no problem
- Extremely resistant, e.g. against sharp-edged or pointed objects
- Textured surface provides slip resistance

Item no.	Color	Price in €
05.9588.2000	Black	239,20
05.9588.2001	Blue	239,20
05.9588.2002	Grey	239,20



Work Chair – Supertec

- Innovative cover material
- Extremely robust, cut- and slip-resistant micro-armour layer
- Soft backing material for maximum comfort
- Breathable for a pleasant seating experience even on hot days
- Easy to maintain and resistant to cleaning agents

Item no.	Color	Price in €
05.9588.SP01	Black	294,40
05.9588.SP02	Blue	294,40
05.9588.SP11	Grey	294,40

Standing aids

ESD conductive chairs also available on page 465









EFS footrest – adjustable incline

- Foot plate: Made of plastic with nubs, non-slip movement, adjustable height and incline
- Incline adjustment: 0 - 30°
- Height adjustment: With gas spring, activated at the press of a button
- Adjustment range: 110 - 320 mm

Item no.	Plate in mm	Frame in mm	Price in €
05.95.01	510 x 350	500 x 360	294,05

- Seat made of PU, non-rotating
- Depth spring action
- Gas spring height adjustment
- Black, with glides

Item no.	Height adjustment in mm	Price in €
05.95.02	630 - 840	412,18





- Large PU seat, blue, 370 mm wide
- Seat height adjustment, 7.5° forwards and backwards
- Seat height adjustment with gas spring
- Stable plastic-cruciform base, Ø 630 mm

Item no.	Seat height mm	Price in €
05.96.10	600 - 860, glides	366,00
05.96.34	560 - 750, glides	357,00
05.96.35	490 - 680, glides, GS certificated	358,50
05.96.09	520 - 710, casters, GS certificated	373,25

- Standing aid with ergonomically shaped PU-comfortable seat
- Easy to care for integral foam
- 15° tilting seat, 4 detent positions
- Horizontal swivelling 16° in each direction
- Seat height 600 - 850 mm, 8 detent positions

Item no.	Frame	Price in €
05.96.08	Black	348,25
05.96.27	Red	348,25
05.96.28	Light grey	348,25
05.96.30	Stainless steel	674,75

- Incline angle of the shelving levels approx. 3-4°
- Screwless height-adjustment in steps of 25 mm
- Level load: 200/400 kg
- Galvanised surface
- External dimensions:
  Width base shelving 1360 mm
  Width add-on shelving 1310 mm
  Shelf depth 1275/2555 mm











Flow rack

Item no.	Type	Dimensions in mm (WxDxH)	Type	Price in €
05.DLR-AFKLV	Brake plate for small roller conveyor			on request
05.HZG201213KR	Flow rack, base shelfing	1300 x 1200 x 2000	4 levels, 4 channels per level 5 guide rails per level, bay load 1000 kg Normal rollers	2.563,83
05.HZA201213KR	Flow rack, add-on shelving	1300 x 1200 x 2000	4 levels, 4 channels per level 5 guide rails per level, bay load 1000 kg Normal rollers	2.409,79
05.KR13120GE	Additional level	1300 x 1200	4 channels, 5 guide rails	563,94
05.HZG202413KR	Flow rack, base shelfing	1300 x 2400 x 2000	4 levels, 4 channels per level, bay load 2000 kg Small flanged rollers, without guide rails	4.178,48
05.HZA202413KR	Flow rack, add-on shelving	1300 x 2400 x 2000	4 levels, 4 channels per level, bay load 2000 kg Small flanged rollers, without guide rails	3.837,23
05.KR13240GE	Additional level	1300 x 2400	4 channels	873,99

Shelving systems

Multi-purpose shelving

The superb all-rounder is noted for shelf loads up to 250 kg, bay loads of up to 2000 kg and robust panel shelf levels for bay widths of up to 1695 mm. Locking bars as well as shelving levels made from stepped bars and inset shelf/panel mean no additional stiffening is necessary. Easy, quick and safe assembly is guaranteed.

- With pre-assembled frame
- Additional shelf load 250 kg
- Galvanised surface



Wooden panel

Item no.	Dimensions in mm	Price in €
05.18083	875 x 300	37,36
05.18084	875 x 400	39,96
05.18085	875 x 500	45,42
05.18086	875 x 600	48,02
05.18103	1005 x 300	42,71
05.18104	1005 x 400	45,77
05.18105	1005 x 500	48,83
05.18106	1005 x 600	51,84
05.18123	1285 x 300	54,14
05.18124	1285 x 400	58,01
05.18125	1285 x 500	61,91
05.18126	1285 x 600	65,82
05.18163	1695 x 300	71,37
05.18164	1695 x 400	76,55
05.18165	1695 x 500	81,57
05.18166	1695 x 600	86,78



Multi-purpose shelving

- 5 levels

	Item no.	Dimensions in mm (WxDxH)	Price in €		Item no.	Price in €
Base shelving	05.50508.30	875 x 300 x 2000	315,15	Add-on shelving	05.50509.30	238,17
	05.50508.40	875 x 400 x 2000	332,70		05.50509.40	252,71
	05.50508.50	875 x 500 x 2000	350,12		05.50509.50	267,06
	05.50508.60	875 x 600 x 2000	367,79		05.50509.60	281,72

Multi-purpose shelving

- 5 levels

	Item no.	Dimensions in mm (WxDxH)	Price in €		Item no.	Price in €
Base shelving	05.50510.30	1005 x 300 x 2000	338,16	Add-on shelving	05.50511.30	261,22
	05.50510.40	1005 x 400 x 2000	357,41		05.50511.40	277,41
	05.50510.50	1005 x 500 x 2000	376,48		05.50511.50	293,43
	05.50510.60	1005 x 600 x 2000	395,63		05.50511.60	309,54

Multi-purpose shelving

- 5 levels

	Item no.	Dimensions in mm (WxDxH)	Price in €		Item no.	Price in €
Base shelving	05.50512.30	1285 x 300 x 2000	387,12	Add-on shelving	05.50513.30	310,16
	05.50512.40	1285 x 400 x 2000	409,94		05.50513.40	329,94
	05.50512.50	1285 x 500 x 2000	432,86		05.50513.50	349,83
	05.50512.60	1285 x 600 x 2000	455,81		05.50513.60	369,75

Multi-purpose shelving

- 5 levels

	Item no.	Dimensions in mm (WxDxH)	Price in €		Item no.	Price in €
Base shelving	05.50516.30	1695 x 300 x 2000	458,24	Add-on shelving	05.50517.30	381,28
	05.50516.40	1695 x 400 x 2000	486,59		05.50517.40	406,62
	05.50516.50	1695 x 500 x 2000	514,59		05.50517.50	431,51
	05.50516.60	1695 x 600 x 2000	542,92		05.50517.60	456,86

single-sided

- Base and add-on shelving
- 60 kg load capacity per shelf
- Simple push-fit assembly
- Galvanised surface
- Shelving with rear stop edge
- Height-adjustability 25 : 25 mm
- External dimensions:
  Width base shelving 810 or 1060 mm
  Width add-on shelving 760 or 1010 mm
  Nominal dimension depth + 35 mm
- Additional shelfs on request



Security:
Shelving with a height/depth ratio greater than 5:1 must be secured to prevent it from tipping DGUV rule 108-007
Example:
3000 mm (H): 435 mm (D) = 6.9
The shelf must be secured!
2000 mm (H): 535 mm (D) = 3.74
The shelf does not need to be secured
Tilt protection see page 579

Document shelving, single-sided

	Item no.	Dimensions in mm (WxDxH)	Folder capacity	Shelves	Price in €		Item no.	Price in €
Base shelving	05.HZG17307EX	750 x 300 x 1750	45 pcs.	5	243,11	Add-on shelving	05.HZA17307EX	176,47
	05.HZG17310EX	1000 x 300 x 1750	60 pcs.	5	256,38		05.HZA17310EX	189,74
	05.HZG20307EX	750 x 300 x 2000	54 pcs.	6	276,95		05.HZA20307EX	204,37
	05.HZG20310EX	1000 x 300 x 2000	72 pcs.	6	292,86		05.HZA20310EX	220,28
	05.HZG23307EX	750 x 300 x 2350	63 pcs.	7	316,95		05.HZA23307EX	235,38
	05.HZG23310EX	1000 x 300 x 2350	84 pcs.	7	335,54		05.HZA23310EX	253,95
	05.HZG27307EX	750 x 300 x 2700	72 pcs.	8	366,81		05.HZA27307EX	271,27
	05.HZG27310EX	1000 x 300 x 2700	96 pcs.	8	388,04		05.HZA27310EX	292,49

Double-sided

- Base and add-on shelving
- 90 kg load capacity per shelf
- Simple push-fit assembly
- Galvanised surface
- Shelving with central stopper
- Height-adjustability 25 : 25 mm
- External dimensions:
  Width base shelving 810 or 1060 mm
  Width add-on shelving 760 or 1010 mm
  Nominal dimension depth + 35 mm
- Additional shelfs on request



Document shelving, double-sided

	Item no.	Dimensions in mm (WxDxH)	Folder capacity	Shelves	Price in €		Item no.	Price in €
Base shelving	05.HZG17607DA	750 x 600 x 1750	90 pcs.	5	362,81	Add-on shelving	05.HZA17607DA	301,39
	05.HZG17610DA	1000 x 600 x 1750	120 pcs.	5	396,81		05.HZA17610DA	335,38
	05.HZG20607DA	750 x 600 x 2000	108 pcs.	6	414,59		05.HZA20607DA	347,23
	05.HZG20610DA	1000 x 600 x 2000	144 pcs.	6	454,37		05.HZA20610DA	387,02
	05.HZG23607DA	750 x 600 x 2350	126 pcs.	7	471,33		05.HZA23607DA	395,56
	05.HZG23610DA	1000 x 600 x 2350	168 pcs.	7	516,91		05.HZA23610DA	441,13
	05.HZG27607DA	750 x 600 x 2700	144 pcs.	8	562,75		05.HZA27607DA	471,33
	05.HZG27610DA	1000 x 600 x 2700	192 pcs.	8	616,64		05.HZA27610DA	525,22

Shelving systems

Shelving racks

- Base and add-on shelving with shelves
- 200 - 240 kg load capacity per shelf
- Simple push-fit assembly
- Galvanised surface
- 40 mm folded shelf edge
- Height-adjustability 25 : 25 mm
- External dimensions:
  Width base shelving 1060/1360 mm
  Width add-on shelving 1010/1310 mm
  Nominal dimension depth + 35 mm
- Other versions on request.



Security:
Shelving with a height/depth ratio greater than 5:1 must be secured to prevent it from tipping DGUV rule 108-007
Example:
3000 mm (H): 435 mm (D) = 6.9
The shelf must be secured!
2000 mm (H): 535 mm (D) = 3.74
The shelf does not need to be secured

Tilt protection
Necessary if a height-depth ratio of 5:1 is exceeded

Item no.	Type	Price in €
05.ZW46	Ceiling anchoring	11,47
05.ZW45	Wall anchoring	16,29

Shelving rack height 2000 mm

	Item no.	Dimensions in mm (WxDxH)	Shelves	Price in €		Item no.	Price in €
Base shelving	05.HZG20410XM	1000 x 400 x 2000	5	330,68	Add-on shelving	05.HZA20410XM	256,90
	05.HZG20510XM	1000 x 500 x 2000	5	358,18		05.HZA20510XM	283,19
	05.HZG20610XM	1000 x 600 x 2000	5	385,25		05.HZA20610XM	309,11
	05.HZG20413XM	1300 x 400 x 2000	5	384,01		05.HZA20413XM	309,81
	05.HZG20513XM	1300 x 500 x 2000	5	408,15		05.HZA20513XM	332,77
	05.HZG20613XM	1300 x 600 x 2000	5	433,67		05.HZA20613XM	357,10

Shelving rack height 2500 mm

	Item no.	Dimensions in mm (WxDxH)	Shelves	Price in €		Item no.	Price in €
Base shelving	05.HZG25410XM	1000 x 400 x 2500	6	403,61	Add-on shelving	05.HZA25410XM	311,65
	05.HZG25510XM	1000 x 500 x 2500	6	437,32		05.HZA25510XM	343,56
	05.HZG25610XM	1000 x 600 x 2500	6	470,51		05.HZA25610XM	375,00
	05.HZG25413XM	1300 x 400 x 2500	6	467,43		05.HZA25413XM	375,09
	05.HZG25513XM	1300 x 500 x 2500	6	497,15		05.HZA25513XM	402,97
	05.HZG25613XM	1300 x 600 x 2500	6	528,45		05.HZA25613XM	432,56

Shelving rack height 3000 mm

	Item no.	Dimensions in mm (WxDxH)	Shelves	Price in €		Item no.	Price in €
Base shelving	05.HZG30410XM	1000 x 400 x 3000	7	463,87	Add-on shelving	05.HZA30410XM	360,09
	05.HZG30510XM	1000 x 500 x 3000	7	502,59		05.HZA30510XM	397,02
	05.HZG30610XM	1000 x 600 x 3000	7	540,73		05.HZA30610XM	433,42
	05.HZG30413XM	1300 x 400 x 3000	7	538,20		05.HZA30413XM	434,02
	05.HZG30513XM	1300 x 500 x 3000	7	572,25		05.HZA30513XM	466,27
	05.HZG30613XM	1300 x 600 x 3000	7	608,19		05.HZA30613XM	500,48

- Corner shelving rack
- 125 kg per shelf
- Simple push-fit assembly
- Galvanised surface
- Height-adjustability 25 : 25 mm
- With diagonal bars and reinforcement cross-members
- Room corners can be fully utilised by avoiding the "dead corner"
- Recommended add-on shelving, see page 578



Security:
Shelving with a height/depth ratio greater than 5:1 must be secured to prevent it from tipping DGUV rule 108-007
Example:
3000 mm (H): 435 mm (D) = 6.9
The shelf must be secured!
2000 mm (H): 535 mm (D) = 3.74
The shelf does not need to be secured

Tilt protection
Necessary if a height-depth ratio of 5:1 is exceeded

Item no.	Type	Price in €
05.ZW46	Ceiling anchoring	11,47
05.ZW45	Wall anchoring	16,29

Corner shelving height 2000

Item no.	Dimensions in mm (WxDxH)	Shelves	Price in €
05.HZE20410AXL	1060 / 1450 x 400 x 2000	2 x 5	699,60
05.HZE20510AXL	1060 / 1550 x 500 x 2000	2 x 5	756,53
05.HZE20413AXL	1360 / 1750 x 400 x 2000	2 x 5	753,84
05.HZE20513AXL	1360 / 1850 x 500 x 2000	2 x 5	796,72

Corner shelving height 2500

Item no.	Dimensions in mm (WxDxH)	Shelves	Price in €
05.HZE25410AXL	1060 / 1450 x 400 x 2500	2 x 6	837,85
05.HZE25510AXL	1060 / 1550 x 500 x 2500	2 x 6	905,42
05.HZE25413AXL	1360 / 1750 x 400 x 2500	2 x 6	904,27
05.HZE25513AXL	1360 / 1850 x 500 x 2500	2 x 6	955,00

Corner shelving height 3000

Item no.	Dimensions in mm (WxDxH)	Shelves	Price in €
05.HZE30410AXL	1060 / 1450 x 400 x 3000	2 x 7	981,90
05.HZE30510AXL	1060 / 1550 x 500 x 3000	2 x 7	1.061,95
05.HZE30413AXL	1360 / 1750 x 400 x 3000	2 x 7	1.058,14
05.HZE30513AXL	1360 / 1850 x 500 x 3000	2 x 7	1.118,52

Shelving systems

Wide-span shelving rack

Compact wide-span shelving system, which represents the step between between standard shelving and pallet shelving and is designed for the storage of particularly large and heavy goods. Due to its shelving dimensions, this wide-span shelving system offers large-area storage options. It can therefore be used in many different sectors.

Advantages:
- 3 shelf levels with wooden inlay chip 19 mm P4
- Height 2000mm, optional 2500mm and 3000mm
- Compact shelving system, powder-coated in RAL 5010.
- Large-area storage options
- Bay widths up to 2,700 mm
- High shelf loads up to 790 kg
- Bay load up to 7,500 kg



Wide-span shelving rack, width 1850 mm
- 3 shelf levels with wooden inlay

	Item no.	Dimensions in mm (W x D x H)	Price in €		Item no.	Price in €
Base shelving	05.9010260	1850 x 600 x 2000	918,99	Add-on shelving	05.9010360	784,18
	05.9010280	1850 x 800 x 2000	999,19		05.9010380	858,36
	05.90102100	1850 x 1000 x 2000	1.089,74		05.90103100	942,63

Wide-span shelving rack, width 2250 mm
- 3 shelf levels with wooden inlay

	Item no.	Dimensions in mm (W x D x H)	Price in €		Item no.	Price in €
Base shelving	05.9010460	2250 x 600 x 2000	1.023,37	Add-on shelving	05.9010560	888,57
	05.9010480	2250 x 800 x 2000	1.113,51		05.9010580	972,72
	05.90104100	2250 x 1000 x 2000	1.213,98		05.90105100	1.066,84

Wide-span shelving rack, width 2700 mm
- 3 shelf levels with wooden inlay

	Item no.	Dimensions in mm (W x D x H)	Price in €		Item no.	Price in €
Base shelving	05.9010660	2700 x 600 x 2000	1.279,05	Add-on shelving	05.9010760	1.144,24
	05.9010680	2700 x 800 x 2000	1.387,94		05.9010780	1.247,13
	05.90106100	2700 x 1000 x 2000	1.510,39		05.90107100	1.363,28

Additional shelf with wooden inlay

Item no.	Dimensions in mm (W x D x H)	Price in €
05.90114K	1850 x 600	216,47
05.90116K	1850 x 800	239,19
05.90118K	1850 x 1000	265,17
05.90124K	2250 x 600	251,25
05.90126K	2250 x 800	277,31
05.90128K	2250 x 1000	306,56

Item no.	Dimensions in mm (W x D x H)	Price in €
05.90134K	2700 x 600	336,47
05.90136K	2700 x 800	368,76
05.90138K	2700 x 1000	405,37

The ideal solution for professional storage of pallets, pallet cages and heavy loads. Thanks to an optimally coordinated range of shelving components such as support frames, support beams and many other accessories, pallet shelving can be individually adapted to different stored goods and spatial conditions.

- Frame similar to RAL 7001 silver grey, support beams similar to RAL 2004 pure orange
- All specified loads apply with uniformly distributed load
- The specified buckling lengths must not be exceeded
- Further versions on request...



Pallet shelving
- 2 levels (4x support beam)
- Shelf load 2000 kg
- Bay load 4000 kg

	Item no.	Dimensions in mm (W x D x H)	max. buckling length	Price in €		Item no.	Dimensions in mm (W x D x H)	Price in €
Base shelving	05.721131100	2870 x 1100 x 2500	1000 mm	1.027,78	Add-on shelving	05.721141100	2785 x 1100 x 2500	743,73
	05.722131100	2870 x 1100 x 3000	1250 mm	1.103,21		05.722141100	2785 x 1100 x 3000	781,47

Pallet shelving
- 3 levels (6x support beam)
- Shelf load 2000 kg
- Bay load 6000 kg


	Item no.	Dimensions in mm (W x D x H)	max. buckling length	Price in €		Item no.	Dimensions in mm (W x D x H)	Price in €
Base shelving	05.733131100	2870 x 1100 x 3500	1000 mm	1.448,04	Add-on shelving	05.733141100	2785 x 1100 x 3500	1.068,81
	05.734131100	2870 x 1100 x 4000	1150 mm	1.543,85		05.734141100	2785 x 1100 x 4000	1.116,70
	05.735131100	2870 x 1100 x 4500	1300 mm	1.696,36		05.7351241100	2785 x 1100 x 4500	1.278,32
	05.737131100	2870 x 1100 x 5500	1650 mm	1.867,08		05.737141100	2785 x 1100 x 5500	1.278,32

Accessories

Description	Item no.	Dimensions in mm (W x D x H)	Load capacity in kg per pair	Price in €
Wedge anchor (2 pieces neede for each frame)	05.13020E			5,56
Underlay plate, 1 mm	05.12341E			1,86
Support beam (single) incl. locking pins	05.15012K	2700 x 50 x 110	2000	114,93
Impact protection for corners (incl. 4 floor anchors)	05.B4-40102-K	H 400		113,96
Wire mesh cover (3 pieces)	05.12096K	BxT 2700 x 1100, Mw 50 x 100	2000	506,10
Push-through protection	05.12316K	2700 x 50 x 50		98,69



Impact protection for corners



Wire mesh cover




Push-through protection

Cantilever shelving

Technical features:
- Cantilever arms permanently welded
- Uprights and cantilever arms in IPE profiles
- Cantilever arms with permanently welded roll-off protection
- Storage levels including foot support
- Usable depth 500 mm
- Up to 200 kg load capacity per cantilever arm
- High-quality industrial coating RAL 5010

Planning notes:
- External dimensions:
  Width base shelving 1305 mm
  Width add-on shelving 1250 mm
  Nominal dimension depth + 100 mm

Product advantages:
- Affordable system
- Standardised shelving components
- Quick and easy assembly
- Single or double-sided use



Cantilever shelving


Item no.	Description	Dimensions in mm (WxDxH)	Price in €
05.60101-50	Base unit with 12 welded arms on one side, length 500 mm, with 2 diagonal bars	1250 x 500 x 2000	956,96
05.60102-50	Extension unit with 12 welded arms on one side, length 500 mm, with 1 diagonal bar	1250 x 500 x 2000	502,12
05.60121-50	Base unit with 24 welded arms on both sides, length 500 mm, with 2 diagonal bars	1250 x 1000 x 2000	1.334,34
05.60122-50	Extension unit with 24 welded arms on both sides, length 500 mm, with 1 diagonal bar	1250 x 1000 x 2000	689,49

Technical features:

- Cantilever arms freely adjustable on the 100 mm grid
- Uprights and cantilever arms in IPE profiles
- Cantilever arms with permanently welded roll-off protection
- Storage levels including foot support
- Usable depth 500 mm
- Up to 500 kg load capacity per cantilever arm
- High-quality industrial coating RAL 5010

Planning notes:

- External dimensions:
  Width base shelving 1060 mm
  Width add-on shelving 1060 mm
  Nominal dimension depth + 120 mm



Cantilever shelving, base shelving

Item no.	Description	Dimensions in mm (WxDxH)	Price in €
05.20101-50	One-sided with 10 adjustable arms 500 mm long, with 2 diagonal bars, bay load 2000 kg	1000 x 500 x 2000	1.581,61
05.20121-50	Double-sided, with 20 adjustable arms 500 mm long, with 2 diagonal bars, bay load 4000 kg	1000 x 1000 x 2000	2.121,06
05.20201-50	One-sided with 12 adjustable arms 500 mm long, with 2 diagonal bars, bay load 2000 kg	1000 x 500 x 2500	1.792,24
05.20221-50	Double-sided, with 24 adjustable arms 500 mm long, with 2 diagonal bars, bay load 4000 kg	1000 x 1000 x 2500	2.446,70

Cantilever shelving, add-on shelving

Item no.	Description	Dimensions in mm (WxDxH)	Price in €
05.20102-50	One-sided with 10 adjustable arms 500 mm long, with 1 diagonal bar, bay load 2000 kg	1000 x 500 x 2000	851,24
05.20122-50	Double-sided, with 20 adjustable arms 500 mm long, with 1 diagonal bar, bay load 4000 kg	1000 x 1000 x 2000	1.120,95
05.20202-50	One-sided with 12 adjustable arms 500 mm long, with 1 diagonal bar, bay load 2000 kg	1000 x 500 x 2500	956,56
05.20222-50	Double-sided, with 24 adjustable arms 500 mm long, with 1 diagonal bar, bay load 4000 kg	1000 x 1000 x 2500	1.283,80

Cantilever arm, additional

Item no.	Description	Dimensions in mm (WxDxH)	Price in €
05.402-K	Incl. screw fastening	500	57,50

Flow rack - movable

- Incline angle of the shelving levels approx. 3-4°
- Small roller strips and guide rails can be adjusted as required on a 6 mm grid
- Special cross-members with large rounding for protected removal of containers
- Push-fit assembly
- Swivel steering casters (wheel diameter 125 mm)
- Bay load: 700 kg
- Level load: 200 kg
- Bay depth: 1275 mm
- Width base shelving: 1360 mm
- Total height 2000 mm
- Galvanised surface

4









Pos.	Item no.	Product	Dimensions in mm (WxDxH)	Type	Price in €
1	05.HZG171213KR	Flow rack unit, base shelving	1300 x 1200 x 1750	1 12 normal roller strips N33, without guide rails (return) 2 10 normal rollers N33 and 6 guide rails (feed) 3 6 small flanged rollers, without guide rails (feed) 4 6 normal roller strips and 4 guide rails (feed)	2.446,53
2	05.HZGTW1240	Shelving transport trolley	1375 x 1280 x 200	2 support frames, unassembled 2 diagonal bars with lock 2 steering casters with locks; 2 fixed casters	678,48
3	05.HZGRÜ1240	Return level	1240 x 335 (WxD)	2 normal roller strips N33 1 guide rail 2 mounting brackets 1 connecting rail	on request
4	05.DLR-AFKLV	Brake plate		For small roller conveyor	on request
5	05.HZGRÜ1410	Auxiliary frame	1472 x 395 (WxD)	Auxiliary frame for returning containers to workraster work bench Incline 1410 x 395 (WxD)	on request

Supplied without decoration, hooks and bins

- 200 kg load capacity per level (with even load)
- Roller conveyors ensure that the goods roll automatically to the removal point - gravity principle
- Flexible and screwless level adjustment in steps of 25 mm
- Shelf is not screwed to the work bench





workraster

- Work bench
- Height adjustment range 735 - 1100 mm



workline

- Work bench
- Height adjustment range 735 - 1100 mm



workergo

- C-foot work bench
- Height adjustment range 695 - 1030 mm

Prices on request

Cloakroom cabinets





NEW

Multipurpose cabinets Page 588



NEW

Compartment cabinets Page 589



NEW

Wardrobe with and without Benches Page 590



Benches Page 594



NEW

Steel wardrobe lockers Page 595



NEW

Compartment lockers Page 600



NEW

Street/work clothes lockers Page 601



NEW

Multi-purpose lockers Page 602




Fire brigade lockers Page 603

Hinged door cabinets

NEW

- 2x hinged doors
- Right door with recessed handle lock and 2 keys, left door with rebate stop
- 3-point locking system with recessed handle cylinder lock and 2 keys
- Material thickness: 1 mm steel sheet
- Shelf, powder-coated in body colour

kg 700





Hinged door cabinet

- 4 shelves adjustable, load capacity 100 kg each
- Door opening angle: 180°

Item-Nr.	Dim. in mm (WxDxH)	Internal comp. size (WxDxH)	Price in €
BHFS1050195K	1000 x 500 x 1950	940 x 450 x 1830	735,33
BHFS1060195K	1000 x 600 x 1950	940 x 550 x 1830	828,67
BHFS1250195K	1200 x 500 x 1950	1140 x 450 x 1830	890,00
BHFS1260195K	1200 x 600 x 1950	1140 x 550 x 1830	948,67



Multipurpose cabinet 01

- 8 shelves, load capacity 40 kg each, adjustable in 50 mm increments
- Door opening angle: 100°

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHMS10501901K	1000 x 500 x 1950	903,33
BHMS10601901K	1000 x 600 x 1950	970,00
BHMS12501901K	1200 x 500 x 1950	991,33
BHMS12601901K	1200 x 600 x 1950	1.063,33



Additional Shelf

- Includes mounting materials
- Load capacity 100 kg

kg 100

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS1050FBK	946 x 445 x 22	51,33
BHFS1060FBK	946 x 545 x 22	58,00
BHFS1250FBK	1146 x 445 x 22	56,00
BHFS1260FBK	1146 x 545 x 22	75,33




Additional Shelf

- Includes mounting materials
- Load capacity 40 kg

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHMS105001FBK	450 x 445 x 22	34,00

Compartment cabinets

- For depth 400 mm: Internal compartment size: 390 x 365 x 360 mm (W x D x H)
- For depth 500 mm: Internal compartment size: 390 x 465 x 360 mm (W x D x H)
- All compartments with hinged doors, partial perforation on the hinge side
- Each door includes a stamped nameplate
- Door with cylinder lock, including 2 keys
- Material thickness: 1 mm steel sheet
- Load capacity per compartment: 20 kg, 100 kg per column
- Wall mounting recommended; delivery without mounting materials. Select appropriate mounting materials based on wall conditions.




Information about the locking system on page 180

ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°
- 4 adjustable leveling feet, accessible from above

NEW





Compartment cabinets 01

- 5 x compartments

kg 100

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS40401901K	400 x 400 x 1900	423,33
BHFS40501901K	400 x 500 x 1900	476,67




Compartment cabinets 02

- 10 x compartments

kg 200

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS80401902K	800 x 400 x 1900	711,33
BHFS80501902K	800 x 500 x 1900	810,00



Compartment cabinets 03


- 15 x compartments

kg 300


Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS12401903K	1200 x 400 x 1900	962,00
BHFS12501903K	1200 x 500 x 1900	1.063,33

Wardrobe cabinets

4 adjustable leveling feet, accessible from above with an Allen key (size SW6)



Door opening angle



ADVANTAGES

- 2 x Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg

NEW



Wardrobe cabinet 01

- 1 x punched nameplate
- Right hinged door with cylinder lock including 2 x keys, left hinged door with rebate stop
- 1 x towel holder on the inside of the door
- Top: 1 x adjustable shelf, adjustable by 100 mm in increments, 1 x welded shelf, below a central partition 660 mm
- Left: 1 x clothing rod with 4 x sliding hooks
- Right: 1 x adjustable shelf, adjustable by 100 mm in increments,
- 1 x welded shelf, 1 x clothing rod with 4 x sliding hooks, load capacity 20 kg
- Internal compartment size: 720 x 565 mm (W x D)

kg 100

Item.-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80601901K	800 x 600 x 1900	743,33

ADVANTAGES

- 1 x Hinged door, internal, flush with the housing
- Door opening angle: 180°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg




Wardrobe cabinet 02


- 2 x punched nameplates
- Hinged door with cylinder lock including 2 x keys
- 1 x towel holder on the inside of the door
- Top: 2 x continuous shelves, below a central partition extending to the floor
- Left: 1 x clothing rod with 4 x sliding hooks
- Right: 4 x adjustable shelves, adjustable by 100 mm in increments, load capacity 20 kg
- Internal compartment size: 520 x 565 mm (W x D)

kg 100


Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS60601902K	600 x 600 x 1900	690,00

4 adjustable leveling feet, accessible from above with an Allen key (size SW6)





Door opening angle



ADVANTAGES

- 1 x Hinged doors are flush with the housing on the inside
- Door opening angle: 180°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg

NEW



Wardrobe cabinet 03

- 2 x punched nameplates
- Hinged door with cylinder lock including 2 x keys
- 2 x adjustable shelves, adjustable by 100 mm in increments, load capacity 20 kg
- 1 x clothing rod with 6 x sliding hooks
- Internal compartment size wide: 400: 330 x 570 mm (L x P)
- Internal compartment size wide: 500: 430 x 570 mm (L x P)
- Internal compartment size wide: 600: 530 x 570 mm (L x P)

kg 100

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS40601903K	400 x 600 x 1900	450,00
BHGS50601903K	500 x 600 x 1900	476,67
BHGS60601903K	600 x 600 x 1900	490,00

ADVANTAGES

- 2 x Hinged doors, internal, flush with the housing
- Door opening angle: 180°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg



Wardrobe cabinet 04

- 2 x punched nameplates per hinged door
- Both hinged doors with cylinder lock including 2 x keys
- Each compartment 1 x galvanized clothing rod with 3 x sliding hooks
- Each compartment 2 x adjustable shelves, adjustable by 100 mm in increments, load capacity 20 kg

kg 100

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80601904K	800 x 600 x 1900	695,33
BHGS10601904K	1000 x 600 x 1900	762,00

Wardrobe cabinets

Wardrobe cabinets

- Each 1 x hinged door with cylinder lock including 2 x keys
- Housing top and bottom at the front and rear with ventilation slots
- Each compartment 1 x shelf, load capacity 20 kg
- Each compartment 1 x clothing rod with 3 x sliding hooks
- Material thickness: 1 mm steel sheet
- Wall mounting is recommended, delivery without fastening materials, choose sufficient mounting materials depending on the wall type.
- Internal dimensions for one compartment: 220 x 460 mm (W x D)

NEW







kg 100

ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- Total load capacity 100 kg

4 adjustable leveling feet, accessible from above with an Allen key (size SW6)





Door opening angle



Wardrobe cabinet 05

- 1 x compartment

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS30501705K	300 x 500 x 1750	310,00
BHGS30501905K	300 x 500 x 1900	335,33





Wardrobe cabinet 06

- 2 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS60501706K	600 x 500 x 1750	508,67
BHGS60501906K	600 x 500 x 1900	562,00






Wardrobe cabinet 07

- 3 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS90501707K	900 x 500 x 1750	642,00
BHGS90501907K	900 x 500 x 1900	735,33

Wardrobe cabinets with bench

- Interior size 390 x 430 x 370 mm (W x D x H)
- Each compartment 1 x cylinder lock, including 2 x keys, different locking
- Each compartment 1 x punched nameplate
- Each compartment 1 x clothing rod with 3 x sliding hooks
- Material thickness: 1 mm steel sheet
- Side walls of the open compartment taper from top (500 mm) to bottom (360 mm)
- The wardrobe is screwed with a base frame, bench with shoe rack
- 3-part bench with waterproof lacquered wooden slats and stainless steel shoe rack
- Bench height 450 mm
- Wall mounting is recommended, delivery without fastening materials, choose sufficient mounting materials depending on the wall type.



ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- 4 adjustable leveling feet

NEW



Wardrobe cabinet with bench 08

- 2 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80702008K	800 x 700 x 2000	695,33



Wardrobe cabinet with bench 09

- 3 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80702009K	1200 x 700 x 2000	815,33

Benches



Stackable benches

- Stable construction
- Feet made of round tube Ø 25 mm, paint RAL 7021 black grey, powder-coated
- Abrasion-resistant plastic sliding base in black
- Seat depth 300 mm, seat height 460 mm
- Seat surface made of clear varnished solid beech wood slats 80 x 20 mm
- **Delivered ready-assembled**

Stand-alone bench

- Stable square tube construction 30 x 30 mm, paint RAL 7021 black grey
- Seating surface made of rounded, painted hardwood slats 60 x 25 mm
- Shoe trays with 5 cross struts made of square tube
- Sliding base with 10 mm levelling
- **Delivered ready-assembled**







Stackable benches

Item no.	Dimensions in mm (WxDxH)	Description	Price in €
06.85.50	1200 x 460 x 460	4x foot	192,73
06.85.51	1600 x 460 x 460	4x foot	232,33
06.85.52	2000 x 460 x 460	6x foot	271,93

Stand-alone bench

Item no.	Dim. in mm (WxDxH)	Description	Price in €
06.50.000	1000 x 358 x 450	4x foot, without shoe grate	319,45
06.50.010	1000 x 358 x 450	4x foot, with shoe grate	386,75
06.51.000	1500 x 358 x 450	4x foot, without shoe grate	415,80
06.51.010	1500 x 358 x 450	4x foot, with shoe grate	501,60
06.52.000	2000 x 358 x 450	6x foot, without shoe grate	542,53
06.52.010	2000 x 358 x 450	6x foot, with shoe grate	656,05

- Sturdy steel construction, high-quality enamel coating
- Body with rear louvers at the top and bottom
- Inside each compartment: Storage shelf inside with 3 anti rotation slidi hooks underneath, singel-tier changing room rails
- **Locker bottom zinc-plated as standard**
- Reinforced doors, vent slots at top and bottom
- Turning bolt latch for padlocks
- Plastic label holder, black, self-adhesive
- Feet or base for DIY assembly as accessories
- Compartment width 300 mm



Optionally available with made-of-plastic feet or base for easy DIY assembly, color light gray



Turning bolt latch

NEW



RAL 7035

RAL 5010

RAL 7016

Lockers floor-standing

Item no.	Dimensions in mm (WxDxH)	Number of compartments	Price in €
06.055.20	600 x 500 x 1850	2	444,85
06.055.30	900 x 500 x 1850	3	599,28
06.055.40	1200 x 500 x 1850	4	777,48

Lockers floor-standing, double-tier

Item no.	Dimensions in mm (WxDxH)	Number of compartments	Price in €
06.355.20	600 x 500 x 1850	2 x 2	568,93
06.355.30	900 x 500 x 1850	3 x 2	784,08
06.355.40	1200 x 500 x 1850	4 x 2	1.024,33

Housing: RAL 7035

Fronts: RAL 5010, RAL 7035, RAL 7016

Feet or base for DIY assembly, height 100 mm

Item no.	Description	Price in €
06.70256	1 set of feet (4 pieces)	54,13
06.7010605	Base for cabinet width 600	84,48
06.7010905	Base for cabinet width 900	96,35
06.7011205	Base for cabinet width 1200	108,25

Steel wardrobe lockers

Wardrobe lockers floor-standing and with feet - Classic

- **Bottom zinc-plated as standard** for increased corrosion protection
- Best stability thanks to reinforced construction+ Material doublings
- 1850 mm body height (1700 mm for bench version) **saves space**
- Narrow lateral edges for a homogeneous look when positioned in rows
- **Better ventilation** thanks to additional ventilation openings in the compartments
- Sturdy steel construction with high-quality enamel coating
- Reinforced doors hinged on the right with doorstop silencer, ventilation gills and label holder
- **Safety turning bolt** for padlocks
- **Burglar-proof construction** in accordance with level B of DIN 4547-2
- Compartment bottoms can be swept out smoothly
- Inside per compartment 1 firmly welded storage shelf, underneath stable changing room rail with 3 anti-rotation double sliding hooks (load capacity per rail 40 kg, per double hook 15 kg)
- Base 100 mm high made of plastic for extended corrosion protection, with body color RAL 7035 in light gray, otherwise in black
- Available floor-standing, with feet, on a base or with bench built underneath the locker





Strong plus points and unique selling points
Better ventilation thanks to additional ventilation openings in the compartment floor and roof. All lockers & wardrobes bases and shelves are electrolytic zinc-plated as standard for optimum corrosion protection

NEW









Plastic feet and bases for extended corrosion protection, 100 mm high, RAL 7035 light gray for body, otherwise black



Permanently welded storage shelves, stable changing room rails underneath with 3 anti-rotation double sliding hooks



Cylinder locks up to 1000 key numbers with 2 keys at no additional charge



Safety turning bolt - turns when locked and prevents breaking open by over-turning, with door protection







NEW

Wardrobe lockers floor-standing with safety turning bolt

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.000.20	610 x 500 x 1850	300	2	479,15
06.000.22	800 x 500 x 1850	400	2	623,05
06.000.30	900 x 500 x 1850	300	3	646,80
06.000.32	1200 x 500 x 1850	400	3	840,85
06.000.40	1200 x 500 x 1850	300	4	838,20

Wardrobe lockers floor-standing with cylinder lock

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.000.20.zyl	610 x 500 x 1850	300	2	479,15
06.000.22.zyl	800 x 500 x 1850	400	2	623,05
06.000.30.zyl	900 x 500 x 1850	300	3	646,80
06.000.32.zyl	1200 x 500 x 1850	400	3	840,85
06.000.40.zyl	1200 x 500 x 1850	300	4	838,20

Wardrobe lockers with feet and safety turning bolt

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.010.20	610 x 500 x 1950	300	2	531,95
06.010.22	800 x 500 x 1950	400	2	675,85
06.010.30	900 x 500 x 1950	300	3	699,60
06.010.32	1200 x 500 x 1950	400	3	893,65
06.010.40	1200 x 500 x 1950	300	4	891,00

Wardrobe lockers with feet and cylinder lock

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.010.20.zyl	610 x 500 x 1950	300	2	531,95
06.010.22.zyl	800 x 500 x 1950	400	2	675,85
06.010.30.zyl	900 x 500 x 1950	300	3	699,60
06.010.32.zyl	1200 x 500 x 1950	400	3	893,65
06.010.40.zyl	1200 x 500 x 1950	300	4	891,00

Wardrobe lockers on base with safety turning bolt

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.020.20	600 x 500 x 1950	300	2	572,88
06.020.22	800 x 500 x 1950	400	2	727,33
06.020.30	900 x 500 x 1950	300	3	753,73
06.020.32	1200 x 500 x 1950	400	3	963,60
06.020.40	1200 x 500 x 1950	300	4	960,95

Wardrobe lockers on base with cylinder lock

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.020.20.zyl	600 x 500 x 1950	300	2	572,88
06.020.22.zyl	800 x 500 x 1950	400	2	727,33
06.020.30.zyl	900 x 500 x 1950	300	3	753,73
06.020.32.zyl	1200 x 500 x 1950	400	3	963,60
06.020.40.zyl	1200 x 500 x 1950	300	4	960,95

Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 5023 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 1023

Steel wardrobe lockers

Wardrobe lockers with bench built underneath the locker

Benches

- Bench frame 420 mm high made of square tube in black-grey, with 10 mm level adjustment
- Seat bars beech 60x25 mm, rounded on all sides, coated with clear varnish with natural color differences
- Optional seat bars made of plastic material, with zinc-plated steel core for the best stability, on request at no additional charge
- Seat height 450 mm, seat depth 315 mm
- Bench and cabinet separate for easy DIY assembly



Rounded, natural lacquered beech seat bars



Steel-reinforced seat bars made of plastic material on request without additional



Retrofittable shoe racks on request

NEW

General wardrobe lockers description see page 596



Wardrobe lockers on bench with safety turning bolt

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.0570.20	600 x 815 x 2120	300	2	745,80
06.0570.22	800 x 815 x 2120	400	2	968,88
06.0570.30	900 x 815 x 2120	300	3	1.005,85
06.0570.32	1200 x 815 x 2120	400	3	1.306,80
06.0570.40	1190 x 815 x 2120	300	4	1.304,15

Wardrobe lockers on bench with cylinder lock

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Compartments	Price in €
06.050720.zyl	600 x 815 x 2120	300	2	745,80
06.050722.zyl	800 x 815 x 2120	400	2	968,88
06.050730.zyl	900 x 815 x 2120	300	3	1.005,85
06.050732.zyl	1200 x 815 x 2120	400	3	1.306,80
06.050740.zyl	1190 x 815 x 2120	300	4	1.304,15

Double-tier lockers

- Inside per case 1 sturdy changing room rail with 3 anti-rotation double sliding hooks, doors with ventilation gills and safety turning bolt for padlocks.
- Clear opening dimensions per door: 240/340 x 477 x 854 (W x D x H)

Compartment lockers with 3 cases on top of each other

- Without interior fittings, smooth doors with cylinder locks, 2 keys per lock. Compartment widths 400 mm suitable for motorcycle helmets.
- Clear opening dimensions per door: 240/340 x 477 x 562 (W x D x H)

NEW



Double-tier lockers with safety turning bol



Compartment lockers with cylinder locks up to 1000 key numbers, 2 keys each



General wardrobe lockers description see page 596

Wardrobe double-tier lockers, floor-standing

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.300.20	600 x 500 x 1850	300	2 x 2	612,48
06.300.22	800 x 500 x 1850	400	2 x 2	795,95
06.300.30	900 x 500 x 1850	300	3 x 2	846,13
06.300.32	1200 x 500 x 1850	400	3 x 2	1.100,88
06.300.40	1200 x 500 x 1850	300	4 x 2	1.104,85

Compartment lockers floor-standing, 3 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.300.203	600 x 500 x 1850	300	2 x 2	693,00
06.300.223	800 x 500 x 1850	400	2 x 2	900,25
06.300.303	900 x 500 x 1850	300	3 x 2	966,25
06.300.323	1200 x 500 x 1850	400	3 x 2	1.255,33
06.300.404	1200 x 500 x 1850	300	4 x 2	1.264,55

Wardrobe double-tier lockers with feet

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.310.20	600 x 500 x 1950	300	2 x 2	665,28
06.310.22	800 x 500 x 1950	400	2 x 2	848,75
06.310.30	900 x 500 x 1950	300	3 x 2	898,93
06.310.32	1200 x 500 x 1950	400	3 x 2	1.153,68
06.310.40	1200 x 500 x 1950	300	4 x 2	1.157,65

Compartment lockers with feet, 3 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.310.203	600 x 500 x 1950	300	2 x 2	745,80
06.310.223	800 x 500 x 1950	400	2 x 2	953,05
06.310.303	900 x 500 x 1950	300	3 x 2	1.019,05
06.310.323	1200 x 500 x 1950	400	3 x 2	1.308,13
06.310.404	1200 x 500 x 1950	300	4 x 2	1.317,35

Wardrobe double-tier lockers with plinth

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.320.20	600 x 500 x 1950	300	2 x 2	704,88
06.320.22	800 x 500 x 1950	400	2 x 2	900,25
06.320.30	900 x 500 x 1950	300	3 x 2	953,05
06.320.32	1200 x 500 x 1950	400	3 x 2	1.223,65
06.320.40	1200 x 500 x 1950	300	4 x 2	1.227,60

Compartment lockers with plinth, 3 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.320.203	600 x 500 x 1950	300	2 x 2	549,13
06.320.223	800 x 500 x 1950	400	2 x 2	698,28
06.320.303	900 x 500 x 1950	300	3 x 2	1.073,15
06.320.323	1200 x 500 x 1950	400	3 x 2	1.378,08
06.320.404	1200 x 500 x 1950	300	4 x 2	1.387,33

Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 5023 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 1023

Compartment lockers

Compartment lockers

Compartment lockers with 4 cases on top of each other
- Without interior fittings, smooth doors with cylinder locks, 2 lockers per lock Key. Compartment widths 400 mm suitable for motorcycle helmets.
- Clear opening dimensions per door: 240/340 x 477 x 415 (W x D x H)

Compartment lockers with 5 cases on top of each other
- Without interior fittings, smooth doors with cylinder locks, 2 keys per lock. Compartment widths 400 mm suitable for motorcycle helmets.
- Clear opening dimensions per door: 240/340 x 477 x 328 (W x D x H)

NEW



Best corrosion protection even with floor-standing version due to zinc-plated bottom



Compartment lockers with cylinder lock up to 1000 key numbers, 2 keys each

General wardrobe lockers description see page 596







Compartiment lockers, floor-standing, 4 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.000.204	600 x 500 x 1850	300	2 x 4	798,60
06.000.224	800 x 500 x 1850	400	2 x 4	1.037,53
06.000.304	900 x 500 x 1850	300	3 x 4	1.125,95
06.000.324	1200 x 500 x 1850	400	3 x 4	1.463,88
06.000.404	1200 x 500 x 1850	300	4 x 4	1.477,08

Compartiment lockers floor-standing, 5 cases on top

Item no.	Dim.in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.000.205	600 x 500 x 1850	300	2 x 5	905,53
06.000.225	800 x 500 x 1850	400	2 x 5	1.176,13
06.000.305	900 x 500 x 1850	300	3 x 5	1.285,68
06.000.325	1200 x 500 x 1850	400	3 x 5	1.671,13
06.000.405	1200 x 500 x 1850	300	4 x 5	1.689,60



Compartiment lockers with feet, 4 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.010.204	600 x 500 x 1950	300	2 x 4	851,40
06.010.224	800 x 500 x 1950	400	2 x 4	1.090,33
06.010.304	900 x 500 x 1950	300	3 x 4	1.178,75
06.010.324	1200 x 500 x 1950	400	3 x 4	1.516,68
06.010.404	1200 x 500 x 1950	300	4 x 4	1.529,88

Compartiment lockers with feet, 5 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.010.205	600 x 500 x 1950	300	2 x 5	958,33
06.010.225	800 x 500 x 1950	400	2 x 5	1.228,93
06.010.305	900 x 500 x 1950	300	3 x 5	1.338,48
06.010.325	1200 x 500 x 1950	400	3 x 5	1.723,93
06.010.405	1200 x 500 x 1950	300	4 x 5	1.742,40



Compartiment lockers on base, 4 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.020.204	600 x 500 x 1950	300	2 x 4	891,00
06.020.224	800 x 500 x 1950	400	2 x 4	1.141,80
06.020.304	900 x 500 x 1950	300	3 x 4	1.232,88
06.020.324	1200 x 500 x 1950	400	3 x 4	1.586,65
06.020.404	1200 x 500 x 1950	300	4 x 4	1.599,85

Compartiment lockers on base, 5 cases on top

Item no.	Dim. in mm (WxDxH)	Comp. width in mm	Comp.	Price in €
06.020.205	600 x 500 x 1950	300	2 x 5	997,93
06.020.225	800 x 500 x 1950	400	2 x 5	1.280,40
06.020.305	900 x 500 x 1950	300	3 x 5	1.392,60
06.020.325	1200 x 500 x 1950	400	3 x 5	1.793,88
06.020.405	1200 x 500 x 1950	300	4 x 5	1.812,35

- With doors closing in the middle in pairs and shared
- Safety turning bolt latch= 2 compartments for 1 person. For the
- separation of work- and streetwear in accordance with workplace guidelines. Floor-standing, with feet, on a base or with bench built underneath the locker.
- Bench frame 420 mm high made of square tubing in black-grey, with
- level adjustment 10 mm, seat height 450 mm, seat depth 315 mm.
- Seat bars beech 60x25 mm, rounded on all sides, coated with clear varnish with natural color differences
- Optional seat bars made of plastic material, with zinc-plated steel core for best stability, on request at no extra charge.
- Bench and cabinet separate for easy DIY assembly

NEW



2 compartments per person, both with welded storage shelves, sturdy Gard. bar with 3 anti-rotation



Cylinder locks up to 1000 Key numbers with 2 keys without additional charge on request

General wardrobe lockers description
see page 596







Compartment lockers street/workwear, floor-standing

Item no.	Dimensions in mm (WxDxH)	Compartments	Price in €
06.002.20	600 x 500 x 1850	2	479,15
06.002.22	800 x 500 x 1850	2	623,05
06.002.40	1200 x 500 x 1850	4	838,20

Compartment lockers street/workwear, on base

Item no.	Dimensions in mm (WxDxH)	Compartments	Price in €
06.022.20	600 x 500 x 1950	2	572,88
06.022.22	800 x 500 x 1950	2	727,33
06.022.40	1200 x 500 x 1950	4	960,95

Compartment lockers street/workwear, with feet

Item no.	Dimensions in mm (WxDxH)	Compartments	Price in €
06.012.20	600 x 500 x 1950	2	531,95
06.012.22	800 x 500 x 1950	2	675,85
06.012.40	1200 x 500 x 1950	4	891,00

Compartment lockers street/workwear, on bench

Item no.	Dimensions in mm (WxDxH)	Compartments	Price in €
06.527.20	600 x 500 x 2120	2	745,80
06.527.22	800 x 500 x 2120	2	968,88
06.527.40	1200 x 500 x 2120	4	1.304,15

Housing
RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts
RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 5023 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 1023

Multi-purpose lockers

Laundry and cleaning equipment lockers

- Floor-standing version, with feet or with plinth, with ventilation gills and label holder (smooth doors on request)
- Sturdy steel construction with high-quality enamel coating. **Doors closing in the middle with common safety turning bolt latch for padlock**. All shelves firmly welded

NEW



Cylinder locks up to 1000 Key numbers with 2 keys without additional charge on request

1 Laundry/wardrobe locker
- Middle panel, 4 shelves on the left, changing room rails on the right with 3 double sliding hooks

2 Cleaning equipment locker
- Shortened middle panel, 4 shelves on the left, rod on the rightwith 3 double sliding hooks

3 Material and laundry locker
- Middle panel, 4 shelves left and right



General wardrobe lockers description see page 596



Laundry/wardrobe locker, floor-standing Height 1850 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.600.20	600	300 mm	572,88
06.600.22	800	400 mm	716,75

Floor-standing Cleaning equipment locker Height 1850 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.100.20	600	300 mm	572,88
06.100.22	800	400 mm	716,75

Material and laundry locker, floor- standing Height 1850 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.002.20B	600	300 mm	665,28
06.002.22B	800	400 mm	809,15



Laundry/wardrobe locker with feet Height 1950 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.610.20	600	300 mm	625,68
06.610.22	800	400 mm	769,55

Cleaning equipment locker with feet Height 1950 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.110.20	600	300 mm	625,68
06.110.22	800	400 mm	769,55

Material and laundry locker with feet Height 1950 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.012.20B	600	300 mm	718,08
06.012.22B	800	400 mm	861,95



Laundry/wardrobe locker on base Height 1950 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.620.20	600	300 mm	665,28
06.620.22	800	400 mm	821,05

Cleaning equipment locker on base Height 1950 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.120.20	600	300 mm	665,28
06.120.22	800	400 mm	821,05

Material and laundry locker on base Height 1950 | Depth 500 mm

Item no.	Width mm	Comp. widths	Price in €
06.022.20B	600	300 mm	759,00
06.022.22B	800	400 mm	913,45

Housing

RAL 7016 | RAL 7021 | RAL 7035 | RAL 9016

Fronts

RAL 3000 | RAL 3003 | RAL 5010 | RAL 5012 | RAL 5023 | RAL 6011 | RAL 7016 | RAL 7021 | RAL 7035 | RAL 1023

Many fire stations have to be modernized in order to guarantee the **legally prescribed separation of work**- and streetwear and thus avoid possible contamination carryover. According to DIN 14092 „Fire stations" in Part 1 „Planning principles", this is also one of the key requirements for new buildings.

These Fire service lockers ensure that your personal protective equipment and private clothing are always stored safely and securely and that they dry quickly. Thanks to the combinability of all models, they can be flexibly adapted to your fire station. And in terms of color too: in addition to the classic fire red, there is a wide range of other colors to choose from.

Contact us!

Product features and accessories thought out down to the last detail, e.g.



Black-white separation
Legally compliant Black-white separation to avoidance of carry-over of contamination after use.



Foldable helmet holder
Helmet holder with effective ventilation function, without adjustment, suitable for all common EU helmet manufacturers and sizes, suitable for structure-borne sound microphones.



Ventilation / Drying
Well thought-out ventilation supports the quick drying of the garment.







Other



Terms and conditions Page 606

Index with product names Page 608

Index according to item no. Page 614



Terms and Conditions

GENERAL CONDITIONS OF PAYMENT AND DELIVERY OF BEDRUNKA & HIRTH GMBH BRÄUNLINGEN

1. Scope of validity¬

1.1 The following terms and conditions are applicable to all our offers, sales, deliveries and services and shall form part of the contract unless a separate contractual agreement is concluded in writing. They shall not apply if our contract partner is a private individual and does not act in a professional or commercial capacity. They shall also apply to all future business relationships, even if they are not expressly agreed as being applicable to future orders.

1.2 We hereby expressly reject any and all deviating or supplemental General Terms and Conditions of the Buyer. These shall also not apply if the Buyer has based his order or other declaration upon them or has rejected the applicability of our General Terms and Conditions.

2. Offers and conclusion of contract

2.1 Our offers are non-binding and may therefore be revoked by us prior to delivery for acceptance by the customer and for 2 working days thereafter, unless they have been described as binding in writing. An effective contract therefore comes into existence only through our order confirmation or the despatch of the goods.

2.2 Dimensions, weights, illustrations, drawings and other documents belonging to our non-binding offers shall remain our property and are indicative only. They shall become a binding part of the contract only with our express written confirmation.

3. Doubtful creditworthiness

3.1 If, after concluding the contract, we become aware of circumstances that cause us to have doubts about the Buyer's ability to pay, we may make further deliveries contingent upon the Buyer making advance payment for the goods. We can require the Buyer to make advance payment within an appropriate period and withdraw from the contract if the advance payment is not paid on time; the Buyer can furnish us with collateral in the form of a bank guarantee instead of the advance payment. If we have already delivered the goods, the purchase price shall immediately become due for payment in full, regardless of any agreed payment deadlines.

3.2 Reasons for doubting the Buyer's ability to pay include the initiation of insolvency proceedings over the Buyer's assets or the failure to make payments to us or third parties on time.

4. Prices

4.1 All prices are net, ex works, without packaging, unless agreed otherwise. The prices applicable on the day of delivery shall always apply. In the case of fixed-price arrangements, we are also entitled to bill proportionately for any increase in the price of materials, salary increases and the like. The prevailing rate of statutory VAT shall be added to all prices.

4.2 Unless agreed otherwise in the offer or order confirmation, packaging shall be charged for separately.

4.3 Shipping / transfer of risk

All risks shall transfer to the Buyer upon handover to the haulier and not later than when the goods leave the factory or warehouse. We are at liberty to choose the shipping method.

4.4 Goods reported as available for despatch on the agreed date must be collected without delay, failing which, we are entitled to store the goods at our own discretion at the Buyer's expense and risk and to charge for them as delivered ex works or ex warehouse. The same shall apply if shipping cannot take place due to traffic stoppages or other circumstances beyond our control.

4.5 Statutory value added tax is not included in our prices and the rate applicable on the billing date shall be indicated separately on the invoice.

4.6 If a delivery within the internal market of the EC was treated as tax-free within the scope of the intra-community supply of goods, even though the prerequisites for this were not met, the delivery shall nevertheless be deemed tax-free if the utilisation of the tax exemption is based on the incorrect information provided by the Buyer and we were unable to identify the incorrect nature of this information, even with the due care of a prudent merchant. In this case, the Buyer shall owe the unpaid tax.

4.7 If more than 4 months pass between the date on which the contract is concluded and the date of delivery, without this being due to a delay in delivery for which Bedrunka+Hirth is responsible, and if our applicable price list has changed during this time, we may demand the list price applicable on the date of delivery instead of the agreed purchase price. We will send the Buyer an appropriately amended order confirmation prior to delivery. In this case, the Buyer may withdraw from its order in respect of the goods for which the price has been increased. The Buyer must declare its intention to withdraw by not later than on the fifth day after receiving the amended order confirmation. This declaration may be sent by fax or email.

5. Delivery time

5.1 All indicated delivery dates are non-binding and are agreed as indicative only, unless we have expressly described them as binding. For non-binding delivery dates, a delivery within 14 days of the indicated delivery date shall in any event still be deemed to be a timely delivery.

5.2 If we are unable to adhere to an expressly agreed deadline or fall behind for other reasons for which we are responsible, the Buyer shall grant us an appropriate grace period. If this grace period expires without success, the Buyer shall be entitled to withdraw from the contract.

5.3 If performance becomes temporarily impossible or considerably more difficult for us, whether in full or in part, due to force majeure or for other extraordinary circumstances beyond our control, the agreed delivery time shall be extended by the duration of the obstacle to performance. The same applies to a deadline for the rendering of service set by the law or by the Buyer, in particular for grace periods set in the event of default.

5.4 Prior to the expiry of the delivery time or the performance deadline extended in accordance with para. 3, the Buyer shall not be entitled to withdraw nor to receive compensation. If the obstacle to performance lasts longer than 3 months, both the Buyer and we shall be entitled to withdraw from the contract if the contract has not yet been executed. If the Buyer is entitled to withdraw from the contract in accordance with the contract or the law (e.g. due to a lack of interest) without setting a grace period, this right shall remain unaffected.

5.5 In the event of a delay in delivery that is not based on intent or gross negligence, claims for compensation of all kinds shall be precluded.

6. Shipping and transport risk

6.1 Delivery shall be ex warehouse, which is also the place of performance for the delivery and any supplementary performance. Upon demand from the cus-tomer and at the customer's cost, the goods shall be sent to a different destination (sales shipment). Unless agreed otherwise, we reserve the right to determine the type of shipment (in particular the transport company, dispatch route, pack-aging).

6.2 The risk of accidental destruction and accidental deterioration of the goods shall transfer to the customer upon transfer of the goods at the latest. For mailorder purchases, however, risk of inadvertent destruction and inadvertent deterioration of the goods and the risk of delay shall transfer to the customer upon delivery of the goods to the haulier, freight carrier or other persons or organisations charged with transporting the goods. Insofar as acceptance is agreed, this shall be decisive for the transfer of risk. Moreover, the statutory provisions of the work and services contract law shall apply correspondingly to the agreed acceptance. Transfer or acceptance also applies if the customer is late accepting the goods.

6.3 If the customer is late accepting the goods, if they omit a duty of cooperation or if our delivery is delayed for other reasons attributable to the customer, we reserve the right to demand compensation for resulting damages, including additional costs (e.g. storage costs).

6.4 Unless otherwise expressly agreed in writing, we are authorised to make partial deliveries to a reasonable extent.

6.5 We will charge EUR 7.50 for each notification of delivery requested by the customer that is made by telephone, fax or email

7. Terms of payment

7.1 Our invoices are payable within 10 days from the invoice date with a 2% discount or within 30 days in full.

7.2 The Buyer shall be in default, without any warning by ourselves, if it does not pay the purchase price within 30 days of becoming due and receipt of the invoice or an equivalent demand for payment.

7.3 If the Buyer is late making a payment, all of its payment obligations arising from the business relationship with us shall immediately become due. In this case, we are entitled to demand interest in the legally established amount with effect from the relevant moment. The Vendor reserves the right to provide proof of further damage.

7.4 The Buyer is entitled to set-off, even if complaints or counterclaims are asserted, only if the counterclaims have been legally established, acknowledged by the Vendor or are not in dispute. The Buyer is authorised to exercise its right of retention if its counterclaim is based on the same purchase agreement.

8. Liability

8.1 Information about the properties of goods, as well as references to technical standards in catalogues or other advertising media and our price lists, are for descriptive purposes only and do not form the basis for any guarantee of quality without explicit reference in the order confirmation or in the contract.

8.2 We are not obliged to provide any warranty if the Buyer has not immediately complained about an apparent fault in writing. In the case of hidden faults, which could not be discovered even with careful execution of the obligations of the customer pursuant to Art. 377 German Commercial Code, the complaint shall be raised immediately after the fault has been found. If the product has a fault for which we are responsible and the Buyer complains about it promptly in writing, we will undertake to rectify the fault - to the exclusion of the right of the Buyer to withdraw from the contract or to reduce the purchase price - unless we are entitled to refuse rectification on the basis of a statutory regulation. For each individual fault, the Buyer shall grant us an appropriate period of time in which to effect rectification.

8.3 Rectification can take the form of the elimination of the fault or the delivery of a new product, at the Buyer's option. We are entitled to reject the method of rectification chosen by the Buyer if it is associated with disproportionately high costs. During rectification, a reduction in the purchase price or withdrawal from the contract by the Buyer are precluded. Rectification is deemed to have failed after the second unsuccessful attempt. If rectification has failed or the Vendor has rejected the rectification overall, the Buyer can demand a lowering of the purchase price (reduction) or declare its withdrawal from the contract, at its option.

8.4 The Buyer can only bring claims to compensation under the following conditions because of the fault if the rectification failed or we refused to carry out rectification. The right of the Buyer to bring further claims for compensation under the following conditions remains unaffected.

8.5 In accordance with statutory provisions, we are liable without restriction for intentional or grossly negligent breaches of duty as well as for damage caused by an injury to life, limb or health. Moreover, we shall only be liable if the breached contractual obligation is of material importance for achieving the purpose of the contract and only up to the amount of the typically foreseeable loss.

8.6 The limitation of liability in accordance with para. 5 applies accordingly to other than contractual claims for compensation, in particular claims arising from tortious liability, with the exception of claims in accordance with the German Product Liability Act. It further also applies to the benefit of our executives, employees, workers, representatives and vicarious agents.

8.7 If we have issued a guarantee or quality and/or shelf life in respect of the goods or parts thereof, we shall also be liable within the scope of this guarantee. However, we shall only be liable for damage that is based on the absence of the guaranteed quality or shelf life but does not occur directly on the goods, if the risk of such damage is apparent from the guarantee of quality and shelf life.

8.8 Any further liability is precluded without consideration of the legal nature of the claim brought. Insofar as the Vendor's liability is precluded or limited, this also applies to the personal liability of his executives, employees, workers, representatives and vicarious agents.

8.9 All claims for defects expire 24 months after the transfer or risk, unless any longer periods are mandatorily prescribed pursuant to Articles 438 I (2), 479 I and 634a I (2) German Federal Civil Code.

9. Retention of title

9.1 We shall retain possession of the goods (goods subject to retention of title) until all payments due under the purchase agreement have been received. The delivered goods shall pass into the possession of the Buyer only when the Buyer has fulfilled all of its liabilities under the business relationship, including subsidiary claims, claims for compensation and redemptions of cheques and bills of exchange. In the case of the cheque/bills of exchange procedure, the retention of title in all of its forms listed here shall expire not with the payment by cheque but only with the redemption of the bill of exchange.

9.2 The Buyer shall notify us in writing without delay of all third-party interventions, in particular of enforcement measures and other impairments of its property. The Buyer shall make good all damage and costs we incur, which arise through a breach of this obligation and through necessary measures to protect against third-party interventions.

9.3 If the Buyer does not comply with its obligation to make payment, despite our reminder, we can, without prior notice, demand that the Buyer release the goods that are still in its possession and subject to the retention of title. The Buyer shall bear the transport costs associated with this. The attachment of the matter subject to the retention of title by us always includes a withdrawal from the contract. We are entitled to dispose of the goods subject to the retention of title following their retention. The proceeds of disposal shall be offset against our outstanding claims.

10. Place of fulfilment

The place of fulfilment for payments is Bräunlingen, for our deliveries of goods the place of shipping.

11. Data processing

The Buyer agrees that we may process the data about the Buyer received in connection with the business relationship in accordance with the Federal Data Protection Act for the fulfilment of our business purposes, in particular to store them or transmit them to a credit reference agency, where this is done within the scope of the identified purpose of the contract or required for the preservation of our legitimate interests, and there is no reason to assume that the legitimate interests of the Buyer outweigh the preclusion of the processing of these data, in particular their transmission.

12. Severability clause

Amendments or additions to the contract or these General Terms and Conditions must be made in writing in order to obtain effectiveness. Should a provision of these General Conditions of Delivery and Payment be or become ineffective or unenforceable, this shall not affect the effectiveness of the remaining General Conditions of Delivery and Payment.

13. Jurisdiction and applicable law

13.1 The contractual relationship between the Buyer and ourselves is governed exclusively by the law of the Federal Republic of Germany, even if the Buyer has its place of residence or business abroad. Application of the Uniform Law on the International Purchase of Goods and the Uniform Law on the Formation of Contracts for the International Sale of Goods is precluded.

13.2 The Buyer is not authorised to cede claims arising from the purchase agreement without the permission of the Vendor.

13.3 If the Buyer is a merchant legal entity under public law or a special fund under public law, the place of jurisdiction for both parties - including for complaints regarding cheques and bills of exchange - is Donaueschingen, Germany. We are, however, also entitled to sue the Buyer at its general place of jurisdiction.

Index with product names

Product name	Page
4-foot	368-370, 372-373, 383-385, 393, 429, 453, 455
3rd Level Shelf	241, 346
4-foot- table	368-370, 372-373, 383-385, 393, 429, 453, 455
6- corner group workplace	232-233
8- corner group workplace	234-235
A	
After-Sales Service	20
A-foot Frame	34
Allen Key Set Box	107
Angled Hook	313, 319
Anti-Fatigue Mat	458
Anti-Slip Mat	66, 103
Anti-Slip Mat	106
Armrest	466-467
Assembly	21
Assembly Block	157
Assembly Fixing Element	297
Assembly Frame (AMG)	521
Axle Set	428
B	
Ball Transfer Table	356
Base Frame / Foot Frame	220-221
-4-foot Frame	34-35
-C-foot Frame	34-35
Base Shelf	139
Basic Worktable	
-with C-foot Frame	361-364, 366-367, 383, 386-387, 393, 452, 454
-with 4-foot Frame	361, 368-370, 372-373, 383-385, 393 429, 453, 455
Bench Seat	587, 593-594, 598, 601
Bench Vice	242-243, 245
Bit Holder	314, 319
Bottle Holder	315, 411, 531
Brochure Holder	317, 491
C	
Cabinet	
-Fire-Resistant Cabinet	549
-Hinged Door Cabinet	164-167, 520, 538-540
-Multi-Function Cabinet	542-543
-Sliding Door Cabinet	559-560
-Cabinet with Viewing Window	553, 556, 557
-Heavy-Duty Cabinet	552
-Open Storage Bin Cabinet	546
-Environmental Safety Cabinet	549, 550
Cabinet Workbench	184-213
Cable Holder	315, 319

Product name	Page
Can Holder	477, 481, 491
Cantilever Shelving	582-583
Certificates	7
Certification	7
Chair	568-573
Chip	111, 121
Circuit Breaker	285
Clamp Locking System	342-345, 348-349, 380-381
Cleaning & Utility Cabinet	602
C-foot Frame	361-364, 366-367, 383, 386-387, 393, 452, 454
C-foot Table	361-364, 366-367, 383, 386-387, 393, 452, 454
CNC	3, 30, 39, 134-135, 139, 148-175
-CNC Workstation	160
-Modular System	84, 92, 149-150
-Hinged Door Cabinet	164-167
-Cabinet Workbench	159
-High Storage Cabinet	163
-Mobile Workbenches	163
-Inline and box Workbench	158-159,
-Roller Shutter Cabinet	162
-Rotarex® System	168-171
-Drawer	103, 161, 163, 262-263, 347, 378, 559
-Drawer Cabinet	158, 162
-Transport Trolley	172-175
-Trolley / Cart	173-174
-Workshop Trolley	172
-Accessories	157, 167
CNC Drawer Frame SR	134-135, 155, 161
CNC Rotary Frame	169, 171
CNC Suspension Bracket	139
CNC Table Top Frame (TAG)	154
Colours	27
Column Profile	172-175
Combination Holder	314
Company	4, 5, 7
Compartment Cabinet	589
Compressed Air	229, 239, 283, 354
Computer Cabinet	508
Computer Trolley	510-513
Configurator Tool	6
Consulting	22, 24
Container Carrier	299, 514
Corner Cabinet	230
Corner Shelf Unit	579
Corner Support Bracket	332
Corner Worktop / Corner Plate	345, 378, 380, 381
Counter Flap Door	230
Cover Plate	67, 102, 488-490, 492, 496
Crank Height Adjustment	342-345, 348-349

Product name	Page
Cross Beam	139, 279, 332, 423
Cross Brace	324, 332
Custom Solutions	22-27, 42-43
Cutting Stand	415, 430

D

Desk Top Attachment	520
Diagonal Cross	125
Disinfectant Dispenser	529
Disinfection Products	528-530
Display Cabinet	541
Divider Material	
-for maxmobile 1	104-109
-for maxmobile 2	104-109
-for T500 R 18-16	51, 65, 66
-for T500 R 24-16	57, 65, 66
-for T500 R 36-16	63, 65, 66
-for T736 R 18-24	75, 98, 99
-for T736 R 24-24	83, 98, 99
-for T736 R 36-24	91, 98, 99
-for T736 R 48-24	97, 98, 99
Divider Panel	126
Divider Panel (MRS®)	286, 288, 294, 427
Document Bag	526
Document Holder	286-287, 299, 355, 410, 477, 481
Document Pocket	288
Drawer	
-CNC Drawer	134, 135, 155
-for Hinged Door Cabinet	167
-for maxmobile System	471
-for Roller Shutter Cabinet	162
-for Drawer Cabinets / Workbenches / MRS®	47, 53, 59, 63
Drawer Cabinet	
-CNC Drawer Cabinet	158-162
-Mobile Drawer Cabinet	491-492
Drill & Hex Key Holder	314, 316, 318, 319

E

Electrode	447-451
Electronic Lock	110-113, 121
Emergency Stop Switch	229, 239, 283
End Stop	326
Environmental Safety Cabinet	549, 550
Equipment / Setup	28
Equipment Rail	277, 375-376
Ergonomics	31-32
ESD (Electrostatic Discharge)	
-ESD Workstation	16, 33, 160, 300, 398, 404, 408, 447, 561
-ESD Supply Trolley	445, 454, 464, 514, 516, 518
-Measuring & Testing Equipment	450
-ESD Chair	463
-ESD Accessories	457
Euro Storage Bins	248, 515
Expansion Roller	370, 429, 471

F

File Shelf Unit	577
Fire Brigade Cabinet	597
Fire-Resistant Cabinet	547
Fixed Caster	470, 471, 473, 479, 494, 496
Flex-Box Storage System	257-260, 531
Floor Anchoring Kit	124, 370, 409
Foil Labeling	29
Folder Holder	288, 317
Footrest	256, 346, 569, 574
Frame Attachment	241

G

Glides	411
Grid Divider System	36, 43, 177-178, 340, 472, 486, 494
Grounding Box	457
Grounding Cable	457
Grounding Module	457
Grounding Terminal Strip	457
Group Workstation	232-235
Guide Angle Bracket for workline	357
Guide Rail for workline	357

H

Half Shelf Panel	138-139
Hanging Drawer	261, 327
Hanging File Frame	538-540
Hanging Module for workline	347
Hanging Module for workraster	333
Heavy-Duty Cabinet	552
Heavy-Duty Table	398, 406, 409, 412-413
Height-Adjustable Heavy-Duty Tables	393
Height Adjustment	
-Electric Height Adjustment	342-345, 380-381, 420
-Clamp Locking System	342-345, 348-349, 380-381
-Crank Height Adjustment	342-345, 348-349
-Retrofit Kit	344
-Incremental Adjustment System	323
Hex Key Holder	314, 319, 491
Hinged Door	
-for maxmobile System	471
-for Mobile Workbench	502-504, 506
-for MRS® System	140

Index with product names

Product name	Page
-for Workbench	184-196
Hinged Door Cabinet	164-167, 520, 538-540
Hook Assortment Set	315-319
Hose Holder	317
hydline System	31, 393, 406-409
I	
Impact Protection	581
Industry 4.0	10, 12, 14, 16
Information Board	250
Information Point	529
Inline Workbenches	218-229
Installation Protection Cover	285
K	
Kubik 5S System	528
Kubik System	528-530
L	
Label Strip	64, 98
Laptop Shelf Insert	477, 481
Laser Cutting	29
LED Workstation Lamp	303-304, 306
Leveling Plate	124
Lift & Lower Base Frame	217
Lift Unit for Vice	242, 245
Lighting	170, 265, 300-301, 375
L-foot Frame	323
Locking Systems	120, 121
Long-Span Shelving Rack	580
M	
Machine Holder	313, 319, 497
Magnet Holder	313
Magnetic Frame	251
Magnetic Wall Panel	279, 294
Magnets	313
Magnifying Lamp	310
Manufacturing	20
Manufacturing	20
Market Segments	9
maxmobile System	469-485
-Tool Set	477, 481
MDF Tool Panels	100
Measuring & Testing Equipment	450
Memory Hand Control Switch	367, 374, 384, 386, 396, 402
Mesh Trolley	527
Metal Divider System	
-Individual Divider Elements	64, 98
-Metal Divider Set	51, 57, 63, 75, 83, 91, 97, 131, 133
Mobile Systems	
-Mobile CNC Workbench	161
-Mobile Computer & Test Stations	469
-Mobile Drawer Cabinet	486-497
-Mobile Workbench	498-507
-Workshop Trolley	172, 493
-workergo Mobile System	584-585
-workline Mobile System	584-585
-workraster Mobile System	532-535
Mobile Base Frame	520
Mobile Logistics Systems	466
Mobile Office	509
Monitor Mount	279, 287, 290-291, 312, 355, 376, 423, 427
Monitor Top Housing	508, 510-513
Mounting Angle Bracket	157, 161
Mounting Bar for Packing Table	419
Mounting Rail for Open Storage Bins	476, 531, 543
Mounting Stand	339, 352-354, 410
Mouse pad tray	511, 513
MRS® Modular Shelving System	114
Multi-Function Cabinet	542-543
Multi-Purpose Cabinet	588, 602
Multi-Purpose Shelving Unit	576
Multi-Trolley	464, 514-515
Multi-Wall Modular System	264-278
O	
Open-Fronted Storage Bin	237, 249, 279, 287, 299, 312, 410 460-461, 476, 491, 493, 497, 531, 542-543, 546-547
P	
Packing Workstation	414
Pallet Rack	581
Pallet Truck Base Support	67, 103,
Panel Connector	435, 442
Panel Cover	237
Panel Labeling	29
Partition Wall (MRS®)	125
PC Holder	272
pCon Design Software	25
Pen Holder	317, 319
Perforated Panel Assembly	477, 481
Perforated Side Panel	256, 477, 481
Perforated Tool Board	138-139, 279, 294, 299, 312, 317
Picking & Supply Trolley	445, 454, 464, 469, 514, 516, 518
Pictogram Overview	30
PIN Code	110-113, 120 -121, 180-181
Planning	7, 24

Product name	Page
Planning	22
Plastic Worktop Panel	441
Pliers Holder	138, 313, 319
Power Add-On for Group Workstation	233, 235
Power Block	228-229
Power Rail Mounting Bracket	238, 281, 283, 376
Power Socket Strip	229, 239, 284, 399, 410
Power Supply Rail	237-238, 265, 281-284, 376
powerline System	393, 395-396, 398, 401-402, 404-405
Product Range	8
Project Consulting	22-25
Pull-Out Keyboard Tray	256, 261, 288, 423
Pull-Out Printer Shelf	418-419
Pull-Out Shelf for Hinged Door Cabinet	167
Punch Tool	108, 482
Push Handle	67, 103
Push-Through Safety Stop	581

R

Reach Optimization	151
Rear Panel	439, 503-504, 506
Rear Wall Panel	125, 202, 206, 210
Reel Holder	314
Reel Stand	430
Residual Current Circuit Breaker (RCD)	285
Retaining Bracket for MRS® System	139
Retaining Bracket for Perforated Shelves	425
RFID System	110-113, 120-121, 180-181, 545
Ribbed Rubber Mat	51, 57, 63, 66, 103
Ring Spanner Holder	314, 318
Roller Configurations	469-471
Roller Conveyor	334-335, 358-359
Roller Holder	317, 411, 423, 531
Roller Shutter Cabinet	162-163, 288
Roller Track	324, 335, 356
Roll-off Edge	67, 102, 315, 488-490, 492-493, 496
RotaRex® System	168
Round Tool Holder	138, 313, 319, 497

S

Saw Holder	315
Scale	429
Scanner Holder	425
Screen Printing	29
Screwdriver Holder	314, 319
Screwdriver Storage Box	107
Service	7, 17, 20
Service Hotline	20
Shelf	
-for Hinged & Sliding Door Cabinets	538-540, 547, 559
-for Mobile Workbenches	502-504, 506
-for MRS® System	126
-for Multi-Wall Systems	423, 425
-for Packing Tables	422, 424, 426
-for Shelving Units	578-581
-for Drawer Cabinets	67, 103, 470
-for Wall-Hung Cabinet	252, 253
-for Workbenches	184-196
-for workergo System	376
-for workline System	353
Shelf Set with Cylinder Lock (MRS®)	129, 136
Shelf Support for Roller Shutter & CNC Frames	162
Shelving Unit	575-585
Side Cover Panel	477, 481
Side End Panel	125
Side Flap	480
Side Sheet Metal Panel	126
Side Table	429
Sliding Carriage	276
Sliding Door Cabinet	559-560
Small Parts Storage Bins	
-Individual Small Parts Bins	104, 105
-Small Parts Bin Set	51, 57, 63, 75, 83, 91, 97, 131, 133, 505
Slotted Wall Panel	279, 287, 410
Socket Holder	314, 319
Soft-Close System	68, 72, 74, 78, 80, 82, 86, 88, 90
Sorting Rack	251
Spacer Strip for Plastic Dividers	104, 105
Spare Parts	104-105, 110-113
Specialist Retail Partner	22
Spiral Cable	457
Spring Balancer	276, 411
Spring Balancer	276
Stackable Stool	567
Stackable Storage Bin	248-249
Standard Colours	27
Standing Support Stool	569
Stool	465
Storage Bin	248, 249
Storage Box	315, 411, 491, 497
Storage Shelf	315
Supply Slide	288
Support Column	276, 292, 296, 350, 423, 425
Support Foot	332
Support Frame (MRS®)	124
Support Shelf Insert	477, 481
Swing Door	230
Swivel Arm	286-288, 298, 355, 376, 410

Index with product names

Product name	Page
Swivel Arm Bracket	286
Swivel Caster	476, 480, 492-493, 500, 502-504, 506
Swivel Frame	286-287, 292-295, 355, 410
Swivel Stool	566

T

T500 Series	
-Custom Configuration Options	64-87
-Mobile Units	486-493
-Drawer Cabinet System	42-62
T736 Series	
-Custom Configuration Options	98-99
-Mobile Units	494-497
-Drawer Cabinet System	68-98
Table Scale	431
Table Trolley / Cart	523-524
Tablet Holder	288, 291, 298
Terms & Conditions	606
Through plates	
-single through plates	104
-through plates sets	51, 57, 63, 75, 83, 91, 97, 131, 133
Tipping container	522
Toggle Switch	239, 283
Tool Clamp	138, 313, 497
Tool Holder	138, 313-315, 319, 411
Tool Holder Base Shelf (WAB)	175
Tool Holder Box	314
Tool Holder Carrier (WAT)	134, 135, 156, 161
Tool Holder Frame (WAR)	162-165, 167
Tool Insert Modules	152-153
Transport Trolley	65, 99, 562-563
Tray for Transport Trolley	526
Trolley	516-519
TSM® System	10, 12-13
Tube Holder	314-315
Turntable	241-243, 454
TÜV Certified	21
Twist Drill Box	107

U

Underbench Cabinet for workergo	376
Underbench Cabinet for workline	345
Underbench Hanging Cabinet	255
Universal Accessories	237, 241, 256
Universal Lamp	301, 302
Universal Shelf Panel (MRS®)	127
Upper Frame	277, 375-376

V

Vertical Pull-Out System	136, 138-139, 143

Product name	Page

W

Wall End Panel	122
Wall-Hung Cabinet	252
Wardrobe Cabinet	590-593
Warranty	21
Waste Bin	477, 481
Whiteboard	526
Wooden Top Panel for maxmobile	477, 481
Work Chair	562, 568-573
Work Stool	565-566
workalu System	31, 415, 432-433
Workbench	
-Hexagonal / Octagonal Workbench	232, 234
-CNC Workbench	158-160
-Cabinet Workbench	184-213
-Mobile Workbench	498-507
-Workbench Line System	158-159
Workbench Cover Plate	67, 102
Workbench Mounting Bracket	311
Workbench Top Panel	331, 335, 337, 380-381, 397, 403
workergo ESD Workstation	450
workergo Mobile Version	370
workergo System	3, 31, 34, 39, 360-381, 429, 445, 452-455, 471, 585
workline ESD Version	454
workline System	3, 31, 34, 39, 324, 338-359, 445, 456, 585
Workpiece Carrier	326, 332, 357
Workpiece Carrier Rail	357
workraster ESD Version	453
workraster Mobile Version	532-535
workraster System	3, 31, 39, 320-337, 445, 455, 469, 532-535, 585
Workshop Concept	18-19
Workshop Trolley	172, 493
Workstation Lamp	302-306, 309, 376
Workstation Mat	255
Workstation Systems	392-433
Worktop	
-Beech Multiplex Worktop	435-438
-ESD Conductive Surface	517, 568, 570, 574
-Plastic Worktop	441
-MDF Worktop	440-442
-With Steel Cover / Edge Protection	437
-Beech Worktop	397, 403, 435, 438
-Melamine-Coated Chipboard Worktop	397, 403
Worktop End Finish / Edge Trim	435, 439
Wrench Holder	314, 318
Wrist Strap (ESD)	447

Z

Zinc Sheet Cover	526

Index according to item no.

Item no.	Page
130	83,131
30.050.050	99
01.032	262
01.033	262,378
01.034	262,378
01.035	262,354
01.040	46
01.040M125	488
01.040M80	488
01.0411	46
01.0412	46
01.0413	46
01.0414	46
01.0415	46
01.044	46
01.045	46
01.046	46
01.046.008	67
01.046.009	67,510
01.046.012	67,538
01.046M125	488
01.046M80	488
01.047	46
01.047M125	488
01.047M80	488
01.048	46
01.048M125	488
01.048M80	488
01.049	46
01.049M125	488
01.049M80	488
01.050.001	110,120,121
01.050.002	110
01.050.003	110
01.050.005B	110
01.050.007-1	98
01.050.009	103
01.050.012	103
01.050.013	102,224,226
01.050.550EL	224,226
01.050.550ER	224,226
01.050.700EL	101,224,226
01.050.700ER	101,224,226
01.050.800EL	101
01.050.800ER	101
01.050.900EL	101
01.050.900ER	101
01.052	262
01.0520	263,378
01.053	262,378
01.053.007-1	64
01.053.450E	184,188
01.053.500E	493,500
01.053.600E	184,188
01.053.700E	66, 492
01.053.800E	66
01.053.900E	66
01.0530	263,378
01.054	262,378
01.0540	263,378
01.055	262,354
01.060	52
01.060M125	489
01.060M80	489
01.0611	52
01.0612	52
01.0613	52
01.0614	52
01.0615	52
01.065	52
01.066	52
01.066M125	489
01.066M80	489
01.067	52
01.067M125	489
01.067M80	489
01.068	52
01.068.007-1	64
01.068.008	67
01.068.009	67,510
01.068.012	67,539
01.068.450E	186,188
01.068.600E	186,188
01.068.700E	66
01.068.800E	66
01.068.900E	66
01.068M125	489
01.068M80	489
01.069	52
01.069M125	489
01.069M80	489
01.070.007-1	98
01.070.009	103
01.070.012	103
01.070.013	102
01.070.700EL	101
01.070.700ER	101
01.070.800EL	101
01.070.800ER	101
01.070.900EL	101
01.070.900ER	101
01.090	58
01.090M125	490
01.090M80	490
01.0911	58
01.0912	58
01.0913	58
01.0914	58
01.0915	58
01.095	58
01.096	58
01.096M125	490
01.096M80	490
01.097	58
01.097M125	490
01.097M80	490
01.098	58
01.098.007-1	64
01.098.008	67
01.098.009	67,509,510
01.098.012	67,540
01.098.700E	66
01.098.800E	66
01.098.900E	66
01.098.BLFL	66
01.098M125	490
01.098M80	490
01.099	58
01.099M125	490
01.099M80	490
01.100.007-1	98
01.100.009	103
01.100.012	103
01.100.013	102
01.100.700E	101
01.100.800E	101
01.100.900E	101
01.100.BLFL	101
01.130.007-1	98
01.130.012	103
01.130.013	102
01.130.700E	101
01.130.800E	101
01.130.900E	101
01.130.BLFL	101
01.ASF50-M8	67,103
01-00206	162
011057364TRA	102
011307364TRA	102
014500221	249
014500222	249
014500223	249
014500224	249
014500225	249
0153504TRA	67
015500221	249
015500222	249
015500223	249
015500224	249
015500225	249
015557364TRA	102
016500221	249
016500222	249
016500223	249
016500224	249
016500225	249
0168504TRA	67
017057364TRA	102
017500221	249
017500222	249
017500223	249
017500224	249
017500225	249
018500221	249
018500222	249
018500223	249
018500224	249
018500225	249
019500221	249
019500222	249
019500223	249
019500224	249
019500225	249
0198504TRA	67
01ESCHLOSSPS	111,121
01ESCHLOSSVS	111,121
01NIPINFL2	113,120,181
01NIPINFLLI	113,120,181
01NIPINFLRE	113,120,181
01NIPINSLAUF	113,120,181
01NIPINSLEIN	113,120,181
01NIPINSLEINV	121
01NIPINSLEINZ	113,120,181
01NIRFIDFL2	113,120,181
01NIRFIDFLLI	113,120,181
01NIRFIDFLRE	113,120,181
01NIRFIDSLAUF	113,120,181
01NIRFIDSLEIN	113,120,181
01NIRFIDSLEINV	121
01NIRFIDSLEINZ	113,120,181
01PINFL2	112,120,180
01PINFLLI	112,120,180
01PINFLRE	112,120,180
01PINSLAUF	112,120,180
01PINSLEIN	112,120,180
01PINSLEINV	120,121
01PINSLEINZ	112,120,180

Item no.	Page
01RFIDFL2	113,120,180
01RFIDFLLI	113,120,180
01RFIDFLRE	113,120,180
01RFIDSLAUF	113,120,180
01RFIDSLEIN	113,120,180
01RFIDSLEINV	120,121
01RFIDSLEINZ	113,120,180
02.092.01	174
02.092.02	174
02.095.03 VA	162,163
02.1000.1	169
02.1000.2	169
02.1000.3	169
02.1080.4V	162
02.117.04.01	165
02.118.05.01	164
02.140V	158
02.33.87.60	134,135,157,161,172
02.560.31	157
02.560.41	157
02.560.51	157
02.580.05V	172
02.580V86	159
02.705.30	157
02.705.40	157
02.705.50	157
02.708.100	157
02.708.32	157
02.708.40	157
02.708.50	157
02.708.63	157
02.708.80	157
02.709.25	157
02.709.30	157
02.709.40	157
02.709.50	157
02.780.04V	172
02.85.01	173
02.85.06	173
02.85.07	173
02.85.08	173
02.86.01	173
02.86.07	173
02.8705.100	156,161,172,174
02.8705.200	154
02.8705.400	154,160
02.8705.500	
02.8707.100	134,156,160,172,173,174
02.8707.200	154
02.8707.400	154
02.8707.500	134,155,160,172
02.8708.100	156
02.8710.100	135,156,173
02.8710.500	135,155
02.88.00	174
02.88.01	174
02.89.01	163
02.89.WAT.01	157,160,161
02.89W140	167
02.89WAR9005	164,165,167
02.89WARA900	164,165,167
02.89WARG900	162,163
02.910.01	160,175
02.910.02	160,175
02.95.01	163
02.95.01.01	163
02.98.00	162
02.BELROT	170
02.R01	169

Item no.	Page
02.R560130	171
02.R560140	171
02.R560150	171
02.R560225	171
02.R560230	171
02.R560240	171
02.R560250	171
02.R560330	171
02.R560340	171
02.R560350	171
02.R570100	171
02.R570103	171
02.R570104	171
02.R570105	171
02.R570106	171
02.R570108	171
02.R5701100	171
02.R570132	171
02.R570140	171
02.R570150	171
02.R570163	171
02.R570180	171
02-00108	216
02-00109	216
02-00110	216
02-00113	216
02-00212	216
02-00218	216
02-00793	216
03.0.06.05KA	229
03.00.32	442
03.00.33	216
03.00.34	216,370,409
03.050.400EL	502
03.050.400ER	502
03.050.450L	190,194,196,198,204,206,208,212
03.050.450R	190,194,196,198,204,206,208,212
03.050.600	190,194,196,198,204,206,208,212
03.055.00	215
03.055.001	190
03.055.001-9	190
03.055.00-9	215
03.055.01V	190
03.055.01V9	190
03.055.05V	190
03.055.05V9	190
03.055.06V	190
03.055.06V9	190
03.055.07V	191
03.055.07V9	191
03.055.08V	191
03.055.08V9	191
03.055.09V	191
03.055.09V9	191
03.055.10V	191
03.055.10V9	191
03.055.11V	191
03.055.11V9	191
03.055.12V	191
03.055.12V9	191
03.06.0100	247
03.06.0120	247
03.06.0125	247
03.06.0140	247
03.06.0150	247
03.06.0160	247
03.06.0180	247
03.06.1100	247
03.06.1120	247

Item no.	Page
03.06.1125	247
03.06.1140	247
03.06.1150	247
03.06.1160	247
03.06.1180	247
03.06.2100	247
03.06.2120	247
03.06.2125	247
03.06.2140	247
03.06.2150	247
03.06.2160	247
03.06.2180	247
03.06.3100	247
03.06.3120	247
03.06.3125	247
03.06.3140	247
03.06.3150	247
03.06.3160	247
03.06.3180	247
03.06.4100	247
03.06.4125	247
03.06.4140	247
03.06.4150	247
03.06.5100	247
03.06.5125	247
03.06.5140	247
03.06.5150	247
03.068.103	220
03.068.103-75	220
03.068.221	220
03.068.221-75	220
03.070.400E	506
03.070.450L	192,200,202,210
03.070.450R	192,200,202,210
03.070.600	192,200,202,210
03.075.00	215
03.075.001	192
03.075.001-9	192
03.075.00-9	215
03.075.01V	192
03.075.01V9	192
03.075.03V	192
03.075.03V9	192
03.075.05V	193
03.075.05V9	193
03.075.06V	192
03.075.06V9	192
03.075.08V	193
03.075.08V9	193
03.075.09V	193
03.075.09V9	193
03.075.10V	193
03.075.10V9	193
03.075.11V	193
03.075.11V9	193
03.075.12V	193
03.075.12V9	193
03.098.103	221
03.098.103-75	221
03.098.221	221
03.098.221-75	221
03.1.06.06SA	229
03.10.00	215
03.10.000.6	413
03.10.001.6	413
03.10.001FB	413
03.10.00-9	215
03.10.14.01	375
03.10.25	436

Index according to item no.

Item no.	Page
03.10.40	215,388,436
03.10.40RB	438
03.10.50	436
03.10.50RB	438
03.1000.03	563
03.1000.04	563
03.1000.13	563
03.1000.14	563
03.1000.30	562
03.1060.25	436
03.1060.40	388,436
03.1060.40RB	438
03.1060.50	436
03.1060.50RB	438
03.1090.25	436
03.1090.40	388,436
03.1090.40RB	438
03.1090.50	436
03.1090.50RB	438
03.1094.03	210
03.1094-00	192,200,202,210,506
03.1094-01	190,194,196,198,204,206,208,212
03.10SLT0.6	412
03.10SLT1.6	412
03.12.00	215
03.12.001	194
03.12.001-9	194
03.12.00-9	215
03.12.04V	195
03.12.04V9	195
03.12.05V	195
03.12.05V9	195
03.12.06V	195
03.12.06V9	195
03.12.07V	195
03.12.07V9	195
03.12.08V	195
03.12.08V9	195
03.12.13V	194
03.12.13V9	194
03.12.14.01	375
03.12.15V	194
03.12.15V9	194
03.12.17V	195
03.12.17V9	195
03.12.98	241
03.12/60.25	513
03.125.25	367,436
03.125.40	215,388,397,436
03.125.40RB	397,438
03.125.50	397,436
03.125.50RB	397,438
03.1260.25	367,436,509
03.1260.40	388,436
03.1260.40RB	438
03.1260.50	436
03.1260.50RB	438
03.1290.25	436
03.1290.40	388,436
03.1290.40RB	438
03.1290.50	436
03.1290.50RB	438
03.14.00	215
03.14.001	196
03.14.001-9	196
03.14.002	198
03.14.002-9	198
03.14.002-9GL	198
03.14.002GL	198
03.14.00-9	215
03.14.04V	197
03.14.04V9	197
03.14.05V	197
03.14.05V9	197
03.14.06V	197
03.14.06V9	197
03.14.07V	197
03.14.07V9	197
03.14.08V	197
03.14.08V9	197
03.14.11V	198
03.14.11V9	198
03.14.13V	196
03.14.13V9	196
03.14.16V	270
03.14.17V	196
03.14.17V9	196
03.14.21V	199
03.14.21V9	199
03.14.22V	199
03.14.22V9	199
03.14.23-LV	199
03.14.23-LV9	199
03.14.24-LV	199
03.14.24-LV9	199
03.14.26-LV	199
03.14.26-LV9	199
03.14.27-LV	199
03.14.27-LV9	199
03.14.30	214
03.14.30-9	214
03.14.30KS	260
03.14.31V	214
03.14.31V-9	214
03.14.32V	214
03.14.32V-9	214
03.14.33V	197,268
03.14.33V9	197
03.14.520V	272
03.15.000.2	222
03.15.000.3	222
03.15.000.6	413
03.15.000.E1	228
03.15.001	200
03.15.001.6	413
03.15.001-9	200
03.15.001FB	413
03.15.002	202
03.15.002-9	202
03.15.022V	202
03.15.022V9	202
03.15.026V	203
03.15.026V9	203
03.15.027V	203
03.15.027V9	203
03.15.028V	203
03.15.028V9	203
03.15.029V	203
03.15.029V9	203
03.15.030V	203
03.15.030V9	203
03.15.031V	203
03.15.031V9	203
03.15.07V	200
03.15.07V9	200
03.15.14.01	375,376, 389
03.15.21V	201
03.15.21V9	201
03.15.23V	201
03.15.23V9	201
03.15.25	367,373,436
03.15.31V	201
03.15.31V9	201
03.15.32V	201
03.15.32V9	201
03.15.37V	268
03.15.40	158,215,222,388,397,403,436
03.15.40.07	406
03.15.40HV	408,409
03.15.40HVS	406,408,409
03.15.40RB	397,403,438
03.15.41V	201
03.15.41V9	201
03.15.50	397,403,436
03.15.50HV	409
03.15.50HVS	409
03.15.50RB	397,403,438
03.15.520.1HVV	223
03.15.520.1V	223
03.15.520.2V	223
03.15.520HVV	223
03.15.535.2HVV	223
03.15.535.2V	223
03.15.54V	201
03.15.54V9	201
03.15.580.001	224
03.15.580.002	226
03.15.580.112V	227
03.15.580.202V	227
03.15.580.212V	227
03.15.580.222V	227
03.15.580.232V	227
03.15.580.2V	225
03.15.580.4V	225,269
03.15.580.5-1V	225
03.15.580.5V	224
03.15.580.6-1V	225
03.15.580.6V	225
03.15.580.7-1V	226
03.15.580.7V	224
03.15.580.8V	225
03.15.580.9E	228
03.15.580.9V	226
03.15.66	232
03.15.88	234
03.15.95	184,186,188,190,192,194,196,198,200
03.15.98	241
03.1560.25	220,367,373,436
03.1560.40	220,388,436
03.1560.40RB	438
03.1560.50	436
03.1560.50RB	438
03.1590.25	373,436
03.1590.40	388,403,436
03.1590.40RB	403,438
03.1590.50	403,436
03.1590.50RB	403,438
03.15SLT0.6	412
03.15SLT1.6	412
03.17.00	215
03.17.00-9	215
03.1760.25	436
03.1760.40	388,426
03.1760.50	436
03.1775.25	436
03.1775.40	215,388,436
03.1775.50	436
03.1790.25	436

Item no.	Page
03.1790.40	388,436
03.1790.50	436
03.19.00	215
03.19.001	208
03.19.001-9	208
03.19.002	206
03.19.002-9	206
03.19.003	204
03.19.003-9	204
03.19.003-9GR	204
03.19.003GR	204
03.19.00-9	215
03.19.10V	205
03.19.10V9	205
03.19.11V	205
03.19.11V9	205
03.19.12V	204
03.19.12V9	204
03.19.13V	205
03.19.13V9	205
03.19.17V	205
03.19.17V9	205
03.19.18V	205
03.19.18V9	205
03.19.19V	205
03.19.19V9	205
03.19.24V	206
03.19.24V9	206
03.19.25V	207
03.19.25V9	207
03.19.27V	207
03.19.27V9	207
03.19.28V	207
03.19.28V9	207
03.19.29V	207
03.19.29V9	207
03.19.30	214
03.19.30-9	214
03.19.31V	214
03.19.31V-9	214
03.19.32.1V	214
03.19.32.1V-9	214
03.19.32V	208
03.19.32V9	208
03.19.33V	209
03.19.33V9	209
03.19.34V	209
03.19.34V9	209
03.19.35V	209
03.19.35V9	209
03.19.36V	209
03.19.36V9	209
03.19.37V	271
03.19.38V	271
03.19.42V	207
03.19.42V9	207
03.19.44V	209
03.19.44V9	209
03.19.45V	207
03.19.45V9	207
03.19.46V	209
03.19.46V9	209
03.20.000.2	222
03.20.000.3	222
03.20.000.6	413
03.20.000.E1	228
03.20.001	210
03.20.001.6	413
03.20.001-9	210

Item no.	Page
03.20.001FB	413
03.20.03V	210
03.20.03V9	210
03.20.04V	211
03.20.04V9	211
03.20.11V	211
03.20.11V9	211
03.20.13V	211
03.20.13V9	211
03.20.14.01	375
03.20.14V	211
03.20.14V9	211
03.20.15V	211
03.20.15V9	211
03.20.16V	270
03.20.18V	211
03.20.18V9	211
03.20.25	367,373,436
03.20.34V86	159
03.20.34V96	159
03.20.40	158,160,215,222,388,397,403,436
03.20.40HV	409
03.20.40HVS	409
03.20.40RB	397,403,438
03.20.50	397,403,436
03.20.50HV	409
03.20.50HVS	409
03.20.50RB	397,403,438
03.20.520.1HVV	223
03.20.520.1V	223
03.20.520.2V	223
03.20.520HVV	223
03.20.535.2HVV	223
03.20.535.2V	223
03.20.580.001	224
03.20.580.002	226
03.20.580.11V	227
03.20.580.20V	227
03.20.580.21V	227
03.20.580.22V	227
03.20.580.23V	227
03.20.580.2V	225
03.20.580.3V	273
03.20.580.4V	225,269
03.20.580.5-1V	225
03.20.580.5V	224
03.20.580.6-1V	225
03.20.580.6V	225
03.20.580.7-1V	226
03.20.580.7V	224
03.20.580.8V	225
03.20.580.9E	228
03.20.580.9V	226
03.20.98	241
03.2014.01-1	375
03.2018-01	215
03.2018-01D	215
03.2018-02	215
03.2018-02D	215,424
03.2018-05	215
03.2018-05D	215
03.2018-06	215
03.2018-06D	215
03.2018-07	215
03.2018-07D	215
03.2018-08	215
03.2018-08D	215
03.2018-09	215
03.2018-09D	215

Item no.	Page
03.2018-10	222
03.2018-11	222
03.2060.25	221,367,373,436
03.2060.40	221,388,436
03.2060.40RB	438
03.2060.50	436
03.2060.50RB	438
03.2090.25	373,436
03.2090.40	403,436
03.2090.40RB	403,438
03.2090.50	388,403,436
03.2090.50RB	403,438
03.20SLT0.6	412
03.20SLT1.6	412
03.25.00	215
03.25.001	212
03.25.001-9	212
03.25.00-9	215
03.25.1532V	213
03.25.1532V9	213
03.25.2222V	212
03.25.2222V9	212
03.25.2342V	213
03.25.2342V9	213
03.25.25	436
03.25.3131V	213
03.25.3131V9	213
03.25.40	215,436
03.25.40RB	438
03.25.4433V	213
03.25.4433V9	213
03.25.50	436
03.25.50RB	436
03.25.5541V	436
03.25.5541V9	213
03.25.6432V	213
03.25.6432V9	213
03.25.98	241
03.2560.25	436
03.2560.40	436
03.2560.40RB	436
03.2560.50	436
03.2560.50RB	436
03.2590.25	436
03.2590.40	436
03.2590.40RB	436
03.2590.50	436
03.2590.50RB	438
03.30.57.14V	227
03.40.57.14V	227
03.456300.45	257
03.456300.63	257
03.456301.45	257
03.456301.63	257
03.456302.45	257
03.456302.63	257
03.456303.45	257
03.456303.63	257
03.456304.45	257
03.456304.63	257
03.50.01	220,221
03.50.02	220,221
03.509204	419
03.53/50.25	510
03.5340.35	428
03.55498	248,515
03.55501	248,515
03.55504	248,515
03.58.20	232

Index according to item no.

Item no.	Page
03.58.21	234
03.66.05V	232
03.66.11/450V	232
03.66.2.111V	232
03.66.73/BL	233
03.66.73/BL2	233
03.66.73-1	233
03.66.73-3	233
03.700030	416
03.700050	416
03.700080	416
03.700120	416
03.700140	416
03.74.16	285
03.74.17	285
03.74.18	285
03.74.19	285
03.74.20	285
03.74.21	285
03.7560.25	436
03.7560.40	388,426
03.7560.50	436
03.7575.25	436
03.7575.40	215,388,436
03.7575.50	436
03.7590.25	436
03.7590.40	388,436
03.7590.50	436
03.785.001-1	110,120
03.81.25	436
03.81.40	215,436
03.81.40RB	438
03.81.50	436
03.81.50RB	438
03.83.736	256
03.84.04	244
03.84.05	244
03.84.06	244
03.84.07	244
03.84.08	244
03.84.100	245
03.84.120	245
03.84.140	245
03.84.160	245
03.84.20	244
03.84.21	244
03.84.22	244
03.84.23	244
03.84.31	244
03.84.32	244
03.85.120	245
03.85.140	245
03.86.100	245
03.86.120	245
03.86.121	245
03.86.140	245
03.86.141	245
03.86.160	245
03.861.04	238,283
03.87.043-1	311
03.87.044-1	311
03.87.100	319
03.87.101	319
03.87.101-1	311
03.87.102	319
03.87.102-1	311
03.87.103	319
03.87.103-1	311
03.87.104	319
03.87.104-1	311
03.87.105	319
03.87.106	319
03.87.107	319
03.87.108	319
03.87.109	319
03.87.110	319
03.87.111	319
03.87.112	319
03.87.113	319
03.87.114	319
03.87.115	319
03.87.116	319
03.87.120	319
03.87.121	319
03.87.122	319
03.87.123	319
03.87.124	319
03.87.125	319
03.87.126	319
03.87.127	319
03.87.128	319
03.87.130	319
03.87.133	319
03.87.134	319
03.87.135	319
03.87.136	319
03.87.140	319
03.87.141	319
03.87.142	319
03.87.143	319
03.87.144	319
03.87.145	319
03.87.148	319
03.87.149	318
03.87.150	318
03.87.151	319
03.87.152	319
03.87.180	319
03.87.19	315
03.87.301	313
03.87.302	313
03.87.303	313
03.87.304	313
03.87.305	313
03.87.306	313
03.87.307	313
03.87.311	138,313
03.87.312	138,313
03.87.313	138,313
03.87.318	313
03.87.322	138,313,411
03.87.323	138,313,411
03.87.324	138,313,411
03.87.325	315
03.87.326	315
03.87.327	315
03.87.331	138,313
03.87.332	138,313
03.87.333	138,313
03.87.334	138,313
03.87.335	138,313
03.87.341	138,313,497
03.87.342	138,313,497
03.87.343	138,313,497
03.87.344	138,313,497
03.87.345	138,313,497
03.87.350	317
03.87.355	138,313,497
03.87.357	313,497
03.87.358	313,497
03.87.359	313,497
03.87.363	315
03.87.368	314
03.87.369	315,491
03.87.370	315
03.87.371	314
03.87.372	314
03.87.374	314
03.87.375	314
03.87.377	314
03.87.378	314,491
03.87.379	314,491
03.87.380	314
03.87.381	315
03.87.383	315
03.87.384	315
03.87.391	313
03.87.392	313
03.87.395-10	316,411,476,491
03.87.395-18	316,501,543
03.87.395-28	316
03.87.395-40	316
03.87.398	317,491
03.87.401	313
03.87.402	313
03.87.403	313
03.87.404	313
03.87.405	313
03.87.406	313
03.87.407	313
03.87.408	313
03.87.409	138,313
03.87.410	138,313
03.87.411	138,313
03.87.412	138,313
03.87.413	138,313
03.87.414	314
03.87.415	314
03.87.416	314
03.87.417	314
03.87.418	314
03.87.419	314
03.87.420	315
03.87.421	315
03.87.422	314
03.87.423	314
03.87.424	314
03.87.425	317
03.87.426	317
03.87.427	315
03.87.428	315
03.87.429	315
03.87.430	315,411
03.87.431	315
03.87.432	315
03.87.433	317
03.87.434	317
03.87.435	317
03.87.436	317
03.87.437	317
03.87.438	317
03.87.500	316
03.87.501	316
03.87.C-10	318
03.87.C-18	318
03.87.C-28	318
03.87.C-40	318

Item no.	Page
03.87.WFB1000	252
03.87W1000	252
03.87W1000S	252
03.87W1500	252
03.87W500	252
03.87WFB	252
03.88.07V	234
03.88.100	243
03.88.120	243
03.88.140	243
03.88.160	243
03.88.3/400V	235
03.88.73/BL	235
03.88.73/BLB	235
03.88.73-1	235
03.89.100	243
03.89.101	243
03.89.102	243
03.89.105	243
03.89.111	243
03.89.122	243
03.89.125	243
03.89.150	243
03.89.155	243
03.897052	416
03.90.01	222
03.90.01HV	222
03.90.04	222
03.90.HVMOB	413
03.900.001	279,299,312,476,497,531,543
03.900.002	279,299,312,476,497,531,543
03.900.003	279,299,312,476,493,497,531,543
03.900.004	493,497,531,543
03.900.005	493,497,531,543
03.900.01	277,375,411
03.900.012	273,299,514
03.900.013	299,514
03.900.015	299,514
03.900.025	317
03.900.05	279,299,312,476,491,497,543
03.900.06	279,299,312,476,491,497,531,543
03.900.07	313
03.900.11	277
03.900.12.01	501
03.900.12.02	501
03.900.14.16	270
03.900.15.02-01	268
03.900.15.13	348
03.900.15.14	272
03.900.15.20	274,408
03.900.15.20-1	274
03.900.15.21	274
03.900.15.21-1	274
03.900.15.22	274
03.900.15.22-1	274
03.900.15.23	274
03.900.15.23-1	274
03.900.15.24	274
03.900.15.24-1	274
03.900.15.25	274
03.900.15.25-1	274
03.900.15.30	507
03.900.15.31	507
03.900.15.32	507
03.900.15.33	268
03.900.15.580.4	269
03.900.20.16	270
03.900.20.20	275
03.900.20.20-1	275
03.900.20.21	275
03.900.20.21-1	275
03.900.20.22	275
03.900.20.22-1	275
03.900.20.23	275
03.900.20.23-1	275
03.900.20.24	275
03.900.20.24-1	275
03.900.20.26	275
03.900.20.26-1	275
03.900.20.27	273
03.900.21	269,349
03.900.22	271
03.900.23	271
03.900.38	299
03.900.40	288
03.900.41	317,411
03.900.42	317,411,531
03.900.43	315,411,531
03.900.44	276,411
03.900.45	276,411
03.900.46	276,411
03.900.60	276,411
03.900.61	276,411
03.900.62	276,411
03.900.75.18	348
03.9001520WL	351
03.9001521WL	351
03.9001522WL	351
03.9001523WL	351
03.9001524WL	351
03.9001525WL	351
03.907.220	280
03.907.220SR	294
03.907.320	280
03.907.420	280
03.910.03	277,333,375
03.910.220	273,280,422,423,425,515
03.910.320	273,280,422,423,515
03.910.420	280,423,425,515
03.910.420G	425
03.910.620G	425
03.912.03	277,375
03.912.220	280
03.912.320	280
03.912.420	280
03.915.03	277,333,375,376, 389
03.915.220	280,376,389,423,425
03.915.320	280,376,389,422,424,425
03.915.420	280,423,425
03.915.420G	424,425
03.915.620G	425
03.917.03	277,375
03.917.220	280
03.917.320	280
03.917.420	280
03.920.03	273,277,375
03.920.220	280,423,425
03.920.320	280,423,425,426
03.920.420	280,423,425
03.920.420G	425
03.920.620G	425,426
03.935.125.125	350
03.935.125.140	160,273,275,292,296,422,423
03.935.125.225	350
03.935.125.240	160,273,275,292,296,422,423
03.935.155.140	276
03.935.155.240	276
03.935.650.125	350
03.935.650.140	276,423,425
03.935.650.225	350
03.935.650.240	276,423,425
03.935.950.125	350
03.935.950.140	276,423,425,426
03.935.950.225	350
03.935.950.240	276,423,425,426
03.935.TR10L	422,423
03.935TR075	292
03.935TR100	292,423
03.935TR125	292
03.935TR150	292,423
03.935TR175	292
03.935TR200	292
03.935TR200D	292,423
03.961.265	228
03.961.2651	228
03.983.07	279
03.983.07-1	279
03.983.07SR	294
03.983.10	273,279
03.983.101	279,426
03.983.10-1	279
03.983.101SR	294
03.983.102	160,273,279,515
03.983.103	279,426
03.983.104	279
03.983.105	279,426
03.983.106	279
03.983.111	279
03.983.112	279
03.983.113	279
03.983.114	279
03.983.115	279
03.983.116	279
03.983.12	279
03.983.12-1	279
03.983.15	279
03.983.15-1	279
03.983.17	279
03.983.17-1	279
03.983.20	279
03.983.20-1	279
03.983.53.1	491,497
03.983.530	491
03.983.580	497
03.983.581	497
03.983.680	491
03.983.736.1	491,497
03.990.01.14	241,288
03.AQ.3907	106
03.AQ.555	106
03.AQ.705	106
03.AQ-0100	106
03.AQ-0101	106
03.AQ-0102	107
03.AQ-0103	107
03.AQ-0104	106
03.AQ-0105	106
03.AQ-0106	106
03.AQ-0107	106
03.AQ-0108	106
03.AQ-0109	106
03.AQ-0110	106
03.AQ-0111	106
03.AQ-0112	106
03.AQ-0113	107
03.AQ-0114	106
03.AQ-0115	106
03.AQ-0116	106

Index according to item no.

Item no.	Page
03.AQ-0117	106
03.AQ-0121	106
03.AQ-0122	106
03.AQ-1118	107
03.AQ-1119	107
03.AQ-1122	107
03.AQ-2110	107
03.AQ-2111	107
03.AQ-2112	107
03.AQ-2113	107
03.AQ-2114	107
03.AQ-2115	107
03.AQ-2116	107
03.AQ-2117	107
03.AQ-2118	107
03.AQ-2119	107
03.AQ-2120	107
03.AQ-2122	107
03.AQ-2123	107
03.AQ-4103	107
03.AQ-4104	107
03.AQ-4105	107
03.BH8719	529
03.H8719	529
03.H8769	530
03.H8780	530
03.HELMLAUFW	276
03.HELMSTO	276
03.HUB08175	217
03.HUB081759	217
03.HUB12075	217
03.HUB120759	217
03.HUB15075	217
03.HUB150759	217
03.HUB17575	217
03.HUB175759	217
03.HUB20075	217
03.HUB200759	217
03.M88.100	242
03.M88.101	242
03.M88.102	242
03.M88.121	242
03.M88.122	242
03.M88.125	242
03.M88.150	242
03.M88.151	242
03.M88.152	242
03.M88.171	242
03.M88.172	242
03.M88.175	242
03.M89.080	242
03.M89.081	242
03.M89.082	242
03.M89.100	242
03.M89.101	242
03.M89.102	242
03.M89.120	242
03.M89.121	242
03.M89.122	242
03.M89.150	242
03.M89.151	242
03.M89.152	242
03.PT01	416
03.PT02	416
03.PT05	416
03.PT06	416
03.PT08	416
03.PT12	416
03.PT13	416
03.PT14	416
03.PT160900	418
03.PT163000	418
03.PT163001	417
03.PT163002	417
03.PT163500	418
03.PT163800	418
03.PT1653	418
03.PT1653D	418
03.PT166000	418
03.PT20	419
03.PT200600	419
03.PT200900	418
03.PT203000	418
03.PT203500	418
03.PT203800	418
03.PT2053	418
03.PT205350	419
03.PT2053D	418
03.PT206000	418
03.PT2062	419
03.PT2064	419
03.PT2065	419
03.PT2066	419
03.PT207001	418
03.PT207002	418
03.PT207003	418
03.PT207004	418
03.PT2082	419
03.PT228100	419
03.PT228101	419
03.PT2954	425
03.PT2955	425
03.PT2956	424,425,426
03.PT2957	424,425,426
03.PT509001	419
03.PT509002	419
03.PT509006	419
03.PT509201	416,418
03.PT704700	418
03.PT704740	418
03.PT704750	418
03.PT704800	418
03.PTACS15	428
03.PTACS20	428
03.PTWAAUSS	426
03.PTWAHA	426
03.WA114223	431
03.WA200927	431
03.WA833B1	431
03.WARS2320404	431
0310754ANT	240
0310754TRA	240
0312754ANT	240
0312754TRA	240
0315754ANT	240
0315754TRA	240
0320754ANT	240
0320754TRA	240
0325754ANT	240
0325754TRA	240
0340104ANT	240
0340604ANT	240
0340604SANT	240
0340804ANT	240
0340804SANT	240
03ADAPAWTSL	216
03FBDIM	308
03L06M50B	302
03L06M50BS	302
03L06M50E	301
03L06M50P	301
03L06O350P	302
03L06O350PS	302
03L06R50E	304
03L06R50P	304
03L09M27-65D	306
03L09M2765DT	306
03L09M50B	302,376
03L09M50BS	302
03L09M50D	301
03L09M50E	301
03L09M50P	301
03L09M50SEND	305
03L09O350P	302
03L09O350PS	302
03L09R27-65D	306
03L09R2765DT	306
03L09R50D	304
03L09R50E	304
03L09R50P	304
03L09R50SEND	305
03L11M27-65D	306
03L11M2765DT	306
03L11M50D	301
03L11M50E	301
03L11M50P	301
03L11M50SEND	305
03L11R27-65D	306
03L11R2765DT	306
03L11R50D	304
03L11R50E	304
03L11R50P	304
03L11R50SEND	305
03L12061001	310
03L12061002	310
03L12071001	310
03L12071002	310
03L12081011	310
03L12M50B	273,302
03L12M50BS	302
03L12O350P	302
03L12O350PS	302
03L15M50B	302
03L15M50BS	302
03L15O350P	302
03L15O350PS	302
03L21520001	310
03L21540003	310
03L43SATML	309
03L43SATMR	309
03L43SATRL	309
03L43SATRR	309
03LVDA3-0600	307
03LVDA3-0900	307
03LVDA3-1200	307
03MONHAL	279,422,423
03MONTRA070	279
03MONTRA100	279
03MONTRA125	279
03MONTRA150	279
03MONTRA175	279
03MONTRA200	279
03PPBM125	308
03PPBM150	308
03PPLVDA16	308
03T5125H6.00	184
03T512H60150	184

Item no.	Page
03T512H60175	184
03T512H60250	185
03T512H60275	185
03T512H60350	185
03T512H60375	185
03T512H60450	185
03T512H60475	185
03T512H60550	185
03T512H60575	185
03T512H60650	185
03T512H60675	185
03T512H60750	185
03T512H60775	185
03T515H6.00	186
03T515H60150	186
03T515H60175	186
03T515H60250	187
03T515H60275	187
03T515H60350	187
03T515H60375	187
03T515H60450	187
03T515H60475	187
03T515H60550	187
03T515H60575	187
03T515H60650	187
03T515H60675	187
03T515H60750	187
03T515H60775	187
03T520H6.00	188
03T520H60250	189
03T520H60275	189
03T520H60350	189
03T520H60375	189
03T520H60450	189
03T520H60475	189
03T520H60550	189
03T520H60575	189
03T520H60650	189
03T520H60675	189
03T520H60750	189
03T520H60775	189
04.01.0913	516
04.01.119	549
04.01.2013	516
04.01.219	549
04.01.3513	517
04.013.81	547
04.02.0913	516
04.02.2013	516
04.02.3513	517
04.03.0913	516
04.03.2013	516
04.03.3513	517
04.04.3513	517
04.044.81	547
04.05.3513	517
04.053.013	67,184,188,492,493,500,538
04.053.014	538
04.053.015	538
04.06.3513	517
04.060.013	67,186,188,539
04.060.014	539
04.060.015	539
04.090.013	67,164,165,167,540,542
04.090.014	167,540,542
04.090.015	540
04.090.14-75	167
04.10.04V	497
04.10.05V	496
04.10.05V-1	406
04.10.07V	497
04.105	520
04.105.125	511,520
04.105.205	511,513,520
04.105.50	520
04.105.BH	511
04.105.C01	511
04.105.C02	511
04.105.CM01	511,512,513
04.105.CM02	511
04.105.MAA	511,513
04.105.MC125	511
04.105.MKC125	511
04.105.TAA	511
04.105C	511
04.105M125	520
04.105MK125	520
04.106	539
04.106.001	539
04.109	166,540
04.109.001	540
04.11.01	492
04.11.04	492
04.110	520
04.110.125	512,513,520
04.110.CM	510,512,513
04.1100LG	492
04.110M125	520
04.112	539
04.112.04	549
04.112.05	549
04.112.06	549
04.113.20	547
04.113.21	547
04.113.22	547
04.113.23	547
04.116.09	493
04.116LG	493
04.117	166,541
04.118	166,540
04.118.002	508
04.118.003	508
04.118.023	542
04.118.023/1	543
04.118.024	542
04.118.024/1	543
04.118.026	543
04.118.026/1	543
04.118.05	508
04.118.600	508
04.118.601	508
04.118.607	508
04.118.608	508
04.118.609	508
04.119	541,543
04.12.01	499
04.12.02	499
04.12.04V	502
04.12.05V	502
04.12.19V	503
04.12.23V	503
04.12.26V	161
04.12.27V	161
04.12.28V	504
04.12.29V	504
04.12.859-1M	502
04.12.859-2M	502
04.12.90	505
04.12.91	505
04.12.92	505
04.12.93	505
04.12.935M	503
04.12.995M	504
04.122	163
04.130276.65	546
04.130276.66	546
04.130276.67	546
04.130276.68	546
04.144.20	547
04.144.22	547
04.144.23	547
04.144.24	547
04.144.28	547
04.144.29	547
04.15.01	499
04.15.02	499
04.15.14V	506
04.15.22V	507
04.15.24V	507
04.15.33V	507
04.15.41V	507
04.15.43V	506
04.15.859M	506
04.153.001	538
04.153.10FLS	538
04.153.18FLS	538
04.154.093	548
04.154.093FB	548
04.154.120	548
04.154.120FB	548
04.155.050	548
04.155.050FB	548
04.155.093	548
04.155.093FB	548
04.155.120	548
04.155.120FB	548
04.156.093	548
04.156.093FB	548
04.156.120	548
04.156.120FB	548
04.158.093	548
04.158.093FB	548
04.158.120	548
04.158.120FB	548
04.180.C01	512,513
04.180.C02	513
04.180.C03	512
04.180.C04	512
04.180.C05	512
04.180.C06	513
04.180.C07	513
04.188.002	541,543
04.20.01	499
04.20.02	499
04.200.140	559
04.200.92V10	559
04.200.92V18	559
04.200.94	559
04.2002.D	551
04.2102.G	551
04.250.20	230
04.250.30	230
04.250.35	230
04.254.120	660
04.254.120FB	660
04.254.12H10	660
04.254.12H12	660
04.254.160	660

Index according to item no.

Item no.	Page
04.254.160FB	660
04.254.16H10	660
04.254.16H12	660
04.255.120	660
04.255.120FB	660
04.255.12H10	660
04.255.12H12	660
04.255.160	660
04.255.160FB	660
04.255.16H10	660
04.255.16H12	660
04.256.120	660
04.256.120FB	660
04.256.12H10	660
04.256.12H12	660
04.256.160	660
04.256.160FB	660
04.256.16H10	660
04.256.16H12	660
04.2842.A	551
04.2880.A	551
04.2883.A	551
04.41.1016	519
04.41.3916	519
04.41.4116	519
04.413.20	547
04.413.210	547
04.413.22	547
04.413.23	547
04.413.24	547
04.413.25	547
04.413.27	547
04.42.1016	518
04.43.1016	518
04.43.2216	518
04.46.0813	519
04.47.1016	518
04.47.2216	518
04.50.37LW	531
04.5037.2	531
04.512.01	501
04.512.03	500
04.512.04	501
04.512.05	500
04.512.20	499
04.512.30	499
04.512M	500
04.515.20	499
04.515.30	499
04.530.01	510
04.530.02	510
04.6555.A	550
04.6556.A	550
04.6557.A	550
04.6558.A	550
04.6559.A	550
04.6560.A	550
04.6561.A	550
04.6562.A	550
04.6563.A	550
04.6582.A	550
04.6583.A	550
04.6584.A	550
04.6585.A	550
04.6586.A	550
04.6587.A	550
04.6588.A	550
04.680.01	510
04.680.02	510

Item no.	Page
04.680.10	510
04.680.C125	510
04.680.PA	510,513
04.8651.701T	558
04.8931.5714	558
04.8931.700	558
04.8931.700T	558
04.8931.701	558
04.8931.701T	558
04.8931.802	558
04.893157041	558
04.893157042	558
04.89315714T	558
04.8932.802	558
04.8951.5713	558
04.8951.700	558
04.8951.700T	558
04.8951.701	558
04.8951.802	556
04.895157041	558
04.895157042	558
04.8952.802	558
04.900.01	526
04.900.02	526
04.900.03	526
04.900.04	526
04.900.10	526
04.900.11	526
04.900.12	526
04.900.13	526
04.980.01	509
04.980.02	509
04.980.03	510
04.980.04	510
04.980.30	509
04.IP001	529
04.KK454120	259
04.KK454121	259
04.KK454122	259
04.KK454123	259
04.KK454200	258
04.KK454210	258
04.KK454220	258
04.KK454223	258
04.KK454230	258
04.KK454240	259
04.KK454250	259
04.KK454270	258
04.KWBM125	216
04.KWBM200	216
04.MAG100/30	512
04100004	522
04155093G	553
04155093G-1	553
04155093G-2	553
04155120G	553
04155120G-1	553
04155120G-2	553
04156093G	553
04156093G-1	553
04156093G-2	553
04156120G	553
04156120G-1	553
04156120G-2	553
04158093G	553
04158120G	553
04255120G	553
04255160G	553
04256120G	553
04256160G	553

Item no.	Page
04300004	522
04450802	525
04500500	523
04500501	523
04500504	524
04500600	523
04500603	523
04500650	524
04600004	522
04600500	523
04600501	523
04600510	524
04600512	524
04600548	524
04600600	523
04600601	523
04700500	524
04700600	524
04700987	527
04701500	523
04701501	523
04701660	523
04701661	523
04800500	524
04800600	524
04800987	527
04801500	523
04801501	523
04801660	523
04801661	523
04870100	525
04870101	525
04893157041T	558
04893157042T	558
0489315706SL	558
048931S422	557
048931S4220	557
048931S423	557
048931S4230	557
048931S42301	557
048931S42302	557
048931S4231	557
048931S4232	557
048931S424	557
048931S4240	557
048931S4240T	557
048931S425	557
048931S426	557
048931S426T	557
048931S427	557
048931V422	555
048931V4220	555
048931V423	555
048931V4230	555
048931V42301	555
048931V42302	555
048931V4231	555
048931V4232	555
048931V424	555
048931V4240	555
048931V4240T	555
048931V425	555
048931V426	555
048931V426T	555
048931V427	555
048932S422	557
048932S4220	557
048932S423	557
048932S4230	557

Item no.	Page
048932S42301	557
048932S42302	557
048932S4231	557
048932S4232	557
048932S424	557
048932S4240	557
048932V422	555
048932V4220	555
048932V423	555
048932V4230	555
048932V42301	555
048932V42302	555
048932V4231	555
048932V4232	555
048932V424	555
048932V4240	555
048951.5713T	558
04895157041T	558
04895157042T	558
0489515706SL	558
048951S422	556
048951S4220	556
048951S423	556
048951S4230	556
048951S42301	556
048951S42302	556
048951S4231	556
048951S4232	556
048951S424	556
048951S4240	556
048951S4240T	556
048951S425	556
048951S426	556
048951S426T	556
048951S427	556
048951V422	554
048951V4220	554
048951V423	554
048951V4230	554
048951V42301	554
048951V42302	554
048951V4231	554
048951V4232	554
048951V424	554
048951V4240	554
048951V4240T	554
048951V425	554
048951V426	554
048951V426T	554
048951V427	554
0489524S2301	556
0489524V2301	554
048952S422	556
048952S4220	556
048952S423	556
048952S4230	556
048952S42302	556
048952S4231	556
048952S4232	556
048952S424	556
048952S4240	556
048952V422	554
048952V4220	554
048952V423	554
048952V4230	554
048952V42302	554
048952V4231	554
048952V4232	554
048952V424	554

Item no.	Page
048952V4240	554
04FLSGS-2-GK	120
04FLSGS-L-GK	110,120
04FLSGS-R-GK	110,120
04FLSVS-2-GK	120
04FLSVS-L-GK	110,120
04FLSVS-R-GK	110,120
04GSSGS-L-GK	110,120
04GSSGS-R-GK	110,120
04GSSVS-L-GK	110,120
04GSSVS-R-GK	110,120
04MB100	471
04ML100	471
04MLF100	471
04RSA200400	522
04RSA200403	522
04S155093	552
04S155093-1	552
04S155120	552
04S155120-1	552
04S156093	552
04S156093-1	552
04S156120	552
04S156120-1	552
04S158093	552
04S158120	552
04S255120	552
04S255160	552
04ST500L80	470
04ST500LF80	470
04ST736B125	470
04ST736B80	470
04ST736L125	470
04ST736L80	470
04ST736LF125	470
04ST736LF80	470
04SWEL125	470,471
04SWELF125	470,471
04WB200	471
04WL200	471
04WLF200	471
04ZSW000500	522
05.10.20	521
05.10.21	521
05.10.30	521
05.10.31	521
05.10.51	521
05.10.52	521
05.12096K	581
05.12316K	581
05.12341E	581
05.13020E	581
05.15012K	581
05.18083	576
05.18084	576
05.18085	576
05.18086	576
05.18103	576
05.18104	576
05.18105	576
05.18106	576
05.18123	576
05.18124	576
05.18125	576
05.18126	576
05.18163	576
05.18164	576
05.18165	576
05.18166	576

Item no.	Page
05.20101-50	583
05.20102-50	583
05.20121-50	583
05.20122-50	583
05.20201-50	583
05.20202-50	583
05.20221-50	583
05.20222-50	583
05.3250.01	567
05.3250.02	567
05.3250.04	567
05.3250.22	567
05.3258.01	567
05.3258.02	567
05.3258.04	567
05.3258.22	567
05.3277.9570	573
05.3277.9571	573
05.3277.9573	573
05.3571.08	566
05.3571.18	566
05.3575.08	566
05.3576.08	566
05.402-K	583
05.50508.30	576
05.50508.40	576
05.50508.50	576
05.50508.60	576
05.50509.30	576
05.50509.40	576
05.50509.50	576
05.50509.60	576
05.50510.30	576
05.50510.40	576
05.50510.50	576
05.50510.60	576
05.50511.30	576
05.50511.40	576
05.50511.50	576
05.50511.60	576
05.50512.30	576
05.50512.40	576
05.50512.50	576
05.50512.60	576
05.50513.30	576
05.50513.40	576
05.50513.50	576
05.50513.60	576
05.50516.30	576
05.50516.40	576
05.50516.50	576
05.50516.60	576
05.50517.30	576
05.50517.40	576
05.50517.50	576
05.50517.60	576
05.60101-50	582
05.60102-50	582
05.60121-50	582
05.60122-50	582
05.721131100	581
05.721141100	581
05.722131100	581
05.722141100	581
05.733131100	581
05.733141100	581
05.734131100	581
05.734141100	581
05.7351241100	581

Index according to item no.

Item no.	Page
05.735131100	581
05.737131100	581
05.737141100	581
05.90102100	580
05.9010260	580
05.9010280	580
05.90103100	580
05.9010360	580
05.9010380	580
05.90104100	580
05.9010460	580
05.9010480	580
05.90105100	580
05.9010560	580
05.9010580	580
05.90106100	580
05.9010660	580
05.9010680	580
05.90107100	580
05.9010760	580
05.9010780	580
05.90114K	580
05.90116K	580
05.90118K	580
05.90124K	580
05.90126K	580
05.90128K	580
05.90134K	580
05.90136K	580
05.90138K	580
05.93.32	571
05.94.31	571
05.94.34	571
05.94.36	568
05.94.37	568
05.94.38	569
05.94.39	569
05.94.41	568
05.94.42	568
05.94.43	569
05.94.44	569
05.95.01	574
05.95.02	574
05.95.03	571
05.95.04	571
05.95.05	571
05.95.06	571
05.9588.2000	573
05.9588.2001	573
05.9588.2002	573
05.9588.6801	573
05.9588.6802	573
05.9588.6811	573
05.9588.SP01	573
05.9588.SP02	573
05.9588.SP11	573
05.96.01	160,570
05.96.02	570
05.96.03	570
05.96.04	570
05.96.05	566
05.96.06	566
05.96.08	574
05.96.09	406,574
05.96.10	574
05.96.12	566
05.96.13	566
05.96.17	570
05.96.18	570
05.96.19	570
05.96.20	570
05.96.21	570
05.96.22	570
05.96.23	570
05.96.24	570
05.96.25	570
05.96.26	570
05.96.27	574
05.96.28	574
05.96.30	574
05.96.34	574
05.96.35	574
05.96.36	566
05.96.37	566
05.96.38	566
05.96.39	566
05.96.40	566
05.96.41	566
05.96.42	566
05.96.43	566
05.96.44	566
05.96.45	566
05.B4-40102-K	581
05.BM.101	254
05.BM.101-2	254
05.BM.102	254
05.BM.102-2	254
05.BM.103	254
05.BM.104	254
05.DLR-AFKLV	575,584
05.H10.01	529
05.HZA17307EX	577
05.HZA17310EX	577
05.HZA17607DA	577
05.HZA17610DA	577
05.HZA201213KR	575
05.HZA202413KR	575
05.HZA20307EX	577
05.HZA20310EX	577
05.HZA20410XM	578
05.HZA20413XM	578
05.HZA20510XM	578
05.HZA20513XM	578
05.HZA20607DA	577
05.HZA20610DA	577
05.HZA20610XM	578
05.HZA20613XM	578
05.HZA23307EX	577
05.HZA23310EX	577
05.HZA23607DA	577
05.HZA23610DA	577
05.HZA25410XM	578
05.HZA25413XM	578
05.HZA25510XM	578
05.HZA25513XM	578
05.HZA25610XM	578
05.HZA25613XM	578
05.HZA27307EX	577
05.HZA27310EX	577
05.HZA27607DA	577
05.HZA27610DA	577
05.HZA30410XM	578
05.HZA30413XM	578
05.HZA30510XM	578
05.HZA30513XM	578
05.HZA30610XM	578
05.HZA30613XM	578
05.HZE20410AXL	579
05.HZE20413AXL	579
05.HZE20510AXL	579
05.HZE20513AXL	579
05.HZE25410AXL	579
05.HZE25413AXL	579
05.HZE25510AXL	579
05.HZE25513AXL	579
05.HZE30410AXL	579
05.HZE30413AXL	579
05.HZE30510AXL	579
05.HZE30513AXL	579
05.HZG171213KR	584
05.HZG17307EX	577
05.HZG17310EX	577
05.HZG17607DA	577
05.HZG17610DA	577
05.HZG201213KR	575
05.HZG202413KR	575
05.HZG20307EX	577
05.HZG20310EX	577
05.HZG20410XM	578
05.HZG20413XM	578
05.HZG20510XM	578
05.HZG20513XM	578
05.HZG20607DA	577
05.HZG20610DA	577
05.HZG20610XM	578
05.HZG20613XM	578
05.HZG23307EX	577
05.HZG23310EX	577
05.HZG23607DA	577
05.HZG23610DA	577
05.HZG25410XM	578
05.HZG25413XM	578
05.HZG25510XM	578
05.HZG25513XM	578
05.HZG25610XM	578
05.HZG25613XM	578
05.HZG27307EX	577
05.HZG27310EX	577
05.HZG27607DA	577
05.HZG27610DA	577
05.HZG30410XM	578
05.HZG30413XM	578
05.HZG30510XM	578
05.HZG30513XM	578
05.HZG30610XM	578
05.HZG30613XM	578
05.HZGRÜ1240	584
05.HZGRÜ1410	584
05.HZGTW1240	584
05.KR13120GE	575
05.KR13240GE	575
05.ZW45	578,579
05.ZW46	578,579
0500	70
0500M125	496
0511	70
0512	70
0513	70
0514	70
0515	70
0550	70
0550M125	496
0560	70
0560M125	496
0570	70
0570M125	496
0580	70
0580M125	496

Item no.	Page
0590	70
0590M125	496
06.000.20	597
06.000.20.zyl	597
06.000.204	600
06.000.205	600
06.000.22	597
06.000.22.zyl	597
06.000.224	600
06.000.225	600
06.000.30	597
06.000.30.zyl	597
06.000.304	600
06.000.305	600
06.000.32	597
06.000.32.zyl	597
06.000.324	600
06.000.325	600
06.000.40	597
06.000.40.zyl	597
06.000.404	600
06.000.405	600
06.002.20	601
06.002.20B	602
06.002.22	601
06.002.22B	602
06.002.40	601
06.010.20	597
06.010.20.zyl	597
06.010.204	600
06.010.205	600
06.010.22	597
06.010.22.zyl	597
06.010.224	600
06.010.225	600
06.010.30	597
06.010.30.zyl	597
06.010.304	600
06.010.305	600
06.010.32	597
06.010.32.zyl	597
06.010.324	600
06.010.325	600
06.010.40	597
06.010.40.zyl	597
06.010.404	600
06.010.405	600
06.012.20	601
06.012.20B	602
06.012.22	601
06.012.22B	602
06.012.40	601
06.020.20	597
06.020.20.zyl	597
06.020.204	600
06.020.205	600
06.020.22	597
06.020.22.zyl	597
06.020.224	600
06.020.225	600
06.020.30	597
06.020.30.zyl	597
06.020.304	600
06.020.305	600
06.020.32	597
06.020.32.zyl	597
06.020.324	600
06.020.325	600
06.020.40	597

Item no.	Page
06.020.40.zyl	597
06.020.404	600
06.020.405	600
06.022.20	601
06.022.20B	602
06.022.22	601
06.022.22B	602
06.022.40	601
06.0507.20	598
06.0507.22	598
06.0507.30	598
06.0507.32	598
06.0507.40	598
06.050720.zyl	598
06.050722.zyl	598
06.050730.zyl	598
06.050732.zyl	598
06.050740.zyl	598
06.055.20	595
06.055.30	595
06.055.40	595
06.100.20	602
06.100.22	602
06.110.20	602
06.110.22	602
06.120.20	602
06.120.22	602
06.300.20	599
06.300.203	599
06.300.22	599
06.300.223	599
06.300.30	599
06.300.303	599
06.300.32	599
06.300.323	599
06.300.40	599
06.300.404	599
06.310.20	599
06.310.203	599
06.310.22	599
06.310.223	599
06.310.30	599
06.310.303	599
06.310.32	599
06.310.323	599
06.310.40	599
06.310.404	599
06.320.20	599
06.320.203	599
06.320.22	599
06.320.223	599
06.320.30	599
06.320.303	599
06.320.32	599
06.320.323	599
06.320.40	599
06.320.404	599
06.355.20	595
06.355.30	595
06.355.40	595
06.50.000	594
06.50.010	594
06.51.000	594
06.51.010	594
06.52.000	594
06.52.010	594
06.527.20	601
06.527.22	601
06.527.40	601

Item no.	Page
06.600.20	602
06.600.22	602
06.610.20	602
06.610.22	602
06.620.20	602
06.620.22	602
06.7010605	595
06.7010905	595
06.7011205	595
06.70256	595
06.85.50	594
06.85.51	594
06.85.52	594
06.8900.7211	545
06.8900.740	545
06.8900.7491	545
06.8900.7492	545
06.8900.750	545
07.00.19	272
07.00.20	346
07.00.21	346
07.00.25	346
07.00.26	346
07.00.30	256,406
07.00.40	344
07.00.41	344
07.00.42	344
07.00.43	344
07.00.45	344
07.10.15	343
07.10.15.10.96	349
07.10.15KHV	343
07.10.70	344
07.10.70EHV	344
07.10.70KHV	344
07.10.72	345
07.10.72KHV	345
07.10.75	344
07.10.75EHV	344
07.10.75KHV	344
07.15.15	343
07.15.15KHV	343
07.15.72	345
07.15.72KHV	345
07.18.00	347
07.18.01	261,333,347
07.18.02	347
07.18.03	261,347
07.18.04	261,347
07.20.15/40	349
07.2016	261
07.2017	261
07.2018	261
07.2019	261
07.2020	261
07.2021	261
07.2022	261
07.2031	261
07.2032	261
07.2036	254,261
07.220.0080	290
07.23107	430
07.23110	430
07.23112	430
07.24.91	347
07.25.25	346
07.25.33	241,344
07.25.35	241,344
07.25.90	347

Index according to item no.

Item no.	Page
07.25607	430
07.25610	430
07.25612	430
07.25716	430
07.26.91	347
07.26207N	430
07.26210N	430
07.26212N	430
07.26216N	430
07.26218N	430
07.26407	430
07.26410	430
07.26412	430
07.26416	430
07.27.90	347
07.28.91	347
07.29.91	347
07.30.15	345
07.30.15EHV	345
07.30.15KHV	345
07.30.20	353
07.30.21	353
07.30.25	353
07.30.26	353
07.30.90	347
07.35110	430
07.35112	430
07.35116	430
07.35118	430
07.35120	430
07.40.00	354
07.40.01	354
07.40.016	399,406,410
07.40.02	354
07.40.03	399,410
07.40.04	399,410
07.40.06	287,406,410
07.40.07	287,406,410
07.45.21	312,427
07.45.22	312,427
07.45.26	287,410
07.5037	257,260
07.55107	430
07.55110	430
07.55112	430
07.58.10	514
07.58.10-1	175
07.58.12	515
07.58.14	514
07.58.16	515
07.58.17	514
07.58.18	515
07.58.19	515
07.58.20	514
07.58.22	175,514
07.60.01	357
07.60.02	357
07.60.03	357
07.60.10	357
07.60.10.40	356
07.60.10.50	356
07.60.10.60	356
07.60.100	356
07.60.11	357
07.60.12	357
07.60.15.40	356
07.60.15.50	356
07.60.15.60	356
07.60.150	356
07.60.36	241
07.60.36ESD	241
07.60.36OA	241
07.60.37	241
07.60.37ESD	241
07.60.37OA	241
07.60.38	241
07.60.38ESD	241
07.60.38OA	241
07.60.40	357
07.60.42	357
07.60.44	357
07.60.46	357
07.60.48	357
07.60.70	356
07.60.71	356
07.60.90	356
07.60.91	356
07.60.92	356
07.60.93	356
07.60.94	356
07.60.95	356
07.61.100	356
07.61.150	356
07.61.70	356
07.75.10	342
07.75.10EHV	342
07.75.10KHV	342
07.75.15	342,348
07.75.15EHV	342
07.75.15KHV	342
07.75.17	348
07.75.25EHV	346
07.75.25KHV	346
07.75.35	353
07.75.35KHV	353
07.75.41	346
07.75.41EHV	346
07.75.41KHV	346
07.75.46	353
07.75.46KHV	353
07.75.55	352
07.75.55KHV	352
07.75.96	352
07.75.96KHV	352
07.795.8029	291
07.795.9075	291
07.795.9085	291
07.795.9159	291
07.81.02	333
07.8109.32	335
07.8109.32E	335
07.8109.32H	335
07.8109.32M	335
07.8109.34	335
07.8109.34E	335
07.8109.34H	335
07.8109.34M	335
07.8109.62	331
07.8109.62E	331
07.8109.62H	331
07.8109.62M	331
07.8109.64	331
07.8109.64E	331
07.8109.64H	331
07.8109.64M	331
07.8109.72	331
07.8109.72E	331
07.8109.72H	331
07.8109.72M	331
07.8109.74	331
07.8109.74E	331
07.8109.74H	331
07.8109.74M	331
07.8110.32	335
07.8110.32E	335
07.8110.32H	335
07.8110.32M	335
07.8110.34	335
07.8110.34E	335
07.8110.34H	335
07.8110.34M	335
07.8110.62	331
07.8110.62E	331
07.8110.62H	331
07.8110.62M	331
07.8110.64	331
07.8110.64E	331
07.8110.64H	331
07.8110.64M	331
07.8110.72	331
07.8110.72E	331
07.8110.72H	331
07.8110.72M	331
07.8110.74	331
07.8110.74E	331
07.8110.74H	331
07.8110.74M	331
07.8114.32	335
07.8114.32E	335
07.8114.32H	335
07.8114.32M	335
07.8114.34	335
07.8114.34E	335
07.8114.34H	335
07.8114.34M	335
07.8114.62	331
07.8114.62E	331
07.8114.62H	331
07.8114.62M	331
07.8114.64	331
07.8114.64E	331
07.8114.64H	331
07.8114.64M	331
07.8114.72	331
07.8114.72E	331
07.8114.72H	331
07.8114.72M	331
07.8114.74	331
07.8114.74E	331
07.8114.74H	331
07.8114.74M	331
07.8115.32	335
07.8115.32E	335
07.8115.32H	335
07.8115.32M	335
07.8115.34	335
07.8115.34E	335
07.8115.34H	335
07.8115.34M	335
07.8115.62	331
07.8115.62E	331
07.8115.62H	331
07.8115.62M	331
07.8115.64	331
07.8115.64E	331
07.8115.64H	331
07.8115.64M	331
07.8115.72	331

Item no.	Page
07.8115.72E	331
07.8115.72H	331
07.8115.72M	331
07.8115.74	331
07.8115.74E	331
07.8115.74H	331
07.8115.74M	331
07.8130.25	337
07.8130.25E	337
07.8130.25H	337
07.8130.25M	337
07.8130.40	337
07.8130.40E	337
07.8130.40H	337
07.8130.40M	337
07.8140.25	337
07.8140.25E	337
07.8140.25H	337
07.8140.25M	337
07.8140.40	337
07.8140.40E	337
07.8140.40H	337
07.8140.40M	337
07.8175.25	337
07.8175.25E	337
07.8175.25H	337
07.8175.25M	337
07.8175.40	337
07.8175.40E	337
07.8175.40H	337
07.8175.40M	337
07.8310.01	534
07.8310.02	534
07.8310.03	534
07.8310.04	535
07.8310.05	535
07.8310.06	535
07.8310.07	535
07.8310.50	534
07.8310.811	533
07.8310.821	533
07.8310.912	533
07.8310.922	533
07.8410.112	330
07.8410.122	330
07.8410.511	330
07.8410.521	330
07.8410.811	330
07.8410.821	330
07.8410.912	330
07.8410.922	330
07.8415.112	330
07.8415.122	330
07.8415.511	330
07.8415.521	330
07.8415.811	330
07.8415.821	330
07.8415.912	330
07.8415.922	330
07.861.01-1	283,376,389
07.861.03	283
07.861.03-1	283
07.861.04	229,239,284
07.861.05	229,239,284
07.861.06	229,239,284
07.861.07	229,233,235,239,283
07.861.08	229,233,235,239,283
07.861.09	229,239,283
07.861.09-1	229,239,283

Item no.	Page
07.861.10	239,283
07.861.10.09	273
07.861.10.10	281
07.861.10.11	281
07.861.10.12	281
07.861.10.13	281
07.861.10.14	509
07.861.100S	238,282
07.861.11	229,233,235,239,283
07.861.12	229,233,235,239,283
07.861.1251	238,282
07.861.125S	238,282
07.861.13	285
07.861.1301	238,282
07.861.14	229,233,235,284
07.861.15	229,233,235,239,284
07.861.15.10	281,376, 389
07.861.15.11	281
07.861.15.12	281
07.861.15.13	281
07.861.150S	238,282
07.861.16	229,233,235,239,284
07.861.170	239,284
07.861.1751	238,282
07.861.180	239,284
07.861.1801	238,282
07.861.19	233,235,239,283
07.861.20.10	281
07.861.20.11	281
07.861.20.12	281
07.861.20.13	281
07.861.200S	238,282
07.861.21	233,239,284
07.861.22	285
07.861.23	285
07.861.24	285
07.861.26	239,284
07.861.30	285
07.861.32	229,239,283
07.861.33	239,284
07.861.375.1	273
07.861.500	238,282
07.861.501	238,282
07.861.701	238,282
07.861.801	238,282
07.8610.300	335
07.8610.400	335
07.8614.300	335
07.8614.400	335
07.8615.300	335
07.8615.400	335
07.8650.300	335
07.8650.400	335
07.8690.300	335
07.8690.400	335
07.8710.300	335
07.8710.400	335
07.8714.300	335
07.8714.400	335
07.8715.300	335
07.8715.400	335
07.8750.300	335
07.8750.400	335
07.8790.300	335
07.8790.400	335
07.881.3115	291
07.881.31152	291
07.8830.300	332
07.8830.400	332

Item no.	Page
07.8840.400	332
07.89.06	254,353,379,422
07.89.07	333
07.89.08	333
07.89.09	256
07.89.10	332
07.89.15	288
07.89.16	332
07.89.17	332
07.89.19	299
07.89.23	299
07.89.24	299
07.89.37	288
07.89.40	332
07.89.41	332
07.89.42	332
07.89.43	332
07.89.45	332
07.89.46	299
07.89.48	299
07.89.53	299
07.8904.300	333
07.8904.400	333
07.8907.350	280
07.8910.1	277,333,375
07.8910.2	277,333
07.8910.350	280
07.8912.1	277,375
07.8912.350	280
07.8915.1	277,333,375,376, 389
07.8915.2	277,333
07.8915.350	280
07.8917.1	277
07.8920.1	273,277,375,389
07.8920.1D	277
07.8920.2D	277
07.8930	298
07.8931	298
07.8933	298
07.8934LW	288,298,426
07.8934TR	288,298,426
07.898.0019	290
07.898.0099	290
07.898.00991	290
07.899.00	328
07.899.0019	290
07.899.0099	290
07.899.00991	290
07.899.01	328
07.899.02	329
07.899.03	329
07.899.04	328
07.899.05	328
07.899.06	329
07.899.07	329
07.89BTR10-0	299
07.89BTR12-0	299
07.89BTR15-0	299
07.911.0079	291
07.911.3005	291
07.961.0109	290
07.961.0119	290
07.961.0139	290
07.961.02	290,310
07.961.03	290
07.961.0609	290
07.961.0639	290
07.969.0039	289
07.969.1039	289

Index according to item no.

Item no.	Page
07.969.2039	289
07.969.3039	289
07.969.30391	289
07.969.30392	289
07.969.30393	289
07.969.3049	289
07.969.30491	289
07.969.4019	291
07.969.40191	291
07.98.01	286
07.98.02	286,376,389,427
07.98.03	286,355
07.98.04	286,355,410
07.98.05	286,355,410
07.98.06	287,355
07.98.07	287,355,427
07.98.08	287,355,376,389
07.98.09	287,410
07.98.10	287,406,410
07.98.11	287,376,389,427
07.98.12	288,410
07.98.13	286
07.98.14	288
07.98.15	287,427
07.98.20	509
07.98.7069	294
07.98.7070	294
07.98.7071	293
07.98.7072	293
07.98.7073	293
07.98.7074	273,293
07.98.7080	296
07.98.7080-1	294
07.98.7081	296
07.98.7082	296
07.98.7083	296
07.98.7084	296
07.98.7085	296
07.98.7090	297
07.98.7091	297
07.98.8010	295
07.98.8011	295
07.98.8020	295
07.98.8021	295
07.98.SA	286
07.990.2009	289
07.991.3009	289
07.992.2009	289
07.E1060.30	443
07.E1075.30	443
07.E1090.30	443
07.E12560.30	443
07.E12575.30	443
07.E12590.30	443
07.E1560.30	443
07.E1575.30	443,452,453
07.E1590.30	443,453
07.E1760.30	443
07.E1775.30	443
07.E1790.30	443
07.E2060.30	443
07.E2075.30	443,452,453
07.E2090.30	443,453
07.E2575.30	443
07.E7560.30	443
07.E7575.30	443
07.E7590.30	443
07.E8175.30	443
07.M1060.28	443
07.M1075.28	443
07.M1090.28	443
07.M12560.28	367,443
07.M12575.28	367,443
07.M12575.40	397
07.M12575.50	397
07.M12590.28	443
07.M1560.28	367,373,443
07.M1575.28	367,373,443
07.M1575.40	397,403
07.M1575.50	397,403
07.M1590.28	373,443
07.M1590.40	403
07.M1590.50	403
07.M1760.28	443
07.M1775.28	443
07.M1790.28	443
07.M2060.28	367,373,443
07.M2075.28	367,373,443
07.M2075.40	397,403
07.M2075.50	397,403
07.M2090.28	373,443
07.M2090.40	403
07.M2090.50	403
07.M2575.28	443
07.M7560.28	443
07.M7575.28	443
07.M7590.28	443
07.M8175.28	443
0700	76
071000201	249
071000202	249
071000203	249
071000204	249
071000205	249
0711	76
0712	76
071210201	249
071210202	249
071210203	249
071210204	249
071210205	249
0713	76
0714	76
0715	76
072000201	249
072000202	249
072000203	249
072000204	249
072000205	249
072120201	249
072120202	249
072120203	249
072120204	249
072120205	249
072170201	249
072170202	249
072170203	249
072170204	249
072170205	249
072750201	249
072750202	249
072750203	249
072750204	249
072750205	249
074000201	248
074000202	248
074000203	248
074000204	248
074000205	248
074210201	248
074210202	248
074210203	248
074210204	248
074210205	248
0750	76
075000201	248
075000202	248
075000203	248
075000204	248
075000205	248
075120201	248
075120202	248
075120203	248
075120204	248
075120205	248
075170201	248
075170202	248
075170203	248
075170204	248
075170205	248
075750201	248
075750202	248
075750203	248
075750204	248
075750205	248
0760	76
0770	76
077000201	248
077000202	248
077000203	248
077000204	248
077000205	248
0780	76
078000201	248
078000202	248
078000203	248
078000204	248
078000205	248
0790	76
08.88.03	475
08.88.10	476
08.88.200	109,482
08.88.203	109,483
08.88.204	109,483
08.88.205	109,483
08.88.206	109,483
08.88.207	109,482
08.88.30	477
08.88.34	477
08.88.35	477
08.88.36	477
08.88.37	477
08.88.38	477
08.88.39	477
08.88.41	477
08.88.42	477
08.88.43	477
08.88.60	476
08.88.61	476
08.88.62	476
08.88.63	476
08.88.64	476
08.88.70	477
08.88.72	477
08.88.73	477,481
08.88.74	477
08.88.75	477

Item no.	Page
08.88.76	477
08.88.77	477,481
08.88.79	477
08.88.81	477
08.88.89	477,481
08.88.90-1	473
08.88.91	476
08.88.92	475
08.88.93	475
08.88.FLGSE	476,480
08.88/89.SSS	476,480
08.89.03	480
08.89.10	480
08.89.200	484
08.89.201	484
08.89.202	484
08.89.203	484
08.89.204	484
08.89.205	485
08.89.207	485
08.89.208	485
08.89.209	485
08.89.210	485
08.89.211	485
08.89.303-2	473
08.89.50	477,481
08.89.51	477,481
08.89.59	480
08.89.60	480
08.89.61	480
08.89.62	480
08.89.63	480
08.89.70	481
08.89.71	480
08.89.72	481
08.89.74	481
08.89.75	481
08.89.76	481
08.89.79	481
08.89.81	481
08.89.88	480
08.89.90-1	473
08.89.91	479
08.89.92	479
08.89.92-1	473
08.89.93	479
08.90.01	108,482
08.90.02	108,482
08.90.03	108,482
08.90.10	108,482
08.90.11	108,482
08.90.45.60	108
08.90.60.60	108
08.90.90.60	108
100/0213V10	88
100/1231V10	88
100/2141V10	88
100/22510V10	88
100/4221V10	88
100/4311V10	88
1000	84
1011	84
1012	84
1013	84
1014	84
1015	84
1050	84
1060	84
1070	84

Item no.	Page
1080	84
1090	84
110BLH100	75
110BLH150	75
110BLH50	75
110BLH75	75
111	75
112BLH100	75
112BLH50	75
112BLH75	75
113/0323V10	89
113/2223V10	89
113/22331V10	89
113/2423V10	89
113/3331V10	89
113/42511V10	89
113BLH100	75
113BLH150	75
113BLH200	75
113BLH50	75
113BLH75	75
114BLH100	75
114BLH150	75
114BLH50	75
114BLH75	75
115/0044V10	90
115/0921V10	90
115/2224V10	90
115/24321V10	90
115/34231V10	90
115/42611V10	90
115BLH100	75
115BLH150	75
115BLH200	75
115BLH75	75
116BLH100	75
116BLH150	75
116BLH200	75
116BLH50	75
116BLH75	75
117BLH100	75
117BLH150	75
117BLH200	75
117BLH50	75
117BLH75	75
119BLH100	75
119BLH50	75
119BLH75	75
120	103
1300	92
1300/0222V18	95
1300/0900V18	95
1300/1122V18	95
1300/2131V18	95
1311	92
1312	92
1313	92
1313/0120V18	96
1313/0323V18	96
1313/0640V18	96
1313/4141V18	96
1314	92
1315	92
132BLH100	83,131
132BLH50	83,131
132BLH75	83,131
134BLH100	83,131
134BLH50	83,131
134BLH75	83,131

Item no.	Page
1350	92
135BLH100	83,131
135BLH150	83,131
135BLH200	83,131
135BLH50	83,131
135BLH75	83,131
1360	92
1370	92
1380	92
1380/0221V18	94
1380/0420V18	94
1380/0700V18	94
1380/2211V18	94
138BLH100	83,131
138BLH150	83,131
138BLH200	83,131
138BLH50	83,131
138BLH75	83,131
1390	92
139BLH100	83,131
139BLH150	83,131
139BLH200	83,131
139BLH50	83,131
139BLH75	83,131
140	103
144BLH100	83,131
144BLH150	83,131
144BLH200	83,131
144BLH75	83,131
146-130	51
146-130-075	51
146-132	51,505
146-132-075	51
146-135-100	51
146-135-150	51
146-135-200	51
146-135-75	51
146-137-100	51
146-137-150	51
146-137-200	51
146-137-75	51
146-139-100	51,505
146-139-150	51
146-139-200	51
146-139-75	51
146-140-100	51
146-140-150	51
146-140-200	51
146-140-75	51
146-141-100	51
146-141-150	51
146-141-200	51
146-141-75	51
146-142-100	51,505
146-142-150	51
146-142-200	51
146-142-75	51
147BLH100	83,131
147BLH150	83,131
147BLH200	83,131
147BLH75	83,131
149BLH100	83,131
149BLH150	83,131
149BLH200	83,131
149BLH50	83,131
149BLH75	83,131
150	91, 133
153BLH100	91,133
153BLH150	91,133

Index according to item no.

Item no.	Page
153BLH200	91,133
153BLH50	91,133
153BLH75	91,133
155BLH100	91,133
155BLH150	91,133
155BLH200	91,133
155BLH75	91,133
159BLH100	91,133
159BLH50	91,133
159BLH75	91,133
160	103
161BLH100	91,133
161BLH150	91,133
161BLH200	91,133
161BLH50	91,133
161BLH75	91,133
166BLH100	91,133
166BLH150	91,133
166BLH200	91,133
166BLH75	91,133
168-130	57
168-130-075	57
168-132	57,481
168-132-075	57
168-136-100	57,481
168-136-150	57,481
168-136-200	57,481
168-136-75	57
168-137-100	57
168-137-150	57
168-137-200	57
168-137-75	57
168-139-100	57,481
168-139-150	57,481
168-139-200	57,481
168-139-75	57
168-144-100	57
168-144-150	57
168-144-200	57
168-144-75	57
168-145-100	57
168-145-150	57
168-145-200	57
168-145-75	57
168-146-100	57
168-146-150	57
168-146-200	57
168-146-75	57
170/0040V10	86
170/0320V10	86
170/0600V10	86
170/1112V10	86
170/2220V10	86
170/4210V10	86
170BLH100	91,133
170BLH150	91,133
170BLH200	91,133
170BLH75	91,133
171BLH100	91,133
171BLH150	91,133
171BLH200	91,133
171BLH75	91,133
172BLH100	91,133
172BLH150	91,133
172BLH200	91,133
172BLH50	91,133
172BLH75	91,133
1741-07	251
1742-07	251
180/0221V10	87
180/2040V10	87
180/2121V10	87
180/22111V10	87
180/3211V10	87
180/4310V10	87
180BLH75	97
181BLH100	97
181BLH75	97
182BLH100	97
182BLH75	97
183BLH100	97
183BLH150	97
183BLH200	97
183BLH75	97
184BLH100	97
184BLH150	97
184BLH200	97
184BLH75	97
185BLH100	97
185BLH150	97
185BLH200	97
185BLH75	97
186	103
198-130	63
198-130-075	63
198-132	63
198-132-075	63
198-136-100	63
198-136-150	63
198-136-200	63
198-136-75	63
198-139-100	63
198-139-150	63
198-139-200	63
198-139-75	63
198-141-100	63
198-141-150	63
198-141-200	63
198-141-75	63
198-142-100	63
198-142-150	63
198-142-200	63
198-142-75	63
198-144-100	63
198-144-150	63
198-144-200	63
198-144-75	63
198-146-100	63
198-146-150	63
198-146-200	63
198-146-75	63
20.400.060	64
20.400.085	64
20.400.135	64
20.400.185	64
20.450.060	64
20.450.085	64
20.600.030	98
20.600.050	98
20.600.060	64
20.600.075	98
20.600.085	64
20.600.125	98
20.600.175	98
20.900.060	64
20.900.085	64
2494	317
30.050.075	99
30.050.125	99
30.050.30	99
30.075.050	99
30.075.075	99
30.075.125	99
30.075.175	99
30.075.30	99
30.100.050	99
30.100.060	65
30.100.075	99
30.100.085	65
30.100.125	99
30.100.135	65
30.100.175	99
30.100.185	65
30.100.30	99
30.125.175	99
30.150.050	99
30.150.060	65
30.150.075	99
30.150.085	65
30.150.125	99
30.150.135	65
30.150.175	99
30.150.185	65
30.150.30	99
30.200.050	99
30.200.060	65
30.200.075	99
30.200.085	65
30.200.125	99
30.200.135	65
30.200.175	99
30.200.185	65
30.200.30	99
30.225.050	99
30.225.075	99
30.225.125	99
30.225.175	99
30.225.30	99
30.250.125	99
30.250.135	65
30.250.175	99
30.250.185	65
30.300.050	99
30.300.060	65
30.300.075	99
30.300.085	65
30.300.125	99
30.300.135	65
30.300.175	99
30.300.185	65
30.300.30	99
30.400.175	99
3360-01	251
3360-10	251
3361-01	251
3361-10	251
38.011	262,379,428
38.020	262,379,389
38.150	262,379,428
38.300	262,379,389,428
40.303	50
40.303-75	50
40.340	50
40.340-75	50
40.421	50
40.421-75	50
40.44010	50
40.44010-75	50

Item no.	Page
40.620	50
40.620-75	50
40.701	50
40.701-75	50
4016137000	309,427
4016221000	309,427
4075E160G	374
4075E175G	374
4075E190G	374
4075E260G	374
4075E275G	374
4075E290G	374
4075KL60G	372
4075KL75G	372
4075KL75GB	429
4075KL75GH	429
4075KL90G	372
4075KL90GB	429
4075KL90GH	429
4075KU60G	373
4075KU75G	373
4075KU90G	373
4100E160G	374
4100E175G	374
4100E190G	374
4100E260G	374
4100E275G	374
4100E290G	374
4100KL60G	372
4100KL75G	372
4100KL90G	372
4100KU60G	373
4100KU75G	373
4100KU90G	373
4125E160G	374
4125E175G	374
4125E190G	374
4125E260G	374
4125E275G	374
4125E290G	374
4125KL60G	372
4125KL75G	372
4125KL90G	372
4125KU60G	373
4125KU75G	373
4125KU90G	373
4150E160G	374
4150E175G	374
4150E190G	374
4150E260G	374
4150E275G	374
4150E290G	374
4150KL60G	372
4150KL75G	372
4150KL90G	372
4150KU60G	373
4150KU75G	373
4150KU90G	373
4175E160G	374
4175E175G	374
4175E190G	374
4175E260G	374
4175E275G	374
4175E290G	374
4175KL60G	372
4175KL75G	372
4175KL90G	372
4175KU60G	373
4175KU75G	373

Item no.	Page
4175KU90G	373
4200E160G	374
4200E175G	374
4200E190G	374
4200E260G	374
4200E275G	374
4200E290G	374
4200KL60G	372
4200KL75G	372
4200KL90G	372
4200KU60G	373
4200KU75G	373
4200KU90G	373
44.001	262,379,428
44.011	262,379,428
46.021	48
46.021-75	48
46.021BR80	429
46.102	48
46.102-75	48
46.220	48
46.220-75	48
46.220BR80	429
46.220M	488
46.2210	48
46.2210-75	48
46.301	48
46.301-75	48
46.301M	272
46.500	48
46.500-75	48
46.500M	491
48.022	49
48.022-75	49
48.140	49
48.140-75	49
48.21101	49
48.21101-75	49
48.420	49
48.420-75	49
48.501	49
48.501-75	49
48.700	49
48.700-75	49
4868-01	251
4868-03	251
4868-07	251
4868-23	251
4869-01	251
4869-03	251
4869-07	251
4869-23	251
4945-130	251
4945-131	251
4945-132	251
4C150-1	377
4C150-2	377
4C150-3	377
4C150-4	377
4C150-5	377
4C150-6	377
4C200-1	377
4C200-2	377
4C200-3	377
4C200-4	377
4C200-5	377
4C200-6	377
4CKAS1-2	364,370,388
4CKAS3-6	364,370

Item no.	Page
4CKASVERB	364,370,388
4F.150.75	402
4F.150.75-1	404
4F.150.75-2	404
4F.150.75-3	405
4F.150.75-4	405
4F.150.75BM	402
4F.150.90	402
4F.150.90-1	404
4F.150.90-2	404
4F.150.90-3	405
4F.150.90-4	405
4F.150.90BM	402
4F.200.75	402
4F.200.75-1	404
4F.200.75-2	404
4F.200.75-3	405
4F.200.75-4	405
4F.200.75BM	402
4F.200.90	402
4F.200.90-1	404
4F.200.90-2	404
4F.200.90-3	405
4F.200.90-4	405
4F.200.90BM	402
4XXXXX60BL	372
4XXXXX75BL	372
4XXXXX75TR	378,428
4XXXXX90BL	372
4XXXXX90TR	378,428
4XXXXXMB100	471
4XXXXXMBL100	370,429
4XXXXXML100	471
4XXXXXMLF100	471
4XXXXXMLL100	370,429
50.002.070	104
50.003.046	104
50.004.034	104
50.100.KTK1	105
50.100.KTK2	105
50.100.MP	104
50.500.MP	104
50.700.KTK1	105
50.700.KTK2	105
50.700.MP	104
500/0900V10	74
500/1222V10	74
500/1223V10	74
500/1231V10	74
500/3131V10	74
500/4302V10	74
50002070SE	104
50003046SE	104
50004034SE	104
51.002.070	104
51.003.046	104
51.004.034	104
51002070SE	104
51003046SE	104
51004034SE	104
52.075.075	105
52.150.075	105
52.150.150	105
520/1V	222
520/1VA-1	263,379
52075075SE	105
52150075SE	105
52150150SE	105
53.020	262,379,389

Index according to item no.

Item no.	Page
53.075.075.30	105
53.075.075.65	105
53.150	262,379,428
53.150.075.30	105
53.150.075.65	105
53.150.150.30	105
53.150.150.65	105
53.300	262,379,389,428
530.111V	263,379
5307507530SE	105
5307507565SE	105
5315007530SE	105
5315007565SE	105
5315015030SE	105
5315015065SE	105
535/020V	263,379,389
535/111V	222
535/300V	263,389
550/0002V10	72
550/0201V10	72
550/0400V10	72
550/1210V10	72
550/12200V10	72
550/3110V10	72
5507	250
5512	250
5551B	250
5551O	250
5551R	250
5567	250
56.01.30	152
56.01.40	152
56.01.50	152
56.02.25	152
56.02.30	152
56.02.40	152
56.02.50	152
56.02.60	152
56.03.30	152
56.03.40	152
56.03.50	152
5606	250
57.01.00	153
57.01.03	153
57.01.04	153
57.01.05	153
57.01.06	153
57.01.08	153
57.01.100	152
57.01.32	152
57.01.40	152
57.01.50	152
57.01.63	152
57.01.80	152
580.0111V86	158,160
580/0001FL	231
580/0010.550V	231
580/0110/450V	231
580/0140V	231
580/0300.400V	231
580/0501V10	73
580/1222V10	73
580/2.0002V	231
580/2.0040V	231
580/2.0202V	231
580/2.0600V	231
580/2.1110V	231
580/22111V10	73
580/2600V10	73
580/32201V10	73
580/3410V10	73
5914	250
60.038.075VA	262
60.038.100VA	262,378
60.038.150VA	262,378
60.046.075VA	47,184,188,262,378,488,492,493
60.046.100VA	47,184,188,262,378,488,492,493
60.046.100VA-75	47,184,188,488,492,493,500
60.046.150VA	47,184,188,262,378,488,492,493
60.046.150VA-75	47,184,188,488,492,493,500
60.046.200VA	47,184,188,262,488,492,493,500
60.046.200VA-75	47,184,188,488,492,493,500
60.046.250VA	47,184,188,488,492,493,500,538
60.046.250VA-75	47,184,188,488,492,493,500
60.046.300VA	47,184,188,488,492,493,500,538
60.046.300VA-75	47,184,188,488,492,493,500
60.050.AZ VA	103
60.068.075VA	53,186,188,489,539
60.068.100VA	53,186,188,489,539
60.068.100VA-75	53,186,188,489,539
60.068.150VA	53,186,188,489,539
60.068.150VA-75	53,186,188,489,539
60.068.200VA	53,186,188,489,539
60.068.200VA-75	53,186,188,489,539
60.068.250VA	53,186,188,489,539
60.068.250VA-75	53,186,188,489,539
60.068.300VA	53,186,188,489,539
60.068.300VA-75	53,186,188,489,539
60.070.AZ VA	103
60.095.100VA	163
60.098.075VA	59,167,490,540,542
60.098.100VA	59,164,167,490,509,540,542
60.098.100VA-75	59,490,540,542
60.098.150VA	59,164,167,490,540,542
60.098.150VA-75	59,490,540,542
60.098.200VA	59,164,167,490,540,542
60.098.200VA-75	59,490,540,542
60.098.250VA	59,167,490,540,542
60.098.250VA-75	59,490,540,542
60.098.300VA	59,167,490,540,542
60.098.300VA-75	59,490,540,542
60.10.050V07	85,132
60.10.075V10	85,132
60.10.100V10	85,132
60.10.100V18	85,132
60.10.125V10	85,132
60.10.125V18	85,132
60.10.150V10	85,132
60.10.150V18	85,132
60.10.175V10	85,132
60.10.175V18	85,132
60.10.200V10	85,132
60.10.200V18	85,132
60.10.200V30	85
60.10.250V10	85,132
60.10.250V18	85,132
60.10.250V30	85
60.10.300V10	85,132
60.10.300V18	85,132
60.10.300V30	85
60.10.30V18CNC	85,135
60.10.40V18CNC	85,135
60.100.AZ VA	103
60.100.SC	72,74,78,80,82,86,88,90
60.13.075V10	93
60.13.100V18	93
60.13.125V18	93
60.13.150V18	93
60.13.175V18	93
60.13.200V18	93
60.13.250V18	93
60.130.AZ VA	103
60.303	55
60.303-75	55
60.340	55
60.340-75	55
60.41011	55
60.41011-75	55
60.421	55
60.421-75	55
60.50.050V07	71,190,194,196,198,204,206,208,212,224,226,263,378,496,502
60.50.075V10	71,190,194,196,198,204,206,208,212,224,226,496,502,503,504
60.50.100V10	71,190,194,196,198,204,206,208,212,224,226,263,378,496,502
60.50.100V18	71
60.50.125V10	71,190,194,196,198,204,206,208,212,224,226,496,502,503,504
60.50.125V18	71
60.50.150V10	71,190,194,196,198,204,206,208,212,224,226,263,378,496,502
60.50.150V18	71
60.50.175V10	71,190,194,196,198,204,206,208,212,224,226,496,502,503,504
60.50.175V18	71
60.50.200V10	71,190,194,196,198,204,206,208,212,224,226,263,378,496,502
60.50.200V18	71
60.50.200V30	71
60.50.250V10	71,190,194,196,198,204,206,208,212,224,226,496,502,503,504
60.50.250V18	71
60.50.250V30	71
60.50.300V10	71,190,194,196,198,204,206,208,212,224,226,496,502,503,504
60.50.300V18	71
60.50.300V30	71
60.50.30V18CNC	71
60.50.40V18CNC	71
60.620	55
60.620-75	55
60.70.050V07	77,130,192,200,202,210,506,559
60.70.075V10	77,130,192,200,202,210,506,559
60.70.100V10	77,130,192,200,202,210,506,559
60.70.100V18	77,130,559
60.70.125V10	77,130,192,200,202,210,506,559
60.70.125V18	77,130,559
60.70.150V10	77,130,192,200,202,210,506,559
60.70.150V18	77,130,559
60.70.175V10	77,130,192,200,202,210,506,559
60.70.175V18	77,130,559
60.70.200V10	77,130,192,200,202,210,506,559
60.70.200V18	77,130,559
60.70.200V30	77
60.70.250V10	77,130,192,200,202,210,506,559
60.70.250V18	77,130,559
60.70.250V30	77
60.70.300V10	77,130,192,200,202,210,506,559
60.70.300V18	77,130,559
60.70.300V30	77
60.70.30V18CNC	77,134,559
60.70.40V18CNC	77,134,559
60.701	55
60.701-75	55
613.242	56
613.242-75	56
613.360	56

Item no.	Page
613.360-75	56
613.404	56
613.404-75	56
613.441	56
613.441-75	56
613.63300	56
613.63300-75	56
613.920	56
613.920-75	56
65.040.530	66,488
65.046.530	51,66
65.046.531	66
65.050.730	102,496
65.051.731	103
65.060.530	66,489
65.068.530	57,66
65.068.531	66
65.070.730	102
65.071.731	103
65.090.530	66,490
65.098.530	63,66
65.098.531	66
65.100.730	102
65.101.731	103
65.1060.530	492
65.130.730	102
65.131.731	103
66.046.025	67,488
66.050.025	102,496
66.068.025	67,489
66.070.025	102
66.098.025	67,490
66.100.025	102
66.130.025	102
67.046.016	67,488
67.046.017	67,488
67.050.016	102,496
67.050.017	102,496
67.068.016	67,489
67.068.017	67,489
67.070.016	102
67.070.017	102
67.098.016	67,490
67.098.017	67,490
67.100.016	102
67.100.017	102
67.1060.016	492
67.1060.25	492
67.130.016	102
67.130.017	102
68.022	54,220
68.022-75	54,220
68.140	54,220
68.140-75	54,220
68.221M	489,491
68.24100	54
68.24100-75	54
68.420	54,220
68.420-75	54,220
68.501	54
68.501-75	54
68.700	54
68.700-75	54
700/2223V10	80
700/2321V10	80,108
700/3411V10	80
700/4112V10	80
700/4302V10	80
700/4501V10	80
713/0120V10	81
713/0270V10	81
713/0323V10	81
713/1332V10	81
713/2422V10	81
713/4403V10	81
715/0100V10	82
715/0120V10	82
715/0130V10	82
715/1333V10	82
715/1900V10	82
715/2342V10	82
770/0040V10	78
770/0121V10	78
770/0320V10	78
770/0600V10	78
770/1112V10	78
770/2220V10	78
780.1111V86	158,160
780/0420V10	79
780/1222V10	79
780/1311V10	79
780/2121V10	79
780/3221V10	79
780/4220V10	79
86.CLEAN5S-1	528
86.CLEAN5S-2	528
86.H01KUB5	530
86.H02KUB5	530
90.23300	61
90.23300-75	61
90.303	61
90.303-75	61
90.340	61
90.340-75	61
90.421	61
90.421-75	61
90.620	61
90.620-75	61
90.701	61
90.701-75	61
913.242	62
913.242-75	62
913.360	62
913.360-75	62
913.404	62
913.404-75	62
913.41012	62
913.41012-75	62
913.441	62
913.441-75	62
913.920	62
913.920-75	62
98.140	60,221
98.140-75	60,221
98.221	60
98.221-75	60
98.221M	490
98.420	60,221
98.420-75	60,221
98.44000	60
98.44000-75	60
98.501	60
98.501-75	60
98.700	60,221
98.700-75	60,221
A03.10.40	437
A03.10.50	437
A03.1090.40	437
A03.1090.50	437
A03.125.40	437
A03.125.50	437
A03.12590.40	437
A03.12590.50	437
A03.15.40	437
A03.15.50	437
A03.1590.40	437
A03.1590.50	437
A03.20.40	437
A03.20.50	437
A03.2090.40	437
A03.2090.50	437
A03.25.40	437
A03.25.50	437
A03.2590.40	437
A03.2590.50	437
A03.81.40	437
A03.81.50	437
AE031040	437
AE031050	437
AE03109040	437
AE03109050	437
AE0312540	437
AE0312550	437
AE031259040	437
AE031259050	437
AE031540	437
AE031550	437
AE03159040	437
AE03159050	437
AE032040	437
AE032050	437
AE03209040	437
AE03209050	437
AE032540	437
AE032550	437
AE03259040	437
AE03259050	437
AE038140	437
AE038150	437
AFS	399
BE1.6060K25	380
BE1.6075K25	380
BE1.6090K25	380
BE1.7560K25	380
BE1.7575K25	380
BE1.7590K25	380
BE1.9060K25	380
BE1.9075K25	380
BE1.9090K25	380
BE2.6060K25	381
BE2.6075K25	381
BE2.6090K25	381
BE2.7560K25	381
BE2.7575K25	381
BE2.7590K25	381
BE2.9060K25	381
BE2.9075K25	381
BE2.9090K25	381
BHFS1050195K	588
BHFS1050FBK	588
BHFS1060195K	588
BHFS1060FBK	588
BHFS12401903K	589
BHFS12501903K	589
BHFS1250195K	588
BHFS1250FBK	588
BHFS1260195K	588

Index according to item no.

Item no.	Page
BHFS1260FBK	588
BHFS40401901K	589
BHFS40501901K	589
BHFS80401902K	589
BHFS80501902K	589
BHGS10601904K	591
BHGS30501705K	592
BHGS30501905K	592
BHGS40601903K	591
BHGS50601903K	591
BHGS60501706K	592
BHGS60501906K	592
BHGS60601902K	590
BHGS60601903K	591
BHGS80601901K	590
BHGS80601904K	591
BHGS80702008K	593
BHGS80702009K	593
BHGS90501707K	592
BHGS90501907K	592
BHMS105001FBK	588
BHMS10501901K	588
BHMS10601901K	588
BHMS12501901K	588
BHMS12601901K	588
C075E160G	367
C075E175G	367
C075E260G	367
C075E275G	367
C075KL60G	366
C075KL75G	366
C075KU60G	366
C075KU75G	366
C100E160G	367
C100E175G	367
C100E260G	367
C100E275G	367
C100KL60G	366
C100KL75G	366
C100KU60G	366
C100KU75G	366
C125E160G	367
C125E175G	367
C125E260G	367
C125E275G	367
C125KL60G	366
C125KL75G	366
C125KU60G	366
C125KU75G	366
C150E160G	367
C150E175G	367
C150E260G	367
C150E275G	367
C150KL60G	366
C150KL75G	366
C150KU60G	366
C150KU75G	366
C175E160G	367
C175E175G	367
C175E260G	367
C175E275G	367
C175KL60G	366
C175KL75G	366
C175KU60G	366
C175KU75G	366
C200E160G	367
C200E175G	367
C200E260G	367
C200E275G	367
C200KL60G	366
C200KL75G	366
C200KU60G	366
C200KU75G	366
CF.125.75	396
CF.125.75-1	398
CF.125.75-2	398
CF.125.75BM	396
CF.150.75	396
CF.150.75-1	398
CF.150.75-2	398
CF.150.75BM	396
CF.200.75	396
CF.200.75-1	398
CF.200.75-2	398
CF.200.75BM	396
E06500910VM	458
E06500940VE	458
E07.24.02	457
E07.24.03	457,459
E07.24.04	457
E07.24.07	457
E07.24.08	457,458
E07.24.09	457
E07.24.21	457
E07.24.22	457
E07.60.31	454
E07.60.32	454
E07.75.1KHEST	456
E07.75.1KLST	456
E07.75.1KUST	456
E07.75.KHEMW	456
E07.75.KLMW	456
E07.75.KUMW	456
E07.8310.08K	454
E07.899.01	455
E1250.681	458
E1250.7004.L	458
E1402.662.L	459
E1402.662.R	459
E1402.662.S	459
E1402.663.R	459
E1402.663.S	459
E1402.665.L	459
E1402.665.R	459
E1402.665.S	459
E1453.7300.R	459
E1700.ES.B	466
E1700.ES.D	466
E1700.ESP.S	467
E1700.KS.13	465,466,467
E1700.PU	465
E1700.S	465
E1700.VH	465
E1700.XS	466,467
E1700.XS.PU	465
E1710.ES.B	466
E1710.ES.D	466
E1710.ESP.S	467
E1710.PU	465
E2000.ML	450
E2000.TR50	450
E307.B1.Z	458
E4150E175-04	455
E4150E175G	453
E4150E190G	453
E4150E275-04	455
E4150E275G	453
E4150E290G	453
E4150KL75-04	455
E4150KL75G	453
E4150KL90G	453
E4150KU75-04	455
E4150KU75G	453
E4150KU90G	453
E4200E175G	453
E4200E190G	453
E4200E275G	453
E4200E290G	453
E4200KL75G	453
E4200KL90G	453
E4200KU75G	453
E4200KU90G	453
E5310.05	462
E5310.10	462
E5310.14	462
E5310.15	462
E5310.20	462
E5310.24	462
E5310.25	462
E5310.31	462
E5310.32.S	462
E5310.33	462
E5310.34	462
E5310.42	462
E5310.43	462
E5310.43.PU	462
E5310.43.S	462
E5310.50	462
E5310.55	462
E5310.64	462
E5310.64.PU	462
E5310.70	462
E5310.80	462
E5311.R.10	463
E5311.R.14	463
E5311.R.20	463
E5311.R.24	463
E5311.R.34	463
E5311.R.42	463
E5311.R.43	463
E5311.R.64	463
E5311.Y.10	463
E5311.Y.14	463
E5311.Y.20	463
E5311.Y.24	463
E5311.Y.34	463
E5311.Y.42	463
E5311.Y.43	463
E5311.Y.64	463
E5320.2	460
E5320.2.ET	461
E5320.3	460
E5320.3.ET	461
E5320.3Z	460
E5320.3Z.ET	461
E5320.4	460
E5320.4.ET	461
E5320.5	460
E5320.5.ET	461
E5320.6	460
E5320.6.ET	461
E5320.6D	460
E5320.FA3Z	460
E5320.FA4	460
E5320.FA4.ET	461
E5320.FA5	460
E5320.FA5.ET	461
E5320FA2.3ET	461

Item no.	Page
E5320FA3Z.ET	461
E5321.R.4	461
E5321.R.5	461
E5321.R.6	461
E5321.Y.4	461
E5321.Y.5	461
E5321.Y.6	461
E7100.VB2	451
EB530.MK	450
EBD10000650	255
EBD13501000	255
EBD19451000	255
EBD25921000	255
EC150E175-05	454
EC150E175G	452
EC150E275-05	454
EC150E275G	452
EC150KL75-05	454
EC150KL75G	452
EC150KU75-05	454
EC150KU75G	452
EC200E175G	452
EC200E275G	452
EC200KL75G	452
EC200KU75G	452
EE1.6060K30	380
EE1.6075K30	380
EE1.6090K30	380
EE1.7560K30	380
EE1.7575K30	380
EE1.7590K30	380
EE1.9060K30	380
EE1.9075K30	380
EE1.9090K30	380
EE2.6060K30	381
EE2.6075K30	381
EE2.6090K30	381
EE2.7560K30	381
EE2.7575K30	381
EE2.7590K30	381
EE2.9060K30	381
EE2.9075K30	381
EE2.9090K30	381
EL4075060	385
EL4075075	385
EL4075090	385
EL4100060	385
EL4100075	385
EL4100090	385
EL4125060	385
EL4125075	385
EL4125090	385
EL4150060	385
EL4150075	385
EL4150090	385
EL4175060	385
EL4175075	385
EL4175090	385
EL4200060	385
EL4200075	385
EL4200090	385
ELC075060	387
ELC075075	387
ELC075090	387
ELC100060	387
ELC100075	387
ELC100090	387
ELC125060	387
ELC125075	387

Item no.	Page
ELC125090	387
ELC150060	387
ELC150075	387
ELC150090	387
ELC175060	387
ELC175075	387
ELC175090	387
ELC200060	387
ELC200075	387
ELC200090	387
ELXXXXX60TR	388
ELXXXXX75TR	388
ELXXXXX90TR	388
EOFD10000650	255
EOFD13501000	255
EOFD19451000	255
EOFD25921000	255
EPGT120	449
EPGT120.12.S	449
EPGT120.CU.12	449
EPGT120.TEST	449
EPGT120.WK	449
ES530.G	450
ESD07.58.12	464
ESD07.58.14	464
ESD07.58.16	464
ESD07.58.18	464
ESDC150KU75G	454
ESRM200.K	451
H03.1060.30	440
H03.1060.40	388,440
H03.1060.50	440
H03.1075.30	440
H03.1075.40	388,440
H03.1075.50	440
H03.1090.30	440
H03.1090.40	388,440
H03.1090.50	440
H03.125.40	388,397,440
H03.125.50	397,440
H03.1260.30	440
H03.1260.40	388,440
H03.1260.50	440
H03.1275.30	440
H03.1290.30	440
H03.1290.40	388,440
H03.1290.50	440
H03.15.30	440
H03.15.40	388,397,403,440
H03.15.40HV	409
H03.15.40HVS	409
H03.15.50	397,403,440
H03.15.50HV	409
H03.15.50HVS	409
H03.1560.30	440
H03.1560.40	388,440
H03.1560.50	440
H03.1590.30	440
H03.1590.40	388,403,440
H03.1590.50	403,440
H03.1760.30	440
H03.1760.40	388,440
H03.1760.50	440
H03.1775.30	440
H03.1775.40	388,440
H03.1775.50	440
H03.1790.30	440
H03.1790.40	440
H03.1790.50	388,440
H03.20.30	440

Item no.	Page
H03.20.40	388,397,403,440
H03.20.40HV	409
H03.20.40HVS	409
H03.20.50	397,403,440
H03.20.50HV	409
H03.20.50HVS	409
H03.2060.30	440
H03.2060.40	388,440
H03.2060.50	440
H03.2090.30	440
H03.2090.40	388,403,440
H03.2090.50	403,440
H03.25.30	440
H03.25.40	440
H03.25.50	440
H03.2560.30	440
H03.2560.40	440
H03.2560.50	440
H03.2590.30	440
H03.2590.40	440
H03.2590.50	440
H03.7560.30	440
H03.7560.40	388,440
H03.7560.50	440
H03.7575.30	440
H03.7575.40	388,440
H03.7575.50	440
H03.7590.30	440
H03.7590.40	388,440
H03.7590.50	440
H03.81.30	440
H03.81.40	440
H03.81.50	440
HE1.6060K30	380
HE1.6075K30	380
HE1.6090K30	380
HE1.7560K30	380
HE1.7575K30	380
HE1.7590K30	380
HE1.9060K30	380
HE1.9075K30	380
HE1.9090K30	380
HE2.6060K30	381
HE2.6075K30	381
HE2.6090K30	381
HE2.7560K30	381
HE2.7575K30	381
HE2.7590K30	381
HE2.9060K30	381
HE2.9075K30	381
HE2.9090K30	381
HF1052060	253
HF10520FB	253
HF5552060	253
HF55520FB	253
HF6002060MW	253
HF7052060	253
HF70520FB	253
HF9002060MW	253
HK10513140	253
HK5553140	253
HK6002040MW	253
HK7053140	253
HK9002040MW	253
K03.10.40	438
K03.10.50	438
K03.1060.40	438
K03.1060.50	438
K03.1090.40	438
K03.1090.50	438

Index according to item no.

Item no.	Page
K03.125.40	438
K03.125.50	438
K03.12560.40	438
K03.12560.50	438
K03.12590.40	438
K03.12590.50	438
K03.15.40	438
K03.15.50	438
K03.1560.40	438
K03.1560.50	438
K03.1590.40	438
K03.1590.50	438
K03.20.40	438
K03.20.50	438
K03.2060.40	438
K03.2060.50	438
K03.2090.40	438
K03.2090.50	438
K03.25.40	438
K03.25.50	438
K03.2560.40	438
K03.2560.50	438
K03.2590.40	438
K03.2590.50	438
K03.81.40	438
K03.81.50	438
KAS105010	561
KAS105010-01	561
KAS105019	561
KAS105019-01	561
KAS135010	561
KAS135010-01	561
KAS135019	561
KAS135019-01	561
KUS03.15.20	441
KUS03.15.25	441
KUS03.15.30	441
KUS03.20.20	441
KUS03.20.25	441
KUS03.20.30	441
KUW03.15.20	441
KUW03.15.25	441
KUW03.15.30	441
KUW03.20.20	441
KUW03.20.25	441
KUW03.20.30	441
L03.10.30	442
L03.10.40	442
L03.10.50	442
L03.1060.30	442
L03.1060.40	442
L03.1060.50	442
L03.1090.30	442
L03.1090.40	442
L03.1090.50	442
L03.125.30	442
L03.125.40	397,442
L03.125.50	397,442
L03.1260.30	442
L03.1260.40	442
L03.1260.50	442
L03.1290.30	442
L03.1290.40	442
L03.1290.50	442
L03.15.30	442
L03.15.40	397,403,442
L03.15.50	397,403,442
L03.1560.30	442
L03.1560.40	442

Item no.	Page
L03.1560.50	442
L03.1590.30	442
L03.1590.40	403,442
L03.1590.50	403,442
L03.20.30	442
L03.20.40	397,403,442
L03.20.50	397,403,442
L03.2060.30	442
L03.2060.40	442
L03.2060.50	442
L03.2090.30	442
L03.2090.40	403,442
L03.2090.50	403,442
L03.25.30	442
L03.25.40	442
L03.25.50	442
L03.2560.30	442
L03.2560.40	442
L03.2560.50	442
L03.2590.30	442
L03.2590.40	442
L03.2590.50	442
L03.81.30	442
L03.81.40	442
L03.81.50	442
ME1.6060K28	380
ME1.6075K28	380
ME1.6090K28	380
ME1.7560K28	380
ME1.7575K28	380
ME1.7590K28	380
ME1.9060K28	380
ME1.9075K28	380
ME1.9090K28	380
ME2.6060K28	381
ME2.6075K28	381
ME2.6090K28	381
ME2.7560K28	381
ME2.7575K28	381
ME2.7590K28	381
ME2.9060K28	381
ME2.9075K28	381
ME2.9090K28	381
ML32CHIP	111,121
ML32RFIDK	111,121
PA.1060.12	439
PA.1075.12	439
PA.1090.12	439
PA.1260.12	439
PA.1275.12	439,503,504
PA.1290.12	439
PA.1560.12	439
PA.1590.12	439
PA.1760.12	439
PA.1775.12	439
PA.1790.12	439
PA.2060.12	439
PA.2090.12	439
PA.2560.12	439
PA.2590.12	439
PA.7560.12	439
PA.7575.12	439
PA.7590.12	439
PA150	439,506
PA200	439
PA250	439
PA81	439
PT10ETHAMW	425
PT10ROHAMW	422,423


Item no.	Page
PT1575BU	420,424
PT1575HPL	420
PT1590BU	420
PT1590HPL	420
PT15ETHAMW	424,425
PT15ROHAMW	423
PT2075BU	420,420
PT2075HPL	420
PT2090BU	420
PT2090HPL	420
PT4150E175B	421
PT4150E175H	421
PT4150E190B	421
PT4150E190H	421
PT4150E275B	421
PT4150E275H	421
PT4150E290B	421
PT4150E290H	421
PT4150KL75B	421
PT4150KL75H	421
PT4150KL90B	421
PT4150KL90H	421
PT4150KU75B	421
PT4150KU75H	421
PT4150KU90B	421
PT4150KU90H	421
PT4200E175B	421
PT4200E175H	421
PT4200E190B	421
PT4200E190H	421
PT4200E275B	421
PT4200E275H	421
PT4200E290B	421
PT4200E290H	421
PT4200KL75B	421
PT4200KL75H	421
PT4200KL90B	421
PT4200KL90H	421
PT4200KU75B	421
PT4200KU75H	421
PT4200KU90B	421
PT4200KU90H	421
PTEK375	427
PTFBXXXXXMLL50	422
PTSCHA100548	425
PTTAAUFB320	288,422,423
RPA100	439
RPA125	439,503,504
RPA150	439,506
RPA175	439
RPA200	439
RPA250	439
RPA75	439
RPA81	439
SRAB150	139
SRAB200	139
SRAB250	139
SRAB300	139
SRBV	124
SRDK	125
SRFBGE070	127
SRFBGE100	127
SRFBGL070	127
SRFBGL100	127
SRFBTB095	126
SRFBTB145	126
SRFBTB195	126
SRFBVERB	126
SRFLE070/080	141


Item no.	Page
SRFLE070/100	141
SRFLE070/200	141
SRFLE070/240	141
SRFLE070/280	141
SRFLE100/080	141
SRFLE100/100	141
SRFLE100/200	141
SRFLE100/240	141
SRFLE100/280	141
SRFLO070/080	141
SRFLO070/100	141
SRFLO100/080	141
SRFLO100/100	141
SRHB025	139
SRHB050	139
SRHB075	139
SRHB100	139
SRHFBVZ150	138
SRHFBVZ200	138
SRHFBVZ250	138
SRHFBVZ300	138
SRHFBVZ350	138
SRK01	144
SRK02	144
SRK03	145
SRK04	145
SRK05	146
SRK06	146
SRK07	147
SRK08	147
SRNAP1	124
SRNAP2	124
SRNAP4	124
SRRW070/10	125
SRRW070/20	125
SRRW070/24	125
SRRW070/28	125
SRRW100/10	125
SRRW100/20	125
SRRW100/24	125
SRRW100/28	125
SRSAW100	125
SRSAW200	125
SRSAW240	125
SRSAW280	125
SRSB095	126
SRSB145	126
SRSB195	126
SRSTS070/080	129
SRSTS070/100	129
SRSTS070/130	129
SRSTS070/150	129
SRSTS100/080	129
SRSTS100/100	129
SRSTS100/130	129
SRSTS100/150	129
SRSTV070/100	136
SRSTV070/200	136
SRSTV070/240	136
SRSTV070/280	136
SRSTV100/100	136
SRSTV100/200	136
SRSTV100/240	136
SRSTV100/280	136
SRTR100	124
SRTR200	124,142,143
SRTR240	124,142,143
SRTR280	124,142,143
SRTRGE	139

Item no.	Page
SRUNDEGE070	127
SRUNDEGE100	127
SRUNDEGL070	127
SRUNDEGL100	127
SRUNFBGE070	127
SRUNFBGE100	127
SRUNFBGL070	127
SRUNFBGL100	127
SRVACNWAT300	139
SRVAHFBCN250	139
SRVZ150/100	137
SRVZ150/200	137
SRVZ150/240	137
SRVZ150/280	137
SRVZ200/100	137
SRVZ200/200	137
SRVZ200/240	137
SRVZ200/280	137
SRVZ250/100	137
SRVZ250/200	137
SRVZ250/240	137
SRVZ250/280	137
SRVZ300/100	137
SRVZ300/200	137
SRVZ300/240	137
SRVZ300/280	137
SRVZ350/100	137
SRVZ350/200	137
SRVZ350/240	137
SRVZ350/280	137
SRVZLW416	138
SRZW100	125
SRZW200	125
SRZW240	125
SRZW280	125
T03.10.30	441
T03.10.40	441
T03.10.50	441
T03.1060.30	441
T03.1060.40	441
T03.1060.50	441
T03.1090.30	441
T03.1090.40	441
T03.1090.50	441
T03.125.30	441
T03.125.40	397,441
T03.125.50	397,441
T03.1260.30	441
T03.1260.40	441
T03.1260.50	441
T03.1290.30	441
T03.1290.40	441
T03.1290.50	441
T03.15.30	441
T03.15.40	397,403,441
T03.15.50	397,403,441
T03.1560.30	441
T03.1560.40	441
T03.1560.50	441
T03.1590.30	441
T03.1590.40	403,441
T03.1590.50	403,441
T03.20.30	441
T03.20.40	397,403,441
T03.20.50	397,403,441
T03.2060.30	441
T03.2060.40	441
T03.2060.50	441
T03.2090.30	441

Item no.	Page
T03.2090.40	403,441
T03.2090.50	403,441
T03.81.30	441
T03.81.40	441
T03.81.50	441

Notes





Notes

