

2025


bedrunka+hirth

Workplace up to date – mehr Raum zum Arbeiten

MULTIPURPOSE AND WARDROBE CABINETS



Valid until
31.12.2026




Standard colors

- Environmentally friendly powder coating in 17 standard colors at no extra charge.
- Please always specify the color when ordering.
- Without color specification, we will deliver the multi-purpose and wardrobe cabinets in the standard color: RAL 7040 Window Grey



Standard color for multi-purpose and wardrobe cabinets



Locking systems

- Key is replaced with numerical code/ RFID E-lock
- Lever mechanism
- Administration with management and programming key
- Lock housing made entirely of steel
- Inlet mounting
- Rotation angle 90° or 180°
- Opening and closing by turning the knob
- Emergency power supply via management key
- Horizontal alignment
- Protection class IP55
- 2 years guarantee

Pin code E-lock

Lock can be opened with a 4-7 digit numerical code

Recessed lock

- Power supply via 2x AAA batteries
- Dimensions (W x D x H): 105.17mm x 2.7mm x 29.57 mm (incl. knob 9.75mm)

Surface-mounted lock (retrofitting)

- Power supply via 2 x lithium batteries CR2450
- Dimensions (W x D x H): 133 mm x 31.5 mm x 20.4mm (incl. knob depth 7.7mm)



Item-Nr.	Lock variant		Price in €
01PINFLRE	Pin code E-lock, right-hinged for hinged door		122,30
01PINFLLI	Pin code E-lock, left-hinged for hinged door		122,30
01PINFL2	Pin code E-lock for double wing door		122,30

RFID E-lock

Can be opened with an RFID card or a chip.

Closure with RFID standards: iClass and Mifare (13.56 MHz) | ISO 14443A • ISO 14443B • ISO 15693

Recessed lock

- Power supply via 4 x AA batteries
- Dimensions (W x D x H): 105.17mm x 2.7mm x 29.57 mm (incl. knob 9.75mm)

Surface-mounted lock (retrofitting)

- Power supply via 4 x AA batteries
- Dimensions (W x D x H): 133 mm x 31.5 mm x 20.4 mm (incl. knob depth 7.7 mm)



Item-Nr.	Lock variant		Price in €
01RFIDFLRE	RFID E-lock, right-hinged for hinged door		159,53
01RFIDFLLI	RFID E-lock, left-hinged for hinged door		159,53
01RFIDFL2	RFID e-lock for double wing door		159,53

Multipurpose and wardrobe cabinets

Locking system



Key management for the E-locks

For programming the E-locks with PIN code and RFID, a programming key is required for each hall or facility. With this programming key, 1 to 6 management keys can be registered. Emergency power supply, in case of ignoring the warning signals, is possible with both the programming key and the management key.



Application	User key	Management key	Programming key
Operation of the lock	X	X	X
Master key function		X	X
Inspection function		X	X
External power supply		X	X
Assignment of management keys			X
Assign user keys or transponders (for personal use only)		X	
Setting lock function			X

Accessories for E-locks



User key RFID card

- Up to 20 users can be assigned per lock, more on request

Item-Nr.	Price in €
ML32RFIDK	12,20



User key chip

- Up to 20 users can be assigned per lock, more on request

Item-Nr.	Price in €
ML32CHIP	12,20



Management key

- Up to 6 management keys can be assigned per lock

Item-Nr.	Price in €
01ESCHLOSSVS	52,80



Programming key

- 1 programming key is required per lock system

Item-Nr.	Price in €
01ESCHLOSSPS	68,20



Hinged door cabinets

- 2x hinged doors
- Right door with recessed handle lock and 2 keys, left door with rebate stop
- 3-point locking system with recessed handle cylinder lock and 2 keys
- Material thickness: 1 mm steel sheet

ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 180°
- 4 adjustable leveling feet, accessible from above
- Total load capacity: 700 kg

Door opening angle




Additional Shelf

- Includes mounting materials
- Load capacity 100 kg



Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS1050FB	946 x 445 x 22	31,00
BHFS1060FB	946 x 545 x 22	36,00
BHFS1250FB	1146 x 445 x 22	42,00
BHFS1260FB	1146 x 545 x 22	49,00



4 adjustable leveling feet, accessible from above with an Allen key (size SW6)



Hinged door cabinet

- 4 shelves adjustable, load capacity 100 kg each
- Internal compartment size: 940 x 450 x 1830 mm (W x D x H)



Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS1050195	1000 x 500 x 1950	529,00
BHFS1060195	1000 x 600 x 1950	599,00
BHFS1250195	1200 x 500 x 1950	645,00
BHFS1260195	1200 x 600 x 1950	689,00

Multipurpose and wardrobe cabinets



Multipurpose cabinets



ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 180°
- 4 adjustable leveling feet, accessible from above
- Total load capacity 700 kg

Door opening angle




4 adjustable leveling feet, accessible from above with an Allen key (size SW6)

Multipurpose cabinet 01

- 2 x hinged doors
- Right door with recessed handle lock and 2 keys, left door with rebate stop
- 3-point locking system with recessed handle cylinder lock and 2 keys
- Material thickness: 1 mm steel sheet
- 8 shelves, load capacity 40 kg each, adjustable in 50 mm increments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHMS10501901	1000 x 500 x 1950	655,00
BHMS10601901	1000 x 600 x 1950	705,00
BHMS12501901	1200 x 500 x 1950	721,00
BHMS12601901	1200 x 600 x 1950	775,00



Additional Shelf

- Includes mounting materials
- Load capacity 40 kg

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHMS105001FB	450 x 445 x 22	18,00




Compartment cabinets

- For depth 400 mm: Internal compartment size: 390 x 365 x 360 mm (W x D x H)
- For depth 500 mm: Internal compartment size: 390 x 465 x 360 mm (W x D x H)
- All compartments with hinged doors, partial perforation on the hinge side
- Each door includes a stamped nameplate
- Door with cylinder lock, including 3 keys
- Material thickness: 1 mm steel sheet
- Load capacity per compartment: 20 kg, 100 kg per column
- Wall mounting recommended; delivery without mounting materials.
Select appropriate mounting materials based on wall conditions.


ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°
- 4 adjustable leveling feet, accessible from above

Door opening angle



4 adjustable leveling feet, accessible from above with an Allen key (size SW6)

**Compartment cabinets 01**

- 5 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS40401901	400 x 400 x 1900	295,00
BHFS40501901	400 x 500 x 1900	335,00

**Compartment cabinets 02**

- 10 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS80401902	800 x 400 x 1900	511,00
BHFS80501902	800 x 500 x 1900	585,00

**Compartment cabinets 03**

- 15 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHFS12401903	1200 x 400 x 1900	699,00
BHFS12501903	1200 x 500 x 1900	775,00

Multipurpose and wardrobe cabinets


Wardrobe cabinets





ADVANTAGES

- 2 x Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg

Door opening angle




4 adjustable leveling feet, accessible from above with an Allen key (size SW6)



Wardrobe cabinet 01

- 1 x punched nameplate
- Right hinged door with cylinder lock including 3 x keys, left hinged door with rebate stop
- 1 x towel holder on the inside of the door
- Top: 1 x adjustable shelf, adjustable by 100 mm in increments, 1 x welded shelf, below a central partition 660 mm
- Left: 1 x clothing rod with 4 x sliding hooks
- Right: 1 x adjustable shelf, adjustable by 100 mm in increments, 1 x welded shelf, 1 x clothing rod with 4 x sliding hooks, load capacity 20 kg
- Internal compartment size: 720 x 565 mm (W x D)

Item.-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80601901	800 x 600 x 1900	535,00



ADVANTAGES



- 1 x Hinged door, internal, flush with the housing
- Door opening angle: 180°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg

Wardrobe cabinet 02

- 2 x punched nameplates
- Hinged door with cylinder lock including 3 x keys
- 1 x towel holder on the inside of the door
- Top: 2 x continuous shelves, below a central partition extending to the floor
- Left: 1 x clothing rod with 4 x sliding hooks
- Right: 4 x adjustable shelves, adjustable by 100 mm in increments, load capacity 20 kg
- Internal compartment size: 520 x 565 mm (W x D)

Item.-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS60601902	600 x 600 x 1900	495,00

Door opening angle







ADVANTAGES

- 1 x Hinged doors are flush with the housing on the inside
- Door opening angle: 180°, partial perforation
- 4 adjustable leveling feet, accessible from above with an Allen key (size SW6)
- Total load capacity 100 kg

Door opening angle




4 adjustable leveling feet, accessible from above with an Allen key (size SW6)



Wardrobe cabinet 03

- 2 x punched nameplates
- Hinged door with cylinder lock including 3 x keys
- 2 x adjustable shelves, adjustable by 100 mm in increments, load capacity 20 kg
- 1 x clothing rod with 6 x sliding hooks
- Internal compartment size wide: 400: 330 x 570 mm (L x P)
- Internal compartment size wide: 500: 430 x 570 mm (L x P)
- Internal compartment size wide: 600: 530 x 570 mm (L x P)

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS40601903	400 x 600 x 1900	315,00
BHGS50601903	500 x 600 x 1900	335,00
BHGS60601903	600 x 600 x 1900	345,00




ADVANTAGES

- 2 x Hinged doors, internal, flush with the housing
- Door opening angle: 100°, partial perforation
- 4 adjustable leveling feet, accessible from above
- Total load capacity 100 kg

Wardrobe cabinet 04

- 2 x punched nameplates per hinged door
- Both hinged doors with cylinder lock including 3 x keys
- Each compartment 1 x galvanized clothing rod with 3 x sliding hooks
- Each compartment 2 x adjustable shelves, adjustable by 100 mm in increments, load capacity 20 kg

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80601904	800 x 600 x 1900	365,00
BHGS10601904	1000 x 600 x 1900	419,00



Multipurpose and wardrobe cabinets

Wardrobe cabinets



Wardrobe cabinets

- Each 1 x hinged door with cylinder lock including 2 x keys
- Housing top and bottom at the front and rear with ventilation slots
- Each compartment 1 x shelf, load capacity 20 kg
- Each compartment 1 x clothing rod with 3 x sliding hooks
- Material thickness: 1 mm steel sheet
- Wall mounting is recommended, delivery without fastening materials, choose sufficient mounting materials depending on the wall type.
- Internal dimensions for one compartment: 220 x 460 mm (W x D)



ADVANTAGES


- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- Total load capacity 100 kg



Wardrobe cabinet 05

- 1 x compartment


Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS30501705	300 x 500 x 1750	210,00
BHGS30501905	300 x 500 x 1900	229,00



Wardrobe cabinet 06

- 2 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS60501706	600 x 500 x 1750	359,00
BHGS60501906	600 x 500 x 1900	399,00



Wardrobe cabinet 07

- 3 x compartments



Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS90501707	900 x 500 x 1750	459,00
BHGS90501907	900 x 500 x 1900	529,00

Wardrobe cabinets with bench

- Interior size 390 x 430 x 370 mm (W x D x H)
- Each compartment 1 x cylinder lock, including 3 x keys, different locking
- Each compartment 1 x punched nameplate
- Each compartment 1 x clothing rod with 3 x sliding hooks
- Material thickness: 1 mm steel sheet
- Side walls of the open compartment taper from top (500 mm) to bottom (360 mm)
- The wardrobe is screwed with a base frame, bench with shoe rack
- 3-part bench with waterproof lacquered wooden slats and stainless steel shoe rack
- Bench height 450 mm
- Wall mounting is recommended, delivery without fastening materials, choose sufficient mounting materials depending on the wall type.

ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- 4 adjustable leveling feet

**Wardrobe cabinet with bench 08**


- 2 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80702008	800 x 700 x 2000	499,00

**Wardrobe cabinet with bench 09**

- 3 x compartments

Item-Nr.	Dimensions in mm (W x D x H)	Price in €
BHGS80702009	1200 x 700 x 2000	589,00



Offers apply to commercial and craft activities. Technical and price variations are possible given the price of raw material. The price is calculated without VAT, except mistakes or omission. Valid until 31.12.2026. You'll find the general terms of Bedrunka+Hirth Gerätebau GmbH on our website <https://www.bedrunka-hirth.de/en-de>