

bedrunka+hirth

Workplace up to date – mehr Raum zum Arbeiten










Standard colors

- Environment-friendly powder-coating, 2-tone-combinations without supplement
- Please, indicate the colour/colours in your order. When not indicated, we deliver the product in the standard color light grey (RAL 7035) and light blue (RAL 5012)



Drawer extension



All drawers fitted with full extension 100 %

- Depth 500 mm: All drawers fitted with load capacity 50 kg
- Depth 736 mm:
 Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm load capacity 100 kg
- Drawers with front height 300 mm load capacity 180 kg
- Ball bearing guides

Express 72 h



Express 72 h: All products with this sign and in the colours RAL 7035/5012 can be despatched 3 days after order.

Certificate








 $T\ddot{\text{UV}}\text{-GS-certificate}$ for all drawer cabinets in depth 736 mm

BEST OF SPECIAL

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing guide
- Anti-tilt device



Drawer cabinet R 24-24

■ 9 x drawer





- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Push handle
- Left: 2 x beech multiplex shelves 25 mm
- Right: 4 x drawers

Multi-Board

2 x uprights 650 mm, 1 x perforated panels, 1 x magnetic panel

Ref. No.	Dimensions mm (W x D x H)	Version
04.512.04A	1200 x 540 x 880	Mobile workbench
03.900.12.02A	1000 x 600	Multi-Board

Delivery without hooks and tools

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball bearing guide
- Anti-tilt device



Drawer cabinet R 36-24

■ 6 x drawer

Ref. No.	Dimensions mm (W x D x H)
100/0213V10A	1005 x 736 x 1019




Workbench R 18-24

- Beech multiplex worktop 40 mm
- Left: 4 x drawers | Right: 4 x drawers

Multi-Board

- 2 x uprights 650 mm high, 2 x perforated panels 1500 x 302 mm
- 1 x inclined shelf 1500 x 220 mm
- Range of hooks 10 x Parts
- 17 x bins in different sizes





www.bedrunka-hirth.de

Drawer cabinets Depth 736 mm

Drawer cabinets depth 736 | 705 x 736 x 819 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing guide
- Anti-tilt device



780/0221V10A



780/1311V10A

Pallet truck base

Steel sheet in front and rear screwed

01.070.012A 705 x 736 x 112

■ Incl. fixing material

		9			
100					
100				-1	
100		_	_	-8	
100			_	-1	
100		_	_	-1	
100		_	_	-	
100				_	/
					/
- 7	d	_		_/	

7 x drawer

780/0700V10A

705 x 736 x 919 mm (W x D x H)




Ref. No 790/1131V10A



790/0800V10A

705 x 736 x 1319 mm (W x D x H)



713/2422V10A

Accessories for interior dimensions 600 x 600 mm



Ribbed rubber inserts Front 50 mm and more

140A



Trough plates ■ Front 50-75 mm

130A




Small parts boxen Front 75 - 100 mm

132A



Small parts boxen Front 75 - 100 mm

134A



Metal dividers Front 100 mm

Ref. No 139BLH100A

More dividing kits s. page 5 and 23

PRODUCT FROM

Drawer cabinets

Drawer cabinets depth 736 | 705 x 736 x 1019 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm







Ref. No. 700/1131V10A

75 125 150 200 200 SHORT DELIVERY TIME

Ref. No. 700/1122V10A



Ref. No. 700/1321V10A



Ref. No. 700/2321V10A

8 x drawer



■ 9 x drawer

700/0900V10A



■ 9 x drawer

Ref. No. 700/2223V10A

Accessories for interior dimensions 600 x 600 mm



Metal dividers
■ Front 100-125 mm

Ref. No. 138BLH100A



Metal dividers

Front 100-125 mm

Ref. No. 146BLH100A



Metal dividers
Front 150 mm

Ref. No. 139BLH150A



Metal dividers

Front 150

Ref. No. 144BLH150A



Metal dividers

Front 200 mm

Ref. No. 146BLH200A

More dividing kits s. page 4 and 23

Drawer cabinets Depth 736 mm


Drawer cabinets depth 736 | 1005 x 736 x 1019 mm (W x D x H) | R 36-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball bearing guide
- Anti-tilt device



Ref. No. 100/2321V10A

1005 x 736 x 1019 mm (W x D x H)



Ref. No. 100/0900V10A

Pallet truck base

- Steel sheet in front and rear screwed
- Incl. fixing material

01.100.012A	1005 x 736 x 112	
-	0	
100		
100		
150		
150		
-		
200		
-		
200		
		7

Ref. No. 100/0222V10A

■ 6 x drawer

1005 x 736 x 1519 mm (W x D x H)



Ref. No. 115/0921V10A

Accessories for interior dimensions 900 x 600 mm



Trough plates
■ Front 50 mm

Ref. No. 150A



Metal dividers

Front 100 mm

Ref. No. 153BLH100A



Metal dividers

Front 100 mm

Ref. No. 154BLH100A



Metal dividers
Front 150 mm

Ref. No. 153BLH150A



Metal dividers

Front 200 mm

Ref. No. 166BLH200A

Drawer cabinets




Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.


Pictures with housing in RAL 7035 and fronts RAL 3020.

Drawer cabinets depth 500 | 680 x 500 x 1019 mm (W x D x H) | R 24-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 600 x 400 mm



6 x drawer 60.303A



■ 7 x drawer

60.340A



■ 8 x drawer

60.701A

■ 9 x drawer

60.900A

Accessories for interior dimensions 600 x 400 mm



Ribbed rubber inserts Front 75 mm and more

65.068.530A



Small parts boxen

Front 100 mm

168-132A



Metal dividers

Front 100 mm

168-139A



Metal dividers

Front 150 mm


168-135A




168-144A

Drawer cabinets depth 500 980 x 500 x 1019 mm (W x D x H) | R 36-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 900 x 400 mm




90.303A



■ 7 x drawer


90.340A



■ 8 x drawer

90.701A





9 x drawer


90.900A

Accessories for interior dimensions 900 x 400 mm



Ribbed rubber inserts Front 75 mm and more

Ref. No. 65.098.530A



Small parts boxen Front 100 mm

198-132A



Metal dividers Front 100 mm

198-139A



Metal dividers Front 150 mm

Ref. No. 198-136A



Metal dividers Front 200 mm

Ref. No. 198-144A

Shelving

Shelving racks

Shelving racks

- 5 x shelves
- 200 kg load capacity each Shelf
- Simple plug-in assembly
- Surface galvanised
- 40 mm folded shelf edge
- Height-adjustability 25 : 25 mm
- Width base shelving 1060 mm
- Width add-on shelving 1010 mm
- Width nominal dimension depth + 35 mm



Basic shelving

Ref. No.	Dimensions mm (W x D x H)	Tray load in kg
05.1004G	1000 x 400 x 2000	225
05.1005G	1000 x 500 x 2000	230
05.1006G	1000 x 600 x 2000	240

Add-on shelving

Ref. No.	Dimensions mm (W x D x H)	Tray load in kg
05.1004A	1000 x 400 x 2000	225
05.1005A	1000 x 500 x 2000	230
05.1006A	1000 x 600 x 2000	240

Shelf with 4 x shelf-holder

Ref. No.	Dimensions mm (W x D)	Tray load in kg
05.Z10040M	1000 x 400	225
05.Z10050M	1000 x 500	230
05.Z10060M	1000 x 600	240



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.



Drawer cabinet shelving

- 7 x drawer, Drawer interior dimension: 900 x 400 mm
- Drawers with full pull-out 100%, load capacity 50 kg

Ref. No.	Dimensions mm (W x D x H)	Version
05.1005-3A	1000 x 500 x 2000	Basic shelving with 3 x shelves
05.1005A	1000 x 500 x 2000	Add-on shelving, Incl. 5 x shelves
90.421A	980 x 500 x 1019	Drawer cabinet

90.421A 980 x 5
Dividing kits s. page 7



bedrunka+hirth

CNC-System CNC-tool storing systems



Inserts

- This system is the most flexible available.
- The black plastic inserts are clipped into the heavy gauge steel tool carrier through a series of rebated slots.
- No fasteners are required to locate the inserts which can also be quickly removed by depressing the integral locking lug.

CNC	_	CNC	CNC
49 x 103 x 17 mm	74 x 103 x 17 mm	99 x 103 x 17 mm	E3
SK 30	SK 40	SK 50	
VDI 25	VDI 40	VDI 50	
VDI 30	HSK A 50 / B 63	VDI 60	
MK3	HSK A 63 / B 80	HSK A 32 / B 40)
MK4	MK 5	HSK A 40 / B 50)
Capto C 4	Capto C 5	HSK A 80 / B 10	00
		HSK A 100 / B 1	25
		Universal	
		Capto C 3	
		Capto C 6	
		Capto C 8	

2 x or 4 x casette, shelf, rubber mat and grips




CNC- Table rack attachment TAG 2

with 2 floors incl. inserts

Ref. No.	Dimensions mm (W x D x H)	CNC E1	CNC E2	CNC E3
02.2210A	425 x 375 x 300	10/14*	10/10*	6/6*
02.2214A	575 x 375 x 300	14/20*	14/14*	8/10*





BESTSELLER



Ref. No.	Dimensions mm (W x D x H)	CNC E1	CNC E2	CNC E3
02.2420A	425 x 375 x 525	20/28*	20/20*	12/12*
02.2428A	575 x 375 x 525	28/40*	28/28*	16/20*

Maximum storage space for your tools



CNC-Drawer cabinet T736 R 24-24

- 4 x drawers
- Incl. one or. two CNC-drawer frames 600 (SR)
- Incl. CNC-Tool inserts
- W x D x H: 705 x 736 x 1019 mm
- Drawer interior dimension: 600 x 600 mm

Ref. No.	Version	CNC E1	CNC E2	CNC E3
02.2140/1RVA	1 x drawern- rahmen (SR)	35/50*	35/35*	20/25*
02.2140/2RVA	2 x drawern- rahmen (SR)	70/100*	70/70*	40/50*



^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

CNC-tool storing systems

CNC-Cabinets



- 3 x CNC frames can be installed inclined or flat
- 1 x Shelf
- Incl. CNC-Tool inserts
- Sheet steel doors

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.2118.04/3A	980 x 500 x 1838	66/144*	66/99*	45/72*



CNC-double swing doors T500 R 36-16

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts
- Sheet steel doors

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.2118.04A	980 x 500 x 1838	80/192*	80/132*	52/96*



CNC-Display cabinet T500 R 36-16

- 3 x CNC frames can be installed inclined or flat
- 1 x shelf
- Incl. CNC-Tool inserts
- Glazed doors with acrylic glass

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
04.2118.00/3A	980 x 500 x 1838	66/144*	66/99*	45/72*



CNC-Display cabinet T500 R 36-16

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts
- Glazed doors with acrylic glass

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
04.2118.00A	980 x 500 x 1838	80/192*	80/132*	52/96*

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

CNC-cabinets CNC-tool storing systems

CNC roller shutter top cabinet

- Plastic-Shutter
- 2 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.298.00A	1000 x 500 x 1000	40/96*	40/66*	25/48*





CNC-Roller shutter cabinet with Aluminium-Roller

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.289.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

CNC-Roller shutter cabinet with Plastic-Roller

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.295.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

1		13			
1			,		
	<u> </u>	14			
			augn a		
	-		4	AL	
f					
	-	_			ı
I P					

CNC-Roller shutter cabinet with Aluminium-Roller

- 3 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.289.00/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

CNC-Roller shutter cabinet with Plastic-Roller

- \blacksquare 3 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.295.00/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

CNC-tool storing systems

CNC transport systems

BESTSELLER



- **CNC-Trolley**
- 2 x fixed and 2 x swivel wheels ø125 mm.
 The swivel wheels with brake
- 6 x CNC-Tool carrier 600 or 900
- Incl. CNC-inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.285.07A	560 x 630 x 950	30/60*	30/42*	20/30*
02.285.01A	560 x 930 x 950	48/96*	48/66*	34/48*



- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawers with front height 400 mm load capacity 180 kg



CNC-Drawer cabinet T736 R 18-24 mobile

- 2 x fixed and 2 x swivel wheels ø125 mm.
- The swivel wheels with brake
- 1 x CNC-drawer frame 450 (SR)
- Incl. CNC-inserts
- Drawer interior dimension: 450 x 600 mm



Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.2580.4RVB	555 x 736 x 971	25/35*	25/25*	15/15*



CNC-Trolley for tool carriers

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- Incl. 6 x CNC-Tol carrier 600
- 1 x shelf at the bottom
- Incl. CNC-inserts



Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02 288 06Δ	630 x 900 x 860	42/60*	42/42*	25/30*



CNC-Trolley

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 4 x CNC-wide tool holders 900
- 4 x CNC-narrow tool holders 900
- 1 x top shelf
- Incl. CNC-inserts



Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.58.44A	990 x 610 x 1450	84/192*	84/132*	64/96*

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

CNC workstation CNC-tool storing systems









CNC aluminium assembly block



CNC tool holder carrier



Drawers with CNC-Drawer frame



		_
Ref. No.	Dimensions mm (W x D x H)	Description
02.15.04RVA	1500 x 750 x 859	CNC-Workbench R 18-24 consists of 1 x foot frame, 1 x CNC-drawer cabinet wide 555 mm, 1 x CNC-drawer frame Incl. tool inserts CNC E1: 25/35*, CNC E2: 25/25*, CNC E3: 15/15
02.20.04RVA	2000 x 750 x 859	CNC-Workbench R 18-24 consists of 1 x foot frame, 1 x CNC-drawer cabinet wide 555 mm, 1 x CNC-drawer frame Incl. tool inserts CNC E1: 25/35*, CNC E2: 25/25*, CNC E3: 15/15
02.2580/4VA	555 x 736 x 819	CNC- Drawer Cabinet with 4 x drawers, 1 x CNC-drawer frame 450 (SR) Incl. tool inserts CNC E1: 25/35*, CNC E2: 25/25*, CNC E3: 15/15
02.8707WATA	620 x 120 x 180	CNC tool holder (WAT) 600, R 24-24 Incl. bracket
02.90010125A	H 1250	CNC assembly (as shown), uprights 1250 mm 1 x perforated plate, 1 x CNC narrow tool holder base, 1 x CNC wide tool holder base Incl. inserts CNC E1: 33/48*, CNC E2: 33/33*, CNC E3: 21/24
02.90010060A	H 650	CNC assembly, uprights 650 mm with 1 x perforated plate, 1 x CNC tool holder wide Incl. inserts CNC E1: 22/32*, CNC E2: 22/22*, CNC E3: 14/16
05.96.46A		Work chair
02.560.41A		CNC aluminium mounting block SK40
02.560.63A		CNC steel assembly block HSKA63 (without fig.)
02.560.51A		CNC aluminium mounting block SK50

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

6-corner-workbench

Drawer cabinets

- Dimensions (W x D x H) mm 555 x 736 x 819 mm
- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg





6-corner-workbench

- 6x drawer cabinet R18-24, each 2 x 100, 2 x 150, 1 x 200 mm
- Drawer interior dimension: 450 x 600 mm
- 6x intermediate plate
- 1x 6-corner worktop beech multiplex 40 mm

Ref. No.		Dimensions mm (W x D x H
03.066.05	V10A	2500 x 2165 x 859



6-corner-workbench

- 6x drawer cabinet R18-24, each 1x drawers 100 mm, 1x 150 mm 1x hinged door 450 mm
- 6x intermediate plate
- 1x 6-corner worktop beech multiplex 40 mm

Ref. No.	Dimensions mm (W x D x H)
03.66.11/450VA	2500 x 2165 x 859


6-corner-workbench

- 6x drawer cabinet R18-24, each 3x drawers 100 mm (above and below)
- 6x intermediate plate
- 1x 6-corner worktop beech multiplex 40 mm

Ref. No.	Dimensions mm (W x D x H)
03.66.2.111VA	2500 x 2165 x 859

Accessories for interior dimensions 450 x 600 mm

More dividing kits s. page 20 and 21



Trough plates

■ Front 50-75 mm

Ref. No.	
111A	



Ribbed rubber inserts

■ Front 50-200 mm

Ref. No.	ı
120A	



Small parts boxen

Front 100 mm

٠	Ref. No.	
	119A	



Metal dividers

Front 150 mm



Metal dividers

Front 200 mm

Ref. No.
118A



6-corner energy ramp


- 2 sockets each working place
- Cover in beech multiplex

Ref. No.	Dimensions mm (W x D x H)
03.66.73-2A	822 x 712 x 162

Intermediate plate (not displayed)

■ To cover the space between the cabinets

Ref. No.		
03.58.20A		



6-corner worktop

- Beech multiplex, delivery in 2 parts with connection
- Length each working place 1250 mm

Ref. No.	Dimensions mm (W x D x H)
03.15.66A	2500 x 2165 x 40



Put together your own individual 6-corner-workbench with these drawer cabinets (for more information see p. 14)

Drawer cabinets T 736 | 555 x 736 x 819 mm (W x D x H) | R 18-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball bearing guide
- Anti-tilt device







Standard colors s. page 2



6 x drawer

580/2121V10A



100 100 100 100 100 100

■ 7 x drawer

580/0700V10A

580/1311V10A



580/0221V10A

Modular workbench



You can find further drawer cabinets for your workbench on page 15



- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450/600 x 600 mm
- Drawer block not lockable, supplement for cylinder lock see table down
- Drawer cabinet with cylinder lock and 2 x keys



Modular workbench - individual components

Pos.	Ref. No.	Dimensions mm (W x D x H)	Version
1*	03.15.40B	1500 x 750 x 40	Beech multiplex worktop
2*	03.20.40B	2000 x 750 x 40	Beech multiplex worktop
3*	03.90.01B	150 x 650 x 819	Foot frame 50 x 50 x 2 mm
4	520/1VB	555 x 736 x 208	Drawer block T736 R 18-24, 1 x drawer 150 mm, on request also lockable
	520/1BM	-	Additional price with lock (adapted fpr Ref.no. 520/1B)
5	535/111VB	555 x 736 x 358	Drawer block T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 100 mm, 1 x drawer 150 mm
	535/111BM	-	Additional price with lock (adapted for Ref.no. 535/111B)
6	780/0022VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 2 x drawers 150 mm, 2 x drawers 200 mm
7	780/1111VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm

Modular workbench depth 750 | 1500 / 2000 x 750 x 859 mm (W x D x H) | R 18-24



Ref. No.	Dimensions mm (W x D x H)
03.15.520.1VA	1500 x 750 x 859
03.20.520.1VA	2000 x 750 x 859



1

- Supplement for cylinder lock see table above

Ref. No.	Dimensions mm (W x D x H)
03.15.535.2VA	1500 x 750 x 859
03.20.535.2VA	2000 x 750 x 859

Modular workbench depth 750 | 2000 x 750 x 859 mm (W x D x H) | R 18-24/24-24

- Beech multiplex worktop 40 mm
- Drawers with full pull-out 100%, load capacity 100 kg
- Delivered unassembled

Modular Workbench R 18-24

- 1 x double feet
- Drawer cabinet 555 mm wide, 4 x drawers
- Drawer interior dimension: 450 x 600 mm



Ref. No.	Dimensions mm (W x D x H)
03.15.580.4VA	1500 x 750 x 859
03.20.580.4VA	2000 x 750 x 859

Energy ramp with 2 supports for the worktop

Complete with 1 kit with 3 sockets and on/off switch and cable 2m long

Ref. No.	Dimensions mm (W x D x H)
07.861.15.74A	1500 x 60 x 130
07.861.20.74A	2000 x 60 x 130





- 1 x double feet
- Drawer cabinet 705 mm wide, 4 x drawers
- Drawer interior dimension: 600 x 600 mm

Ref. No.	Dimensions mm (W x D x H)
03.20.780.4VA	2000 x 750 x 859



Modular Workbench R 18-24

- 2 x drawer cabinet 555 mm wide, each 4 x drawers
- Drawer interior dimension: 450 x 600 mm

SHORT

Ref. No.	Dimensions mm (W x D x H)
03.20.580.20VA	2000 x 750 x 859



Heavy load table

- Beech multiplex worktop 40 mm
- Welded and bolted, from U-sections 75 x 50 x 2 mm
- Height-adjustable on a grid of 25 mm
- Delivered unassembled (with mounting instruction)

Ref. No.	Dimensions mm (W x D x H)
03.10.000.6A	1000 x 750 x 734 - 1084
03.15.000.6A	1500 x 750 x 734 - 1084
03.20.000.6A	2000 x 750 x 734 - 1084



Modular workbench

Delivered unassembled



Foot with stepless height adjustment

Stepless Adjustment of 300 mm


	Dimensions mm (W x D x H)
03.90.01HVA	150 x 650 x 719 - 1019



- Worktop beech multiplex 40 mm
- 2 x double feet
- 1 x storage shelf on the bottom in half depth

Ref. No.	Dimensions mm (W x D x H)
03.15.000.2A	1500 x 750 x 859
03.20.000.2A	2000 x 750 x 859





- Worktop beech multiplex 40 mm
- 2 x double feet
- Stepless adjustable of 300 mm

Ref. No.	Dimensions mm (W x D x H)
03.15.000.4A	1500 x 750 x 759 - 1059
03.20.000.4A	2000 x 750 x 759 - 1059



- 2 x double feet
- 1 x storage shelf on the bottom in half depth
- Stepless adjustable of 300 mm

Ref. No.	Dimensions mm (W x D x H)
03.15.000.3A	1500 x 750 x 759 - 1059
03.20.000.3A	2000 x 750 x 759 - 1059

Workbenches and Worktables



Workbench

- Beech multiplex worktop 40 mm
- Frame 40 x 40 x 2 mm
- Shelf in half depth

Ref. No.	Dimensions mm (W x D x H)
03.14.30A	1500 x 750 x 859
03.19.30A	2000 x 750 x 859



- Beech multiplex worktop 40 mm
- Frame 40 x 40 x 2 mm, with insered nuts
- Shelf in half depth
- Drawer block: 1 x drawer 150 mm not lockable



Ref. No.	Dimensions mm (W x D x H)
03.14.31VA	1500 x 750 x 859
03.19.31VA	2000 x 750 x 859

Workbenches R 18-24 and R 24-24

- Drawers with full pull-out 100%, load capacity 100 kg
- Beech multiplex worktop 40 mm



Workbench R 18-24

- Left: 3 x drawer | Right: 5 x drawer
- Drawer interior dimension: 450 x 600 mm
- Frame width 1200 mm

Ref. No.	Dimensions mm (W x D x H)
03.14.07VA	1500 x 750 x 859
03.14.07V9A	1500 x 750 x 959



- Left: 4 x drawers | Right: 3 x drawers
- Drawer interior dimension: 450 x 600 mm

Multi-Board

- 2 x uprights 650 mm high, 2 x Perforated panels 2000 x 302 mm
- 1 x inclined shelf 2000 x 220 mm
- 11 x bins in different sizes
- Range of hooks, 10 parts
- 1 x rails for bins 450 mm

Ref. No.	Dimensions mm (W x D x H)	Version
03.19.29VA	2000 x 750 x 859	Workbench
03.19.29V9A	2000 x 750 x 959	Workbench
03.900.20.25A	2000 x 650	Multi-Board

Lift/lower chassis retrofittable

- Dynamic load capacity: 450 kg
- Static load capacity: 1000 kg
- 2x steering caster, 2x fixed caster, Ø 80 mm, polyamide
- Not possible for workbenches with half shelf
- Only suitable for workbench height 859 mm,

For height 959 mm on request!

Ref. No.	Für Frame width in mm
03.HUB12075A	1250
03.HUB15075A	1500
03.HUB17575A	1750
03.HUB20075A	2000



- Left: 1 x hinged door, 1 x shelf | Right: 4 x drawer
- Drawer interior dimension: 450 x 600 mm
- Frame width 1200 mm

Ref. No.	Dimensions mm (W x D x H)
03.14.19VA	1500 x 750 x 859
03.14.19V9A	1500 x 750 x 959



Workbench R 24-24

- Left: 1 x hinged door 600 mm, 1 x shelf
- Right: 4 x drawers
- Drawer interior dimension: 600 x 600 mm
- Delivery without perforated panel

Ref. No.	Dimensions mm (W x D x H)	Version
03.15.19VA	1500 x 750 x 859	Workbench
03.15.19V9A	1500 x 750 x 959	Workbench
03.87.103A	1500 x 450	perforated panel (without hooks)



Workbench R 18-24

- Drawers with full pull-out 100 %, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completly assembled





- Left: Shelf in half depth
- Right: 1 x drawer, 1 x hinged door
- Delivery without perforated panel

Ref. No.	Dimensions mm (WxDxH)
03.14.12VA	1500 x 750 x 859
03.19.12VA	2000 x 750 x 859

Ref. No.	Dimensions mm (WxDxH)
03.14.12V9A	1500 x 750 x 959
03.19.12V9A	2000 x 750 x 959





- Left: Shelf in half depth
- Right: 3 x drawers

Ref. No.	Dimensions mm (WxDxH)
03.14.14VA	1500 x 750 x 859
03.19.14VA	2000 x 750 x 859

Ref. No.	Dimensions mm (WxDxH)
03.14.14V9A	1500 x 750 x 959
03.19.14V9A	2000 x 750 x 959





- Left: Shelf in half depth
- Right: 4 x drawers

Ref. No.	Dimensions mm (WxDxH)
03.14.16VA	1500 x 750 x 859
03.19.16VA	2000 x 750 x 859

Ref. No.	Dimensions mm (WxDxH)
03.14.16V9A	1500 x 750 x 959
03 19 16V9A	2000 x 750 x 959



Perforated panel

- With 2 x fixing supports for workbench width 1500 mm
- With 3 x fixing supports for workbench width 2000 mm

Ref. No.	Dimensions mm (W x H)
03.87.103A	1500 x 450
03.87.104A	2000 x 450

Perforated walls delivered without tools and decoration.



Range of hooks, 28 parts

Ref. No. 03.87.39528A



Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859 mm

Ref. No. 03.15.95A



Ribbed rubber inserts

Front 50 mm and more

Ref. No.

150


150



Anti-slip mat

W x D: 450 x 600 mm

Ref. No. 65.051.731A



Metal dividers

Front 150 mm

Ref. No.
116A

Workbench R 18-24

Workbenches and workstations

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completly assembled



150

450

200

200

200



- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 1 x drawer, 1 x hinged door

Ref. No.	Dimensions mm (W x D x H)
03.19.22VA	2000 x 750 x 859
03.19.22V9A	2000 x 750 x 959

150

450

450





- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 3 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.19.24VA	2000 x 750 x 859
03.19.24V9A	2000 x 750 x 959





- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.19.26VA	2000 x 750 x 859
03.19.26V9A	2000 x 750 x 959



Accessories for interior dimensions 450 x 600 mm



Metal dividers

Front 150 mm

Ref. No.	
115A	



Metal dividers

Front 150 mm

Ref. No.
113A



Metal dividers

Front 150 mm

Ref. No.
117A



Metal dividers

Front 200 mm


Ref. No.
118A

Workbench R 24-24

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completly assembled







Right: 3 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.15.03VA	1500 x 750 x 859
03.15.03V9A	1500 x 750 x 959



- Left: 5 x drawer
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.15.55VA	1500 x 750 x 859
03.15.55V9A	1500 x 750 x 959



Ref. No.	Dimensions mm (W x D x H)
03.15.17VA	1500 x 750 x 859
03.15.17V9A	1500 x 750 x 959



Right: 1 x drawer, 1 x hinged door

Ref. No.	Dimensions mm (W x D x H)
03.15.01VA	1500 x 750 x 859
03.15.01V9A	1500 x 750 x 959



Ref. No.	Dimensions mm (W x D x H)
03.15.34VA	1500 x 750 x 859
03.15.34V9A	1500 x 750 x 959

Divider materials s. page 4, 5 and 23



Ref. No.	Dimensions mm (WxDxH)
03.15.54VA	1500 x 750 x 859
03.15.54V9A	1500 x 750 x 959

150

150

150

150

Workbench R 24-24

600 FB

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completly assembled



- Left: 5 x drawer
- Middle: 2 x shelves 300 mm
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.20.11VA	2000 x 750 x 859
03.20.11V9A	2000 x 750 x 959



- Left: 1 x hinged door, 1 x shelf
- Middle: 2 x shelves 300 mm
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.20.16VA	2000 x 750 x 859
03.20.16V9A	2000 x 750 x 959



- Left: 3 x drawer
- Middle: 2 x shelves 300 mm
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.20.17VA	2000 x 750 x 859
03.20.17V9A	2000 x 750 x 959

Accessories for interior dimensions 600 x 600 mm



Ref. No.

140A




Front 50 mm and more Front 150 mm





Small parts boxen







Metal dividers

Front 200 mm

Ref. No.
137A



Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859 mm

03.15.95A

More dividing kits s. page 4 and 5

Multi-Board – Combinations





Multi-Board 2000 mm consists of:

- 3 x uprights 1250 mm high
- 2 x perforated panels each 1000 x 302 mm
- 2 x magnetic panels each 1000 x 302 mm
- **3** x shelves 1000 x 320 mm
- 2 x rails for bins 450 mm
- Range of hooks, 10 parts
- 19 x bins in different sizes
- 1 x passage for electronic cables with 3 sockets and on/off-switch

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 32,2 W, 1154 mm wide, 1537 lx

Ref. No.	Dimensions mm (WxDxH)	Version
03.900.20.1A	2000 x 1250	with lighting
03.900.20.10B	2000 x 1250	without lighting and overhead frame

Multi-Board 2000 mm consists of:

- 3 x uprights 1250 mm high
- 2 x perforated panels each 1000 x 302 mm
- 2 x magnetic panels each 1000 x 302 mm
- 2 x shelves 320 mm
- 1x pivot arm with platform
- 1 x passage for electronic cables with 3 sockets and on/off-switch 2x 1/4" compressed air connection

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 32,2 W, 1154 mm wide, 1537 lx

Ref. No.	Dimensions mm (WxDxH)	Version
03.900.20.21A	2000 x 1250	with lighting
03.900.20.210B	2000 x 1250	without lighting and overhead frame

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
 Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm





50 100 100 150 200 600 FB

Workbench T750 R 18-24

- Left: 1 x hinged door, 1 x shelf
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 x shelf
- Frame width 1700 mm

Ref. No.	Dimensions mm (W x D x H)
03.19.35VA	2000 x 750 x 859
03.19.35V9A	2000 x 750 x 959

Divider material s. page 14, 20 and 21

Workbench T 750 R 18-24

- Left: 5 x drawers
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 shelf
- Frame width 1700 mm

Ref. No.	Dimensions mm (W x D x H)
03.19.36VA	2000 x 750 x 859
03.19.36V9A	2000 x 750 x 959





Multi-Board 1500 mm consists of:

- 2 x uprights 1250 mm high
- 1 x perforated panels 1500 x 302 mm
- 1 x shelf 1500 x 320 mm
- Range of hooks, 10 parts
- 2 x rails for bins 300 mm
- 12 x bins in different sizes

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 28,9 W, 868 mm wide, 1263 lx

Ref. No.	Dimensions mm (WxDxH)	Version
03.900.15.320A	1500 x 1250	with lighting
03.900.15.3200B	1500 x 1250	without lighting and overhead frame



Multi-Board 1500 mm consists of:

- 2 x uprights 1250 mm high
- 1 x perforated panels 1500 x 302 mm
- 1 x magnetic panels 1500 x 302 mm
- 2 x shelves 1500 x 320 mm
- Range of hooks, 10 parts
- 1 x rails for bins 450 mm
- 20 x bins in different sizes
- lacksquare 1 x passage for electronic cables with 3 sockets and on/off-switch

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 28,9 W, 868 mm wide, 1263 lx

Ref. No.	Dimensions mm (WxDxH)	Version
03.900.14.16A	1500 x 1250	with lighting
03.900.14.160B	1500 x 1250	without lighting and overhead frame

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm





Workbench T750 R 18-24 Left: 1 x shelf in half depth

Right: 5 x drawers

Ref. No.	Dimensions mm (W x D x H)
03.14.15VA	1500 x 750 x 859
03.14.15V9A	1500 x 750 x 959

Divider material s. page 14, 20 and 21

	THE RESERVE	THE REAL PROPERTY.	-	-	
			0		1
200					200
				_	200
200					
					200
200					
					200
	~				
				_	

Workbench T750 R 24-24

- Left: 3 x drawers
- Right: 3 x drawers

Ref. No.	Dimensions mm (W x D x H)
03.15.33VA	1500 x 750 x 859
03.15.33V9A	1500 x 750 x 959

Divider material s. page 4, 5 and 23

Wall hanging cabinets and workbenches

Wall hanging cabinets are only available in these colours:

RAL 3000 RAL 3003 RAL 5010 RAL 5012 RAL 6011 RAL 7016 RAL 7035 RAL 9005 RAL 9010









03.080.101A

Wall hanging cabinet with door/doors

- Wth steel sheet in the rear
- 1 x shelf

BESTSELLER

Wall hanging cabinet with door/doors

- With perforated panel in the rear
- 1 x shelf

Ref. No.	Dimensions mm (WxDxH)	Version	Ref. No.	Dimensions mm (WxDxH)	Version
03.040.091A	400 x 300 x 600	View window door	03.040.191A	400 x 300 x 600	View window door
03.080.091A	800 x 300 x 600	View window door	03.080.191A	800 x 300 x 600	View window door
03.040.001A	400 x 300 x 600	Metal doors	03.040.101A	400 x 300 x 600	Metal doors
03.080.001A	800 x 300 x 600	Metal doors	03.080.101A	800 x 300 x 600	Metal doors

Box workbenches

- Drawers with full pull-out 100%, load capacity 100 kg
- Beech multiplex worktop 40 mm





Workbench T736 R 24-24

■ 5 x drawer

Ref. No.	Dimensions mm (WxDxH)
03.075.06VA	810 x 750 x 859
03.075.06V9A	810 x 750 x 959



Workbench T736 R 18-24

- 3 x drawer
- Drawer interior dimension: 450 x 600 mm

Ref. No.	Dimensions mm (WxDxH)
03.055.10VA	810 x 750 x 859
03.055.10V9A	810 x 750 x 959

■ Drawer interior dimension: 600 x 600 mm



Workbench T736 R 24-24

■ 1 x drawer, 1 x hinged door

Ref. No.	Dimensions mm (WxDxH)
03.075.02VA	810 x 750 x 859
03.075.02V9A	810 x 750 x 959



Workbench T736 R 24-24

■ 4 x drawer

Ref. No.	Dimensions mm (WxDxH)
03.075.04VA	810 x 750 x 859
03.075.04V9A	810 x 750 x 959



- Workbench T736 R 18-24
- Drawer interior dimension: 450 x 600 mm

Ref. No.	Dimensions mm (WxDxH)
03.12.08VA	1250 x 750 x 859
03.12.08V9A	1250 x 750 x 959

workline

- Beech multiplex worktop 25 mm
- Base frame made of 45 x 45 mm steel tube
- Cross-members made of 40 x 40 mm aluminium sections
- Height adjustable from 735 to 1100 mm
- Delivered unassembled



workline basic table with crank adjustment





workline basic table with electric height adjustment





Ref. No.	Dimensions mm (W x D x H)
07.75.15AHV	1500 x 750 x 735 - 1100

Ref. No.	Dimensions mm (W x D x H)
07.75.15AHVE	1500 x 750 x 735 - 1100



■ 2 x Beech multiplex worktop 25 mm

Standard colors s. page 2

Ref. No.	Dimensions mm (W x D x H)	Version	
07.30.15A	3000 x 750 x 735 - 1100	Clamp fixing	
07.30.15AHV	3000 x 750 x 735 - 1100	Crank adjustment	

www.bedrunka-hirth.de

Hinged door cabinets

Battery charging cabinet



Disclaimer:

Do not store explosive or easily flammable objects, such as spray cans, in the battery charging cabinet.

Battery charging cabinet

- No ventilation slots in the side panels, so the cabinets can be placed flush against each other
- Ventilator incl. main switch and thermostat for optimized thermal management and overheating protection
- Height-adjustable E-shelves (adjustment range limited by cable length)
- Maximum of 3 E-shelves possible per cabine
- 3 metre supply cable

In case of an order, please indicate the country-specific sockets which are needed. Otherwise we will deliver with German sockets!



- 1 x E-shelve with 6 x earthed socket and toggle switch,
- 3 x steel shelve

Ref. No.	Dimensions mm (WxDxH)	Version
AKKU106VBA	980 x 500 x 1838	Sheet steel doors
AKKU106SFA		Glazed doors with acrylic glass

- 1 x E-shelve with 6 x earthed socket and toggle switch
- 2 x E-shelve with 6 x earthed socket
- 1 x steel shelve

Ref. No.	Dimensions mm (WxDxH)	Version
AKKU118VBA	980 x 500 x 1838	Sheet steel doors
AKKU118SFA		Glazed doors with acrylic glass

Pallet truck base

- Steel sheet in front and rear screwed
- Incl. fixing material

Ref. No.	Dimensions mm (WxDxH)
01.098.012A	980 x 500 x 112



E-wallboard for mounting

- For charging up to 6 battery-powered devices
- Prepared for wall mounting
- Supplied without mounting material





Thermostat-controlled double fan with cover grille on the top of the cabine



Clean cable routing thanks to the cable cover in the corner, which hides all visible cables



Supply cable on the back (3 metres)



- 1 x E-shelve with 6 x earthed socket and toggle switch,
- 1 x steel shelve

Ref. No.	Dimensions mm (WxDxH)	Version
AKKU006VBA	980 x 500 x 1019	Sheet steel doors
AKKU006SFA		Glazed doors with acrylic glass

- 1 x E-shelve with 6 x earthed socket and toggle switch
- 1 x E-shelve with 6 x earthed socket

Ref. No.	Dimensions mm (WxDxH)	Version
AKKU012VBA	980 x 500 x 1019	Sheet steel doors
AKKU012FSA		Glazed doors with acrylic glass

Delivery without decoration

BESTSELLER



Cabinet with hinged doors Type 110

- 1 x metal border
- 2 x drawers with full pull-out (VA) 100 %, load capacity 50 kg
- 2 x shelves

Ref. No.	Dimensions mm (WxDxH)
04.110B	1000 x 500 x 1000

Roller support

■ 4 x castor wheels Ø 125 mm, 2 x with brake

Ref. No.	Dimensions mm (WxDxH)
04.110.RU125	1000 x 500 x 150



Cabinet with hinged door Type 105

- 2 x shelves
- 1 x Metal border
- 2 x drawers with full pull-out (VA) 100 %, load capacity 50 kg

Ref. No.	Dimensions mm (WxDxH)
04.105B	500 x 500 x 1000



Combination

Hinged door cabinet Typ 105

 Consists of 04.105B + 04.105.PA + 04.105.RU125

Ref. No.	Dimensions mm (WxDxH)
04.105K125	500 x 500 x 1400

BESTSELLER



Both cabinets available in RAL 7035/5012, housing light grey and doors light blue, or totally RAL 7035. Different colours on request.



Cabinet with hinged doors

Ref. No.	Dimensions mm (WxDxH)	Version
04.155.04A	920 x 500 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.04FB	Load capacity 85 kg	Extra shelf
04.156.04A	920 x 600 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.04FB	Load capacity 85 kg	Extra shelf

Cabinet with hinged doors

Ref. No.	Dimensions mm (WxDxH)	Version
04.155.12A	1200 x 500 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.12FB	Load capacity 95 kg	Extra shelf
04.156.12A	1200 x 600 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.12FB	Load capacity 95 kg	Extra shelf

Mobile logistic systems

Mobile drawer cabinets und workbenches depth 500



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.

Mobile drawer cabinets T500 R 24-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Push handle
- Central locking system



- 11	
Ref. No.	Dimensions mm (W x D x H)
68.221AM	680 x 500 x 1000

- Roll-off edge on 3 sides
- 4 x Castor wheels Ø 125mm, 2 x with locking device
- Drawer interior dimension: 600 x 400 mm



Ref. No.	Dimensions mm (W x D x H)
68.700AM	680 x 500 x 1000

Mobile workbench T500 R 18-16

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Push handle



Ref. No.	Dimensions mm (W x D x H)
04.512.03A	1200 x 540 x 880



Right: 5 x drawer

Ref. No.	Dimensions mm (W x D x H)
04.512.05A	1200 x 540 x 880

Accessories for interior dimensions 450 x 400 mm



Ribbed rubber inserts

■ Ab Front 75 mm

Ref. No.	
65.046.531A	



Metal dividers

Front 100 mm

Ref. No.	
146-139B	



Metal dividers

Front 150 mm

- 110Ht 130 Hilli
Ref. No.
146-135A



Metal dividers

Front 200 mm

Ref. No.	
146-144A	

Divider material s. page 31

Mobile workbench depth 540

Mobile workbench T540

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100 %, load capacity 75 kg
- Drawers on roller bearings



- Left: 4 x drawer
- Right: 2 x beech multiplex shelf 25 mm

Ref. No.	Dimensions mm (W x D x H)
04.12.91A	1200 x 540 x 820



■ 2 x fixed and 2 x steering casters with locks, Ø 200 mm

■ Push handle





Ref. No.	Dimensions mm (W x D x H)
04.12.92A	1200 x 540 x 820



Small parts boxen

Front 100 mm

Ref. No.	
146-132A	

More divider material s. page 30

Trough plates

Front 100 mm

Ref. No.	
146-130A	



Label pouch A4

■ With a flap

Ref. No.	
03ZGBHMBA4A	



Label pouch A4

Open

Ref. No.	
04.900.10A	

Trolley

- \blacksquare 4 x wheels Ø 125 mm, 2 x with locking device
- Push handle
- Frame in steel tube 40 x 40 x 2 mm



- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 125 mm
- Frame in steel tube 40 x 40 x 2 mm





- Beech multiplex worktop 40 mm
- Shelf in beech multiplex 25 mm

Ref. No.	Dimensions mm (W x D x H)
04.12.01A	1250 x 750 x 859
04.15.01A	1500 x 750 x 859



- Beech multiplex worktop 15 mm
- Shelf in beech multiplex 15 mm

Ref. No.	Dimensions mm (W x D x H)
04.900.04A	900 x 620 x 860

Mobile logistic systems

Mobile workbench depth 736 R 18-24

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg



Ref. No.	Dimensions mm (W x D x H)
04.12.05VA	1250 x 750 x 859



- 4 x Wheels Ø 125 mm, 2 x with locking device
- Push handle






Ref. No.	Dimensions mm (W x D x H)
04.12.19VA	1250 x 750 x 935

Combination

Mobile workbench T736 R 18-24

Consists of 04.12.19VA + 03.87.102A + 03.87.39518A + 500/583A

Ref. No. 04.12.19VAK



Divider set T736 R 18-24

- Ribbed rubber inserts Front 50-200 mm
- Small parts boxes Front 100-150 mm
- Metal dividers Front 150 mm

Ref. No.	
500/583A	



Perforated panel

With 2 x fixing supports

Ref. No.	Dimensions mm (W x H)
03.87.102A	1000 x 450



Range of hooks, 18 parts

Ref. No.
03.87.39518A

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- Beech multiplex worktop 1250 x 750 x 40 mm
- Push handle
- Dividing sets s. page 13, 18 and 19





- Left: 4 x drawer
- Right: 5 x drawer

Ref. No.	Dimensions mm (W x D x H)
04.12.29VA	1250 x 750 x 995



Ref. No.	Dimensions mm (W x D x H)
04.12.28VA	1250 x 750 x 995

Mobile drawer cabinets depth 736 R 18-24


Mobile logistic systems

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm

- 2 x fixed and 2 x steering caster with locks, Ø 125 mm
- Plastic push handles
- Central locking
- Roll-off edge on 3 sides







Divider set T736 R 18-24

- Ribbed rubber inserts Front 50 mm
- Small parts boxes Front 100 mm
- Metal dividers Front 100 mm
- Metal dividers Front 150 mm

Ref. No.		
500/584A		



■ 6 x drawer

Ref. No.	Dimensions mm (WxDxH)
04.10.06V10B	555 x 736 x 990

■ 5 x drawer

Ref. No.	Dimensions mm (WxDxH)
04.10.05V10B	555 x 736 x 990

Combination

Mobile drawer cabinet

Consists of 04.10.05V10B + 500/584A

04.10.05V10K



Anti-slip mat

Ref. No.	Dimensions mm (W x D x H)
65.050.730A	555 x 736 x 3



Ref. No.	Dimensions mm
04.10.06-1VA	555 x 736 x 990

Combination

Mobile drawer cabinet

Consists of 04.10.06V10B + 500/584A

Ref. No. 04.10.06V10K



Ref. No.	Dimensions mm	Version
04.10.07V10A	555 x 736 x 990	Drawer cabinet
03.983.580A	555 x 604	Perforated wall setup
03.983.53.1A	484 x 74 x 100	Depositing box

Divider material s. page 14, 20 and 21


Mobile logistic systems

WAF - Work assembly frame



Delivered unassembled!





- 4 x plastic steering caster Ø 50 mm
- Ribbed rubber mat

05.10.20B

■ Tray 610 x 410 mm (W x D)







Work assembly frame

- 4 x steering caster, with locks, Ø 100 mm
- Ribbed rubber mat
- Tray 610 x 410 mm (W x D)

Ref. No.	Dimensions mm (W x D x H)
05.10.21B	660 x 660 x 945 - 1295




Work assembly frame Up to 30° inclinable

- 4 x plastic steering caster Ø 50 mm
- Ribbed rubber mat
- Tray 610 x 410 mm (W x D)

Ref. No.	Dimensions mm (W x D x H)
05.10.30B	660 x 660 x 921 - 1271

660 x 660 x 872 - 1222



- 4 x steering caster, with locks, Ø 100 mm
- Ribbed rubber mat
- Tray 610 x 410 mm (W x D)

Ref. No.	Dimensions mm (W x D x H)
05.10.31B	660 x 660 x 994 - 1344

Work stools and chairs



Standing aid, PU foam

- Height 600 800 mm
- Adjustable vertically 16°
- Seat swivelling

Ref. No.	
05.96.28A	



Work stools with casters

- Beech seat, Ø 350 mm
- Seat height 435 625 mm
- Concealed safety gas spring
- High-quality plastic cruciform base, Ø 630 mm





Working chair, PU black

- Seat height 520 720 mm
- Seat tilt 12 degrees
- Asynchronous mechanic for continuous adjustment of seat and backrest tilt
- Synthetic star base



base DELIVE

Ref. No. 05.96.46A

PC-cabinet mobile Mobile logistic systems

■ All models are available as stationary or mobile versions



- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- 1 x draawer, 1 x shelf, 1 x hinged door, 1 x 4-way socket bar
- Square holes in rear wall for ventilation
- 4×3 steering caster, Ø 125 mm, thereof 2 with locks

ArtNr.	Dimensions mm (W x D x H)	Version
04.530.02A	530 x 500 x 1000	mobile
04.530.02oRA	530 x 500 x 850	stationary



- 1 x hinged door
- 1 x drawers
- 2 x shelves
- 1 x monitor attachment housing
- 1 x mouse tray
- 1 x 4-way socket
- 1 x roller base, Ø 125 mm

ArtNr.	Dimensions mm (W x D x H)	Version
04.105.MC01A	500 x 500 x 1750	mobile
04105C01oRA	500 x 500 x 1600	stationary

Load capacity mobile computer cabinets



Load capacity stationary computer cabinets





- 1 x Perforated panels with flat screen bracket
- 1 x shelf, 2 x hinged door, 1 x desk attachment, 1 x 4-way socket bar
- 1 x Keyboard drawer
- Square holes in rear wall for ventilation
- 4 x steering caster, Ø 125 mm, thereof 2 with locks

ArtNr.	Dimensions mm (W x D x H)	Version
04.680.C125A	680 x 500 x 1610	mobile
04.680.C125oRA	680 x 500 x 1460	stationary



- 1 x monitor attachment housing 700 x 270 x 500 mm (W x D x H)
- Beech multiplex worktop 25 mm
- 1 x shelf, 2 x hinged door, 1 x 4-way socket bar
- Cable passages
- Square holes in rear wall for ventilation
- 4 x steering caster, Ø 125 mm, thereof 2 with locks

ArtNr.	Dimensions mm (W x D x H)	Version
04.680.02A	750 x 500 x 1600	mobile
04.680.02oRA	750 x 500 x 1450	stationary

Delivery without decoration

Electronically controlled drawer cabinet

Tool-Server-Modular (TSM®) R 24-24

Tool dispensing system

■ Drawers with full pull-out 100%

■ Drawers with front height 50 mm - load capacity 60 kg

■ Drawers with front height 100 mm and more - load capacity 100 kg

■ Drawer interior dimension: 600 x 600 mm

All modules including Pallet truck base in the housing colours

Supplement for delivery, installation and training





- 8 x drawers
- Incl. storage and management software
- With touch-display

Ref. No.	Dimensions mm (WxDxH)
TS5G00700080A	700 x 725 x 1131








TSM® - Extension module

- 8 x drawers
- Incl. storage and management software for link with basic cabinet

Ref. No.	Dimensions mm (WxDxH)
TS5A00700080A	700 x 725 x 1131

Drawer divider

TSM® catalogue



Trough plates

Front 50 mm

Ref. No. TS-7-04A



Small parts boxen

Front 50 mm

Ref. No. TS-7-13-050A



Metal dividers

Front 100 mm

Ref. No. TS-7-27-100A



Metal dividers

Front 150 mm

Ref. No. TS-7-26-150A



Metal dividers

Front 200 mm

Ref. No. TS-7-20-200A



R 24-24

Electronic divider

Front 100 mm

Ref. No. TS7K160-100A







bedrunka+hirth

Workplace up to date - mehr Raum zum Arbeiten

Offers apply to commercial and craft activities.

Technical and price variations are possible given the price of raw material. The price is calculated without VAT, except mistakes or omission. You'll find the general terms of Bedrunka+Hirth Gerätebau GmbH on our website

https://www.bedrunka-hirth.de/en-de