

bedrunka+hirth

Workplace up to date - mehr Raum zum Arbeiten









Standard colors

- Environment-friendly powder-coating, 2-tone-combinations without supplement
- Please, indicate the colour/colours in your order. When not indicated, we deliver the product in the standard color light grey (RAL 7035) and light blue (RAL 5012)



Drawer extension



All drawers fitted with full extension 100 %

- Depth 500 mm: All drawers fitted with load capacity 50 kg
- Depth 736 mm: Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm load capacity 100 kg
- Drawers with front height 300 mm load capacity 180 kg
- Ball bearing slidess

Express 72 h



Express 72 h: All products with this sign and in the colours RAL 7035/5012 can be despatched 3 days after order.

Certificate







 $T\ddot{\text{U}}\text{V-GS-certificate}$ for all drawer cabinets in depth 736 mm

CO² Emission value



The energy consumption of each individual energy source was determined by an external auditor. The data comes from the energy audit in accordance with **DIN 16247-1**.

BEST OF SPECIAL

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing slides
- Anti-tilt device




Drawer cabinet R 24-24

■ 9 x drawer









- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Push handle
- Left: 2 x beech multiplex shelves 25 mm
- Right: 4 x drawers

Multi-Board

2 x uprights 650 mm, 1 x perforated panels, 1 x magnetic panel

Ref. No.	Dimensions mm (W x D x H)	Version
04.512.04A	1200 x 540 x 880	Mobile workbench
03.900.12.02A	1000 x 600	Multi-Board

Delivery without hooks and tools

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball bearing slides
- Anti-tilt device



Drawer cabinet R 36-24

■ 6 x drawer



Ref. No.	Dimensions mm (W x D x H)
100/0213V10A	1005 x 736 x 1019



Workbench R 18-24

- Beech multiplex worktop 40 mm
- Left: 4 x drawers | Right: 4 x drawers

Multi-Board

- 2 x uprights 650 mm high, 2 x perforated panels 1500 x 302 mm
- 1 x inclined shelf 1500 x 220 mm
- Range of hooks 10 x Parts
- 17 x bins in different sizes





Ref. No.	Dimensions mm (W x D x H)	Version
03.14.18VA	1500 x 750 x 859	Workbench
03.14.18V9A	1500 x 750 x 959	Workbench
03.900.15.18A	1500 x 650	Multi-Board

Drawer cabinets Depth 736 | 555 x 736 x 919 mm (W x D x H) | R 18-24

NEW

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension:450 x 600 mm
- Ball bearing slides
- Anti-tilt device



Drawer cabinets Depth 736 | 555 x 736 x 1019 mm (W x D x H) | R 18-24



Accessories for interior dimensions 450 x 600 mm



Small parts boxes
Front 100 mm

Ref. No.



Metal dividers
Front 100 mm

Ref. No. 113BLH100A



Metal dividers
■ Front 150 mm

Ref. No. 117A



Metal dividers
■ Front 200 mm

Ref. No. 118A

More dividing kits s. page 16, 22 and 23

Drawer cabinets

Pallet truck base

100

100

100

100

100 100

100

Incl. fixing material

Steel sheet in front and rear screwed

Drawer cabinets depth 736 | 705 x 736 x 819 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing slides
- Anti-tilt device

780/0221V10A











7 x drawer

780/0700V10A 780/1311V10A

Drawer cabinets depth 736 705 x 736 x 919 mm (W x D x H) R 24-24







790/0800V10A

Accessories for interior dimensions 600 x 600 mm







Trough plates

■ Front 50 - 75 mm 130A




Small parts boxes Front 75 - 100 mm

132A



Small parts boxes Front 75 - 100 mm

134A



Metal dividers

Front 100 mm

139BLH100A

Standard colors s. page 2

790/2311V10A

Drawer cabinets depth 736 | 705 x 736 x 1019 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing slides
- Anti-tilt device












700/1122V10A




8 x drawer Ref. No. 700/2321V10A





Accessories for interior dimensions 600 x 600 mm





138BLH100A



Metal dividers Front 100 - 125 mm

146BLH100A



Metal dividers Front 150 mm 139BLH150A



Metal dividers ■ Front 150

144BLH150A



Metal dividers Front 200 mm

Ref. No. 146BLH200A


More dividing kits s. page 5 and 25



Drawer cabinets

Drawer cabinets depth 736 | 705 x 736 x 1319 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing slides
- Anti-tilt device









713/2422V10A


713/0323V10A

713/1332V10A

Drawer cabinets depth 736 705 x 736 x 1519 mm (W x D x H) R 24-24







NEW

■ 8 x drawer 715/0044V10A ■ 10 x drawer 715/2224V10A

■ 12 x drawer 715/0921V10A

Drawer cabinets depth 736 | 1005 x 736 x 1019 mm (W x D x H) | R 36-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball bearing slides
- Anti-tilt device



Ref. No. 100/2321V10A

Pallet truck base

- Steel sheet in front and rear screwed
- Incl. fixing material

01.100.012A 1005 x 736 x 112

100
100
150
200
200
200

Ref. No. 100/0222V10A

1005 x 736 x 1019 mm (W x D x H)



1005 x 736 x 1519 mm (W x D x H)



Ref. No. 115/0921V10A

Accessories for interior dimensions 900 x 600 mm



Trough plates
■ Front 50 mm

100/1231V10A

Ref. No. 150A



Metal dividers
Front 100 mm

Ref. No. 153BLH100A



Metal dividers
Front 100 mm

Ref. No. 154BLH100A



Metal dividers
Front 150 mm

Ref. No. 153BLH150A



Metal dividers
Front 200 mm

Ref. No. 166BLH200A


Drawer cabinets



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.

680 x 500 x 1019 mm (W x D x H) | R 24-16 Drawer cabinets depth 500 |




Accessories for interior dimensions 600 x 400 mm



Drawer cabinets depth 500 980 x 500 x 1019 mm (W x D x H) | R 36-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 900 x 400 mm



Accessories for interior dimensions 900 x 400 mm



Shelving

Shelving racks

Shelving racks

- 5 x shelves
- 200 kg load capacity each Shelf
- Simple plug-in assembly
- Surface galvanised
- 40 mm folded shelf edge
- Height-adjustability 25 : 25 mm
- Width base shelving 1060 mm
- Width add-on shelving 1010 mm
- Width nominal dimension depth + 35 mm



Basic shelving



Ref. No.	Dimensions mm (W x D x H)	Tray load in kg
05.1004G	1000 x 400 x 2000	225
05.1005G	1000 x 500 x 2000	230
05.1006G	1000 x 600 x 2000	240

Add-on shelving



	Ref. No.	Dimensions mm (W x D x H)	Tray load in kg
	05.1004A	1000 x 400 x 2000	225
	05.1005A	1000 x 500 x 2000	230
	05.1006A	1000 x 600 x 2000	240

Shelf with 4 x shelf-holder



Ref. No.	Dimensions mm (W x D)	Tray load in kg
05.Z10040M	1000 x 400	225
05.Z10050M	1000 x 500	230
05.Z10060M	1000 x 600	240

П

Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.



Drawer cabinet shelving

- 7 x drawer, Drawer interior dimension: 900 x 400 mm
- Drawers with full pull-out 100%, load capacity 50 kg

co
27,7 kg

Ref. No.	Dimensions mm (W x D x H)	Version
05.1005-3A	1000 x 500 x 2000	Basic shelving with 3 x shelves
05.1005A	1000 x 500 x 2000	Add-on shelving, Incl. 5 x shelves
90.421A	980 x 500 x 1019	Drawer cabinet

Dividing kits s. page 9



CNC-System CNC-tool storing systems



- This system is the most flexible available.
- The black plastic inserts are clipped into the heavy gauge steel tool carrier through a series of rebated slots.
- No fasteners are required to locate the inserts which can also be guickly removed by depressing the integral locking lug.

_	CNC	CNC	CNC
49 x 103 x 17 mm	74 x 103 x 17 mm	E2 99 x	E3
SK 30	SK 40	SK	50
VDI 25	VDI 40	VD	I 50
VDI 30	HSK A 50 / B 63	VD	1 60
MK3	HSK A 63 / B 80	HSI	K A 32 / B 40
MK4	MK 5	HSI	K A 40 / B 50
Capto C 4	Capto C 5	HSI	K A 80 / B 100
		HSI	KA 100 / B 125
		Uni	iversal
		Cap	pto C 3
		Cap	pto C 6
		Cap	pto C 8

■ 2 x or 4 x cassette, shelf, rubber mat and grips



CNC- Table rack attachment TAG 2

■ with 2 floors incl. inserts

Ref. No. Dimensions mm (W x D x 02.2210A 425 x 375 x 300


02.2214A 575 x 375 x 300



10/14* 10/10* 6/6*

14/20* 14/14* 8/10*





BESTSELLER





Ref. No.	Dimensions mm (W x D x H)	CNC E1	CNC E2	CNC E3
02.2420A	425 x 375 x 525	20/28*	20/20*	12/12*
02.2428A	575 x 375 x 525	28/40*	28/28*	16/20*


Maximum storage space for your tools



CNC-Drawer cabinet T736 R 24-24

- 4 x drawers
- Incl. one or. two CNC-drawer frames 600 (SR)
- Incl. CNC-Tool inserts
- W x D x H: 705 x 736 x 1019 mm
- Drawer interior dimension: 600 x 600 mm

				<u> </u>
Ref. No.	Version	CNC E1	CNC E2	CNC E3
02.2140/1RVA	1 x drawern-rahmen (SR)	35/50*	35/35*	20/25*
02.2140/2RVA	2 x drawern- rahmen (SR)	70/100*	70/70*	40/50*





^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

CNC-tool storing systems

CNC-Cabinets



CNC-double swing doors T500 R 36-16

- 3 x CNC frames can be installed inclined or flat
- 1 x Shelf
- Incl. CNC-Tool inserts
- Sheet steel doors



Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.2118.04/3A	980 x 500 x 1838	66/144*	66/99*	45/72*



CNC-double swing doors T500 R 36-16

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts
- Sheet steel doors



Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.2118.04A	980 x 500 x 1838	80/192*	80/132*	52/96*



CNC-Display cabinet T500 R 36-16

- 3 x CNC frames can be installed inclined or flat
- 1 x shelf
- Incl. CNC-Tool inserts
- Glazed doors with acrylic glass

04.2118.00/3A 980 x 500 x 1838





CNC-Display cabinet T500 R 36-16

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts
- Glazed doors with acrylic glass

co
26,9 kg


NC E1	CNC E2	CNC E3	Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
6/144*	66/99*	45/72*	04.2118.00A	980 x 500 x 1838	80/192*	80/132*	52/96*

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

CNC-Cabinets CNC-tool storing systems

CNC roller shutter top cabinet

- Plastic-Shutter
- 2 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts









CNC-Roller shutter cabinet with Aluminium-Roller

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

				(11,2113)
Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.289.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*



CNC-Roller shutter cabinet with Aluminium-Roller

- 3 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.289.00/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

CNC-Roller shutter cabinet with Plastic-Roller

Standard colors s. page 2

- 4 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

				30,0 kg
Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.295.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

CNC-Roller shutter cabinet with Plastic-Roller

- 3 x CNC frames can be installed inclined or flat
- Incl. CNC-Tool inserts

				27,1.89
Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.295.00/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40.



CNC-tool storing systems

CNC transport systems

BESTSELLER



CNC-Trolley

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 6 x CNC-Tool carrier 600 or 900
- Incl. CNC-inserts





Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.285.07A	560 x 630 x 950	30/60*	30/42*	20/30*
02.285.01A	560 x 930 x 950	48/96*	48/66*	34/48*



- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawers with front height 400 mm load capacity 180 kg



CNC-Drawer cabinet T736 R 18-24 mobile

- 2 x fixed and 2 x swivel wheels ø125 mm.
- The swivel wheels with brake
- 1 x CNC-drawer frame 450 (SR)
- Incl. CNC-inserts

■ Drawer interior dimension: 450 x 600 mm





Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.2580.4RVB	555 x 736 x 971	25/35*	25/25*	15/15*



CNC-Trolley for tool carriers

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- Incl. 6 x CNC-Tool carrier 600

02.288.06A 630 x 900 x 860

- 1 x shelf at the bottom
- Incl. CNC-inserts



42/60* 42/42* 25/30*



CNC-Trolley

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 4 x CNC-wide tool holders 900
- 4 x CNC-narrow tool holders 900
- 1 x top shelf
- Incl. CNC-inserts







Ref. No.	Dimensions mm (WxDxH)	CNC E1	CNC E2	CNC E3
02.58.44A	990 x 610 x 1450	84/192*	84/132*	64/96*

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40.

CNC workstation CNC-tool storing systems







CNC aluminium assembly block



CNC tool holder carrier



Drawers with CNC-Drawer frame



Ref. No.	Dimensions mm (W x D x H)	Description
02.15.04RVA	1500 x 750 x 859	CNC-Workbench R 18-24 consists of 1 x foot frame, 1 x CNC-drawer cabinet wide 555 mm, 1 x CNC-drawer frame Incl. tool inserts CNC E1: 25/35*, CNC E2: 25/25*, CNC E3: 15/15*
02.20.04RVA	2000 x 750 x 859	CNC-Workbench R 18-24 consists of 1 x foot frame, 1 x CNC-drawer cabinet wide 555 mm, 1 x CNC-drawer frame Incl. tool inserts CNC E1: 25/35*, CNC E2: 25/25*, CNC E3: 15/15*
02.2580/4VA	555 x 736 x 819	CNC- Drawer Cabinet with 4 x drawers, 1 x CNC-drawer frame 450 (SR) Incl. tool inserts CNC E1: 25/35*, CNC E2: 25/25*, CNC E3: 15/15*
02.8707WATA	620 x 120 x 180	CNC tool holder (WAT) 600, R 24-24 Incl. bracket
02.90010125A	Н 1250	CNC assembly (as shown), uprights 1250 mm 1 x perforated plate, 1 x CNC narrow tool holder base, 1 x CNC wide tool holder base Incl. inserts CNC E1: 33/48*, CNC E2: 33/33*, CNC E3: 21/24*
02.90010060A	H 650	CNC assembly, uprights 650 mm with 1 x perforated plate, 1 x CNC tool holder wide Incl. inserts CNC E1: 22/32*, CNC E2: 22/22*, CNC E3: 14/16*
05.96.46A		Work chair
02.560.41A		CNC aluminium mounting block SK40
02.560.63A		CNC steel assembly block HSKA63 (without fig.)
02.560.51A		CNC aluminium mounting block SK50

^{* 1}st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

6-corner-workbench

Drawer cabinets

- Dimensions (W x D x H) mm 555 x 736 x 819 mm
- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg







6-corner-workbench

- 6x drawer cabinet R18-2 each 2 x 100, 2 x 150, 1 x 200 mm
- Drawer interior dimension: 450 x 600 mm
- 6x intermediate plate
- 1x 6-corner worktop beech multiplex 40 mm

Ref. No.	Dimensions mm (W x D x H
03.066.05V10A	2500 x 2165 x 859





6-corner-workbench

- 6x drawer cabinet R18-24, each 1x drawers 100 mm, 1x 150 mm 1x hinged door 450 mm
- 6x intermediate plate
- 1x 6-corner worktop beech multiplex 40 mm

Ref. No.	Dimensions mm (W x D x H)
03.66.11/450VA	2500 x 2165 x 859

6-corner-workbench


- 6x drawer cabinet R18-24, each 3x drawers 100 mm (above and below)
- 6x intermediate plate
- 1x 6-corner worktop beech multiplex 40 mm



Ref. No.	Dimensions mm (W x D x H)
03.66.2.111VA	2500 x 2165 x 859

Accessories for interior dimensions 450 x 600 mm

More dividing kits s. page 20 and 21



Trough plates

■ Front 50-75 mm

Ref. No.	
111A	



Ribbed rubber inserts

■ Front 50-200 mm


Ref. No.	i
120A	



Small parts boxes

Front 100 mm

Ref. No.	
119A	



Metal dividers

Front 150 mm

Ref. No.	
113A	



Metal dividers


Front 200 mm

Ref. No.	
118A	





6-corner energy ramp

- 2 sockets each working place
- Cover in beech multiplex










6-corner worktop

- Beech multiplex, delivery in 2 parts with connection
- Length each working place 1250 mm





03.58.20A

Put together your own individual 6-corner-workbench with these drawer cabinets (for more information see p. 14)

555 x 736 x 819 mm (W x D x H) Drawer cabinets T 736 | R 18-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball bearing slides
- Anti-tilt device



Ref. No. 580/1111VB



580/2121V10A



580/0700V10A





Modular workbench



You can find further drawer cabinets for your workbench on page 17



- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450/600 x 600 mm
- Drawer block not lockable, supplement for cylinder lock see table down
- Drawer cabinet with cylinder lock and 2 x keys
- Modular workbenches: Delivered unassembled



Modular workbench - individual components

Pos.	Ref. No.	Dimensions mm (W x D x H)	Version
1*	03.15.40B	1500 x 750 x 40	Beech multiplex worktop
2*	03.20.40B	2000 x 750 x 40	Beech multiplex worktop
3*	03.90.01B	150 x 650 x 819	Foot frame 50 x 50 x 2 mm
	03.90.04B	150 x 650 x 919	Foot frame 50 x 50 x 2 mm
4	520/1VB	555 x 736 x 208	Drawer block T736 R 18-24, 1 x drawer 150 mm, on request also lockable
	520/1BM	-	Additional price with lock (adapted fpr Ref.no. 520/1B)
5	535/111VB	555 x 736 x 358	Drawer block T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 100 mm, 1 x drawer 150 mm
	535/111BM	-	Additional price with lock (adapted for Ref.no. 535/111B)
6	780/0022VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 2 x drawers 150 mm, 2 x drawers 200 mm
7	780/1111VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm

Modular workbench depth 750 | 1500 / 2000 x 750 x 859 mm (W x D x H) | R 18-24



Ref. No.	Dimensions mm (W x D x H)
03.15.520.1VA	1500 x 750 x 859
03.20.520.1VA	2000 x 750 x 859



1

■ 3 x drawers not lockable

Supplement for cylinder lock - see table above

Ref. No.	Dimensions mm (W x D x H)
03.15.535.2VA	1500 x 750 x 859
03.20.535.2VA	2000 x 750 x 859

Modular workbench depth 750 | 2000 x 750 x 859 mm (W x D x H) | R 18-24/24-24

- Beech multiplex worktop 40 mm
- Drawers with full pull-out 100%, load capacity 100 kg
- Delivered unassembled

Modular Workbench R 18-24

- 1 x double feet
- Drawer cabinet 555 mm wide, 4 x drawers
- Drawer interior dimension: 450 x 600 mm

SHORT DELIVERY TIME	CO 16,5 kg
IIII	10,3 kg

Ref. No.	Dimensions mm (W x D x H)
03.15.580.4VA	1500 x 750 x 859
03.20.580.4VA	2000 x 750 x 859

Energy ramp with 2 supports for the worktop

■ Complete with 1 kit with 3 sockets and on/off switch and cable 2m long



150

150

200

200

Ref. No.	Dimensions mm (W x D x H)
07.861.15.74A	1500 x 60 x 130
07.861.20.74A	2000 x 60 x 130






- 1 x double feet
- Drawer cabinet 705 mm wide, 4 x drawers
- Drawer interior dimension: 600 x 600 mm

SHORT	200
DELIVERY	21 1.2
TIME	21 kg



distant	(2)
Section 2	CO
TIME	21 kg

IV	iouuiai	VVO	rkbe	encn	ĸ	10-4	
	2 x dra	wer	cabi	net 5	55	mm	٧
	_						





150

150

200

200

Ref. No.	Dimensions mm (W x D x H)
03 20 580 20\/\	2000 v 750 v 850

Ref. No.	Dimensions mm (W x D x H)
03.20.780.4VA	2000 x 750 x 859



Heavy load table

- Beech multiplex worktop 40 mm
- Welded and bolted, from U-sections 75 x 50 x 2 mm
- Height-adjustable on a grid of 25 mm
- Delivered unassembled (with mounting instruction)



	10,1 kg
Ref. No.	Dimensions mm (W x D x H)
03.10.000.6A	1000 x 750 x 734 - 1084
03.15.000.6A	1500 x 750 x 734 - 1084
03.20.000.6A	2000 x 750 x 734 - 1084



Modular workbench

Delivered unassembled



Foot with stepless height adjustment

Stepless height adjustment of 300 mm





Modular Workbench

- Worktop beech multiplex 40 mm
- 2 x double feet
- Stepless height adjustment of 300 mm



Ref. No.	Dimensions mm (W x D x H)
03.15.000.4A	1500 x 750 x 759 - 1059
03.20.000.4A	2000 x 750 x 759 - 1059



- Worktop beech multiplex 40 mm
- 2 x double feet
- 1 x storage shelf on the bottom in half depth

· · · · - · · · · · · · · · · · · · · ·	7,7 kg
Ref. No.	Dimensions mm (W x D x H)
03.15.000.2A	1500 x 750 x 859
03.20.000.2A	2000 x 750 x 859



- Worktop beech multiplex 40 mm
- 2 x double feet
- 1 x storage shelf on the bottom in half depth
- Stepless height adjustment of 300 mm







Ref. No.	Dimensions mm (W x D x H)
03.15.000.3A	1500 x 750 x 759 - 1059
03.20.000.3A	2000 x 750 x 759 - 1059

Workbenches and Worktables




Workbench

- Beech multiplex worktop 40 mm
- Frame 40 x 40 x 2 mm
- Shelf in half depth









- Frame 40 x 40 x 2 mm, with inserted nuts
- Shelf in half depth
- Drawer block: 1 x drawer 150 mm not lockable





Ref. No.	Dimensions mm (W x D x H)
03.14.31VA	1500 x 750 x 859
03.19.31VA	2000 x 750 x 859

- Drawers with full pull-out 100%, load capacity 100 kg
- Beech multiplex worktop 40 mm




Workbench R 18-24

- Left: 3 x drawer | Right: 5 x drawer
- Drawer interior dimension: 450 x 600 mm
- Frame width 1200 mm





- Left: 1 x hinged door, 1 x shelf | Right: 4 x drawer
- Drawer interior dimension: 450 x 600 mm
- Frame width 1200 mm





- Left: 4 x drawers | Right: 3 x drawers
- Drawer interior dimension: 450 x 600 mm

Multi-Board

- 2 x uprights 650 mm high, 2 x Perforated panels 2000 x 302 mm
- 1 x inclined shelf 2000 x 220 mm
- 11 x bins in different sizes
- Range of hooks, 10 parts
- 1 x rails for bins 450 mm

Ref. No.	Dimensions mm (W x D x H)	Version
03.19.29VA	2000 x 750 x 859	Workbench
03.19.29V9A	2000 x 750 x 959	Workbench
03 900 20 25A	2000 x 650	Multi-Roard



Ref. No.	Dimensions mm (W x D x H)	Version
03.19.29VA	2000 x 750 x 859	Workbench
03.19.29V9A	2000 x 750 x 959	Workbench
03 900 20 25Δ	2000 x 650	Multi-Roard

Lift/lower chassis retrofittable

- Dynamic load capacity: 450 kg
- Static load capacity: 1000 kg
- 2x steering caster, 2x fixed caster, Ø 80 mm, polyamide
- Not possible for workbenches with half shelf





- Left: 1 x hinged door 600 mm, 1 x shelf
- Right: 4 x drawers
- Drawer interior dimension: 600 x 600 mm
- Delivery without perforated panel

		(15,0 kg)
Ref. No.	Dimensions mm (W x D x H)	Version
03.15.19VA	1500 x 750 x 859	Workbench
03.15.19V9A	1500 x 750 x 959	Workbench
03.87.103-10A	1500 x 450	perforated panel (with hooks)

Delivery without tools


Ref. No.	For Frame width in mm
03.HUB12075A	1250 x 859
03.HUB120759A	1250 x 959
03.HUB15075A	1500 x 859
03.HUB150759A	1500 x 959
03.HUB17575A	1750 x 859
03.HUB175759A	1750 x 959
03.HUB20075A	2000 x 859
03.HUB200759A	2000 x 959

Workbench R 18-24

- Drawers with full pull-out 100 %, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled







- Right: 1 x drawer, 1 x hinged door

	Delivery	without	perforated	pane
--	----------	---------	------------	------

Ref. No.	Dimensions mm (WxDxH)
03.14.12VA	1500 x 750 x 859
03.19.12VA	2000 x 750 x 859



Ref. No.	Dimensions mm (WxDxH)
03.14.12V9A	1500 x 750 x 959
03.19.12V9A	2000 x 750 x 959





- Left: Shelf in half depth
- Right: 3 x drawers

Ref. No.	Dimensions mm (WxDxH)
03.14.14VA	1500 x 750 x 859
03.19.14VA	2000 x 750 x 859

Ref. No.	Dimensions mm (WxDxH)
03.14.14V9A	1500 x 750 x 959
03.19.14V9A	2000 x 750 x 959





- Left: Shelf in half depth
- Right: 4 x drawers

Ref. No.	Dimensions mm (WxDxH)
03.14.16VA	1500 x 750 x 859
03.19.16VA	2000 x 750 x 859



	Ref. No.	Dimensions mm (WxDxH)	
	03.14.16V9A	1500 x 750 x 959	
	03.19.16V9A	2000 x 750 x 959	

Includes Range of hooks 11 parts



36,00 €

Perforated panel includes hooks 11 parts

With 2 x fixing supports for workbench width 1500 mm

With 3 x fixing supports for workbench width 2000 mm

Ref. No.	Dimensions mm (W x H)
03.87.103-10A	1500 x 450
03.87.104-10A	2000 x 450
03.81.39511A	Range of hooks - 11 parts

Save

Perforated walls delivered without tools and decoration.



Range of hooks, 28 parts

150

Ref. No.	
03.87.39528A	



Range of hooks, 40 parts

Ref. No.	
03.81.39540A	



Ribbed rubber inserts


Front 50 mm and more

120A	



Anti-slip mat ■ W x D: 450 x 600 mm

Ref. No.	
65.051.731A	



Metal dividers Front 150 mm

Ref. No.	
116A	

Workbench R 18-24 Workbenches and workstations

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled



150

450



- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 1 x drawer, 1 x hinged door

Ref. No.	Dimensions mm (W x D x H)
03.19.22VA	2000 x 750 x 859
03.19.22V9A	2000 x 750 x 959

150

450





- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 3 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.19.24VA	2000 x 750 x 859
03.19.24V9A	2000 x 750 x 959



- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.19.26VA	2000 x 750 x 859
03.19.26V9A	2000 x 750 x 959

150 450 150 150

Accessories for interior dimensions 450 x 600 mm



Metal dividers ■ Front 150 mm

Ref. No.		
115A		



Metal dividers
■ Front 150 mm

Ref. No.



Metal dividers
■ Front 150 mm

Ref. No. 117A



Metal dividers
■ Front 200 mm

Ref. No.
118A

Workbench R 24-24

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled








- Left: 2 x shelf 300 mm
- Right: 3 x drawer

ELIVERY 14,4 kg

- Left: 5 x drawer
- Right: 4 x drawer



Ref. No.	Dimensions mm (W x D x H)
03.15.55VA	1500 x 750 x 859
03.15.55V9A	1500 x 750 x 959





150 450 450

- Left: 1 x hinged door, 1 x shelf
- Right: 3 x drawer



Ref. N

■ Left: 1 x drawer, 1 x hinged door Right: 1 x drawer, 1 x hinged door

-	
SHORT ELIVERY TIME	CO 15 kg

Ref. No.	Dimensions mm (W x D x H)
03.15.01VA	1500 x 750 x 859
03.15.01V9A	1500 x 750 x 959

03.15.17VA 1500 x 750 x 859 03.15.17V9A 1500 x 750 x 959



Left: 3 x drawer

Right: 4 x drav	ver
Ref. No.	Dimension

Ref. No.	Dimensions mm (W x D x H)
03.15.34VA	1500 x 750 x 859
03.15.34V9A	1500 x 750 x 959

150 100 100 150 100 150 200 150 ■ Left: 5 x drawer

Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.15.54VA	1500 x 750 x 859
03.15.54V9A	1500 x 750 x 959

Divider materials s. page 5 and 25

100

125

300

Workbench R 24-24 Workbenches and workstations

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled



- Left: 5 x drawer
- Middle: 2 x shelves 300 mm
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.20.11VA	2000 x 750 x 859
03.20.11V9A	2000 x 750 x 959

75 100

125

150 150





- Left: 1 x hinged door, 1 x shelf
- Middle: 2 x shelves 300 mm
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.20.16VA	2000 x 750 x 859
03.20.16V9A	2000 x 750 x 959






- Left: 3 x drawer
- Middle: 2 x shelves 300 mm
- Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
03.20.17VA	2000 x 750 x 859
03.20.17V9A	2000 x 750 x 959

Accessories for interior dimensions 600 x 600 mm






■ Front 50 mm and more

Trone 30 mm and more	'
Ref. No.	Ref
140A	13



Metal dividers

■ Front 150 mm






200

200

Small parts boxes

Front 100 - 150 mm





Metal dividers

Front 200 mm

Ref. No.
137A



150

150

150

Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859

Ref. No.	
03.15.95A	

More dividing kits s. page 5

Multi-Board – Combinations





Multi-Board 2000 mm consists of:

- 3 x uprights 1250 mm high
- 2 x perforated panels each 1000 x 302 mm
- 2 x magnetic panels each 1000 x 302 mm
- **3** x shelves 1000 x 320 mm
- 2 x rails for bins 450 mm
- Range of hooks, 10 parts
- 19 x bins in different sizes
- 1 x passage for electronic cables with 3 sockets and on/off-switch

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 32,2 W, 1154 mm wide, 1537 lx

Ref. No.	Dimensions mm (W x D x H)	Version
03.900.20.1A	2000 x 1250	with lighting
03.900.20.10B	2000 x 1250	without lighting and overhead frame

Multi-Board 2000 mm consists of:

- 3 x uprights 1250 mm high
- 2 x perforated panels each 1000 x 302 mm
- 2 x magnetic panels each 1000 x 302 mm
- 2 x shelves 320 mm
- 1x pivot arm with platform
- 1 x passage for electronic cables with 3 sockets and on/off-switch 2x 1/4" compressed air connection

Optional

CO

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 32,2 W, 1154 mm wide, 1537 lx

Ref. No.	Dimensions mm (W x D x H)	Version
03.900.20.21A	2000 x 1250	with lighting
03.900.20.210B	2000 x 1250	without lighting and overhead frame

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
 Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm







Workbench T750 R 18-24


- Left: 1 x hinged door, 1 x shelf
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 x shelf
- Frame width 1700 mm

Ref. No.	Dimensions mm (W x D x H)
03.19.35VA	2000 x 750 x 859
03.19.35V9A	2000 x 750 x 959

Divider material s. page 16, 22 and 23

Workbench T 750 R 18-24

- Left: 5 x drawers
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 shelf
- Frame width 1700 mm





bedrunka+hirth

Workbenches and workstations





Multi-Board 1500 mm consists of:

- 2 x uprights 1250 mm high
- 1 x perforated panels 1500 x 302 mm
- 1 x shelf 1500 x 320 mm
- Range of hooks, 10 parts
- 2 x rails for bins 300 mm
- 12 x bins in different sizes

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 28,9 W, 868 mm wide, 1263 lx

Ref. No.	Dimensions mm (W x D x H)	
03.900.15.320A	1500 x 1250	with lighting
03.900.15.320OB	1500 x 1250	without lighting and overhead frame



Multi-Board 1500 mm consists of:

- 2 x uprights 1250 mm high
- 1 x perforated panels 1500 x 302 mm
- 1 x magnetic panels 1500 x 302 mm
- 2 x shelves 1500 x 320 mm
- Range of hooks, 10 parts
- 1 x rails for bins 450 mm
- 20 x bins in different sizes
- 1 x passage for electronic cables with 3 sockets and on/off-switch

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 28,9 W, 868 mm wide, 1263 lx

Ref. No.	Dimensions mm (W x D x H)	Version
03.900.14.16A	1500 x 1250	with lighting
03.900.14.16OB	1500 x 1250	without lighting and overhead frame

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm







1500 x 750 x 859

1500 x 750 x 959

Workbench T750 R 18-24

- Left: 1 x shelf in half depth
- Right: 5 x drawers

Ref. No.	Dimensions mm (W x D x H)
03.14.15VA	1500 x 750 x 859
03.14.15V9A	1500 x 750 x 959

Divider material s. page 16, 22 and 23

Workbench T750 R 24-24

- Left: 3 x drawers
- Right: 3 x drawers

03.15.33VA

03.15.33V9A





Divider material s. page 5, 6 and 25

- Drawer interior dimension 450 x 600 mm
- Drawers with full pull-out (FP) 100%
- Drawers with 50 mm front height, load capacity 70 kg Drawers from 75 mm front height, load capacity 100 kg Load capacity 180 kg on request
- Beech multiplex workbench top, 2500 x 750 x 40 mm

- Levelling feet
- Cylinder lock with two keys
- Working height 859 mm or 959 mm
- 1000 kg total load capacity
- Delivered partially assembled,
- worktop delivered separately





■ Drawer interior dimension: 600 x 600 mm



- Far left: 3 x drawer
- Centre left: 1 x hinged door, 1 x shelf
- Centre right: 3 x drawer
- Far right: 1 x hinged door, 1 x shelf

Ref. No.	Dimensions mm (W x D x H)
03.25.3131VA	2500 x 750 x 859
03.25.3131V9A	2500 x 750 x 959

Drawers with full pull-out 100%, load capacity 100 kg

■ Beech multiplex worktop 40 mm





03.075.06V9A 810 x 750 x 959

■ 5 x drawer		17,6 kg
Ref. No.	Dimensions mm (WxDxH)	
03.075.06VA	810 x 750 x 859	



Workbench T736 R 18-24

■ Drawer interior dimension: 450 x 600



		(12,9 kg)
Ref. No.	Dimensions mm (WxDxH)	
03.055.10VA	810 x 750 x 859	
03.055.10V9A	810 x 750 x 959	



Workbench T736 R 24-24

■ 1 x drawer, 1 x hinged door

03.075.02V9A 810 x 750 x 959





Workbench T736 R 24-24

4 x drawer



03.075.04VA 810 x 750 x 859 03.075.04V9A 810 x 750 x 959



- Left: 4 x drawer | Right: 4 x drawer
- Drawer interior dimension: 450 x 600 mm

Ref. No.	Dimensions mm (W x D x H)
03.12.08VA	1250 x 750 x 859
03.12.08V9A	1250 x 750 x 959

Wall hanging cabinets

bedrunka+hirth





BESTSELLER







Wall hanging cabinet with door/doors

- With steel sheet in the rear
- 1 x shelf

With steel sheet in the rear1 x shelf			
Ref. No.	Dimensions mm (W x D x H)	Version	
03.040.091A	400 x 300 x 600	View window door	
03.080.091A	800 x 300 x 600	View window door	
03.040.001A	400 x 300 x 600	Metal doors	
03.080.001A	800 x 300 x 600	Metal doors	

Wall hanging cabinet with door/doors

- With perforated panel in the rear
- 1 x shelf

Ref. No.	Dimensions mm (W x D x H)	Version
03.040.191A	400 x 300 x 600	View window door
03.080.191A	800 x 300 x 600	View window door
03.040.101A	400 x 300 x 600	Metal doors
03.080.101A	800 x 300 x 600	Metal doors

Wall hanging cabinets are only available in these colours:

ı	RAL 3000	RAL 3003	RAL 5010	RAL 5012	RAL 6011	RAL 7016	RAL 7035	RAL 9005	RAL 9010

Wall hanging cabinets

Wall hanging cabinets

NEW

Wall hanging cabinets with 90° hinged door and gas pressure spring

- Inset flap door, flush with housing
- Door opening angle approx. 90°
- Sheet thickness 1 mm
- Load capacity 35 kg
- For wall mounting:
 Delivered without mounting material.
 Select suitable mounting material depending on wall condition.
- For mounting between two support columns: Delivered incl. 4 suspension brackets









Gas pressure spring Handle lock

Door opening angle 90°



Wall hanging cabinet with flap door



Ref. No.	Dimensions mm (W x D x H)	Version
HK5553140A	555 x 310 x 400	Wall-mounted
HK6002040MWA	600 x 200 x 400	Retween columns





Wall hanging cabinet with flap door



Ref. No.	Dimensions mm (W x D x H)	Version
HK7053140A	705 x 310 x 400	Wall-mounted

Wall hanging cabinet with flap door



Ref. No.	Dimensions mm (W x D x H)	Version
HK10513140A	1005 x 310 x 400	Wall-mounted
HK9002040MWA	900 x 200 x 400	Between columns

Wall hanging cabinets with doors

- Inset hinged doors, flush with housing
- Door opening angle approx. 100°
- 1 shelf made of galvanized sheet steel
- Sheet thickness 1 mm
- Load capacity 35 kg
- For wall mounting:

Delivered without mounting material.

Select suitable mounting material depending on wall condition.

• For mounting between two support columns: Delivered incl. 4 suspension brackets

Delivered without multi-wall and workbench



Wall hanging cabinets with door

- 1 x hinged door
- 1 x shelf

Ref. No.	Dimensions mm (W x D x H)	Version
HF5552060A	555 x 200 x 600	Wall-mounted
HF6002060MWA	600 x 200 x 600	Between columns



Additional shelf

Ref. No.	Dimensions mm (W x D x H)
HF55520FBA	552 x 165 x 20
HF70520FBA	702 x 165 x 20
HF10520FBA	1002 x 165 x 20



Wall hanging cabinets with double doors

- 2 x hinged door
- 1 x shelf

Ref. No.	Dimensions mm (W x D x H)	Version
HF7052060A	705 x 200 x 600	Wall-mounted



Wall hanging cabinets with double doors

- 2 x hinged door
- 1 x shelf

Ref. No.	Dimensions mm (W x D x H)	Version
HF1052060A	1005 x 200 x 600	Wall-mounted
HF9002060MWA	900 x 200 x 600	Between columns







Workstations

ergoliner electric, ergonomic, efficient

- Intelligent anti-collision system with adjustable sensitivity for optimal protection
- Extensive integration accessories such as power supply, multi-wall setup, or under-mounted cabinets
- Height-adjustable leveling feet up to 20 mm
- Very quiet operation with less than 50 dB
- Delivery without Multi-Board



Lift speed 35 mm/s



Ref. No.	Dimensions mm (W x D x H)	Version
EL415075B4	1500 x 750 x 650 -1300	Workstation with 40 mm beech multiplex worktop
EL420075B4	2000 x 750 x 650 -1300	Workstation with 40 mm beech multiplex worktop
EL415090B4	1500 x 900 x 650 -1300	Workstation with 40 mm beech multiplex worktop
EL420090B4	2000 x 900 x 650 -1300	Workstation with 40 mm beech multiplex worktop

For suitable Multi-Board, see pages 26/27



Under-mounted drawer cabinet

- 4 x drawer, 100 mm
- Full-extension drawers (VA) 100%
- Each drawer with a 100 kg load capacity
- Ball-bearing slides

Ref. No.	Dimensions mm (W x D x H)
38.020A	381 x 500 x 465
53.020A	531 x 500 x 465
535/020VA	555 x 736 x 465



Support for hanging cabinets

- Essential for mounting hanging cabinets
- Packaging unit: 2 piece

Ref. No.	Table depth in mm
4XXXXX75TRA	750
4XXXXX90TRA	900

Workplace systems

Workbenches and workstations

- Beech multiplex worktop 25 mm
- Base frame made of 45 x 45 mm steel tube
- Cross-members made of 40 x 40 mm aluminium sections
- Height adjustable from 735 to 1100 mm
- Delivered unassembled



workline basic table with clamp fixing





Ref. No.	Dimensions mm (W x D x H)
07.75.15A	1500 x 750 x 735 - 1100

workline basic table with crank adjustment







workline basic table with electric height adjustment







	(11/3 10)
Ref. No.	Dimensions mm (W x D x H)
07.75.15AHV	1500 x 750 x 735 - 1100

Ref. No.	Dimensions mm (W x D x H)
07.75.15AHVE	1500 x 750 x 735 - 1100



■ 2 x Beech multiplex worktop 25 mm

Standard colors s. page 2

Ref. No.	Dimensions mm (W x D x H)	Version
07.30.15A	3000 x 750 x 735 - 1100	Clamp fixing
07.30.15AHV	3000 x 750 x 735 - 1100	Crank adjustment

Mobile logistic systems

Maxmobile

- Plastic support surface with moulded surfaces for small parts and ergonomic handles
- 100 % full pull-out of drawers with max. 35 kg load capacity
- Central locking

- Precise locking and self-retraction
- Circumferential impact and heel protection
- Support surface in plastic



Maxmobile 1

■ 2x fixed and 2x steering caster with locks, Ø 100 mm

■ Internal usable area: 600 x 300 mm



5 x drawer, 1 x 50, 2 x 100, 1 x 150, 1 x 200 mm

Ref. No.	Dimensions mm (W x D x H)
US 88 8UV	780 v 480 v 912

• 6 drawer, 2 x 75, 3 x 100, 1 x 150 mm

Ref. No.	Dimensions mm (W x D x H)
NS SS 95A	780 v //80 v 912

Maxmobile 2

- Axle with 2x fixed caster, Ø 150 mm, 2x steering caster with lock, Ø 100 mm
- Internal usable area: 600 x 400 mm



Ref. No.	Dimensions mm (W x D x H)
08.89.92A	780 x 580 x 912

7 drawer, 4 x 75, 3 x 100 mm

08.89.94A

Dimensions mm (W x D x H)
780 x 580 x 912

Accessories

1 Bottle and can holder

■ Hung in the side

Ref. No.	Dimensions mm (WxDxH)	Version
08.88.75A	380 x 45 x 190	for Maxmobile 1
08.89.75A	480 x 45 x 190	for Maxmobile 2

2 Support tray

■ With paper roll holder

Ref. No.	Dimensions mm (WxDxH)	Version
08.88.72A	435 x 200	for Maxmobile 1
08.89.72A	535 x 200	for Maxmobile 2

3 Swivelling laptop tray

With locking

Ref. No.	Dimensions mm (WxDxH)	Version
08.88.73A	300 x 420	for Maxmobile 1 & 2

4 Perforated wall setup

■ Hung on the side

Ref. No.	Dimensions mm (WxDxH)	Version
08.88.77A	1250 x 300	for Maxmobile 1 & 2



Mobile drawer cabinets depth 500 R 18-16


Mobile Logistic systems



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.

- Drawers with full pull-out 100%, load capacity 50 kg
- Push handle
- Central locking system







46.301BR80 530 x 500 x 750

■ 4 x Castor wheels Ø 125mm, 2 x with locking device

■ Drawer interior dimension: 450 x 400 mm



5 x drawer

Ref. No.	Dimensions mm (W x D x H)
46.500BR80	530 x 500 x 750



Ribbed rubber inserts

from Front 75 mm

65.046.531A



Metal dividers

Front 100 mm

146-139B



Small parts boxes

Front 100 mm

146-132A



Metal dividers

Front 200 mm

146-144A



Anti-slip mat

■ WxD: 530 x 500 mm

65.040.530A

Mobile drawer cabinets depth 500 R 24-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Push handle
- Central locking system

- Roll-off edge on 3 sides
- 4 x Castor wheels Ø 125mm, 2 x with locking device
- Drawer interior dimension: 600 x 400 mm





68.2310AM 680 x 500 x 900



68.221AM 680 x 500 x 1000



68.700AM 680 x 500 x 1000



Ribbed rubber inserts Small parts boxes ■ from Front 75 mm Front 100 mm 65.068.530A 168-132A



Metal dividers Front 100 mm

168-139A



Metal dividers Front 150 mm 168-135A



Metal dividers Front 200 mm

168-144A



■ WxD: 680 x 500 mm 65.060.530A

Mobile logistic systems

Mobile drawer cabinets und workbenches depth 500



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.

Mobile drawer cabinets T500 R 18-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Push handle



riigita i X didiver	
Ref. No.	Dimensions mm (W x D x H)
04.11.08A	1060 x 500 x 1000

- Central locking system and 2 x housing
- 4 x Castor wheels Ø 125mm, 2 x with locking device
- Drawer interior dimension: 450 x 400 mm





Ref. No.	Dimensions mm (W x D x H)
04.11.05A	1060 x 500 x 1000

Mobile workbench T500 R 18-16

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Push handle



Ref. No.	Dimensions mm (W x D x H)
04.512.03A	1200 x 540 x 880



Ref. No.	Dimensions mm (W x D x H)
04.512.05A	1200 x 540 x 880

Accessories for interior dimensions 450 x 400 mm



Ribbed rubber inserts

■ from Front 75 mm

Ref. No.	
65.046.531A	



Metal dividers

Front 100 mm

Ref. No.
146-139B



Metal dividers

Front 150 mm

146-135A



Metal dividers

Front 200 mm

Ref. No.	
146-144A	

Mobile Logistic systems

Mobile workbench depth 540


Mobile workbench T540

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100 %, load capacity 75 kg
- Drawers on roller bearings



- Left: 4 x drawer
- Right: 2 x beech multiplex shelf 25 mm

Ref. No.	Dimensions mm (W x D x H)
04.12.91A	1200 x 540 x 820



■ 2 x fixed and 2 x steering casters with locks, Ø 200 mm

■ Push handle



Ref. No.	Dimensions mm (W x D x H)
04.12.92A	1200 x 540 x 820



Small parts boxes

Front 100 mm

Ref. No.	
146-132A	

More divider material s. page 30

Trough plates

Front 100 mm

ı	Ref. No.
	146-130A



Label pouch A4

■ With a flap

Ref. No.
03ZGBHMBA4A



Label pouch A4

Open

Ref. No.	
04.900.10A	

Trolley

- 4 x wheels Ø 125 mm, 2 x with locking device
- Push handle
- Frame in steel tube 40 x 40 x 2 mm



- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 125 mm
- Frame in steel tube 40 x 40 x 2 mm





- Beech multiplex worktop 40 mm
- Shelf in beech multiplex 25 mm

Ref. No.	Dimensions mm (W x D x H)
04.12.01A	1250 x 750 x 859
04.15.01A	1500 x 750 x 859



- Beech multiplex worktop 15 mm
- Shelf in beech multiplex 15 mm

Ref. No.	Dimensions mm (W x D x H)
04.900.04A	900 x 620 x 860



Co

Mobile logistic systems

Mobile workbench depth 736 R 18-24

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg



		(17,3 kg)
Ref. No.	Dimensions mm (W x D x H)	
04.12.05VA	1250 x 750 x 859	

- Drawer interior dimension: 450 x 600 mm
- 4 x Wheels Ø 125 mm, 2 x with locking device
- Push handle






Ref. No.	Dimensions mm (W x D x H)
04.12.19VA	1250 x 750 x 935

Combination

Mobile workbench T736 R 18-24

Consists of 04.12.19VA + 03.87.102A + 03.87.39518A + 500/583A

04.12.19VAK



Divider set T736 R 18-24

- Ribbed rubber inserts Front 50-200 mm
- Small parts boxes Front 100-150 mm
- Metal dividers Front 150 mm

Ref. No.	
500/583A	



Perforated panel

■ With 2 x fixing supports

Ref. No.	Dimensions mm (W x H)
03.87.102A	1000 x 450



Range of hooks, 18 parts

03.87.39518A

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- \blacksquare 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- Beech multiplex worktop 1250 x 750 x 40 mm
- Push handle
- Dividing sets s. page 16, 22 and 23





Ref. No.	Dimensions mm (W x D x H)
04.12.29VA	1250 x 750 x 995



Right: 4 x drawer

Ref. No.	Dimensions mm (W x D x H)
04.12.28VA	1250 x 750 x 995

Mobile drawer cabinets depth 736 R 18-24


Mobile logistic systems

- Drawers with full pull-out 100%
- Drawers with front height 50 mm load capacity 70 kg
- Drawers with front height 75 mm and more load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm

- 2 x fixed and 2 x steering caster with locks, Ø 125 mm
- Plastic push handles
- Central locking
- Roll-off edge on 3 sides







Divider set T736 R 18-24

- Ribbed rubber inserts Front 50 mm
- Small parts boxes Front 100 mm
- Metal dividers Front 100 mm
- Metal dividers Front 150 mm

Ref. No. 500/584A





■ 5 x drawer

Ref. No. Dimensions mm (WxDxH)

04.10.05V10B 555 x 736 x 990

Ref. No.

■ 6 x drawer

Ref. No.	Dimensions mm (WxDxH)	
04.10.06V10B	555 x 736 x 990	

Combination

Mobile drawer cabinet

Consists of 04.10.05V10B + 500/584A

Ref. No. 04.10.05V10K



Anti-slip mat

Ref. No.	Dimensions mm (W x D x H)
65.050.730A	555 x 736 x 3



Ref. No.	Dimensions mm (W x D x H)
04.10.06-1VA	555 x 736 x 990

Combination

Mobile drawer cabinet ■ Consists of 04.10.06V10B + 500/584A

CONSISTS OF 04. 10.00V 10B + 300/364P

Ref. No.

04.10.06V10K



		ZTRG
Ref. No.	Dimensions mm (W x D x H)	Version
04.10.07V10A	555 x 736 x 990	Drawer cabinet
03.983.580A	555 x 604	Perforated wall setup
03.983.53.1A	484 x 74 x 100	Depositing box

Divider material s. page 16, 22 and 23

Mobile logistic systems

WAF - Work assembly frame



Delivered unassembled!





- 4 x plastic steering caster Ø 50 mm
- Ribbed rubber mat

05.10.20B

Tray 610 x 410 mm (W x D)



660 x 660 x 872 - 1222





Work assembly frame

- 4 x steering caster, with locks, Ø 100 mm
- Ribbed rubber mat
- Tray 610 x 410 mm (W x D)


Ref. No.	Dimensions mm (W x D x H)
05.10.21B	660 x 660 x 945 - 1295



Work assembly frame Up to 30° inclinable

- 4 x plastic steering caster Ø 50 mm
- Ribbed rubber mat
- Tray 610 x 410 mm (W x D)

Ref. No.	Dimensions mm (W x D x H)
05.10.30B	660 x 660 x 921 - 1271



- Ribbed rubber mat
- Tray 610 x 410 mm (W x D)

Ref. No.	Dimensions mm (W x D x H)
05.10.31B	660 x 660 x 994 - 1344

Work stools and chairs



Standing aid, PU foam

- Height 600 800 mm
- Adjustable vertically 16°
- Seat swivelling

05.96.28A



Work stools with casters

- Beech seat, Ø 350 mm
- Seat height 435 625 mm
- Concealed safety gas spring
- High-quality plastic cruciform base, Ø 630 mm





05.96.05A



Working chair, PU black

- Seat height 520 720 mm
- Seat tilt 12 degrees
- Asynchronous mechanic for continous adjustment of seat and backrest tilt
- Synthetic star base







PC-cabinet mobile Mobile logistic systems

All models are available as stationary or mobile versions



- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- 1 x drawer, 1 x shelf, 1 x hinged door, 1 x 4-way socket bar
- Square holes in rear wall for ventilation
- 4 x steering caster, Ø 125 mm, thereof 2 with locks

ArtNr.	Dimensions mm (W x D x H)	Version
04.530.02A	530 x 500 x 1000	Mobile
04.530.02oRA	530 x 500 x 850	Stationary



- 1 x Perforated panels with flat screen bracket
- 1 x shelf, 2 x hinged door, 1 x desk attachment, 1 x 4-way socket bar
- 1 x Keyboard drawer
- Square holes in rear wall for ventilation
- 4 x steering caster, \emptyset 125 mm, thereof 2 with locks

		(17,1 kg)
ArtNr.	Dimensions mm (W x D x H)	Version
04.680.C125A	680 x 500 x 1610	Mobile
04.680.C125oRA	680 x 500 x 1460	Stationary



- 2 x shelves, 1 x hinged door, 1 x drawer
- 1x mouse tray
- 1x monitor bracket with VESA screw connection
- 1 x 4-way socket
- 1 x roller base, Ø 125 mm



ArtNr.	Dimensions mm (W x D x H)	Version
04.105.MC125A	500 x 500 x 1725	Mobile
04105MC125oRA	500 x 500 x 1575	Stationary



- 1 x Perforated panels with flat screen bracket
- 1 x shelf, 2 x hinged door, 1 x desk attachment, 1 x 4-way socket bar
- 1x adjustable shelf
- 1x desk attachment with pull-out drawer and perforated wall
- 1x roller base, Ø 125 mm

ArtNr.	Dimensions mm (W x D x H)	Version
04.180.C02A	1000 x 500 x 1610	Mobile
04.180.C02oR	1000 x 500 x 1460	Stationary

Delivery without decoration

CO

Hinged door cabinets

Battery charging cabinet



Disclaimer:

Do not store explosive or easily flammable objects, such as spray cans, in the battery charging cabinet.

Battery charging cabinet

- No ventilation slots in the side panels, so the cabinets can be placed flush against each other
- Ventilator incl. main switch and thermostat for optimized thermal management and overheating protection
- Height-adjustable E-shelves (adjustment range limited by cable length)
- Maximum of 3 E-shelves possible per cabine
- 3 metre supply cable

In case of an order, please indicate the country-specific sockets which are needed. Otherwise we will deliver with German sockets!







Ref. No.	Dimensions mm (W x D x H)	Version
AKKU106VBA	980 x 500 x 1838	Sheet steel doors
AKKII106SFA		Glazed doors with acrylic glass

- 1 x E-shelve with 6 x earthed socket and toggle switch
- 2 x E-shelve with 6 x earthed socket
- 1 x steel shelve

3 x steel shelve

Ref. No.	Dimensions mm (W x D x H)	Version
AKKU118VBA	000 v F00 v 1030	Sheet steel doors
AKKU118SFA	980 x 500 x 1838	Glazed doors with acrylic glass

Pallet truck base

- Steel sheet in front and rear screwed
- Incl. fixing material

Ref. No.	Dimensions mm (W x D x H)
01.098.012A	980 x 500 x 112



E-wallboard for mounting

- For charging up to 6 battery-powered devices
- Prepared for wall mounting
- Supplied without mounting material





Thermostat-controlled double fan with cover grille on the top of the cabine



Clean cable routing thanks to the cable cover in the corner, which hides all visible cables



Supply cable on the back (3 metres)



- 1 x E-shelve with 6 x earthed socket and toggle switch,
- 1 x steel shelve

		ر ب
Ref. No.	Dimensions mm (W x D x H)	Version
AKKU006VBA		Sheet steel doors
AKKU006SFA	980 x 500 x 1019	Glazed doors with acrylic glass

- 1 x E-shelve with 6 x earthed socket and toggle switch
- 1 x E-shelve with 6 x earthed socket



Ref. No.	Dimensions mm (W x D x H)	Version
AKKU012VBA		Sheet steel doors
AKKU012FSA	980 x 500 x 1019	Glazed doors with acrylic glass

BESTSELLER







Combination

Cabinet with hinged door Type 105

- 2 x shelves
- 1 x Metal border
- 2 x drawers with full null-out (VΔ) 100 %


	acity 50 kg	
Ref No.	Dimensions mm (WxDxH)	





Consists of 04.105B + 04.105.PA + 04.105.RU

Ref. No.	Dimensions mm (WxDxH)
04.105K	500 x 500 x 1315



Consists of 04.105B + 04.105.PA + 04.105.RU125

		150
Ref. No.	Dimensions mm (WxDxH)	
04.105K125	500 x 500 x 1400	



Desk attachment

Ref. No.	Dimensions mm (WxDxH)
04.105.PA	495 x 495 x 100 - 250



Roller base

- 4x steering caster, Ø 50 mm
- Thereof 2 with locks

Ref. No.	Dimensions mm (WxDxH)
04.105.RU	500 x 500 x 65



- 4x steering caster, Ø 125 mm
- Thereof 2 with lock

Ref. No.	Dimensions mm (WxDxH)
04.105.RU125	500 x 500 x 150



- 1 x metal border
- 2 x drawers with full pull-out (VA) 100 %, load capacity 50 kg
- 2 x shelves

Ref. No.	Dimensions mm (W x D x H)
04.110B	1000 x 500 x 1000







4 x castor wheels Ø 125 mm, 2 x with brake



Hinged door cabinets


Compartment cabinets

Compartment cabinets

- For depth 400 mm: Internal compartment size: 390 x 365 x 360 mm (W x D x H)
- For depth 500 mm: Internal compartment size: 390 x 465 x 360 mm (W x D x H)
- All compartments with hinged doors, partial perforation on the hinge side
- Each door includes a stamped nameplate
- Door with cylinder lock, including 3 keys
- Material thickness: **1 mm** steel sheet
- Load capacity per compartment: 20 kg, 100 kg per column
- Wall mounting recommended; delivery without mounting materials.
 Select appropriate mounting materials based on wall conditions.

ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°
- 4 adjustable leveling feet, accessible from above





Compartment cabinets 01

■ 5 x compartments



		
Ref. No.	Dimensions in mm (W x D x H)	
BHFS40401901	400 x 400 x 1900	
BHFS40501901	400 x 500 x 1900	



Compartment cabinets 02

10 x compartments

■ 10 x compartments		200 (11,1 kg)
Ref. No.	Dimensions in mm (W x D x H)	
BHFS80401902	800 x 400 x 1900	
BHFS80501902	800 x 500 x 1900	



Compartment cabinets 03

■ 15 x compartments

'	
Ref. No.	Dimensions in mm (W x D x H)
BHFS12401903	1200 x 400 x 1900
BHFS12501903	1200 x 500 x 1900



Wardrobe cabinets

NEW

Hinged door cabinets

Wardrobe cabinets

- Each 1 x hinged door with cylinder lock including 2 x keys
- Housing top and bottom at the front and rear with ventilation slots
- Each compartment 1 x shelf, load capacity 20 kg
- Each compartment 1 x clothing rod with 3 x sliding hooks
- Material thickness: **1 mm** steel sheet
- Wall mounting is recommended, delivery without fastening materials, choose sufficient mounting materials depending on the wall type.
- Internal dimensions for one compartment: 220 x 460 mm (W x D)

•

ADVANTAGES

- Hinged doors are flush with the housing on the inside
- Door opening angle: 100°, partial perforation
- Total load capacity 100 kg






Wardrobe cabinets 06

2 x compartments

2 x comparaments		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Ref. No.	Dimensions in mm (W x D x H)	
BHGS60501706	600 x 500 x 1750	
BHGS60501906	600 x 500 x 1900	



Wardrobe cabinets 05


■ 1 x compartment





Ref. No.	Dimensions in mm (W x D x H)
BHGS30501705	300 x 500 x 1750
BHGS30501905	300 x 500 x 1900





Wardrobe cabinets 07

■ 3 x compartments





'	
Ref. No.	Dimensions in mm (W x D x H)
BHGS90501707	900 x 500 x 1750
BHGS90501907	900 x 500 x 1900

Hinged door cabinets

Hinged door and Wardrobe



Wardrobe lockers are only available completely in RAL 7035 with a smooth texture.

Wardrobe locker

- Compartment width 300 mm
- With hat shelf
- Clothes rail
- Towel holder per compartment
- Cam lock or cylinder lock
- Base

Rotary bolt (for your own padlock)



Ref. No.	Dimensions mm (W x D x H)	Version
06.102DSA	620 x 500 x 1800	2 compartments
06.103DSA	910 x 500 x 1800	3 compartments
06.104DSA	1200 x 500 x 1800	4 compartments

Cylinder lock with 2 keys



Ref. No.	Dimensions mm (W x D x H)	Version
06.102ZSA	620 x 500 x 1800	2 compartments
06.103ZSA	910 x 500 x 1800	3 compartments
06.104ZSA	1200 x 500 x 1800	4 compartments

BESTSELLER



Both cabinets available in RAL 7035/5012, housing light grey and doors light blue, or totally RAL 7035 with a smooth texture. Different colours on request.



Cabinet with hinged doors



Cabinet with hinged doors



	•	(12,7 kg)
Ref. No.	Dimensions mm (W x D x H)	Version
04.155.12A	1200 x 500 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.12FB	Load capacity 95 kg	Extra shelf
04.156.12A	1200 x 600 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.12FB	Load capacity 95 kg	Extra shelf

Cleaning stations







Paper towel roll Waste bins

Disinfectant dispenser

Kubik 5S cleaning station duo

- 1 x perforated side wall, consisting of 4 x individual panel
- 1 x solid side wall with push handle
- Top bevelled on 4 sides
- Recessed rear wall: 2 x shelves, 1 x broom, 1 x hand brush and 1x dustpan
- Interior: 2 x waste bins made of galvanised sheet steel
- 1 x unwind holder incl. paper towel roll
- 2 x fixed casters and 2 x steering casters with lock Ø 125 mm
- Delivery without disinfectant dispenser



Ref. No.	Dimensions mm (W x D x H)	
86.CLEAN5S-1A	690 x 530 x 1690	





Base plate




Triangular cleaning station

- Cleaning station
- Floor fixing possible
- Angled, folded sheet steel column
- Stahlblechsäule gewinkelt gekantet
- Scope of delivery includes:

1 x broom, 1 x hand brush, 1 x dustpan, 1 x spray bottle

Including holders







Electronically controlled drawer cabinet

Tool-Server-Modular (TSM®) R 24-24

Tool dispensing system

■ Drawers with full pull-out 100%

■ Drawers with front height 50 mm - load capacity 60 kg

Drawers with front height 100 mm and more - load capacity 100 kg

■ Drawer interior dimension: 600 x 600 mm

All modules including Pallet truck base in the housing colours

Supplement for delivery, installation and training





- 8 x drawer
- Incl. storage and management software
- With touch-display

Ref. No.		Dimensions mm (WxDxH)	
TS5G007	A08000	700 x 725 x 1131	







TSM® - Extension module

- 8 x drawer
- Incl. storage and management software for link with basic cabinet

Ref. No.	Dimensions mm (WxDxH)
TS5A00700080A	700 x 725 x 1131

Drawer divider

More Informations see

TSM® catalogue



Trough plates

Front 50 mm

Ref. No. TS-7-04A



Small parts boxes

Front 50 mm

Ref. No. TS-7-13-050A



Metal dividers

Front 100 mm

Ref. No. TS-7-27-100A



Metal dividers

Front 150 mm

Ref. No. TS-7-26-150A



Metal dividers

Front 200 mm

Ref. No. TS-7-20-200A



R 24-24

Electronic divider

Front 100 mm

Ref. No. TS7K160-100A







Verband Lagertechnik Betriebseinrichtung

bedrunka+hirth

Workplace up to date - mehr Raum zum Arbeiten

Offers apply to commercial and craft activities.

Technical and price variations are possible given the price of raw material. The price is calculated without VAT, except mistakes or omission. You'll find the general terms of Bedrunka+Hirth Gerätebau GmbH on our website https://www.bedrunka-hirth.de/en-de